

Project:

Valmiera Valka

Licensed user:

Enviropojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviropojekts
Calculated:
10/23/2025 10:13 AM/4.2.271


DECIBEL - Main Result

Noise calculation model:

Danish low frequency 2024

The calculation is based on "BEK nr. 995 af 26/08/2024" from the Danish Environmental Agency.

All coordinates are in
Latvian TM LKS92-LKS92 (LV)



(C) OpenStreetMap contributors, Data OpenStreetMap and contributors, ODbL

Scale 1:250,000

New WTG Noise sensitive area

WTGs

	Y	X	Z	Row data/Description	WTG type			Power, rated	Rotor diameter	Hub height	Noise data					
					Valid	Manufact.	Type-generator				Creator	Name	First wind speed [m/s]	LwaRef [dB(A)]	Last wind speed [m/s]	LwaRef [dB(A)]
			[m]				[kW]	[m]	[m]							
1	613,957	389,277	61.5	VV1	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
2	616,186	397,211	62.9	VV7	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
3	617,635	396,225	65.3	VV9	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
4	610,283	391,933	68.8	VV16	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
5	608,358	388,826	52.6	VV20	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
6	609,695	389,677	53.9	VV21	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
7	610,742	389,874	57.4	VV22	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
8	605,275	389,300	46.1	VV24	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	175.0	USER	Noise (17)	6.0	97.4	8.0	97.4
9	606,533	390,273	50.1	VV26	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	175.0	USER	Noise (17)	6.0	97.4	8.0	97.4
10	608,152	390,366	52.1	VV28	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
11	605,220	390,031	50.9	VV30	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	175.0	USER	Noise (17)	6.0	97.4	8.0	97.4
12	608,296	389,544	56.6	VV31	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
13	606,416	389,477	48.2	VV32	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
14	606,529	388,588	47.1	VV33	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
15	612,973	391,100	64.1	VV36	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	175.0	USER	Noise (17)	6.0	97.4	8.0	97.4
16	612,346	391,526	66.4	VV37	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
17	611,256	389,723	55.4	VV38	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
18	613,300	390,088	63.7	VV39	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
19	612,936	390,471	65.2	VV40	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
20	612,721	389,476	60.3	VV41	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	175.0	USER	Noise (17)	6.0	97.4	8.0	97.4
21	612,193	389,952	64.0	VV42	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
22	612,019	392,275	67.0	VV46	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
23	610,667	389,321	51.8	VV47	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	175.0	USER	Noise (17)	6.0	97.4	8.0	97.4
24	620,431	399,277	57.7	VV49	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	175.0	USER	Noise (17)	6.0	97.4	8.0	97.4
25	618,630	398,962	59.3	VV50	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
26	618,163	399,300	59.5	VV51	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
27	618,308	395,919	66.0	VV61	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
28	620,180	398,615	60.6	VV64	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
29	620,710	398,253	60.9	VV65	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	175.0	USER	Noise (17)	6.0	97.4	8.0	97.4
30	620,959	399,786	57.6	VV66	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	175.0	USER	Noise (17)	6.0	97.4	8.0	97.4
31	620,204	400,027	55.9	VV67	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	175.0	USER	Noise (17)	6.0	97.4	8.0	97.4
32	621,468	399,298	64.3	VV68	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	175.0	USER	Noise (17)	6.0	97.4	8.0	97.4
33	620,945	397,753	62.1	VV70	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	175.0	USER	Noise (17)	6.0	97.4	8.0	97.4
34	605,460	388,557	45.5	VV81	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	175.0	USER	Noise (17)	6.0	97.4	8.0	97.4
35	614,735	389,478	60.8	VV82	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
36	611,851	390,722	66.0	VV84	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
37	611,070	390,505	60.6	VV85	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
38	608,872	390,103	54.1	VV86	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
39	610,014	389,211	50.8	VV88	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	175.0	USER	Noise (17)	6.0	97.4	8.0	97.4
40	619,364	398,930	61.4	VV91	Yes	NORDEX	N175/6.X-8,000	8,000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4

Calculation Results

DECIBEL - Main Result

Sound level

Noise sensitive area

No.	Name	Y	X	Z	Immission height	Wind speed	Demands Noise	Sound level From WTGs	Distance to noise demand	Demands fulfilled ? Noise
				[m]	[m]	[m/s]	[dB(A)]	[dB(A)]	[m]	
A	Astras	621,845	397,366	57.2	1.5	6.0	20.0	15.6	549	Yes
A						8.0	20.0	15.6	549	Yes
B	Banki	614,975	397,694	59.4	1.5	6.0	20.0	12.4	968	Yes
B						8.0	20.0	12.4	968	Yes
C	Berzi	611,263	391,392	69.6	1.5	6.0	20.0	20.0	14	Yes
C						8.0	20.0	20.0	14	Yes
D	Brivibas iela 2	604,377	391,205	54.7	1.5	6.0	20.0	13.3	1,040	Yes
D						8.0	20.0	13.3	1,040	Yes
E	Brivibas iela 3	604,313	391,174	54.1	1.5	6.0	20.0	13.2	1,058	Yes
E						8.0	20.0	13.2	1,058	Yes
F	Brivibas iela 5	604,269	391,203	53.8	1.5	6.0	20.0	13.0	1,108	Yes
F						8.0	20.0	13.0	1,108	Yes
G	Brivibas iela 7	604,222	391,219	52.9	1.5	6.0	20.0	12.9	1,151	Yes
G						8.0	20.0	12.9	1,151	Yes
H	Brivibas iela 10	604,206	391,261	50.0	1.5	6.0	20.0	12.7	1,194	Yes
H						8.0	20.0	12.7	1,194	Yes
I	Cekuli	609,470	388,065	51.0	1.5	6.0	20.0	17.0	675	Yes
I						8.0	20.0	17.0	675	Yes
J	Celtnieku iela 2	604,278	391,015	50.1	1.5	6.0	20.0	13.5	961	Yes
J						8.0	20.0	13.5	961	Yes
K	Celtnieku iela 6	604,227	391,003	49.8	1.5	6.0	20.0	13.4	986	Yes
K						8.0	20.0	13.4	986	Yes
L	Celtnieku iela 10	603,889	391,051	48.1	1.5	6.0	20.0	12.4	1,268	Yes
L						8.0	20.0	12.4	1,268	Yes
M	Darza iela 3	604,410	391,329	54.2	1.5	6.0	20.0	13.0	1,122	Yes
M						8.0	20.0	13.0	1,122	Yes
N	Darza iela 5	604,398	391,292	54.5	1.5	6.0	20.0	13.1	1,097	Yes
N						8.0	20.0	13.1	1,097	Yes
O	Darza iela 7	604,385	391,255	54.6	1.5	6.0	20.0	13.2	1,075	Yes
O						8.0	20.0	13.2	1,075	Yes
P	Darza iela 8	604,330	391,274	53.3	1.5	6.0	20.0	13.0	1,123	Yes
P						8.0	20.0	13.0	1,123	Yes
Q	Darza iela 9	604,369	391,207	54.7	1.5	6.0	20.0	13.2	1,047	Yes
Q						8.0	20.0	13.2	1,047	Yes
R	Darza iela 10	604,311	391,227	53.8	1.5	6.0	20.0	13.1	1,099	Yes
R						8.0	20.0	13.1	1,099	Yes
S	Darza iela 12	604,274	391,136	53.0	1.5	6.0	20.0	13.2	1,055	Yes
S						8.0	20.0	13.2	1,055	Yes
T	Darza iela 14	604,216	391,169	53.5	1.5	6.0	20.0	13.0	1,118	Yes
T						8.0	20.0	13.0	1,118	Yes
U	Darza iela 16	604,327	390,987	49.7	1.5	6.0	20.0	13.7	908	Yes
U						8.0	20.0	13.7	908	Yes
V	Darza iela 16A	604,317	391,044	50.5	1.5	6.0	20.0	13.5	957	Yes
V						8.0	20.0	13.5	957	Yes
W	Darza iela 17	604,350	391,055	51.0	1.5	6.0	20.0	13.6	943	Yes
W						8.0	20.0	13.6	943	Yes
X	Darza iela 18	604,337	390,949	49.9	1.5	6.0	20.0	13.9	873	Yes
X						8.0	20.0	13.9	873	Yes
Y	Darza iela 19	604,355	391,025	50.7	1.5	6.0	20.0	13.7	918	Yes
Y						8.0	20.0	13.7	918	Yes
Z	Darza iela 20	604,345	390,919	49.5	1.5	6.0	20.0	14.0	845	Yes
Z						8.0	20.0	14.0	845	Yes
AA	Darza iela 21	604,361	390,993	50.5	1.5	6.0	20.0	13.8	890	Yes
AA						8.0	20.0	13.8	890	Yes
AB	Darza iela 22	604,352	390,887	49.1	1.5	6.0	20.0	14.1	816	Yes
AB						8.0	20.0	14.1	816	Yes
AC	Darza iela 23	604,368	390,962	50.2	1.5	6.0	20.0	13.9	862	Yes
AC						8.0	20.0	13.9	862	Yes
AD	Darza iela 24	604,358	390,858	48.3	1.5	6.0	20.0	14.2	790	Yes
AD						8.0	20.0	14.2	790	Yes
AE	Darza iela 25	604,375	390,933	49.7	1.5	6.0	20.0	14.0	835	Yes
AE						8.0	20.0	14.0	835	Yes

To be continued on next page...

DECIBEL - Main Result

...continued from previous page

Noise sensitive area					Immission height		Wind speed		Demands		Sound level		Demands fulfilled ?	
No.	Name	Y	X	Z					Noise		From WTGs	Distance to noise demand	Noise	
				[m]	[m]		[m/s]		[dB(A)]		[dB(A)]	[m]		
AF	Darza iela 27	604,382	390,901	49.8		1.5	6.0		20.0		14.1	807	Yes	
AF							8.0		20.0		14.1	807	Yes	
AG	Dreimani	604,272	389,248	45.3		1.5	6.0		20.0		16.0	531	Yes	
AG							8.0		20.0		16.0	531	Yes	
AH	Dumini	621,118	401,704	67.1		1.5	6.0		20.0		12.5	1,414	Yes	
AH							8.0		20.0		12.5	1,414	Yes	
AI	Dzelzcela eka 162. km	617,057	400,745	60.0		1.5	6.0		20.0		12.0	1,431	Yes	
AI							8.0		20.0		12.0	1,431	Yes	
AJ	Dzivojama maja 145. km	604,546	390,491	48.4		1.5	6.0		20.0		16.2	407	Yes	
AJ							8.0		20.0		16.2	407	Yes	
AK	Ezernieki	609,959	388,216	49.9		1.5	6.0		20.0		17.7	409	Yes	
AK							8.0		20.0		17.7	409	Yes	
AL	Gaujaskalni	622,314	397,445	56.7		1.5	6.0		20.0		13.9	963	Yes	
AL							8.0		20.0		13.9	963	Yes	
AM	Jaunziles	621,804	397,336	56.6		1.5	6.0		20.0		15.7	526	Yes	
AM							8.0		20.0		15.7	526	Yes	
AN	Kauci	604,028	388,839	46.3		1.5	6.0		20.0		14.5	852	Yes	
AN							8.0		20.0		14.5	852	Yes	
AO	Kocini	621,479	401,374	65.9		1.5	6.0		20.0		13.2	1,182	Yes	
AO							8.0		20.0		13.2	1,182	Yes	
AP	Kudras iela 3	604,294	390,910	49.0		1.5	6.0		20.0		13.8	873	Yes	
AP							8.0		20.0		13.8	873	Yes	
AQ	Kudras iela 5	604,299	390,888	48.6		1.5	6.0		20.0		13.9	854	Yes	
AQ							8.0		20.0		13.9	854	Yes	
AR	Kuminas	609,946	388,395	48.7		1.5	6.0		20.0		18.5	233	Yes	
AR							8.0		20.0		18.5	233	Yes	
AS	Lejas Gerki	617,129	400,875	61.5		1.5	6.0		20.0		11.8	1,493	Yes	
AS							8.0		20.0		11.8	1,493	Yes	
AT	Liepkalni	617,694	400,932	64.8		1.5	6.0		20.0		12.7	1,297	Yes	
AT							8.0		20.0		12.7	1,297	Yes	
AU	Maizeni	621,619	401,414	68.0		1.5	6.0		20.0		12.8	1,269	Yes	
AU							8.0		20.0		12.8	1,269	Yes	
AV	Maza Celtnieku iela 3	604,140	390,952	48.6		1.5	6.0		20.0		13.3	1,012	Yes	
AV							8.0		20.0		13.3	1,012	Yes	
AW	Medni	615,347	397,304	58.6		1.5	6.0		20.0		14.6	511	Yes	
AW							8.0		20.0		14.6	511	Yes	
AX	Melderi	610,143	388,470	49.2		1.5	6.0		20.0		19.0	147	Yes	
AX							8.0		20.0		19.0	147	Yes	
AY	Me ž uli	610,166	388,398	49.6		1.5	6.0		20.0		18.6	219	Yes	
AY							8.0		20.0		18.6	219	Yes	
AZ	Me ž vidi	622,762	397,722	50.5		1.5	6.0		20.0		12.9	1,360	Yes	
AZ							8.0		20.0		12.9	1,360	Yes	
BA	Miera iela 1	604,539	391,084	53.5		1.5	6.0		20.0		14.0	846	Yes	
BA							8.0		20.0		14.0	846	Yes	
BB	Miera iela 2	604,478	391,078	52.6		1.5	6.0		20.0		13.9	878	Yes	
BB							8.0		20.0		13.9	878	Yes	
BC	Miera iela 3	604,541	391,029	52.2		1.5	6.0		20.0		14.2	800	Yes	
BC							8.0		20.0		14.2	800	Yes	
BD	Miera iela 4	604,499	391,020	52.0		1.5	6.0		20.0		14.1	820	Yes	
BD							8.0		20.0		14.1	820	Yes	
BE	Miera iela 5	604,554	390,960	51.3		1.5	6.0		20.0		14.5	738	Yes	
BE							8.0		20.0		14.5	738	Yes	
BF	Miera iela 6	604,513	390,951	50.9		1.5	6.0		20.0		14.4	758	Yes	
BF							8.0		20.0		14.4	758	Yes	
BG	Miera iela 7	604,574	390,903	51.1		1.5	6.0		20.0		14.7	682	Yes	
BG							8.0		20.0		14.7	682	Yes	
BH	Miera iela 8	604,516	390,892	50.8		1.5	6.0		20.0		14.6	711	Yes	
BH							8.0		20.0		14.6	711	Yes	
BI	Olinas	610,632	388,282	48.2		1.5	6.0		20.0		17.9	377	Yes	
BI							8.0		20.0		17.9	377	Yes	
BJ	Parka iela 4	604,689	391,252	57.2		1.5	6.0		20.0		13.9	925	Yes	
BJ							8.0		20.0		13.9	925	Yes	

To be continued on next page...

DECIBEL - Main Result

...continued from previous page

Noise sensitive area					Demands		Sound level		Demands fulfilled ?	
No.	Name	Y	X	Z	Immission height	Wind speed	Noise	From WTGs	Distance to noise demand	Noise
				[m]	[m]	[m/s]	[dB(A)]	[dB(A)]	[m]	
BK	Parka iela 6	604,656	391,269	57.7	1.5	6.0	20.0	13.7	953	Yes
BK						8.0	20.0	13.7	953	Yes
BL	Parka iela 8	604,628	391,249	57.1	1.5	6.0	20.0	13.7	947	Yes
BL						8.0	20.0	13.7	947	Yes
BM	Parka iela 10	604,636	391,220	56.6	1.5	6.0	20.0	13.8	917	Yes
BM						8.0	20.0	13.8	917	Yes
BN	Parka iela 12	604,670	391,208	56.6	1.5	6.0	20.0	14.0	891	Yes
BN						8.0	20.0	14.0	891	Yes
BO	Parka iela 18	604,677	391,043	53.1	1.5	6.0	20.0	14.5	740	Yes
BO						8.0	20.0	14.5	740	Yes
BP	Parka iela 20	604,684	391,013	52.9	1.5	6.0	20.0	14.7	709	Yes
BP						8.0	20.0	14.7	709	Yes
BQ	Parka iela 22	604,691	390,982	53.1	1.5	6.0	20.0	14.8	680	Yes
BQ						8.0	20.0	14.8	680	Yes
BR	Parka iela 23	604,800	390,951	53.7	1.5	6.0	20.0	15.2	604	Yes
BR						8.0	20.0	15.2	604	Yes
BS	Parka iela 24	604,692	390,927	52.7	1.5	6.0	20.0	15.0	631	Yes
BS						8.0	20.0	15.0	631	Yes
BT	Parka iela 2A	604,718	391,339	58.0	1.5	6.0	20.0	13.6	993	Yes
BT						8.0	20.0	13.6	993	Yes
BU	Parceltuves	609,822	388,150	49.6	1.5	6.0	20.0	17.4	492	Yes
BU						8.0	20.0	17.4	492	Yes
BV	Priedulaji	621,922	397,366	57.0	1.5	6.0	20.0	15.2	620	Yes
BV						8.0	20.0	15.2	620	Yes
BW	Pulkas	605,077	387,025	45.2	1.5	6.0	20.0	13.0	1,162	Yes
BW						8.0	20.0	13.0	1,162	Yes
BX	Purva iela 8	604,248	391,356	49.8	1.5	6.0	20.0	12.6	1,238	Yes
BX						8.0	20.0	12.6	1,238	Yes
BY	Purva iela 8A	604,245	391,388	49.2	1.5	6.0	20.0	12.5	1,265	Yes
BY						8.0	20.0	12.5	1,265	Yes
BZ	Purva iela 9	604,265	391,316	51.2	1.5	6.0	20.0	12.7	1,197	Yes
BZ						8.0	20.0	12.7	1,197	Yes
CA	Purva iela 10	604,240	391,327	50.1	1.5	6.0	20.0	12.7	1,221	Yes
CA						8.0	20.0	12.7	1,221	Yes
CB	Purva iela 11	604,257	391,287	50.9	1.5	6.0	20.0	12.8	1,179	Yes
CB						8.0	20.0	12.8	1,179	Yes
CC	Purva iela 12	604,232	391,296	50.3	1.5	6.0	20.0	12.7	1,203	Yes
CC						8.0	20.0	12.7	1,203	Yes
CD	Purva iela 13	604,245	391,249	51.1	1.5	6.0	20.0	12.8	1,159	Yes
CD						8.0	20.0	12.8	1,159	Yes
CE	Rozites	609,789	388,187	51.5	1.5	6.0	20.0	17.5	463	Yes
CE						8.0	20.0	17.5	463	Yes
CF	Rubeni	621,956	401,048	75.4	1.5	6.0	20.0	13.3	1,126	Yes
CF						8.0	20.0	13.3	1,126	Yes
CG	Saules iela 1	604,657	391,109	54.8	1.5	6.0	20.0	14.2	807	Yes
CG						8.0	20.0	14.2	807	Yes
CH	Saules iela 2	604,637	391,168	56.3	1.5	6.0	20.0	14.0	869	Yes
CH						8.0	20.0	14.0	869	Yes
CI	Saules iela 3	604,599	391,104	54.8	1.5	6.0	20.0	14.1	831	Yes
CI						8.0	20.0	14.1	831	Yes
CJ	Saules iela 4	604,588	391,152	55.9	1.5	6.0	20.0	13.9	878	Yes
CJ						8.0	20.0	13.9	878	Yes
CK	Saules iela 9	604,416	391,088	52.5	1.5	6.0	20.0	13.7	924	Yes
CK						8.0	20.0	13.7	924	Yes
CL	Saules iela 11	604,363	391,089	51.9	1.5	6.0	20.0	13.5	960	Yes
CL						8.0	20.0	13.5	960	Yes
CM	Sili	621,918	397,525	60.7	1.5	6.0	20.0	15.6	563	Yes
CM						8.0	20.0	15.6	563	Yes
CN	Sporta iela 1	604,699	391,290	58.0	1.5	6.0	20.0	13.8	956	Yes
CN						8.0	20.0	13.8	956	Yes
CO	Sporta iela 1A	604,808	391,246	58.2	1.5	6.0	20.0	14.1	872	Yes
CO						8.0	20.0	14.1	872	Yes

To be continued on next page...

DECIBEL - Main Result

...continued from previous page

Noise sensitive area					Immission height		Wind speed	Demands Noise	Sound level From WTGs	Distance to noise demand	Demands fulfilled ? Noise
No.	Name	Y	X	Z	[m]	[m]	[m/s]	[dB(A)]	[dB(A)]	[m]	
CP	Sporta iela 2	604,802	391,292	58.3		1.5	6.0	20.0	14.0	917	Yes
CP							8.0	20.0	14.0	917	Yes
CQ	Sporta iela 3	604,668	391,303	57.8		1.5	6.0	20.0	13.7	980	Yes
CQ							8.0	20.0	13.7	980	Yes
CR	Sporta iela 4	604,671	391,338	58.4		1.5	6.0	20.0	13.6	1,011	Yes
CR							8.0	20.0	13.6	1,011	Yes
CS	Sporta iela 9	604,509	391,352	55.5		1.5	6.0	20.0	13.2	1,091	Yes
CS							8.0	20.0	13.2	1,091	Yes
CT	Sporta iela 11	604,472	391,364	54.5		1.5	6.0	20.0	13.1	1,120	Yes
CT							8.0	20.0	13.1	1,120	Yes
CU	Sporta iela 12	604,480	391,404	54.1		1.5	6.0	20.0	13.0	1,151	Yes
CU							8.0	20.0	13.0	1,151	Yes
CV	Sporta iela 13	604,431	391,378	53.3		1.5	6.0	20.0	12.9	1,152	Yes
CV							8.0	20.0	12.9	1,152	Yes
CW	Sporta iela 14	604,426	391,419	52.8		1.5	6.0	20.0	12.8	1,190	Yes
CW							8.0	20.0	12.8	1,190	Yes
CX	Stacijas iela 1	604,563	391,513	52.9		1.5	6.0	20.0	12.9	1,215	Yes
CX							8.0	20.0	12.9	1,215	Yes
CY	Tirgus iela 3	604,705	391,383	57.6		1.5	6.0	20.0	13.5	1,039	Yes
CY							8.0	20.0	13.5	1,039	Yes
CZ	Tirgus iela 5	604,503	391,454	55.1		1.5	6.0	20.0	12.9	1,184	Yes
CZ							8.0	20.0	12.9	1,184	Yes
DA	Tirgus iela 7	604,466	391,466	53.7		1.5	6.0	20.0	12.8	1,212	Yes
DA							8.0	20.0	12.8	1,212	Yes
DB	Vecramji 1	621,818	396,796	49.9		1.5	6.0	20.0	13.9	876	Yes
DB							8.0	20.0	13.9	876	Yes
DC	Vecramji 2	621,853	396,855	49.7		1.5	6.0	20.0	14.0	857	Yes
DC							8.0	20.0	14.0	857	Yes
DD	Vecrubeni	621,922	401,079	75.4		1.5	6.0	20.0	13.3	1,129	Yes
DD							8.0	20.0	13.3	1,129	Yes
DE	Vevezemnieki	621,567	400,588	65.0		1.5	6.0	20.0	16.1	524	Yes
DE							8.0	20.0	16.1	524	Yes
DF	Zala iela 1	604,645	391,387	57.4		1.5	6.0	20.0	13.4	1,067	Yes
DF							8.0	20.0	13.4	1,067	Yes
DG	Zala iela 3	604,637	391,362	57.4		1.5	6.0	20.0	13.4	1,046	Yes
DG							8.0	20.0	13.4	1,046	Yes
DH	Zala iela 5	604,592	391,318	57.1		1.5	6.0	20.0	13.5	1,024	Yes
DH							8.0	20.0	13.5	1,024	Yes
DI	Zala iela 6	604,552	391,332	56.5		1.5	6.0	20.0	13.3	1,054	Yes
DI							8.0	20.0	13.3	1,054	Yes
DJ	Zala iela 7	604,577	391,275	57.2		1.5	6.0	20.0	13.5	992	Yes
DJ							8.0	20.0	13.5	992	Yes
DK	Zala iela 8	604,539	391,288	56.7		1.5	6.0	20.0	13.4	1,021	Yes
DK							8.0	20.0	13.4	1,021	Yes
DL	Zala iela 9	604,564	391,228	56.6		1.5	6.0	20.0	13.6	956	Yes
DL							8.0	20.0	13.6	956	Yes
DM	Zala iela 10	604,521	391,243	56.4		1.5	6.0	20.0	13.5	990	Yes
DM							8.0	20.0	13.5	990	Yes
DN	Zemgali	622,337	401,230	72.0		1.5	6.0	20.0	12.0	1,508	Yes
DN							8.0	20.0	12.0	1,508	Yes
DO	Zile 1	621,843	397,439	58.8		1.5	6.0	20.0	15.8	521	Yes
DO							8.0	20.0	15.8	521	Yes
DP	Zile 2	621,674	397,268	56.5		1.5	6.0	20.0	16.0	458	Yes
DP							8.0	20.0	16.0	458	Yes
DQ	Zile 3	621,807	397,375	56.9		1.5	6.0	20.0	15.8	511	Yes
DQ							8.0	20.0	15.8	511	Yes
DR	Zile 4	621,812	397,423	58.5		1.5	6.0	20.0	15.9	497	Yes
DR							8.0	20.0	15.9	497	Yes
DS	Zveru Ferma	622,203	400,435	71.4		1.5	6.0	20.0	14.4	860	Yes
DS							8.0	20.0	14.4	860	Yes
DT	Bai ž as	611,829	389,115	52.3		1.5	6.0	20.0	20.1	-24	No
DT							8.0	20.0	20.1	-24	No

DECIBEL - Main Result

Distances (m)

WTG																						
NSA	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
A	11296	5660	4361	12774	15961	14377	13393	18427	16873	15376	18169	15643	17326	17650	10860	11149	13057	11223	11263	12061	12169	11065
B	8477	1304	3038	7430	11063	9599	8892	12827	11239	10012	12404	10536	11863	12418	6891	6705	8795	7788	7504	8521	8225	6172
C	3425	7621	7997	1119	3875	2324	1605	6343	4860	3275	6194	3495	5210	5501	1735	1091	1669	2419	1910	2408	1714	1162
D	9771	13247	14176	5950	4637	5532	6502	2105	2348	3867	1445	4256	2672	3388	8596	7974	7036	8992	8590	8520	7915	7715
E	9828	13319	14247	6017	4677	5586	6559	2107	2396	3923	1459	4304	2703	3406	8660	8040	7093	9052	8651	8577	7974	7783
F	9876	13344	14277	6057	4729	5635	6607	2152	2447	3972	1509	4355	2754	3456	8704	8082	7141	9098	8697	8626	8021	7822
G	9925	13380	14316	6102	4777	5685	6656	2188	2496	4021	1551	4404	2801	3499	8751	8129	7190	9147	8745	8675	8070	7867
H	9950	13375	14316	6113	4813	5713	6681	2234	2528	4047	1594	4436	2841	3542	8768	8144	7216	9169	8766	8700	8094	7878
I	4647	11345	11543	3951	1347	1627	2211	4373	3674	2651	4682	1888	3364	2986	4634	4499	2437	4331	4219	3544	3313	4920
J	9833	13423	14336	6074	4629	5579	6563	1983	2373	3928	1362	4278	2633	3310	8695	8083	7096	9069	8675	8581	7986	7842
K	9881	13473	14388	6126	4669	5625	6611	1999	2418	3976	1389	4322	2668	3336	8746	8135	7144	9118	8725	8629	8034	7894
L	10222	13753	14687	6454	4992	5965	6952	2233	2756	4317	1677	4657	2977	3610	9084	8469	7485	9459	9065	8971	8376	8221
M	9764	13162	14101	5903	4674	5537	6496	2206	2371	3864	1530	4276	2730	3465	8566	7938	7031	8976	8569	8515	7904	7667
N	9768	13190	14125	5919	4664	5537	6500	2176	2365	3866	1505	4272	2714	3442	8577	7950	7034	8982	8577	8518	7909	7683
O	9773	13218	14151	5936	4656	5539	6505	2148	2362	3871	1482	4269	2699	3422	8589	7965	7039	8991	8587	8524	7916	7701
P	9831	13258	14195	5988	4713	5597	6562	2188	2419	3928	1529	4327	2753	3471	8644	8019	7097	9047	8643	8581	7973	7753
Q	9779	13253	14182	5957	4645	5540	6510	2111	2357	3875	1452	4264	2680	3395	8604	7982	7044	9000	8598	8529	7923	7723
R	9840	13296	14229	6012	4705	5602	6571	2154	2418	3936	1502	4326	2737	3447	8662	8039	7105	9060	8658	8590	7984	7778
S	9859	13370	14296	6061	4692	5613	6589	2091	2418	3954	1455	4326	2709	3403	8699	8081	7123	9086	8687	8608	8007	7827
T	9922	13407	14339	6114	4759	5678	6653	2148	2484	4017	1518	4392	2776	3466	8757	8137	7187	9148	8748	8672	8069	7880
U	9780	13392	14301	6030	4573	5525	6510	1935	2318	3875	1308	4223	2578	3257	8646	8036	7043	9017	8624	8528	7933	7798
V	9799	13374	14289	6031	4609	5548	6530	1990	2346	3894	1357	4252	2620	3306	8656	8042	7063	9033	8638	8548	7951	7798
W	9769	13340	14254	5996	4585	5519	6499	1983	2318	3863	1343	4225	2599	3291	8622	8009	7032	9001	8605	8518	7919	7764
X	9763	13401	14305	6026	4546	5506	6494	1897	2297	3859	1274	4201	2547	3222	8637	8029	7026	9004	8612	8512	7919	7795
Y	9759	13350	14261	5997	4567	5507	6489	1955	2304	3854	1318	4210	2578	3266	8618	8006	7023	8994	8599	8508	7911	7765
Z	9750	13408	14309	6023	4526	5492	6481	1867	2281	3847	1247	4183	2524	3195	8629	8023	7013	8993	8602	8499	7907	7792
AA	9747	13359	14267	5995	4546	5493	6478	1924	2288	3842	1290	4193	2554	3238	8612	8002	7011	8984	8591	8496	7901	7764
AB	9737	13417	14314	6021	4504	5477	6469	1835	2265	3835	1218	4166	2499	3166	8623	8018	7001	8983	8593	8486	7896	7790
AC	9735	13368	14272	5994	4526	5479	6466	1893	2272	3831	1262	4176	2530	3211	8606	7997	6999	8974	8582	8484	7890	7762
AD	9727	13425	14320	6021	4486	5465	6458	1807	2252	3825	1194	4151	2478	3141	8618	8015	6990	8974	8586	8476	7887	7790
AE	9723	13375	14276	5991	4505	5465	6454	1864	2256	3819	1236	4159	2507	3184	8599	7992	6986	8964	8573	8472	7879	7760
AF	9711	13384	14281	5990	4484	5451	6442	1833	2240	3808	1208	4142	2483	3156	8593	7988	6974	8954	8564	8459	7868	7759
AG	9684	14329	15074	6582	4107	5439	6499	1004	2482	4038	1229	4034	2156	2352	8895	8388	7000	9066	8750	8451	7952	8316
AH	14341	6671	6492	14589	18127	16586	15735	20120	18530	17223	19722	17670	19120	19616	13370	13436	15516	14001	13895	14832	14755	13103
AI	11878	3640	4556	11114	14754	13292	12571	16425	14846	13674	15965	14219	15497	16080	10473	10352	12454	11299	11068	12073	11837	9854
AJ	9488	13440	14289	5915	4159	5212	6226	1396	1999	3608	816	3868	2128	2749	8449	7868	6754	8763	8390	8237	7666	7682
AK	4136	10939	11093	3730	1713	1484	1833	4808	3995	2808	5074	2127	3760	3449	4171	4080	1988	3829	3735	3036	2829	4551
AL	11684	6131	4834	13232	16401	14816	13827	18884	17332	15830	18630	16089	17780	18097	11290	11591	13485	11633	11684	12469	12590	11519
AM	11246	5618	4313	12724	15911	14326	13342	18377	16823	15326	18120	15592	17276	17600	10809	11099	13007	11172	11213	12010	12118	11015
AN	9938	14761	15482	6978	4330	5728	6792	1329	2886	4398	1686	4326	2472	2514	9226	8740	7281	9355	9056	8716	8240	8698
AO	14243	6734	6425	14644	18154	16603	15732	20206	18616	17284	19823	17711	19193	19670	13337	13430	15499	13937	13850	14772	14719	13125
AP	9799	13457	14360	6075	4567	5539	6530	1885	2328	3896	1277	4229	2561	3223	8681	8075	7062	9043	8653	8548	7957	7844
AQ	9791	13463	14364	6074	4553	5530	6522	1864	2317	3888	1258	4217	2545	3204	8677	8072	7054	9036	8647	8539	7949	7843
AR	4106	10799	10973	3553	1645	1306	1679	4758	3895	2664	5001	2010	3691	3422	4059	3944	1865	3756	3640	2978	2734	4398
AS	12022	3783	4677	11261	14901	13440	12720	16567	14988	13820	16105	14366	15640	16225	10621	10501	12602	11445	11215	12220	11985	10003
AT	12238	4015	4706	11657	15286	13806	13061	17014	15432	14235	16564	14764	16073	16642	10905	10819	12925	11699	11490	12487	12279	10350
AU	14351	6868	6540	14777	18282	16730	15857	20342	18752	17417	19960	17842	19327	19802	13457	13554	15621	14051	13967	14887	14838	13253
AV	9958	13574	14488	6220	4723	5699	6689	2004	2487	4054	1419	4388	2712	3361	8834	8225	7221	9200	8809	8706	8114	7988
AW	8146	844	2529	7382	10987	9493	8741															

Project:

Valmiera Valka

Licensed user:

Enviroprojekts, SIA

Maza Nometru iela 31

LV-1002 Riga

+37129262684

SIA Enviroprojekts

Calculated:

10/23/2025 10:13 AM/4.2.271

DECIBEL - Main Result

...continued from previous page

WTG																						
NSA	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
BY	9938	13284	14236	6062	4845	5711	6670	2328	2545	4038	1671	4451	2892	3613	8732	8101	7205	9147	8739	8688	8076	7823
BZ	9903	13298	14242	6049	4790	5671	6635	2255	2496	4001	1601	4403	2830	3545	8710	8083	7170	9117	8712	8653	8044	7812
CA	9930	13315	14262	6072	4817	5698	6661	2275	2523	4028	1624	4430	2856	3569	8735	8107	7196	9144	8738	8680	8070	7836
CB	9905	13318	14259	6059	4782	5670	6636	2232	2491	4002	1582	4399	2817	3528	8717	8091	7171	9121	8717	8655	8047	7823
CC	9931	13336	14280	6084	4808	5697	6663	2252	2518	4029	1605	4426	2842	3551	8743	8117	7198	9148	8743	8682	8074	7848
CD	9909	13346	14284	6076	4773	5671	6640	2204	2487	4005	1560	4395	2802	3507	8729	8105	7175	9129	8726	8659	8053	7841
CE	4308	11060	11232	3778	1567	1493	1937	4649	3867	2725	4927	2017	3611	3284	4315	4205	2124	3992	3889	3203	2982	4656
CF	14230	6928	6474	14809	18281	16721	15829	20401	18812	17452	20035	17857	19372	19828	13402	13527	15579	13965	13899	14804	14778	13254
CG	9477	13043	13949	5685	4348	5236	6208	1911	2053	3573	1216	3961	2399	3140	8315	7699	6742	8702	8303	8227	7624	7452
CH	9509	13034	13947	5697	4396	5272	6240	1973	2096	3605	1277	4003	2454	3199	8336	7717	6774	8730	8328	8259	7653	7464
CI	9534	13097	14005	5744	4395	5292	6265	1926	2105	3629	1240	4013	2439	3171	8374	7758	6799	8760	8361	8283	7681	7511
CJ	9553	13084	13997	5747	4429	5315	6284	1975	2134	3649	1287	4041	2479	3216	8384	7766	6818	8776	8375	8303	7698	7514
CK	9710	13266	14181	5926	4544	5463	6440	1983	2268	3805	1327	4175	2568	3273	8556	7941	6974	8939	8542	8459	7859	7694
CL	9762	13313	14230	5979	4590	5514	6492	2007	2317	3857	1361	4225	2610	3308	8609	7994	7026	8992	8594	8511	7911	7746
CM	11462	5740	4475	12908	16109	14524	13543	18563	17007	15515	18301	15786	17465	17794	11012	11296	13210	11382	11419	12220	12324	11204
CN	9474	12922	13845	5620	4411	5250	6206	2072	2097	3575	1363	3999	2497	3264	8276	7650	6742	8684	8278	8225	7613	7385
CO	9358	12846	13759	5518	4296	5132	6090	2001	1981	3458	1283	3881	2391	3166	8166	7543	6625	8570	8165	8108	7498	7284
CP	9373	12830	13748	5518	4327	5152	6106	2047	2009	3476	1328	3907	2429	3209	8173	7547	6642	8582	8175	8124	7511	7283
CQ	9506	12944	13869	5649	4443	5282	6239	2092	2130	3607	1386	4032	2527	3291	8307	7680	6774	8716	8309	8257	7645	7414
CR	9511	12925	13853	5642	4461	5290	6244	2126	2145	3614	1418	4044	2551	3319	8305	7676	6779	8718	8310	8262	7648	7406
CS	9672	13063	14000	5802	4603	5449	6405	2190	2293	3774	1500	4196	2674	3423	8467	7838	6940	8880	8472	8423	7810	7565
CT	9711	13091	14031	5838	4641	5488	6444	2215	2332	3813	1529	4235	2710	3456	8505	7875	6980	8919	8511	8462	7849	7601
CU	9712	13066	14010	5827	4656	5493	6446	2249	2344	3816	1560	4245	2732	3483	8498	7866	6981	8917	8507	8463	7849	7589
CV	9754	13122	14065	5878	4683	5532	6487	2243	2375	3856	1561	4278	2749	3491	8546	7916	7023	8962	8553	8505	7892	7640
CW	9768	13108	14055	5879	4710	5549	6502	2283	2398	3872	1599	4300	2781	3527	8553	7920	7037	8973	8563	8519	7904	7640
CX	9655	12943	13894	5734	4649	5449	6392	2325	2327	3767	1621	4220	2753	3524	8419	7782	6927	8851	8437	8408	7787	7493
CY	9488	12875	13806	5604	4458	5273	6222	2159	2138	3594	1447	4034	2561	3337	8273	7642	6758	8691	8281	8239	7623	7367
CZ	9700	13023	13971	5799	4664	5486	6435	2287	2348	3807	1593	4246	2750	3509	8477	7842	6970	8901	8489	8452	7834	7559
DA	9739	13051	14001	5835	4702	5525	6474	2312	2386	3846	1621	4285	2785	3541	8514	7879	7009	8940	8528	8491	7873	7595
DB	10877	5647	4221	12517	15641	14058	13060	18161	16618	15102	17922	15343	17051	17351	10519	10839	12710	10841	10902	11675	11809	10791
DC	10942	5677	4263	12572	15701	14117	13121	18216	16672	15158	17976	15401	17107	17409	10580	10897	12772	10905	10964	11739	11871	10847
DD	14236	6917	6474	14801	18276	16717	15827	20391	18802	17444	20023	17851	19363	19821	13402	13525	15577	13968	13900	14806	14778	13249
DE	13631	6353	5873	14220	17685	16123	15230	19819	18231	16864	19458	17264	18787	19237	12801	12928	14978	13363	13297	14202	14176	12659
DF	9547	12926	13860	5663	4510	5331	6281	2180	2192	3652	1473	4090	2605	3374	8332	7701	6817	8751	8341	8298	7683	7426
DG	9549	12945	13877	5674	4502	5330	6283	2158	2186	3653	1453	4086	2592	3358	8340	7710	6818	8755	8346	8300	7686	7437
DH	9584	13005	13935	5723	4515	5360	6317	2130	2204	3685	1432	4107	2592	3348	8384	7756	6852	8794	8387	8335	7723	7488
DI	9625	13034	13967	5761	4556	5402	6358	2156	2246	3727	1462	4149	2629	3382	8423	7795	6893	8835	8427	8376	7764	7525
DJ	9589	13038	13964	5743	4504	5361	6321	2095	2198	3689	1400	4102	2572	3321	8397	7772	6856	8803	8397	8340	7730	7508
DK	9630	13066	13995	5780	4544	5401	6362	2120	2238	3729	1430	4142	2609	3355	8436	7810	6897	8843	8437	8380	7770	7544
DL	9593	13071	13993	5762	4490	5360	6324	2055	2188	3690	1365	4095	2549	3291	8410	7787	6859	8810	8406	8343	7735	7527
DM	9637	13101	14027	5802	4534	5405	6369	2084	2233	3735	1399	4139	2590	3329	8452	7829	6904	8854	8450	8387	7779	7567
DN	14596	7346	6866	15221	18687	17124	16228	20817	19229	17865	20453	18266	19787	20239	13793	13927	15973	14345	14285	15184	15167	13661
DO	11348	5661	4379	12804	16000	14415	13433	18458	16903	15409	18198	15679	17359	17686	10902	11187	13100	11270	11307	12108	12213	11098
DP	11107	5487	4170	12577	15765	14180	13197	18231	16677	15180	17973	15446	17130	17454	10664	10953	12862	11029	11068	11867	11974	10869
DQ	11276	5622	4326	12743	15934	14350	13366	18397	16843	15347	18138	15614	17296	17622	10834	11122	13032	11200	11239	12038	12144	11036
DR	11315	5629	4344	12768	15964	14380	13398	18423	16868	15373	18162	15643	17323	17651	10866	11152	13064	11235	11272	12073	12178	11063
DS	13873	6826	6211	14641	18066	16497	15584	20260	18675	17285	19915	17663	19215	19645	13127	13286	15315	13649	13606	14490	14493	13049
DT	2134	9193	9179	3214	3482	2207	1325	6556	5421	3883	6671	3558	5424	5325	2291	2465	835	1764	1751	963	913	3165

WTG																			
NSA	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	
A	13770	2377	3589	4159	3821	2081	1440	2577	3127	1968	979	18601	10618	11999	12772	14865	14367	2932	
B	9415	5681	3868	3569	3775	5285	5762	6338	5725	6688	5970	13190	8219	7639	8180	9739	9826	4559	
C	2155	12091	10561	10494	8373	11474	11675	12823	12429	12908	11584	6458	3965	892	908	2716	2513	11065	
D	6566	17968	16225	15985	14705	17452	17787	18669	18118	18909	17813	2860	10500	7489	6729	4628	5979	16859	
E	6619	18039	16296	16056	14776	17524	17859	18740	18189	18980	17885	2857	10559	7551	6790	4684	6030	16931	
F	6669	18065	16321	16079	14808	17551	17887	18765	18213	19007	17915	2901	10606	7596	6836	4732	6080	16956	
G	6718	18100	16355	16112	14848	17587	17924	18800	18247	19043	17953	2935	10655	7644	6884	4782	6130	16991	
H	6746	18096	16349	16105	14850	17584	17923	18795	18241	19040	17953	2981	10679	7664	6906	4808	6160	16986	
I	1735	15678	14233	14203	11822	15032	15169	16411	16070	16434	15016	4040	5451	3568	2917	2123	1268	14693	
J	6610	18142	16403	16167	14861	17623	17954	18844	18297	19080	17976	2726	10569	7578	6811	4684	6013	17035	
K	6656	18193	16454	16217	14913	17674	18006	18895	18348	19131	18028	2738	10617	7628	6860	4731	6058	17086	
L	6995	18473	16728	16484	15217	17960	18297	19173	18619	19416	18324	2947	10959	7968	7201	5072	6395	17364	
M	6572	17883	16137	15894	14635	17370	17708	18582	18029	18826	17738	2964	10489	7465	6710	4628	5991	16773	
N	6571	17910	16165	15923	14658	17397	17734	18610	18057	18853	17762	2933	10494	7474	6718	4629	5989	16801	
O	6573	17938	16195	15953	14682	17424	17761	18639	18087	18880	17788	2904	10501	7485	6727	4633	5989	16830	
P	6631	17979	16233	15991	14728	17466	17803	18679	18125	18922	17832	2942	10558	7541	6783	4691	6047	16870	
Q	6574	17974	16231	15991	14712	17459	17794	18675	18123	18915	17820	2865	10509	7497	6737	4636	5987	16865	
R	6636	18017	16272	16031	14761	17503	17839	18717	18165	18959	17867	2906	10569	7556	6797	4698	6049	16908	
S	6646	18091	16348	16109	14825	17575	17909	18792	18241	19031	17935	2838	10591	7588	6825	4713	6054	16983	
T	6711	18128	16384	16142	14870	17614	17950	18828	18276	19070	17977	2893	10654	7648	6886	4777	6120	17019	
U	6555	18111	16374	16139	14824	17591	17921	18814	18268	19048	17941	2681	10516	7528	6760	4630	5958	17004	

DECIBEL - Main Result

...continued from previous page

WTG	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
NSA	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
V	6580	18094	16355	16118	14814	17575	17906	18796	18249	19032	17929	2737	10534	7540	6774	4651	5985	16986
W	6550	18059	16321	16085	14780	17541	17872	18762	18215	18997	17894	2733	10503	7508	6742	4621	5956	16952
X	6536	18119	16384	16150	14827	17599	17927	18823	18278	19055	17946	2642	10501	7517	6747	4613	5937	17013
Y	6538	18069	16331	16096	14785	17550	17880	18772	18226	19007	17901	2704	10495	7502	6735	4611	5943	16962
Z	6521	18126	16391	16159	14830	17604	17932	18830	18286	19061	17950	2612	10489	7508	6737	4600	5921	17020
AA	6524	18078	16341	16107	14790	17558	17887	18781	18236	19015	17907	2672	10484	7494	6726	4598	5927	16972
AB	6506	18135	16401	16170	14834	17612	17938	18839	18296	19069	17956	2579	10477	7500	6728	4587	5904	17029
AC	6510	18086	16351	16117	14794	17565	17894	18790	18246	19022	17913	2641	10473	7487	6718	4586	5912	16980
AD	6493	18143	16410	16180	14838	17619	17945	18847	18306	19077	17961	2550	10468	7493	6721	4577	5891	17038
AE	6495	18093	16359	16126	14797	17572	17899	18797	18254	19029	17917	2611	10461	7478	6708	4573	5896	16988
AF	6481	18102	16368	16137	14801	17579	17905	18806	18263	19036	17923	2579	10450	7471	6699	4561	5880	16996
AG	6395	19017	17333	17145	15539	18459	18741	19734	19234	19916	18715	1374	10465	7720	6913	4679	5742	17929
AH	16202	2523	3703	3810	6431	3228	3475	1925	1910	2432	3954	20444	13791	14368	15045	16867	16713	3282
AI	13089	3680	2378	1819	4985	3780	4422	4018	3227	4642	4906	16822	11503	11293	11861	13424	13513	2935
AJ	6232	18152	16433	16216	14793	17617	17930	18860	18332	19075	17934	2139	10239	7308	6524	4344	5616	17051
AK	1312	15230	13806	13788	11358	14580	14707	15962	15633	15975	14547	4512	4940	3140	2544	2177	996	14255
AL	14198	2626	3984	4546	4286	2433	1795	2704	3335	2037	1403	19052	10994	12434	13211	15314	14799	3302
AM	13719	2376	3566	4136	3771	2066	1427	2591	3131	1990	954	18550	10568	11948	12722	14815	14316	2914
AN	6657	19441	17766	17583	15937	18879	19154	20160	19666	20334	19121	1459	10726	8046	7236	5006	5998	18357
AO	16190	2344	3733	3911	6309	3049	3214	1671	1855	2076	3659	20514	13673	14357	15048	16909	16713	3232
AP	6568	18176	16440	16207	14881	17654	17982	18879	18335	19111	18001	2626	10538	7559	6788	4649	5967	17070
AQ	6558	18182	16447	16215	14884	17660	17987	18885	18342	19117	18005	2604	10531	7554	6782	4641	5956	17076
AR	1173	15110	13675	13652	11247	14461	14595	15842	15507	15861	14440	4489	4910	3007	2390	2016	818	14129
AS	13237	3669	2431	1884	5094	3797	4438	3982	3189	4617	4930	16966	11645	11441	12009	13571	13661	2963
AT	13570	3199	2181	1698	5050	3398	4034	3460	2668	4113	4546	17399	11829	11762	12352	13966	14011	2607
AU	16313	2444	3866	4051	6414	3146	3288	1756	1981	2121	3721	20647	13777	14480	15173	17040	16838	3354
AV	6728	18293	16554	16318	15012	17775	18106	18996	18448	19232	18128	2734	10697	7714	6944	4808	6127	17186
AW	9253	5453	3677	3450	3268	5007	5446	6135	5567	6437	5615	13200	7850	7452	8032	9683	9691	4333
AX	999	14919	13493	13474	11051	14269	14399	15651	15321	15667	14241	4684	4701	2826	2236	2069	752	13943
AY	1050	14956	13535	13519	11083	14305	14432	15688	15361	15700	14272	4708	4695	2871	2293	2140	827	13982
AZ	14724	2801	4314	4862	4804	2732	2119	2740	3444	2039	1817	19577	11505	12962	13738	15840	15326	3606
BA	6377	17879	16142	15908	14592	17358	17688	18582	18037	18815	17709	2689	10322	7321	6557	4443	5787	16772
BB	6434	17936	16198	15964	14652	17416	17746	18639	18093	18873	17767	2705	10381	7381	6617	4501	5843	16829
BC	6360	17902	16167	15935	14609	17381	17708	18606	18062	18838	17728	2637	10311	7316	6550	4429	5767	16796
BD	6398	17943	16208	15975	14651	17422	17750	18647	18103	18879	17769	2644	10351	7358	6591	4468	5804	16837
BE	6329	17922	16189	15959	14619	17399	17724	18626	18085	18856	17741	2567	10287	7300	6531	4402	5733	16817
BF	6367	17963	16230	15999	14661	17440	17766	18667	18125	18897	17783	2574	10328	7341	6572	4441	5770	16858
BG	6295	17931	16200	15972	14620	17406	17730	18636	18096	18863	17745	2507	10260	7279	6508	4372	5697	16826
BH	6348	17987	16256	16027	14678	17463	17787	18692	18152	18920	17802	2517	10315	7336	6565	4427	5749	16883
BI	1039	14727	13341	13345	10827	14068	14176	15458	15150	15451	14001	5179	4274	2728	2266	2532	1115	13770
BJ	6282	17668	15929	15693	14395	17150	17483	18370	17823	18607	17507	2802	10201	7181	6424	4338	5703	16561
BK	6319	17690	15950	15713	14421	17173	17506	18392	17844	18630	17531	2828	10237	7216	6459	4375	5740	16583
BL	6340	17724	15984	15747	14454	17207	17540	18426	17878	18663	17564	2817	10261	7242	6485	4397	5759	16617
BM	6323	17730	15991	15755	14456	17212	17544	18433	17885	18669	17568	2787	10248	7232	6474	4381	5741	16623
BN	6287	17705	15967	15732	14427	17186	17518	18408	17861	18643	17540	2765	10212	7197	6438	4345	5705	16598
BO	6232	17774	16041	15811	14475	17251	17578	18478	17937	18708	17596	2606	10178	7180	6415	4299	5642	16669
BP	6218	17782	16050	15821	14479	17259	17584	18487	17946	18716	17601	2575	10167	7172	6406	4286	5626	16678
BQ	6203	17791	16060	15831	14483	17266	17591	18496	17956	18724	17607	2544	10156	7165	6397	4273	5610	16686
BR	6089	17709	15981	15755	14391	17182	17504	18415	17877	18640	17518	2482	10043	7054	6285	4159	5497	16605
BS	6187	17815	16086	15859	14501	17290	17612	18521	17982	18747	17627	2491	10147	7161	6392	4261	5592	16711
BT	6282	17602	15861	15623	14339	17087	17421	18304	17755	18543	17447	2879	10188	7159	6406	4334	5707	16495
BU	1444	15373	13944	13923	11504	14723	14852	16105	15773	16120	14694	4380	5089	3276	2665	2171	1078	14395
BV	13833	2423	3658	4227	3893	2143	1501	2604	3167	1984	1051	18669	10670	12064	12838	14933	14431	2998
BW	6043	19642	18058	17940	15941	19036	19246	20371	19945	20475	19153	1579	9964	7717	6930	4886	5399	18596
BX	6734	18016	16268	16021	14781	17507	17847	18715	18158	18962	17879	3049	10654	7629	6875	4791	6152	16906
BY	6746	18005	16255	16008	14774	17496	178											

Project:

Valmiera Valka

Licensed user:

Enviroprojekts, SIA

Maza Nometnu iela 31

LV-1002 Riga

+37129262684

SIA Enviroprojekts

Calculated:

10/23/2025 10:13 AM/4.2.271

DECIBEL - Main Result

...continued from previous page

WTG																				
NSA	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40		
CI	6325	17816	16080	15846	14529	17296	17625	18519	17975	18753	17646	2688	10266	7262	6499	4389	5737	16710		
CJ	6348	17803	16065	15830	14523	17284	17615	18506	17960	18741	17637	2737	10283	7275	6513	4410	5762	16696		
CK	6496	17986	16247	16011	14706	17467	17798	18688	18141	18924	17821	2737	10443	7443	6679	4563	5904	16879		
CL	6547	18032	16293	16056	14756	17515	17846	18735	18187	18971	17869	2758	10495	7496	6732	4615	5954	16925		
CM	13923	2298	3589	4154	3951	2052	1411	2456	3034	1829	1000	18741	10785	12149	12920	15008	14518	2915		
CN	6285	17642	15902	15665	14374	17125	17459	18344	17796	18582	17483	2837	10198	7174	6419	4339	5708	16535		
CO	6168	17565	15828	15594	14285	17046	17377	18268	17723	18503	17399	2766	10083	7062	6306	4222	5590	16459		
CP	6188	17549	15811	15575	14275	17031	17363	18252	17705	18488	17387	2812	10097	7072	6317	4241	5612	16442		
CQ	6318	17664	15923	15685	14399	17148	17482	18365	17816	18604	17507	2857	10230	7206	6451	4372	5740	16556		
CR	6326	17645	15903	15664	14384	17129	17464	18346	17796	18586	17491	2891	10234	7205	6452	4379	5751	16537		
CS	6484	17784	16039	15797	14533	17270	17608	18484	17931	18726	17637	2952	10396	7368	6615	4538	5906	16675		
CT	6524	17812	16066	15823	14565	17299	17638	18512	17958	18755	17667	2976	10435	7407	6654	4578	5946	16703		
CU	6529	17787	16040	15796	14545	17276	17615	18487	17932	18731	17646	3011	10434	7402	6651	4581	5953	16678		
CV	6567	17843	16096	15852	14600	17331	17670	18542	17987	18787	17701	3002	10478	7449	6696	4621	5989	16733		
CW	6584	17829	16081	15835	14592	17318	17659	18528	17972	18774	17691	3043	10490	7457	6706	4637	6009	16719		
CX	6485	17664	15915	15669	14432	17154	17495	18362	17806	18609	17528	3089	10373	7330	6584	4534	5917	16553		
CY	6309	17595	15852	15612	14338	17080	17416	18296	17745	18536	17443	2924	10209	7176	6425	4359	5736	16487		
CZ	6522	17744	15996	15751	14507	17233	17574	18443	17887	18689	17606	3050	10420	7383	6634	4573	5949	16634		
DA	6561	17772	16023	15777	14539	17262	17603	18471	17914	18717	17636	3073	10459	7422	6673	4612	5988	16662		
DB	13423	2842	3854	4431	3618	2448	1830	3110	3612	2526	1296	18314	10183	11670	12453	14572	14029	3252		
DC	13484	2808	3850	4426	3666	2428	1805	3064	3575	2473	1277	18371	10249	11730	12512	14630	14090	3240		
DD	16274	2338	3914	4158	6299	3017	3074	1612	2014	1837	3465	20681	13645	14444	15150	17050	16810	3340		
DE	15675	1735	3358	3640	5694	2412	2487	1007	1474	1294	2902	20103	13041	13845	14554	16464	16213	2757		
DF	6367	17646	15902	15661	14393	17132	17469	18347	17795	18588	17497	2945	10268	7236	6485	4418	5793	16538		
DG	6366	17665	15922	15681	14409	17151	17487	18366	17814	18607	17514	2922	10272	7242	6489	4418	5791	16556		
DH	6395	17725	15982	15743	14466	17210	17545	18426	17875	18666	17572	2894	10308	7283	6529	4450	5817	16617		
DI	6437	17754	16010	15770	14499	17240	17576	18455	17903	18696	17604	2919	10350	7324	6570	4491	5859	16646		
DJ	6396	17758	16016	15777	14494	17242	17576	18459	17909	18698	17602	2857	10315	7294	6538	4452	5816	16650		
DK	6436	17786	16043	15804	14526	17271	17606	18487	17936	18727	17633	2882	10355	7334	6578	4493	5856	16678		
DL	6394	17790	16050	15812	14521	17274	17607	18492	17944	18730	17631	2817	10320	7304	6546	4453	5812	16683		
DM	6439	17821	16080	15841	14557	17306	17640	18523	17973	18762	17665	2845	10365	7348	6590	4498	5857	16714		
DN	16672	2728	4346	4598	6665	3389	3392	1996	2448	2118	3744	21103	13995	14843	15554	17465	17211	3758		
DO	13812	2317	3556	4124	3848	2037	1395	2507	3063	1896	951	18635	10672	12039	12811	14900	14408	2893		
DP	13574	2362	3483	4057	3626	2011	1378	2617	3127	2040	876	18404	10431	11802	12576	14669	14171	2845		
DQ	13744	2347	3551	4121	3789	2045	1405	2555	3099	1953	941	18571	10599	11972	12745	14837	14341	2895		
DR	13777	2311	3535	4104	3813	2021	1380	2512	3061	1906	928	18599	10638	12003	12775	14865	14373	2874		
DS	16017	2117	3865	4196	5963	2721	2644	1403	2040	1354	2962	20527	13259	14194	14917	16864	16568	3213		
DT	1179	13313	11966	11993	9395	12648	12742	14042	13754	14020	12558	6393	2929	1608	1583	3117	1817	12373		

Project:

Valmiera Valka

Licensed user:

Enviroprojekts, SIA

Maza Nometņu iela 31

LV-1002 Rīga

+37129262684

SIA Enviroprojekts

Calculated:

10/23/2025 10:13 AM/4.2.271

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Assumptions

Cmet: Meteorological correction

Calculation Results

Noise sensitive area: A Astras

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11,296	11,298	-11.28	97.4	-	-
10	15,376	15,378	-14.33	97.4	-	-
11	18,169	18,170	-16.01	97.4	-	-
12	15,643	15,644	-14.51	97.4	-	-
13	17,326	17,327	-15.53	97.4	-	-
14	17,650	17,651	-15.72	97.4	-	-
15	10,860	10,861	-10.90	97.4	-	-
16	11,149	11,151	-11.15	97.4	-	-
17	13,057	13,059	-12.71	97.4	-	-
18	11,223	11,225	-11.22	97.4	-	-
19	11,263	11,265	-11.25	97.4	-	-
2	5,660	5,664	-4.65	97.4	-	-
20	12,061	12,062	-11.93	97.4	-	-
21	12,169	12,170	-12.01	97.4	-	-
22	11,065	11,067	-11.08	97.4	-	-
23	13,770	13,771	-13.24	97.4	-	-
24	2,377	2,383	3.31	97.4	-	-
25	3,589	3,595	-0.43	97.4	-	-
26	4,159	4,164	-1.79	97.4	-	-
27	3,821	3,826	-1.01	97.4	-	-
28	2,081	2,091	4.49	97.4	-	-
29	1,440	1,451	7.76	97.4	-	-
3	4,361	4,365	-2.23	97.4	-	-
30	2,577	2,582	2.58	97.4	-	-
31	3,127	3,131	0.83	97.4	-	-
32	1,968	1,976	4.99	97.4	-	-
33	979	995	11.10	97.4	-	-
34	18,601	18,601	-16.25	97.4	-	-
35	10,618	10,620	-10.68	97.4	-	-
36	11,999	12,001	-11.88	97.4	-	-
37	12,772	12,774	-12.49	97.4	-	-
38	14,865	14,867	-14.00	97.4	-	-
39	14,367	14,368	-13.66	97.4	-	-
4	12,774	12,775	-12.49	97.4	-	-
40	2,932	2,939	1.41	97.4	-	-
5	15,961	15,962	-14.71	97.4	-	-
6	14,377	14,378	-13.66	97.4	-	-
7	13,393	13,394	-12.96	97.4	-	-
8	18,427	18,428	-16.15	97.4	-	-
9	16,873	16,874	-15.26	97.4	-	-
Sum			15.57			

- Data undefined due to calculation with octave data

Noise sensitive area: A Astras

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11,296	11,298	-11.28	97.4	-	-
10	15,376	15,378	-14.33	97.4	-	-
11	18,169	18,170	-16.01	97.4	-	-
12	15,643	15,644	-14.51	97.4	-	-
13	17,326	17,327	-15.53	97.4	-	-
14	17,650	17,651	-15.72	97.4	-	-
15	10,860	10,861	-10.90	97.4	-	-
16	11,149	11,151	-11.15	97.4	-	-
17	13,057	13,059	-12.71	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
18	11,223	11,225	-11.22	97.4	-	-
19	11,263	11,265	-11.25	97.4	-	-
2	5,660	5,664	-4.65	97.4	-	-
20	12,061	12,062	-11.93	97.4	-	-
21	12,169	12,170	-12.01	97.4	-	-
22	11,065	11,067	-11.08	97.4	-	-
23	13,770	13,771	-13.24	97.4	-	-
24	2,377	2,383	3.31	97.4	-	-
25	3,589	3,595	-0.43	97.4	-	-
26	4,159	4,164	-1.79	97.4	-	-
27	3,821	3,826	-1.01	97.4	-	-
28	2,081	2,091	4.49	97.4	-	-
29	1,440	1,451	7.76	97.4	-	-
3	4,361	4,365	-2.23	97.4	-	-
30	2,577	2,582	2.58	97.4	-	-
31	3,127	3,131	0.83	97.4	-	-
32	1,968	1,976	4.99	97.4	-	-
33	979	995	11.10	97.4	-	-
34	18,601	18,601	-16.25	97.4	-	-
35	10,618	10,620	-10.68	97.4	-	-
36	11,999	12,001	-11.88	97.4	-	-
37	12,772	12,774	-12.49	97.4	-	-
38	14,865	14,867	-14.00	97.4	-	-
39	14,367	14,368	-13.66	97.4	-	-
4	12,774	12,775	-12.49	97.4	-	-
40	2,932	2,939	1.41	97.4	-	-
5	15,961	15,962	-14.71	97.4	-	-
6	14,377	14,378	-13.66	97.4	-	-
7	13,393	13,394	-12.96	97.4	-	-
8	18,427	18,428	-16.15	97.4	-	-
9	16,873	16,874	-15.26	97.4	-	-
Sum			15.57			

- Data undefined due to calculation with octave data

Noise sensitive area: B Banki

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8,477	8,479	-8.49	97.4	-	-
10	10,012	10,013	-10.10	97.4	-	-
11	12,404	12,405	-12.20	97.4	-	-
12	10,536	10,538	-10.60	97.4	-	-
13	11,863	11,865	-11.76	97.4	-	-
14	12,418	12,420	-12.21	97.4	-	-
15	6,891	6,893	-6.51	97.4	-	-
16	6,705	6,708	-6.25	97.4	-	-
17	8,795	8,797	-8.85	97.4	-	-
18	7,788	7,790	-7.68	97.4	-	-
19	7,504	7,507	-7.32	97.4	-	-
2	1,304	1,319	8.60	97.4	-	-
20	8,521	8,522	-8.54	97.4	-	-
21	8,225	8,228	-8.20	97.4	-	-
22	6,172	6,176	-5.47	97.4	-	-
23	9,415	9,417	-9.51	97.4	-	-
24	5,681	5,683	-4.69	97.4	-	-
25	3,868	3,873	-1.12	97.4	-	-
26	3,569	3,574	-0.38	97.4	-	-
27	3,775	3,781	-0.90	97.4	-	-
28	5,285	5,289	-4.01	97.4	-	-
29	5,762	5,764	-4.82	97.4	-	-
3	3,038	3,045	1.08	97.4	-	-
30	6,338	6,341	-5.72	97.4	-	-
31	5,725	5,728	-4.76	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
32	6,688	6,690	-6.23	97.4	-	-
33	5,970	5,972	-5.15	97.4	-	-
34	13,190	13,191	-12.81	97.4	-	-
35	8,219	8,221	-8.20	97.4	-	-
36	7,639	7,641	-7.49	97.4	-	-
37	8,180	8,183	-8.15	97.4	-	-
38	9,739	9,741	-9.84	97.4	-	-
39	9,826	9,827	-9.92	97.4	-	-
4	7,430	7,432	-7.23	97.4	-	-
40	4,559	4,564	-2.64	97.4	-	-
5	11,063	11,065	-11.08	97.4	-	-
6	9,599	9,601	-9.69	97.4	-	-
7	8,892	8,894	-8.95	97.4	-	-
8	12,827	12,828	-12.53	97.4	-	-
9	11,239	11,241	-11.23	97.4	-	-
Sum			12.38			

- Data undefined due to calculation with octave data

Noise sensitive area: B Banki

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8,477	8,479	-8.49	97.4	-	-
10	10,012	10,013	-10.10	97.4	-	-
11	12,404	12,405	-12.20	97.4	-	-
12	10,536	10,538	-10.60	97.4	-	-
13	11,863	11,865	-11.76	97.4	-	-
14	12,418	12,420	-12.21	97.4	-	-
15	6,891	6,893	-6.51	97.4	-	-
16	6,705	6,708	-6.25	97.4	-	-
17	8,795	8,797	-8.85	97.4	-	-
18	7,788	7,790	-7.68	97.4	-	-
19	7,504	7,507	-7.32	97.4	-	-
2	1,304	1,319	8.60	97.4	-	-
20	8,521	8,522	-8.54	97.4	-	-
21	8,225	8,228	-8.20	97.4	-	-
22	6,172	6,176	-5.47	97.4	-	-
23	9,415	9,417	-9.51	97.4	-	-
24	5,681	5,683	-4.69	97.4	-	-
25	3,868	3,873	-1.12	97.4	-	-
26	3,569	3,574	-0.38	97.4	-	-
27	3,775	3,781	-0.90	97.4	-	-
28	5,285	5,289	-4.01	97.4	-	-
29	5,762	5,764	-4.82	97.4	-	-
3	3,038	3,045	1.08	97.4	-	-
30	6,338	6,341	-5.72	97.4	-	-
31	5,725	5,728	-4.76	97.4	-	-
32	6,688	6,690	-6.23	97.4	-	-
33	5,970	5,972	-5.15	97.4	-	-
34	13,190	13,191	-12.81	97.4	-	-
35	8,219	8,221	-8.20	97.4	-	-
36	7,639	7,641	-7.49	97.4	-	-
37	8,180	8,183	-8.15	97.4	-	-
38	9,739	9,741	-9.84	97.4	-	-
39	9,826	9,827	-9.92	97.4	-	-
4	7,430	7,432	-7.23	97.4	-	-
40	4,559	4,564	-2.64	97.4	-	-
5	11,063	11,065	-11.08	97.4	-	-
6	9,599	9,601	-9.69	97.4	-	-
7	8,892	8,894	-8.95	97.4	-	-
8	12,827	12,828	-12.53	97.4	-	-
9	11,239	11,241	-11.23	97.4	-	-
Sum			12.38			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: C Berzi

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3,425	3,430	0.00	97.4	-	-
10	3,275	3,280	0.41	97.4	-	-
11	6,194	6,196	-5.50	97.4	-	-
12	3,495	3,500	-0.19	97.4	-	-
13	5,210	5,214	-3.88	97.4	-	-
14	5,501	5,504	-4.39	97.4	-	-
15	1,735	1,743	6.12	97.4	-	-
16	1,091	1,109	10.15	97.4	-	-
17	1,669	1,679	6.45	97.4	-	-
18	2,419	2,427	3.14	97.4	-	-
19	1,910	1,920	5.25	97.4	-	-
2	7,621	7,624	-7.47	97.4	-	-
20	2,408	2,414	3.19	97.4	-	-
21	1,714	1,725	6.21	97.4	-	-
22	1,162	1,178	9.60	97.4	-	-
23	2,155	2,161	4.19	97.4	-	-
24	12,091	12,092	-11.95	97.4	-	-
25	10,561	10,563	-10.62	97.4	-	-
26	10,494	10,495	-10.56	97.4	-	-
27	8,373	8,376	-8.38	97.4	-	-
28	11,474	11,476	-11.44	97.4	-	-
29	11,675	11,676	-11.61	97.4	-	-
3	7,997	8,000	-7.93	97.4	-	-
30	12,823	12,824	-12.53	97.4	-	-
31	12,429	12,430	-12.22	97.4	-	-
32	12,908	12,909	-12.60	97.4	-	-
33	11,584	11,585	-11.53	97.4	-	-
34	6,458	6,460	-5.90	97.4	-	-
35	3,965	3,970	-1.35	97.4	-	-
36	892	913	11.87	97.4	-	-
37	908	928	11.72	97.4	-	-
38	2,716	2,722	2.11	97.4	-	-
39	2,513	2,518	2.81	97.4	-	-
4	1,119	1,136	9.93	97.4	-	-
40	11,065	11,066	-11.08	97.4	-	-
5	3,875	3,880	-1.14	97.4	-	-
6	2,324	2,331	3.51	97.4	-	-
7	1,605	1,616	6.79	97.4	-	-
8	6,343	6,344	-5.72	97.4	-	-
9	4,860	4,863	-3.23	97.4	-	-
Sum			20.03			

- Data undefined due to calculation with octave data

Noise sensitive area: C Berzi

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3,425	3,430	0.00	97.4	-	-
10	3,275	3,280	0.41	97.4	-	-
11	6,194	6,196	-5.50	97.4	-	-
12	3,495	3,500	-0.19	97.4	-	-
13	5,210	5,214	-3.88	97.4	-	-
14	5,501	5,504	-4.39	97.4	-	-
15	1,735	1,743	6.12	97.4	-	-
16	1,091	1,109	10.15	97.4	-	-
17	1,669	1,679	6.45	97.4	-	-
18	2,419	2,427	3.14	97.4	-	-
19	1,910	1,920	5.25	97.4	-	-
2	7,621	7,624	-7.47	97.4	-	-
20	2,408	2,414	3.19	97.4	-	-
21	1,714	1,725	6.21	97.4	-	-
22	1,162	1,178	9.60	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	2,155	2,161	4.19	97.4	-	-
24	12,091	12,092	-11.95	97.4	-	-
25	10,561	10,563	-10.62	97.4	-	-
26	10,494	10,495	-10.56	97.4	-	-
27	8,373	8,376	-8.38	97.4	-	-
28	11,474	11,476	-11.44	97.4	-	-
29	11,675	11,676	-11.61	97.4	-	-
3	7,997	8,000	-7.93	97.4	-	-
30	12,823	12,824	-12.53	97.4	-	-
31	12,429	12,430	-12.22	97.4	-	-
32	12,908	12,909	-12.60	97.4	-	-
33	11,584	11,585	-11.53	97.4	-	-
34	6,458	6,460	-5.90	97.4	-	-
35	3,965	3,970	-1.35	97.4	-	-
36	892	913	11.87	97.4	-	-
37	908	928	11.72	97.4	-	-
38	2,716	2,722	2.11	97.4	-	-
39	2,513	2,518	2.81	97.4	-	-
4	1,119	1,136	9.93	97.4	-	-
40	11,065	11,066	-11.08	97.4	-	-
5	3,875	3,880	-1.14	97.4	-	-
6	2,324	2,331	3.51	97.4	-	-
7	1,605	1,616	6.79	97.4	-	-
8	6,343	6,344	-5.72	97.4	-	-
9	4,860	4,863	-3.23	97.4	-	-
Sum			20.03			

- Data undefined due to calculation with octave data

Noise sensitive area: D Brivibas iela 2

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,771	9,773	-9.87	97.4	-	-
10	3,867	3,872	-1.12	97.4	-	-
11	1,445	1,455	7.73	97.4	-	-
12	4,256	4,261	-2.00	97.4	-	-
13	2,672	2,679	2.25	97.4	-	-
14	3,388	3,393	0.09	97.4	-	-
15	8,596	8,598	-8.63	97.4	-	-
16	7,974	7,977	-7.91	97.4	-	-
17	7,036	7,039	-6.71	97.4	-	-
18	8,992	8,994	-9.06	97.4	-	-
19	8,590	8,592	-8.62	97.4	-	-
2	13,247	13,249	-12.85	97.4	-	-
20	8,520	8,522	-8.54	97.4	-	-
21	7,915	7,918	-7.84	97.4	-	-
22	7,715	7,718	-7.59	97.4	-	-
23	6,566	6,568	-6.05	97.4	-	-
24	17,968	17,968	-15.90	97.4	-	-
25	16,225	16,226	-14.87	97.4	-	-
26	15,985	15,986	-14.72	97.4	-	-
27	14,705	14,707	-13.89	97.4	-	-
28	17,452	17,454	-15.60	97.4	-	-
29	17,787	17,788	-15.79	97.4	-	-
3	14,176	14,177	-13.52	97.4	-	-
30	18,669	18,669	-16.28	97.4	-	-
31	18,118	18,119	-15.98	97.4	-	-
32	18,909	18,909	-16.41	97.4	-	-
33	17,813	17,814	-15.81	97.4	-	-
34	2,860	2,865	1.64	97.4	-	-
35	10,500	10,502	-10.57	97.4	-	-
36	7,489	7,492	-7.31	97.4	-	-
37	6,729	6,732	-6.29	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,628	4,632	-2.78	97.4	-	-
39	5,979	5,981	-5.17	97.4	-	-
4	5,950	5,953	-5.12	97.4	-	-
40	16,859	16,861	-15.26	97.4	-	-
5	4,637	4,641	-2.79	97.4	-	-
6	5,532	5,536	-4.44	97.4	-	-
7	6,502	6,505	-5.96	97.4	-	-
8	2,105	2,112	4.40	97.4	-	-
9	2,348	2,354	3.42	97.4	-	-
Sum			13.27			

- Data undefined due to calculation with octave data

Noise sensitive area: D Brīvības iela 2

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,771	9,773	-9.87	97.4	-	-
10	3,867	3,872	-1.12	97.4	-	-
11	1,445	1,455	7.73	97.4	-	-
12	4,256	4,261	-2.00	97.4	-	-
13	2,672	2,679	2.25	97.4	-	-
14	3,388	3,393	0.09	97.4	-	-
15	8,596	8,598	-8.63	97.4	-	-
16	7,974	7,977	-7.91	97.4	-	-
17	7,036	7,039	-6.71	97.4	-	-
18	8,992	8,994	-9.06	97.4	-	-
19	8,590	8,592	-8.62	97.4	-	-
2	13,247	13,249	-12.85	97.4	-	-
20	8,520	8,522	-8.54	97.4	-	-
21	7,915	7,918	-7.84	97.4	-	-
22	7,715	7,718	-7.59	97.4	-	-
23	6,566	6,568	-6.05	97.4	-	-
24	17,968	17,968	-15.90	97.4	-	-
25	16,225	16,226	-14.87	97.4	-	-
26	15,985	15,986	-14.72	97.4	-	-
27	14,705	14,707	-13.89	97.4	-	-
28	17,452	17,454	-15.60	97.4	-	-
29	17,787	17,788	-15.79	97.4	-	-
3	14,176	14,177	-13.52	97.4	-	-
30	18,669	18,669	-16.28	97.4	-	-
31	18,118	18,119	-15.98	97.4	-	-
32	18,909	18,909	-16.41	97.4	-	-
33	17,813	17,814	-15.81	97.4	-	-
34	2,860	2,865	1.64	97.4	-	-
35	10,500	10,502	-10.57	97.4	-	-
36	7,489	7,492	-7.31	97.4	-	-
37	6,729	6,732	-6.29	97.4	-	-
38	4,628	4,632	-2.78	97.4	-	-
39	5,979	5,981	-5.17	97.4	-	-
4	5,950	5,953	-5.12	97.4	-	-
40	16,859	16,861	-15.26	97.4	-	-
5	4,637	4,641	-2.79	97.4	-	-
6	5,532	5,536	-4.44	97.4	-	-
7	6,502	6,505	-5.96	97.4	-	-
8	2,105	2,112	4.40	97.4	-	-
9	2,348	2,354	3.42	97.4	-	-
Sum			13.27			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: E Brivibas iela 3

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,828	9,830	-9.92	97.4	-	-
10	3,923	3,928	-1.25	97.4	-	-
11	1,459	1,469	7.64	97.4	-	-
12	4,304	4,308	-2.10	97.4	-	-
13	2,703	2,709	2.15	97.4	-	-
14	3,406	3,411	0.05	97.4	-	-
15	8,660	8,662	-8.70	97.4	-	-
16	8,040	8,043	-7.99	97.4	-	-
17	7,093	7,096	-6.79	97.4	-	-
18	9,052	9,054	-9.13	97.4	-	-
19	8,651	8,654	-8.69	97.4	-	-
2	13,319	13,320	-12.91	97.4	-	-
20	8,577	8,579	-8.61	97.4	-	-
21	7,974	7,977	-7.91	97.4	-	-
22	7,783	7,786	-7.67	97.4	-	-
23	6,619	6,621	-6.13	97.4	-	-
24	18,039	18,040	-15.94	97.4	-	-
25	16,296	16,297	-14.92	97.4	-	-
26	16,056	16,057	-14.77	97.4	-	-
27	14,776	14,778	-13.94	97.4	-	-
28	17,524	17,525	-15.64	97.4	-	-
29	17,859	17,859	-15.84	97.4	-	-
3	14,247	14,248	-13.57	97.4	-	-
30	18,740	18,741	-16.32	97.4	-	-
31	18,189	18,190	-16.02	97.4	-	-
32	18,980	18,981	-16.45	97.4	-	-
33	17,885	17,886	-15.85	97.4	-	-
34	2,857	2,862	1.65	97.4	-	-
35	10,559	10,561	-10.62	97.4	-	-
36	7,551	7,554	-7.38	97.4	-	-
37	6,790	6,793	-6.37	97.4	-	-
38	4,684	4,688	-2.89	97.4	-	-
39	6,030	6,032	-5.25	97.4	-	-
4	6,017	6,021	-5.23	97.4	-	-
40	16,931	16,932	-15.30	97.4	-	-
5	4,677	4,681	-2.87	97.4	-	-
6	5,586	5,589	-4.53	97.4	-	-
7	6,559	6,562	-6.04	97.4	-	-
8	2,107	2,113	4.39	97.4	-	-
9	2,396	2,402	3.24	97.4	-	-
Sum			13.19			

- Data undefined due to calculation with octave data

Noise sensitive area: E Brivibas iela 3

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,828	9,830	-9.92	97.4	-	-
10	3,923	3,928	-1.25	97.4	-	-
11	1,459	1,469	7.64	97.4	-	-
12	4,304	4,308	-2.10	97.4	-	-
13	2,703	2,709	2.15	97.4	-	-
14	3,406	3,411	0.05	97.4	-	-
15	8,660	8,662	-8.70	97.4	-	-
16	8,040	8,043	-7.99	97.4	-	-
17	7,093	7,096	-6.79	97.4	-	-
18	9,052	9,054	-9.13	97.4	-	-
19	8,651	8,654	-8.69	97.4	-	-
2	13,319	13,320	-12.91	97.4	-	-
20	8,577	8,579	-8.61	97.4	-	-
21	7,974	7,977	-7.91	97.4	-	-
22	7,783	7,786	-7.67	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,619	6,621	-6.13	97.4	-	-
24	18,039	18,040	-15.94	97.4	-	-
25	16,296	16,297	-14.92	97.4	-	-
26	16,056	16,057	-14.77	97.4	-	-
27	14,776	14,778	-13.94	97.4	-	-
28	17,524	17,525	-15.64	97.4	-	-
29	17,859	17,859	-15.84	97.4	-	-
3	14,247	14,248	-13.57	97.4	-	-
30	18,740	18,741	-16.32	97.4	-	-
31	18,189	18,190	-16.02	97.4	-	-
32	18,980	18,981	-16.45	97.4	-	-
33	17,885	17,886	-15.85	97.4	-	-
34	2,857	2,862	1.65	97.4	-	-
35	10,559	10,561	-10.62	97.4	-	-
36	7,551	7,554	-7.38	97.4	-	-
37	6,790	6,793	-6.37	97.4	-	-
38	4,684	4,688	-2.89	97.4	-	-
39	6,030	6,032	-5.25	97.4	-	-
4	6,017	6,021	-5.23	97.4	-	-
40	16,931	16,932	-15.30	97.4	-	-
5	4,677	4,681	-2.87	97.4	-	-
6	5,586	5,589	-4.53	97.4	-	-
7	6,559	6,562	-6.04	97.4	-	-
8	2,107	2,113	4.39	97.4	-	-
9	2,396	2,402	3.24	97.4	-	-
Sum			13.19			

- Data undefined due to calculation with octave data

Noise sensitive area: F Brivibas iela 5

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,876	9,878	-9.97	97.4	-	-
10	3,972	3,976	-1.36	97.4	-	-
11	1,509	1,518	7.35	97.4	-	-
12	4,355	4,359	-2.21	97.4	-	-
13	2,754	2,761	1.98	97.4	-	-
14	3,456	3,461	-0.09	97.4	-	-
15	8,704	8,706	-8.75	97.4	-	-
16	8,082	8,085	-8.04	97.4	-	-
17	7,141	7,144	-6.85	97.4	-	-
18	9,098	9,101	-9.18	97.4	-	-
19	8,697	8,700	-8.74	97.4	-	-
2	13,344	13,346	-12.92	97.4	-	-
20	8,626	8,627	-8.66	97.4	-	-
21	8,021	8,024	-7.96	97.4	-	-
22	7,822	7,825	-7.72	97.4	-	-
23	6,669	6,671	-6.20	97.4	-	-
24	18,065	18,066	-15.95	97.4	-	-
25	16,321	16,322	-14.93	97.4	-	-
26	16,079	16,080	-14.78	97.4	-	-
27	14,808	14,810	-13.96	97.4	-	-
28	17,551	17,552	-15.66	97.4	-	-
29	17,887	17,888	-15.85	97.4	-	-
3	14,277	14,279	-13.60	97.4	-	-
30	18,765	18,766	-16.33	97.4	-	-
31	18,213	18,214	-16.03	97.4	-	-
32	19,007	19,008	-16.46	97.4	-	-
33	17,915	17,915	-15.87	97.4	-	-
34	2,901	2,905	1.51	97.4	-	-
35	10,606	10,608	-10.67	97.4	-	-
36	7,596	7,599	-7.44	97.4	-	-
37	6,836	6,839	-6.44	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,732	4,736	-2.98	97.4	-	-
39	6,080	6,082	-5.33	97.4	-	-
4	6,057	6,061	-5.29	97.4	-	-
40	16,956	16,957	-15.31	97.4	-	-
5	4,729	4,733	-2.98	97.4	-	-
6	5,635	5,639	-4.61	97.4	-	-
7	6,607	6,610	-6.11	97.4	-	-
8	2,152	2,158	4.20	97.4	-	-
9	2,447	2,453	3.05	97.4	-	-
Sum			13.02			

- Data undefined due to calculation with octave data

Noise sensitive area: F Brivibas iela 5

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,876	9,878	-9.97	97.4	-	-
10	3,972	3,976	-1.36	97.4	-	-
11	1,509	1,518	7.35	97.4	-	-
12	4,355	4,359	-2.21	97.4	-	-
13	2,754	2,761	1.98	97.4	-	-
14	3,456	3,461	-0.09	97.4	-	-
15	8,704	8,706	-8.75	97.4	-	-
16	8,082	8,085	-8.04	97.4	-	-
17	7,141	7,144	-6.85	97.4	-	-
18	9,098	9,101	-9.18	97.4	-	-
19	8,697	8,700	-8.74	97.4	-	-
2	13,344	13,346	-12.92	97.4	-	-
20	8,626	8,627	-8.66	97.4	-	-
21	8,021	8,024	-7.96	97.4	-	-
22	7,822	7,825	-7.72	97.4	-	-
23	6,669	6,671	-6.20	97.4	-	-
24	18,065	18,066	-15.95	97.4	-	-
25	16,321	16,322	-14.93	97.4	-	-
26	16,079	16,080	-14.78	97.4	-	-
27	14,808	14,810	-13.96	97.4	-	-
28	17,551	17,552	-15.66	97.4	-	-
29	17,887	17,888	-15.85	97.4	-	-
3	14,277	14,279	-13.60	97.4	-	-
30	18,765	18,766	-16.33	97.4	-	-
31	18,213	18,214	-16.03	97.4	-	-
32	19,007	19,008	-16.46	97.4	-	-
33	17,915	17,915	-15.87	97.4	-	-
34	2,901	2,905	1.51	97.4	-	-
35	10,606	10,608	-10.67	97.4	-	-
36	7,596	7,599	-7.44	97.4	-	-
37	6,836	6,839	-6.44	97.4	-	-
38	4,732	4,736	-2.98	97.4	-	-
39	6,080	6,082	-5.33	97.4	-	-
4	6,057	6,061	-5.29	97.4	-	-
40	16,956	16,957	-15.31	97.4	-	-
5	4,729	4,733	-2.98	97.4	-	-
6	5,635	5,639	-4.61	97.4	-	-
7	6,607	6,610	-6.11	97.4	-	-
8	2,152	2,158	4.20	97.4	-	-
9	2,447	2,453	3.05	97.4	-	-
Sum			13.02			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: G Brivibas iela 7

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,925	9,927	-10.02	97.4	-	-
10	4,021	4,026	-1.48	97.4	-	-
11	1,551	1,560	7.11	97.4	-	-
12	4,404	4,409	-2.32	97.4	-	-
13	2,801	2,808	1.82	97.4	-	-
14	3,499	3,504	-0.20	97.4	-	-
15	8,751	8,753	-8.80	97.4	-	-
16	8,129	8,131	-8.09	97.4	-	-
17	7,190	7,193	-6.92	97.4	-	-
18	9,147	9,150	-9.23	97.4	-	-
19	8,745	8,748	-8.79	97.4	-	-
2	13,380	13,381	-12.95	97.4	-	-
20	8,675	8,677	-8.72	97.4	-	-
21	8,070	8,073	-8.02	97.4	-	-
22	7,867	7,870	-7.78	97.4	-	-
23	6,718	6,721	-6.27	97.4	-	-
24	18,100	18,101	-15.97	97.4	-	-
25	16,355	16,356	-14.95	97.4	-	-
26	16,112	16,113	-14.80	97.4	-	-
27	14,848	14,849	-13.99	97.4	-	-
28	17,587	17,588	-15.68	97.4	-	-
29	17,924	17,925	-15.87	97.4	-	-
3	14,316	14,317	-13.62	97.4	-	-
30	18,800	18,801	-16.35	97.4	-	-
31	18,247	18,247	-16.05	97.4	-	-
32	19,043	19,044	-16.48	97.4	-	-
33	17,953	17,954	-15.89	97.4	-	-
34	2,935	2,939	1.41	97.4	-	-
35	10,655	10,657	-10.71	97.4	-	-
36	7,644	7,647	-7.50	97.4	-	-
37	6,884	6,887	-6.50	97.4	-	-
38	4,782	4,786	-3.08	97.4	-	-
39	6,130	6,132	-5.40	97.4	-	-
4	6,102	6,106	-5.36	97.4	-	-
40	16,991	16,992	-15.33	97.4	-	-
5	4,777	4,781	-3.07	97.4	-	-
6	5,685	5,688	-4.70	97.4	-	-
7	6,656	6,659	-6.18	97.4	-	-
8	2,188	2,194	4.05	97.4	-	-
9	2,496	2,502	2.87	97.4	-	-
Sum			12.87			

- Data undefined due to calculation with octave data

Noise sensitive area: G Brivibas iela 7

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,925	9,927	-10.02	97.4	-	-
10	4,021	4,026	-1.48	97.4	-	-
11	1,551	1,560	7.11	97.4	-	-
12	4,404	4,409	-2.32	97.4	-	-
13	2,801	2,808	1.82	97.4	-	-
14	3,499	3,504	-0.20	97.4	-	-
15	8,751	8,753	-8.80	97.4	-	-
16	8,129	8,131	-8.09	97.4	-	-
17	7,190	7,193	-6.92	97.4	-	-
18	9,147	9,150	-9.23	97.4	-	-
19	8,745	8,748	-8.79	97.4	-	-
2	13,380	13,381	-12.95	97.4	-	-
20	8,675	8,677	-8.72	97.4	-	-
21	8,070	8,073	-8.02	97.4	-	-
22	7,867	7,870	-7.78	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,718	6,721	-6.27	97.4	-	-
24	18,100	18,101	-15.97	97.4	-	-
25	16,355	16,356	-14.95	97.4	-	-
26	16,112	16,113	-14.80	97.4	-	-
27	14,848	14,849	-13.99	97.4	-	-
28	17,587	17,588	-15.68	97.4	-	-
29	17,924	17,925	-15.87	97.4	-	-
3	14,316	14,317	-13.62	97.4	-	-
30	18,800	18,801	-16.35	97.4	-	-
31	18,247	18,247	-16.05	97.4	-	-
32	19,043	19,044	-16.48	97.4	-	-
33	17,953	17,954	-15.89	97.4	-	-
34	2,935	2,939	1.41	97.4	-	-
35	10,655	10,657	-10.71	97.4	-	-
36	7,644	7,647	-7.50	97.4	-	-
37	6,884	6,887	-6.50	97.4	-	-
38	4,782	4,786	-3.08	97.4	-	-
39	6,130	6,132	-5.40	97.4	-	-
4	6,102	6,106	-5.36	97.4	-	-
40	16,991	16,992	-15.33	97.4	-	-
5	4,777	4,781	-3.07	97.4	-	-
6	5,685	5,688	-4.70	97.4	-	-
7	6,656	6,659	-6.18	97.4	-	-
8	2,188	2,194	4.05	97.4	-	-
9	2,496	2,502	2.87	97.4	-	-
Sum			12.87			

- Data undefined due to calculation with octave data

Noise sensitive area: H Brivibas iela 10

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,950	9,952	-10.04	97.4	-	-
10	4,047	4,051	-1.54	97.4	-	-
11	1,594	1,604	6.86	97.4	-	-
12	4,436	4,441	-2.38	97.4	-	-
13	2,841	2,848	1.69	97.4	-	-
14	3,542	3,547	-0.31	97.4	-	-
15	8,768	8,770	-8.82	97.4	-	-
16	8,144	8,147	-8.11	97.4	-	-
17	7,216	7,219	-6.95	97.4	-	-
18	9,169	9,172	-9.25	97.4	-	-
19	8,766	8,768	-8.82	97.4	-	-
2	13,375	13,377	-12.95	97.4	-	-
20	8,700	8,702	-8.74	97.4	-	-
21	8,094	8,096	-8.05	97.4	-	-
22	7,878	7,881	-7.79	97.4	-	-
23	6,746	6,749	-6.31	97.4	-	-
24	18,096	18,097	-15.97	97.4	-	-
25	16,349	16,351	-14.95	97.4	-	-
26	16,105	16,106	-14.80	97.4	-	-
27	14,850	14,852	-13.99	97.4	-	-
28	17,584	17,585	-15.68	97.4	-	-
29	17,923	17,924	-15.87	97.4	-	-
3	14,316	14,318	-13.62	97.4	-	-
30	18,795	18,796	-16.35	97.4	-	-
31	18,241	18,241	-16.05	97.4	-	-
32	19,040	19,041	-16.48	97.4	-	-
33	17,953	17,954	-15.89	97.4	-	-
34	2,981	2,985	1.26	97.4	-	-
35	10,679	10,681	-10.73	97.4	-	-
36	7,664	7,667	-7.53	97.4	-	-
37	6,906	6,909	-6.53	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,808	4,812	-3.13	97.4	-	-
39	6,160	6,162	-5.45	97.4	-	-
4	6,113	6,117	-5.38	97.4	-	-
40	16,986	16,988	-15.33	97.4	-	-
5	4,813	4,817	-3.14	97.4	-	-
6	5,713	5,716	-4.74	97.4	-	-
7	6,681	6,684	-6.22	97.4	-	-
8	2,234	2,240	3.87	97.4	-	-
9	2,528	2,534	2.75	97.4	-	-
Sum			12.73			

- Data undefined due to calculation with octave data

Noise sensitive area: H Brivibas iela 10

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,950	9,952	-10.04	97.4	-	-
10	4,047	4,051	-1.54	97.4	-	-
11	1,594	1,604	6.86	97.4	-	-
12	4,436	4,441	-2.38	97.4	-	-
13	2,841	2,848	1.69	97.4	-	-
14	3,542	3,547	-0.31	97.4	-	-
15	8,768	8,770	-8.82	97.4	-	-
16	8,144	8,147	-8.11	97.4	-	-
17	7,216	7,219	-6.95	97.4	-	-
18	9,169	9,172	-9.25	97.4	-	-
19	8,766	8,768	-8.82	97.4	-	-
2	13,375	13,377	-12.95	97.4	-	-
20	8,700	8,702	-8.74	97.4	-	-
21	8,094	8,096	-8.05	97.4	-	-
22	7,878	7,881	-7.79	97.4	-	-
23	6,746	6,749	-6.31	97.4	-	-
24	18,096	18,097	-15.97	97.4	-	-
25	16,349	16,351	-14.95	97.4	-	-
26	16,105	16,106	-14.80	97.4	-	-
27	14,850	14,852	-13.99	97.4	-	-
28	17,584	17,585	-15.68	97.4	-	-
29	17,923	17,924	-15.87	97.4	-	-
3	14,316	14,318	-13.62	97.4	-	-
30	18,795	18,796	-16.35	97.4	-	-
31	18,241	18,241	-16.05	97.4	-	-
32	19,040	19,041	-16.48	97.4	-	-
33	17,953	17,954	-15.89	97.4	-	-
34	2,981	2,985	1.26	97.4	-	-
35	10,679	10,681	-10.73	97.4	-	-
36	7,664	7,667	-7.53	97.4	-	-
37	6,906	6,909	-6.53	97.4	-	-
38	4,808	4,812	-3.13	97.4	-	-
39	6,160	6,162	-5.45	97.4	-	-
4	6,113	6,117	-5.38	97.4	-	-
40	16,986	16,988	-15.33	97.4	-	-
5	4,813	4,817	-3.14	97.4	-	-
6	5,713	5,716	-4.74	97.4	-	-
7	6,681	6,684	-6.22	97.4	-	-
8	2,234	2,240	3.87	97.4	-	-
9	2,528	2,534	2.75	97.4	-	-
Sum			12.73			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: I Cekuli

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4,647	4,652	-2.82	97.4	-	-
10	2,651	2,659	2.32	97.4	-	-
11	4,682	4,686	-2.88	97.4	-	-
12	1,888	1,899	5.35	97.4	-	-
13	3,364	3,370	0.16	97.4	-	-
14	2,986	2,993	1.24	97.4	-	-
15	4,634	4,638	-2.79	97.4	-	-
16	4,499	4,504	-2.52	97.4	-	-
17	2,437	2,445	3.08	97.4	-	-
18	4,331	4,336	-2.16	97.4	-	-
19	4,219	4,225	-1.92	97.4	-	-
2	11,345	11,347	-11.33	97.4	-	-
20	3,544	3,548	-0.31	97.4	-	-
21	3,313	3,320	0.30	97.4	-	-
22	4,920	4,925	-3.35	97.4	-	-
23	1,735	1,744	6.12	97.4	-	-
24	15,678	15,679	-14.53	97.4	-	-
25	14,233	14,235	-13.56	97.4	-	-
26	14,203	14,205	-13.54	97.4	-	-
27	11,822	11,824	-11.73	97.4	-	-
28	15,032	15,033	-14.11	97.4	-	-
29	15,169	15,170	-14.20	97.4	-	-
3	11,543	11,545	-11.49	97.4	-	-
30	16,411	16,412	-14.99	97.4	-	-
31	16,070	16,071	-14.78	97.4	-	-
32	16,434	16,435	-15.00	97.4	-	-
33	15,016	15,018	-14.10	97.4	-	-
34	4,040	4,043	-1.52	97.4	-	-
35	5,451	5,455	-4.30	97.4	-	-
36	3,568	3,574	-0.38	97.4	-	-
37	2,917	2,924	1.45	97.4	-	-
38	2,123	2,133	4.31	97.4	-	-
39	1,268	1,280	8.87	97.4	-	-
4	3,951	3,957	-1.32	97.4	-	-
40	14,693	14,695	-13.88	97.4	-	-
5	1,347	1,362	8.32	97.4	-	-
6	1,627	1,640	6.67	97.4	-	-
7	2,211	2,220	3.95	97.4	-	-
8	4,373	4,376	-2.25	97.4	-	-
9	3,674	3,678	-0.64	97.4	-	-
Sum			16.99			

- Data undefined due to calculation with octave data

Noise sensitive area: I Cekuli

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4,647	4,652	-2.82	97.4	-	-
10	2,651	2,659	2.32	97.4	-	-
11	4,682	4,686	-2.88	97.4	-	-
12	1,888	1,899	5.35	97.4	-	-
13	3,364	3,370	0.16	97.4	-	-
14	2,986	2,993	1.24	97.4	-	-
15	4,634	4,638	-2.79	97.4	-	-
16	4,499	4,504	-2.52	97.4	-	-
17	2,437	2,445	3.08	97.4	-	-
18	4,331	4,336	-2.16	97.4	-	-
19	4,219	4,225	-1.92	97.4	-	-
2	11,345	11,347	-11.33	97.4	-	-
20	3,544	3,548	-0.31	97.4	-	-
21	3,313	3,320	0.30	97.4	-	-
22	4,920	4,925	-3.35	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	1,735	1,744	6.12	97.4	-	-
24	15,678	15,679	-14.53	97.4	-	-
25	14,233	14,235	-13.56	97.4	-	-
26	14,203	14,205	-13.54	97.4	-	-
27	11,822	11,824	-11.73	97.4	-	-
28	15,032	15,033	-14.11	97.4	-	-
29	15,169	15,170	-14.20	97.4	-	-
3	11,543	11,545	-11.49	97.4	-	-
30	16,411	16,412	-14.99	97.4	-	-
31	16,070	16,071	-14.78	97.4	-	-
32	16,434	16,435	-15.00	97.4	-	-
33	15,016	15,018	-14.10	97.4	-	-
34	4,040	4,043	-1.52	97.4	-	-
35	5,451	5,455	-4.30	97.4	-	-
36	3,568	3,574	-0.38	97.4	-	-
37	2,917	2,924	1.45	97.4	-	-
38	2,123	2,133	4.31	97.4	-	-
39	1,268	1,280	8.87	97.4	-	-
4	3,951	3,957	-1.32	97.4	-	-
40	14,693	14,695	-13.88	97.4	-	-
5	1,347	1,362	8.32	97.4	-	-
6	1,627	1,640	6.67	97.4	-	-
7	2,211	2,220	3.95	97.4	-	-
8	4,373	4,376	-2.25	97.4	-	-
9	3,674	3,678	-0.64	97.4	-	-
Sum			16.99			

- Data undefined due to calculation with octave data

Noise sensitive area: J Celtnieku iela 2

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,833	9,835	-9.93	97.4	-	-
10	3,928	3,933	-1.26	97.4	-	-
11	1,362	1,373	8.25	97.4	-	-
12	4,278	4,283	-2.05	97.4	-	-
13	2,633	2,641	2.38	97.4	-	-
14	3,310	3,316	0.31	97.4	-	-
15	8,695	8,697	-8.74	97.4	-	-
16	8,083	8,086	-8.04	97.4	-	-
17	7,096	7,099	-6.79	97.4	-	-
18	9,069	9,071	-9.14	97.4	-	-
19	8,675	8,677	-8.72	97.4	-	-
2	13,423	13,424	-12.98	97.4	-	-
20	8,581	8,583	-8.61	97.4	-	-
21	7,986	7,988	-7.92	97.4	-	-
22	7,842	7,845	-7.75	97.4	-	-
23	6,610	6,612	-6.12	97.4	-	-
24	18,142	18,143	-15.99	97.4	-	-
25	16,403	16,405	-14.98	97.4	-	-
26	16,167	16,169	-14.84	97.4	-	-
27	14,861	14,863	-13.99	97.4	-	-
28	17,623	17,625	-15.70	97.4	-	-
29	17,954	17,955	-15.89	97.4	-	-
3	14,336	14,338	-13.64	97.4	-	-
30	18,844	18,845	-16.38	97.4	-	-
31	18,297	18,298	-16.08	97.4	-	-
32	19,080	19,081	-16.50	97.4	-	-
33	17,976	17,977	-15.90	97.4	-	-
34	2,726	2,732	2.07	97.4	-	-
35	10,569	10,571	-10.63	97.4	-	-
36	7,578	7,581	-7.42	97.4	-	-
37	6,811	6,814	-6.40	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,684	4,688	-2.89	97.4	-	-
39	6,013	6,015	-5.22	97.4	-	-
4	6,074	6,078	-5.32	97.4	-	-
40	17,035	17,036	-15.36	97.4	-	-
5	4,629	4,634	-2.78	97.4	-	-
6	5,579	5,583	-4.52	97.4	-	-
7	6,563	6,566	-6.05	97.4	-	-
8	1,983	1,990	4.93	97.4	-	-
9	2,373	2,380	3.32	97.4	-	-
Sum			13.51			

- Data undefined due to calculation with octave data

Noise sensitive area: J Celtnieku iela 2

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,833	9,835	-9.93	97.4	-	-
10	3,928	3,933	-1.26	97.4	-	-
11	1,362	1,373	8.25	97.4	-	-
12	4,278	4,283	-2.05	97.4	-	-
13	2,633	2,641	2.38	97.4	-	-
14	3,310	3,316	0.31	97.4	-	-
15	8,695	8,697	-8.74	97.4	-	-
16	8,083	8,086	-8.04	97.4	-	-
17	7,096	7,099	-6.79	97.4	-	-
18	9,069	9,071	-9.14	97.4	-	-
19	8,675	8,677	-8.72	97.4	-	-
2	13,423	13,424	-12.98	97.4	-	-
20	8,581	8,583	-8.61	97.4	-	-
21	7,986	7,988	-7.92	97.4	-	-
22	7,842	7,845	-7.75	97.4	-	-
23	6,610	6,612	-6.12	97.4	-	-
24	18,142	18,143	-15.99	97.4	-	-
25	16,403	16,405	-14.98	97.4	-	-
26	16,167	16,169	-14.84	97.4	-	-
27	14,861	14,863	-13.99	97.4	-	-
28	17,623	17,625	-15.70	97.4	-	-
29	17,954	17,955	-15.89	97.4	-	-
3	14,336	14,338	-13.64	97.4	-	-
30	18,844	18,845	-16.38	97.4	-	-
31	18,297	18,298	-16.08	97.4	-	-
32	19,080	19,081	-16.50	97.4	-	-
33	17,976	17,977	-15.90	97.4	-	-
34	2,726	2,732	2.07	97.4	-	-
35	10,569	10,571	-10.63	97.4	-	-
36	7,578	7,581	-7.42	97.4	-	-
37	6,811	6,814	-6.40	97.4	-	-
38	4,684	4,688	-2.89	97.4	-	-
39	6,013	6,015	-5.22	97.4	-	-
4	6,074	6,078	-5.32	97.4	-	-
40	17,035	17,036	-15.36	97.4	-	-
5	4,629	4,634	-2.78	97.4	-	-
6	5,579	5,583	-4.52	97.4	-	-
7	6,563	6,566	-6.05	97.4	-	-
8	1,983	1,990	4.93	97.4	-	-
9	2,373	2,380	3.32	97.4	-	-
Sum			13.51			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: K Celtnieku iela 6

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,881	9,883	-9.98	97.4	-	-
10	3,976	3,981	-1.37	97.4	-	-
11	1,389	1,400	8.07	97.4	-	-
12	4,322	4,327	-2.14	97.4	-	-
13	2,668	2,675	2.26	97.4	-	-
14	3,336	3,342	0.23	97.4	-	-
15	8,746	8,748	-8.79	97.4	-	-
16	8,135	8,138	-8.10	97.4	-	-
17	7,144	7,147	-6.86	97.4	-	-
18	9,118	9,121	-9.20	97.4	-	-
19	8,725	8,727	-8.77	97.4	-	-
2	13,473	13,475	-13.02	97.4	-	-
20	8,629	8,631	-8.66	97.4	-	-
21	8,034	8,037	-7.98	97.4	-	-
22	7,894	7,897	-7.81	97.4	-	-
23	6,656	6,658	-6.18	97.4	-	-
24	18,193	18,194	-16.02	97.4	-	-
25	16,454	16,455	-15.01	97.4	-	-
26	16,217	16,218	-14.87	97.4	-	-
27	14,913	14,915	-14.03	97.4	-	-
28	17,674	17,676	-15.73	97.4	-	-
29	18,006	18,007	-15.92	97.4	-	-
3	14,388	14,390	-13.67	97.4	-	-
30	18,895	18,896	-16.40	97.4	-	-
31	18,348	18,348	-16.11	97.4	-	-
32	19,131	19,132	-16.53	97.4	-	-
33	18,028	18,029	-15.93	97.4	-	-
34	2,738	2,743	2.03	97.4	-	-
35	10,617	10,619	-10.68	97.4	-	-
36	7,628	7,631	-7.48	97.4	-	-
37	6,860	6,864	-6.47	97.4	-	-
38	4,731	4,736	-2.98	97.4	-	-
39	6,058	6,060	-5.29	97.4	-	-
4	6,126	6,130	-5.40	97.4	-	-
40	17,086	17,087	-15.39	97.4	-	-
5	4,669	4,673	-2.86	97.4	-	-
6	5,625	5,629	-4.60	97.4	-	-
7	6,611	6,614	-6.12	97.4	-	-
8	1,999	2,006	4.86	97.4	-	-
9	2,418	2,424	3.15	97.4	-	-
Sum			13.40			

- Data undefined due to calculation with octave data

Noise sensitive area: K Celtnieku iela 6

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,881	9,883	-9.98	97.4	-	-
10	3,976	3,981	-1.37	97.4	-	-
11	1,389	1,400	8.07	97.4	-	-
12	4,322	4,327	-2.14	97.4	-	-
13	2,668	2,675	2.26	97.4	-	-
14	3,336	3,342	0.23	97.4	-	-
15	8,746	8,748	-8.79	97.4	-	-
16	8,135	8,138	-8.10	97.4	-	-
17	7,144	7,147	-6.86	97.4	-	-
18	9,118	9,121	-9.20	97.4	-	-
19	8,725	8,727	-8.77	97.4	-	-
2	13,473	13,475	-13.02	97.4	-	-
20	8,629	8,631	-8.66	97.4	-	-
21	8,034	8,037	-7.98	97.4	-	-
22	7,894	7,897	-7.81	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,656	6,658	-6.18	97.4	-	-
24	18,193	18,194	-16.02	97.4	-	-
25	16,454	16,455	-15.01	97.4	-	-
26	16,217	16,218	-14.87	97.4	-	-
27	14,913	14,915	-14.03	97.4	-	-
28	17,674	17,676	-15.73	97.4	-	-
29	18,006	18,007	-15.92	97.4	-	-
3	14,388	14,390	-13.67	97.4	-	-
30	18,895	18,896	-16.40	97.4	-	-
31	18,348	18,348	-16.11	97.4	-	-
32	19,131	19,132	-16.53	97.4	-	-
33	18,028	18,029	-15.93	97.4	-	-
34	2,738	2,743	2.03	97.4	-	-
35	10,617	10,619	-10.68	97.4	-	-
36	7,628	7,631	-7.48	97.4	-	-
37	6,860	6,864	-6.47	97.4	-	-
38	4,731	4,736	-2.98	97.4	-	-
39	6,058	6,060	-5.29	97.4	-	-
4	6,126	6,130	-5.40	97.4	-	-
40	17,086	17,087	-15.39	97.4	-	-
5	4,669	4,673	-2.86	97.4	-	-
6	5,625	5,629	-4.60	97.4	-	-
7	6,611	6,614	-6.12	97.4	-	-
8	1,999	2,006	4.86	97.4	-	-
9	2,418	2,424	3.15	97.4	-	-
Sum			13.40			

- Data undefined due to calculation with octave data

Noise sensitive area: L Celtnieku iela 10

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10,222	10,224	-10.31	97.4	-	-
10	4,317	4,322	-2.13	97.4	-	-
11	1,677	1,686	6.42	97.4	-	-
12	4,657	4,662	-2.84	97.4	-	-
13	2,977	2,984	1.27	97.4	-	-
14	3,610	3,616	-0.49	97.4	-	-
15	9,084	9,086	-9.16	97.4	-	-
16	8,469	8,472	-8.49	97.4	-	-
17	7,485	7,488	-7.30	97.4	-	-
18	9,459	9,462	-9.55	97.4	-	-
19	9,065	9,068	-9.14	97.4	-	-
2	13,753	13,754	-13.22	97.4	-	-
20	8,971	8,973	-9.04	97.4	-	-
21	8,376	8,379	-8.38	97.4	-	-
22	8,221	8,224	-8.20	97.4	-	-
23	6,995	6,997	-6.65	97.4	-	-
24	18,473	18,474	-16.18	97.4	-	-
25	16,728	16,729	-15.18	97.4	-	-
26	16,484	16,486	-15.03	97.4	-	-
27	15,217	15,219	-14.23	97.4	-	-
28	17,960	17,961	-15.89	97.4	-	-
29	18,297	18,298	-16.08	97.4	-	-
3	14,687	14,688	-13.88	97.4	-	-
30	19,173	19,174	-16.55	97.4	-	-
31	18,619	18,620	-16.26	97.4	-	-
32	19,416	19,417	-16.68	97.4	-	-
33	18,324	18,325	-16.09	97.4	-	-
34	2,947	2,952	1.37	97.4	-	-
35	10,959	10,961	-10.99	97.4	-	-
36	7,968	7,971	-7.90	97.4	-	-
37	7,201	7,204	-6.93	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	5,072	5,077	-3.63	97.4	-	-
39	6,395	6,398	-5.80	97.4	-	-
4	6,454	6,457	-5.89	97.4	-	-
40	17,364	17,365	-15.55	97.4	-	-
5	4,992	4,996	-3.48	97.4	-	-
6	5,965	5,969	-5.15	97.4	-	-
7	6,952	6,956	-6.60	97.4	-	-
8	2,233	2,239	3.87	97.4	-	-
9	2,756	2,761	1.97	97.4	-	-
Sum			12.38			

- Data undefined due to calculation with octave data

Noise sensitive area: L Celtnieku iela 10

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10,222	10,224	-10.31	97.4	-	-
10	4,317	4,322	-2.13	97.4	-	-
11	1,677	1,686	6.42	97.4	-	-
12	4,657	4,662	-2.84	97.4	-	-
13	2,977	2,984	1.27	97.4	-	-
14	3,610	3,616	-0.49	97.4	-	-
15	9,084	9,086	-9.16	97.4	-	-
16	8,469	8,472	-8.49	97.4	-	-
17	7,485	7,488	-7.30	97.4	-	-
18	9,459	9,462	-9.55	97.4	-	-
19	9,065	9,068	-9.14	97.4	-	-
2	13,753	13,754	-13.22	97.4	-	-
20	8,971	8,973	-9.04	97.4	-	-
21	8,376	8,379	-8.38	97.4	-	-
22	8,221	8,224	-8.20	97.4	-	-
23	6,995	6,997	-6.65	97.4	-	-
24	18,473	18,474	-16.18	97.4	-	-
25	16,728	16,729	-15.18	97.4	-	-
26	16,484	16,486	-15.03	97.4	-	-
27	15,217	15,219	-14.23	97.4	-	-
28	17,960	17,961	-15.89	97.4	-	-
29	18,297	18,298	-16.08	97.4	-	-
3	14,687	14,688	-13.88	97.4	-	-
30	19,173	19,174	-16.55	97.4	-	-
31	18,619	18,620	-16.26	97.4	-	-
32	19,416	19,417	-16.68	97.4	-	-
33	18,324	18,325	-16.09	97.4	-	-
34	2,947	2,952	1.37	97.4	-	-
35	10,959	10,961	-10.99	97.4	-	-
36	7,968	7,971	-7.90	97.4	-	-
37	7,201	7,204	-6.93	97.4	-	-
38	5,072	5,077	-3.63	97.4	-	-
39	6,395	6,398	-5.80	97.4	-	-
4	6,454	6,457	-5.89	97.4	-	-
40	17,364	17,365	-15.55	97.4	-	-
5	4,992	4,996	-3.48	97.4	-	-
6	5,965	5,969	-5.15	97.4	-	-
7	6,952	6,956	-6.60	97.4	-	-
8	2,233	2,239	3.87	97.4	-	-
9	2,756	2,761	1.97	97.4	-	-
Sum			12.38			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: M Darza iela 3

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,764	9,766	-9.86	97.4	-	-
10	3,864	3,869	-1.11	97.4	-	-
11	1,530	1,540	7.23	97.4	-	-
12	4,276	4,281	-2.05	97.4	-	-
13	2,730	2,737	2.05	97.4	-	-
14	3,465	3,470	-0.11	97.4	-	-
15	8,566	8,568	-8.59	97.4	-	-
16	7,938	7,940	-7.86	97.4	-	-
17	7,031	7,034	-6.70	97.4	-	-
18	8,976	8,978	-9.04	97.4	-	-
19	8,569	8,571	-8.60	97.4	-	-
2	13,162	13,164	-12.79	97.4	-	-
20	8,515	8,517	-8.54	97.4	-	-
21	7,904	7,906	-7.82	97.4	-	-
22	7,667	7,670	-7.53	97.4	-	-
23	6,572	6,574	-6.06	97.4	-	-
24	17,883	17,883	-15.85	97.4	-	-
25	16,137	16,138	-14.82	97.4	-	-
26	15,894	15,895	-14.67	97.4	-	-
27	14,635	14,636	-13.84	97.4	-	-
28	17,370	17,371	-15.56	97.4	-	-
29	17,708	17,709	-15.75	97.4	-	-
3	14,101	14,103	-13.47	97.4	-	-
30	18,582	18,583	-16.24	97.4	-	-
31	18,029	18,030	-15.93	97.4	-	-
32	18,826	18,827	-16.37	97.4	-	-
33	17,738	17,738	-15.77	97.4	-	-
34	2,964	2,969	1.32	97.4	-	-
35	10,489	10,491	-10.56	97.4	-	-
36	7,465	7,468	-7.28	97.4	-	-
37	6,710	6,714	-6.26	97.4	-	-
38	4,628	4,632	-2.78	97.4	-	-
39	5,991	5,994	-5.19	97.4	-	-
4	5,903	5,907	-5.05	97.4	-	-
40	16,773	16,775	-15.21	97.4	-	-
5	4,674	4,678	-2.87	97.4	-	-
6	5,537	5,540	-4.45	97.4	-	-
7	6,496	6,500	-5.95	97.4	-	-
8	2,206	2,212	3.98	97.4	-	-
9	2,371	2,377	3.33	97.4	-	-
Sum			13.03			

- Data undefined due to calculation with octave data

Noise sensitive area: M Darza iela 3

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,764	9,766	-9.86	97.4	-	-
10	3,864	3,869	-1.11	97.4	-	-
11	1,530	1,540	7.23	97.4	-	-
12	4,276	4,281	-2.05	97.4	-	-
13	2,730	2,737	2.05	97.4	-	-
14	3,465	3,470	-0.11	97.4	-	-
15	8,566	8,568	-8.59	97.4	-	-
16	7,938	7,940	-7.86	97.4	-	-
17	7,031	7,034	-6.70	97.4	-	-
18	8,976	8,978	-9.04	97.4	-	-
19	8,569	8,571	-8.60	97.4	-	-
2	13,162	13,164	-12.79	97.4	-	-
20	8,515	8,517	-8.54	97.4	-	-
21	7,904	7,906	-7.82	97.4	-	-
22	7,667	7,670	-7.53	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,572	6,574	-6.06	97.4	-	-
24	17,883	17,883	-15.85	97.4	-	-
25	16,137	16,138	-14.82	97.4	-	-
26	15,894	15,895	-14.67	97.4	-	-
27	14,635	14,636	-13.84	97.4	-	-
28	17,370	17,371	-15.56	97.4	-	-
29	17,708	17,709	-15.75	97.4	-	-
3	14,101	14,103	-13.47	97.4	-	-
30	18,582	18,583	-16.24	97.4	-	-
31	18,029	18,030	-15.93	97.4	-	-
32	18,826	18,827	-16.37	97.4	-	-
33	17,738	17,738	-15.77	97.4	-	-
34	2,964	2,969	1.32	97.4	-	-
35	10,489	10,491	-10.56	97.4	-	-
36	7,465	7,468	-7.28	97.4	-	-
37	6,710	6,714	-6.26	97.4	-	-
38	4,628	4,632	-2.78	97.4	-	-
39	5,991	5,994	-5.19	97.4	-	-
4	5,903	5,907	-5.05	97.4	-	-
40	16,773	16,775	-15.21	97.4	-	-
5	4,674	4,678	-2.87	97.4	-	-
6	5,537	5,540	-4.45	97.4	-	-
7	6,496	6,500	-5.95	97.4	-	-
8	2,206	2,212	3.98	97.4	-	-
9	2,371	2,377	3.33	97.4	-	-
Sum			13.03			

- Data undefined due to calculation with octave data

Noise sensitive area: N Darza iela 5

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,768	9,770	-9.86	97.4	-	-
10	3,866	3,871	-1.12	97.4	-	-
11	1,505	1,514	7.38	97.4	-	-
12	4,272	4,276	-2.03	97.4	-	-
13	2,714	2,721	2.11	97.4	-	-
14	3,442	3,448	-0.05	97.4	-	-
15	8,577	8,579	-8.61	97.4	-	-
16	7,950	7,953	-7.88	97.4	-	-
17	7,034	7,037	-6.71	97.4	-	-
18	8,982	8,985	-9.05	97.4	-	-
19	8,577	8,579	-8.61	97.4	-	-
2	13,190	13,191	-12.81	97.4	-	-
20	8,518	8,520	-8.54	97.4	-	-
21	7,909	7,912	-7.83	97.4	-	-
22	7,683	7,686	-7.55	97.4	-	-
23	6,571	6,574	-6.06	97.4	-	-
24	17,910	17,911	-15.86	97.4	-	-
25	16,165	16,167	-14.83	97.4	-	-
26	15,923	15,924	-14.68	97.4	-	-
27	14,658	14,660	-13.86	97.4	-	-
28	17,397	17,398	-15.57	97.4	-	-
29	17,734	17,735	-15.76	97.4	-	-
3	14,125	14,127	-13.49	97.4	-	-
30	18,610	18,611	-16.25	97.4	-	-
31	18,057	18,058	-15.95	97.4	-	-
32	18,853	18,854	-16.38	97.4	-	-
33	17,762	17,763	-15.78	97.4	-	-
34	2,933	2,937	1.41	97.4	-	-
35	10,494	10,496	-10.56	97.4	-	-
36	7,474	7,477	-7.29	97.4	-	-
37	6,718	6,721	-6.27	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,629	4,634	-2.78	97.4	-	-
39	5,989	5,991	-5.18	97.4	-	-
4	5,919	5,923	-5.08	97.4	-	-
40	16,801	16,802	-15.22	97.4	-	-
5	4,664	4,668	-2.85	97.4	-	-
6	5,537	5,540	-4.45	97.4	-	-
7	6,500	6,503	-5.96	97.4	-	-
8	2,176	2,182	4.10	97.4	-	-
9	2,365	2,371	3.35	97.4	-	-
Sum			13.10			

- Data undefined due to calculation with octave data

Noise sensitive area: N Darza iela 5

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,768	9,770	-9.86	97.4	-	-
10	3,866	3,871	-1.12	97.4	-	-
11	1,505	1,514	7.38	97.4	-	-
12	4,272	4,276	-2.03	97.4	-	-
13	2,714	2,721	2.11	97.4	-	-
14	3,442	3,448	-0.05	97.4	-	-
15	8,577	8,579	-8.61	97.4	-	-
16	7,950	7,953	-7.88	97.4	-	-
17	7,034	7,037	-6.71	97.4	-	-
18	8,982	8,985	-9.05	97.4	-	-
19	8,577	8,579	-8.61	97.4	-	-
2	13,190	13,191	-12.81	97.4	-	-
20	8,518	8,520	-8.54	97.4	-	-
21	7,909	7,912	-7.83	97.4	-	-
22	7,683	7,686	-7.55	97.4	-	-
23	6,571	6,574	-6.06	97.4	-	-
24	17,910	17,911	-15.86	97.4	-	-
25	16,165	16,167	-14.83	97.4	-	-
26	15,923	15,924	-14.68	97.4	-	-
27	14,658	14,660	-13.86	97.4	-	-
28	17,397	17,398	-15.57	97.4	-	-
29	17,734	17,735	-15.76	97.4	-	-
3	14,125	14,127	-13.49	97.4	-	-
30	18,610	18,611	-16.25	97.4	-	-
31	18,057	18,058	-15.95	97.4	-	-
32	18,853	18,854	-16.38	97.4	-	-
33	17,762	17,763	-15.78	97.4	-	-
34	2,933	2,937	1.41	97.4	-	-
35	10,494	10,496	-10.56	97.4	-	-
36	7,474	7,477	-7.29	97.4	-	-
37	6,718	6,721	-6.27	97.4	-	-
38	4,629	4,634	-2.78	97.4	-	-
39	5,989	5,991	-5.18	97.4	-	-
4	5,919	5,923	-5.08	97.4	-	-
40	16,801	16,802	-15.22	97.4	-	-
5	4,664	4,668	-2.85	97.4	-	-
6	5,537	5,540	-4.45	97.4	-	-
7	6,500	6,503	-5.96	97.4	-	-
8	2,176	2,182	4.10	97.4	-	-
9	2,365	2,371	3.35	97.4	-	-
Sum			13.10			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: O Darza iela 7

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,773	9,776	-9.87	97.4	-	-
10	3,871	3,876	-1.13	97.4	-	-
11	1,482	1,491	7.51	97.4	-	-
12	4,269	4,274	-2.03	97.4	-	-
13	2,699	2,706	2.16	97.4	-	-
14	3,422	3,427	0.00	97.4	-	-
15	8,589	8,591	-8.62	97.4	-	-
16	7,965	7,968	-7.90	97.4	-	-
17	7,039	7,042	-6.72	97.4	-	-
18	8,991	8,993	-9.06	97.4	-	-
19	8,587	8,589	-8.62	97.4	-	-
2	13,218	13,220	-12.83	97.4	-	-
20	8,524	8,525	-8.55	97.4	-	-
21	7,916	7,919	-7.84	97.4	-	-
22	7,701	7,704	-7.57	97.4	-	-
23	6,573	6,576	-6.06	97.4	-	-
24	17,938	17,939	-15.88	97.4	-	-
25	16,195	16,196	-14.85	97.4	-	-
26	15,953	15,955	-14.70	97.4	-	-
27	14,682	14,684	-13.87	97.4	-	-
28	17,424	17,426	-15.59	97.4	-	-
29	17,761	17,762	-15.78	97.4	-	-
3	14,151	14,152	-13.51	97.4	-	-
30	18,639	18,640	-16.27	97.4	-	-
31	18,087	18,088	-15.96	97.4	-	-
32	18,880	18,881	-16.40	97.4	-	-
33	17,788	17,789	-15.80	97.4	-	-
34	2,904	2,908	1.50	97.4	-	-
35	10,501	10,503	-10.57	97.4	-	-
36	7,485	7,488	-7.30	97.4	-	-
37	6,727	6,730	-6.28	97.4	-	-
38	4,633	4,637	-2.79	97.4	-	-
39	5,989	5,991	-5.18	97.4	-	-
4	5,936	5,940	-5.10	97.4	-	-
40	16,830	16,831	-15.24	97.4	-	-
5	4,656	4,660	-2.83	97.4	-	-
6	5,539	5,543	-4.45	97.4	-	-
7	6,505	6,508	-5.97	97.4	-	-
8	2,148	2,154	4.22	97.4	-	-
9	2,362	2,368	3.37	97.4	-	-
Sum			13.16			

- Data undefined due to calculation with octave data

Noise sensitive area: O Darza iela 7

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,773	9,776	-9.87	97.4	-	-
10	3,871	3,876	-1.13	97.4	-	-
11	1,482	1,491	7.51	97.4	-	-
12	4,269	4,274	-2.03	97.4	-	-
13	2,699	2,706	2.16	97.4	-	-
14	3,422	3,427	0.00	97.4	-	-
15	8,589	8,591	-8.62	97.4	-	-
16	7,965	7,968	-7.90	97.4	-	-
17	7,039	7,042	-6.72	97.4	-	-
18	8,991	8,993	-9.06	97.4	-	-
19	8,587	8,589	-8.62	97.4	-	-
2	13,218	13,220	-12.83	97.4	-	-
20	8,524	8,525	-8.55	97.4	-	-
21	7,916	7,919	-7.84	97.4	-	-
22	7,701	7,704	-7.57	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,573	6,576	-6.06	97.4	-	-
24	17,938	17,939	-15.88	97.4	-	-
25	16,195	16,196	-14.85	97.4	-	-
26	15,953	15,955	-14.70	97.4	-	-
27	14,682	14,684	-13.87	97.4	-	-
28	17,424	17,426	-15.59	97.4	-	-
29	17,761	17,762	-15.78	97.4	-	-
3	14,151	14,152	-13.51	97.4	-	-
30	18,639	18,640	-16.27	97.4	-	-
31	18,087	18,088	-15.96	97.4	-	-
32	18,880	18,881	-16.40	97.4	-	-
33	17,788	17,789	-15.80	97.4	-	-
34	2,904	2,908	1.50	97.4	-	-
35	10,501	10,503	-10.57	97.4	-	-
36	7,485	7,488	-7.30	97.4	-	-
37	6,727	6,730	-6.28	97.4	-	-
38	4,633	4,637	-2.79	97.4	-	-
39	5,989	5,991	-5.18	97.4	-	-
4	5,936	5,940	-5.10	97.4	-	-
40	16,830	16,831	-15.24	97.4	-	-
5	4,656	4,660	-2.83	97.4	-	-
6	5,539	5,543	-4.45	97.4	-	-
7	6,505	6,508	-5.97	97.4	-	-
8	2,148	2,154	4.22	97.4	-	-
9	2,362	2,368	3.37	97.4	-	-
Sum			13.16			

- Data undefined due to calculation with octave data

Noise sensitive area: P Darza iela 8

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,831	9,833	-9.93	97.4	-	-
10	3,928	3,933	-1.26	97.4	-	-
11	1,529	1,538	7.24	97.4	-	-
12	4,327	4,331	-2.15	97.4	-	-
13	2,753	2,760	1.98	97.4	-	-
14	3,471	3,477	-0.13	97.4	-	-
15	8,644	8,646	-8.68	97.4	-	-
16	8,019	8,022	-7.96	97.4	-	-
17	7,097	7,100	-6.79	97.4	-	-
18	9,047	9,050	-9.12	97.4	-	-
19	8,643	8,646	-8.68	97.4	-	-
2	13,258	13,260	-12.86	97.4	-	-
20	8,581	8,583	-8.61	97.4	-	-
21	7,973	7,976	-7.91	97.4	-	-
22	7,753	7,756	-7.64	97.4	-	-
23	6,631	6,633	-6.15	97.4	-	-
24	17,979	17,980	-15.90	97.4	-	-
25	16,233	16,235	-14.88	97.4	-	-
26	15,991	15,992	-14.73	97.4	-	-
27	14,728	14,730	-13.90	97.4	-	-
28	17,466	17,467	-15.61	97.4	-	-
29	17,803	17,804	-15.80	97.4	-	-
3	14,195	14,197	-13.54	97.4	-	-
30	18,679	18,680	-16.29	97.4	-	-
31	18,125	18,126	-15.98	97.4	-	-
32	18,922	18,923	-16.42	97.4	-	-
33	17,832	17,833	-15.82	97.4	-	-
34	2,942	2,947	1.38	97.4	-	-
35	10,558	10,560	-10.62	97.4	-	-
36	7,541	7,544	-7.37	97.4	-	-
37	6,783	6,786	-6.36	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,691	4,695	-2.90	97.4	-	-
39	6,047	6,049	-5.28	97.4	-	-
4	5,988	5,992	-5.19	97.4	-	-
40	16,870	16,871	-15.26	97.4	-	-
5	4,713	4,717	-2.95	97.4	-	-
6	5,597	5,600	-4.55	97.4	-	-
7	6,562	6,565	-6.05	97.4	-	-
8	2,188	2,195	4.05	97.4	-	-
9	2,419	2,425	3.15	97.4	-	-
Sum			12.99			

- Data undefined due to calculation with octave data

Noise sensitive area: P Darza iela 8

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,831	9,833	-9.93	97.4	-	-
10	3,928	3,933	-1.26	97.4	-	-
11	1,529	1,538	7.24	97.4	-	-
12	4,327	4,331	-2.15	97.4	-	-
13	2,753	2,760	1.98	97.4	-	-
14	3,471	3,477	-0.13	97.4	-	-
15	8,644	8,646	-8.68	97.4	-	-
16	8,019	8,022	-7.96	97.4	-	-
17	7,097	7,100	-6.79	97.4	-	-
18	9,047	9,050	-9.12	97.4	-	-
19	8,643	8,646	-8.68	97.4	-	-
2	13,258	13,260	-12.86	97.4	-	-
20	8,581	8,583	-8.61	97.4	-	-
21	7,973	7,976	-7.91	97.4	-	-
22	7,753	7,756	-7.64	97.4	-	-
23	6,631	6,633	-6.15	97.4	-	-
24	17,979	17,980	-15.90	97.4	-	-
25	16,233	16,235	-14.88	97.4	-	-
26	15,991	15,992	-14.73	97.4	-	-
27	14,728	14,730	-13.90	97.4	-	-
28	17,466	17,467	-15.61	97.4	-	-
29	17,803	17,804	-15.80	97.4	-	-
3	14,195	14,197	-13.54	97.4	-	-
30	18,679	18,680	-16.29	97.4	-	-
31	18,125	18,126	-15.98	97.4	-	-
32	18,922	18,923	-16.42	97.4	-	-
33	17,832	17,833	-15.82	97.4	-	-
34	2,942	2,947	1.38	97.4	-	-
35	10,558	10,560	-10.62	97.4	-	-
36	7,541	7,544	-7.37	97.4	-	-
37	6,783	6,786	-6.36	97.4	-	-
38	4,691	4,695	-2.90	97.4	-	-
39	6,047	6,049	-5.28	97.4	-	-
4	5,988	5,992	-5.19	97.4	-	-
40	16,870	16,871	-15.26	97.4	-	-
5	4,713	4,717	-2.95	97.4	-	-
6	5,597	5,600	-4.55	97.4	-	-
7	6,562	6,565	-6.05	97.4	-	-
8	2,188	2,195	4.05	97.4	-	-
9	2,419	2,425	3.15	97.4	-	-
Sum			12.99			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: Q Darza iela 9

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,779	9,781	-9.88	97.4	-	-
10	3,875	3,880	-1.14	97.4	-	-
11	1,452	1,462	7.69	97.4	-	-
12	4,264	4,269	-2.02	97.4	-	-
13	2,680	2,687	2.22	97.4	-	-
14	3,395	3,400	0.08	97.4	-	-
15	8,604	8,606	-8.64	97.4	-	-
16	7,982	7,985	-7.92	97.4	-	-
17	7,044	7,047	-6.72	97.4	-	-
18	9,000	9,002	-9.07	97.4	-	-
19	8,598	8,601	-8.63	97.4	-	-
2	13,253	13,255	-12.86	97.4	-	-
20	8,529	8,531	-8.55	97.4	-	-
21	7,923	7,926	-7.85	97.4	-	-
22	7,723	7,726	-7.60	97.4	-	-
23	6,574	6,576	-6.07	97.4	-	-
24	17,974	17,974	-15.90	97.4	-	-
25	16,231	16,232	-14.88	97.4	-	-
26	15,991	15,992	-14.73	97.4	-	-
27	14,712	14,714	-13.89	97.4	-	-
28	17,459	17,460	-15.61	97.4	-	-
29	17,794	17,795	-15.80	97.4	-	-
3	14,182	14,184	-13.53	97.4	-	-
30	18,675	18,675	-16.29	97.4	-	-
31	18,123	18,124	-15.98	97.4	-	-
32	18,915	18,916	-16.41	97.4	-	-
33	17,820	17,821	-15.81	97.4	-	-
34	2,865	2,870	1.62	97.4	-	-
35	10,509	10,511	-10.58	97.4	-	-
36	7,497	7,500	-7.32	97.4	-	-
37	6,737	6,740	-6.30	97.4	-	-
38	4,636	4,641	-2.79	97.4	-	-
39	5,987	5,990	-5.18	97.4	-	-
4	5,957	5,961	-5.14	97.4	-	-
40	16,865	16,867	-15.26	97.4	-	-
5	4,645	4,649	-2.81	97.4	-	-
6	5,540	5,544	-4.45	97.4	-	-
7	6,510	6,513	-5.97	97.4	-	-
8	2,111	2,118	4.37	97.4	-	-
9	2,357	2,363	3.39	97.4	-	-
Sum			13.25			

- Data undefined due to calculation with octave data

Noise sensitive area: Q Darza iela 9

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,779	9,781	-9.88	97.4	-	-
10	3,875	3,880	-1.14	97.4	-	-
11	1,452	1,462	7.69	97.4	-	-
12	4,264	4,269	-2.02	97.4	-	-
13	2,680	2,687	2.22	97.4	-	-
14	3,395	3,400	0.08	97.4	-	-
15	8,604	8,606	-8.64	97.4	-	-
16	7,982	7,985	-7.92	97.4	-	-
17	7,044	7,047	-6.72	97.4	-	-
18	9,000	9,002	-9.07	97.4	-	-
19	8,598	8,601	-8.63	97.4	-	-
2	13,253	13,255	-12.86	97.4	-	-
20	8,529	8,531	-8.55	97.4	-	-
21	7,923	7,926	-7.85	97.4	-	-
22	7,723	7,726	-7.60	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,574	6,576	-6.07	97.4	-	-
24	17,974	17,974	-15.90	97.4	-	-
25	16,231	16,232	-14.88	97.4	-	-
26	15,991	15,992	-14.73	97.4	-	-
27	14,712	14,714	-13.89	97.4	-	-
28	17,459	17,460	-15.61	97.4	-	-
29	17,794	17,795	-15.80	97.4	-	-
3	14,182	14,184	-13.53	97.4	-	-
30	18,675	18,675	-16.29	97.4	-	-
31	18,123	18,124	-15.98	97.4	-	-
32	18,915	18,916	-16.41	97.4	-	-
33	17,820	17,821	-15.81	97.4	-	-
34	2,865	2,870	1.62	97.4	-	-
35	10,509	10,511	-10.58	97.4	-	-
36	7,497	7,500	-7.32	97.4	-	-
37	6,737	6,740	-6.30	97.4	-	-
38	4,636	4,641	-2.79	97.4	-	-
39	5,987	5,990	-5.18	97.4	-	-
4	5,957	5,961	-5.14	97.4	-	-
40	16,865	16,867	-15.26	97.4	-	-
5	4,645	4,649	-2.81	97.4	-	-
6	5,540	5,544	-4.45	97.4	-	-
7	6,510	6,513	-5.97	97.4	-	-
8	2,111	2,118	4.37	97.4	-	-
9	2,357	2,363	3.39	97.4	-	-
Sum			13.25			

- Data undefined due to calculation with octave data

Noise sensitive area: R Darza iela 10

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,840	9,842	-9.94	97.4	-	-
10	3,936	3,941	-1.28	97.4	-	-
11	1,502	1,512	7.39	97.4	-	-
12	4,326	4,330	-2.15	97.4	-	-
13	2,737	2,744	2.03	97.4	-	-
14	3,447	3,453	-0.06	97.4	-	-
15	8,662	8,664	-8.70	97.4	-	-
16	8,039	8,042	-7.98	97.4	-	-
17	7,105	7,108	-6.80	97.4	-	-
18	9,060	9,062	-9.14	97.4	-	-
19	8,658	8,660	-8.70	97.4	-	-
2	13,296	13,298	-12.89	97.4	-	-
20	8,590	8,592	-8.62	97.4	-	-
21	7,984	7,987	-7.92	97.4	-	-
22	7,778	7,781	-7.67	97.4	-	-
23	6,636	6,638	-6.15	97.4	-	-
24	18,017	18,017	-15.92	97.4	-	-
25	16,272	16,274	-14.90	97.4	-	-
26	16,031	16,032	-14.75	97.4	-	-
27	14,761	14,762	-13.93	97.4	-	-
28	17,503	17,504	-15.63	97.4	-	-
29	17,839	17,840	-15.82	97.4	-	-
3	14,229	14,231	-13.56	97.4	-	-
30	18,717	18,718	-16.31	97.4	-	-
31	18,165	18,165	-16.01	97.4	-	-
32	18,959	18,960	-16.44	97.4	-	-
33	17,867	17,868	-15.84	97.4	-	-
34	2,906	2,911	1.49	97.4	-	-
35	10,569	10,571	-10.63	97.4	-	-
36	7,556	7,559	-7.39	97.4	-	-
37	6,797	6,800	-6.38	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,698	4,702	-2.91	97.4	-	-
39	6,049	6,051	-5.28	97.4	-	-
4	6,012	6,016	-5.22	97.4	-	-
40	16,908	16,909	-15.29	97.4	-	-
5	4,705	4,709	-2.93	97.4	-	-
6	5,602	5,605	-4.56	97.4	-	-
7	6,571	6,574	-6.06	97.4	-	-
8	2,154	2,161	4.19	97.4	-	-
9	2,418	2,424	3.16	97.4	-	-
Sum			13.06			

- Data undefined due to calculation with octave data

Noise sensitive area: R Darza iela 10

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,840	9,842	-9.94	97.4	-	-
10	3,936	3,941	-1.28	97.4	-	-
11	1,502	1,512	7.39	97.4	-	-
12	4,326	4,330	-2.15	97.4	-	-
13	2,737	2,744	2.03	97.4	-	-
14	3,447	3,453	-0.06	97.4	-	-
15	8,662	8,664	-8.70	97.4	-	-
16	8,039	8,042	-7.98	97.4	-	-
17	7,105	7,108	-6.80	97.4	-	-
18	9,060	9,062	-9.14	97.4	-	-
19	8,658	8,660	-8.70	97.4	-	-
2	13,296	13,298	-12.89	97.4	-	-
20	8,590	8,592	-8.62	97.4	-	-
21	7,984	7,987	-7.92	97.4	-	-
22	7,778	7,781	-7.67	97.4	-	-
23	6,636	6,638	-6.15	97.4	-	-
24	18,017	18,017	-15.92	97.4	-	-
25	16,272	16,274	-14.90	97.4	-	-
26	16,031	16,032	-14.75	97.4	-	-
27	14,761	14,762	-13.93	97.4	-	-
28	17,503	17,504	-15.63	97.4	-	-
29	17,839	17,840	-15.82	97.4	-	-
3	14,229	14,231	-13.56	97.4	-	-
30	18,717	18,718	-16.31	97.4	-	-
31	18,165	18,165	-16.01	97.4	-	-
32	18,959	18,960	-16.44	97.4	-	-
33	17,867	17,868	-15.84	97.4	-	-
34	2,906	2,911	1.49	97.4	-	-
35	10,569	10,571	-10.63	97.4	-	-
36	7,556	7,559	-7.39	97.4	-	-
37	6,797	6,800	-6.38	97.4	-	-
38	4,698	4,702	-2.91	97.4	-	-
39	6,049	6,051	-5.28	97.4	-	-
4	6,012	6,016	-5.22	97.4	-	-
40	16,908	16,909	-15.29	97.4	-	-
5	4,705	4,709	-2.93	97.4	-	-
6	5,602	5,605	-4.56	97.4	-	-
7	6,571	6,574	-6.06	97.4	-	-
8	2,154	2,161	4.19	97.4	-	-
9	2,418	2,424	3.16	97.4	-	-
Sum			13.06			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: S Darza iela 12

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,859	9,861	-9.95	97.4	-	-
10	3,954	3,959	-1.32	97.4	-	-
11	1,455	1,465	7.67	97.4	-	-
12	4,326	4,330	-2.15	97.4	-	-
13	2,709	2,716	2.12	97.4	-	-
14	3,403	3,408	0.05	97.4	-	-
15	8,699	8,701	-8.74	97.4	-	-
16	8,081	8,083	-8.03	97.4	-	-
17	7,123	7,126	-6.83	97.4	-	-
18	9,086	9,088	-9.16	97.4	-	-
19	8,687	8,690	-8.73	97.4	-	-
2	13,370	13,372	-12.94	97.4	-	-
20	8,608	8,610	-8.64	97.4	-	-
21	8,007	8,009	-7.95	97.4	-	-
22	7,827	7,830	-7.73	97.4	-	-
23	6,646	6,648	-6.17	97.4	-	-
24	18,091	18,091	-15.97	97.4	-	-
25	16,348	16,350	-14.95	97.4	-	-
26	16,109	16,110	-14.80	97.4	-	-
27	14,825	14,827	-13.97	97.4	-	-
28	17,575	17,576	-15.67	97.4	-	-
29	17,909	17,910	-15.86	97.4	-	-
3	14,296	14,298	-13.61	97.4	-	-
30	18,792	18,793	-16.35	97.4	-	-
31	18,241	18,242	-16.05	97.4	-	-
32	19,031	19,032	-16.48	97.4	-	-
33	17,935	17,936	-15.88	97.4	-	-
34	2,838	2,843	1.71	97.4	-	-
35	10,591	10,593	-10.65	97.4	-	-
36	7,588	7,591	-7.43	97.4	-	-
37	6,825	6,828	-6.42	97.4	-	-
38	4,713	4,717	-2.94	97.4	-	-
39	6,054	6,057	-5.29	97.4	-	-
4	6,061	6,065	-5.30	97.4	-	-
40	16,983	16,984	-15.33	97.4	-	-
5	4,692	4,696	-2.90	97.4	-	-
6	5,613	5,617	-4.58	97.4	-	-
7	6,589	6,592	-6.09	97.4	-	-
8	2,091	2,098	4.46	97.4	-	-
9	2,418	2,424	3.15	97.4	-	-
Sum			13.19			

- Data undefined due to calculation with octave data

Noise sensitive area: S Darza iela 12

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,859	9,861	-9.95	97.4	-	-
10	3,954	3,959	-1.32	97.4	-	-
11	1,455	1,465	7.67	97.4	-	-
12	4,326	4,330	-2.15	97.4	-	-
13	2,709	2,716	2.12	97.4	-	-
14	3,403	3,408	0.05	97.4	-	-
15	8,699	8,701	-8.74	97.4	-	-
16	8,081	8,083	-8.03	97.4	-	-
17	7,123	7,126	-6.83	97.4	-	-
18	9,086	9,088	-9.16	97.4	-	-
19	8,687	8,690	-8.73	97.4	-	-
2	13,370	13,372	-12.94	97.4	-	-
20	8,608	8,610	-8.64	97.4	-	-
21	8,007	8,009	-7.95	97.4	-	-
22	7,827	7,830	-7.73	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,646	6,648	-6.17	97.4	-	-
24	18,091	18,091	-15.97	97.4	-	-
25	16,348	16,350	-14.95	97.4	-	-
26	16,109	16,110	-14.80	97.4	-	-
27	14,825	14,827	-13.97	97.4	-	-
28	17,575	17,576	-15.67	97.4	-	-
29	17,909	17,910	-15.86	97.4	-	-
3	14,296	14,298	-13.61	97.4	-	-
30	18,792	18,793	-16.35	97.4	-	-
31	18,241	18,242	-16.05	97.4	-	-
32	19,031	19,032	-16.48	97.4	-	-
33	17,935	17,936	-15.88	97.4	-	-
34	2,838	2,843	1.71	97.4	-	-
35	10,591	10,593	-10.65	97.4	-	-
36	7,588	7,591	-7.43	97.4	-	-
37	6,825	6,828	-6.42	97.4	-	-
38	4,713	4,717	-2.94	97.4	-	-
39	6,054	6,057	-5.29	97.4	-	-
4	6,061	6,065	-5.30	97.4	-	-
40	16,983	16,984	-15.33	97.4	-	-
5	4,692	4,696	-2.90	97.4	-	-
6	5,613	5,617	-4.58	97.4	-	-
7	6,589	6,592	-6.09	97.4	-	-
8	2,091	2,098	4.46	97.4	-	-
9	2,418	2,424	3.15	97.4	-	-
Sum			13.19			

- Data undefined due to calculation with octave data

Noise sensitive area: T Darza iela 14

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,922	9,924	-10.02	97.4	-	-
10	4,017	4,022	-1.47	97.4	-	-
11	1,518	1,528	7.30	97.4	-	-
12	4,392	4,397	-2.29	97.4	-	-
13	2,776	2,783	1.90	97.4	-	-
14	3,466	3,472	-0.11	97.4	-	-
15	8,757	8,759	-8.81	97.4	-	-
16	8,137	8,140	-8.10	97.4	-	-
17	7,187	7,190	-6.91	97.4	-	-
18	9,148	9,150	-9.23	97.4	-	-
19	8,748	8,750	-8.80	97.4	-	-
2	13,407	13,409	-12.97	97.4	-	-
20	8,672	8,674	-8.71	97.4	-	-
21	8,069	8,072	-8.02	97.4	-	-
22	7,880	7,883	-7.79	97.4	-	-
23	6,711	6,713	-6.26	97.4	-	-
24	18,128	18,129	-15.99	97.4	-	-
25	16,384	16,385	-14.97	97.4	-	-
26	16,142	16,144	-14.82	97.4	-	-
27	14,870	14,871	-14.00	97.4	-	-
28	17,614	17,615	-15.70	97.4	-	-
29	17,950	17,951	-15.89	97.4	-	-
3	14,339	14,341	-13.64	97.4	-	-
30	18,828	18,829	-16.37	97.4	-	-
31	18,276	18,277	-16.07	97.4	-	-
32	19,070	19,071	-16.50	97.4	-	-
33	17,977	17,978	-15.90	97.4	-	-
34	2,893	2,898	1.54	97.4	-	-
35	10,654	10,656	-10.71	97.4	-	-
36	7,648	7,651	-7.51	97.4	-	-
37	6,886	6,889	-6.51	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,777	4,781	-3.07	97.4	-	-
39	6,120	6,122	-5.39	97.4	-	-
4	6,114	6,118	-5.38	97.4	-	-
40	17,019	17,020	-15.35	97.4	-	-
5	4,759	4,763	-3.03	97.4	-	-
6	5,678	5,682	-4.68	97.4	-	-
7	6,653	6,656	-6.18	97.4	-	-
8	2,148	2,155	4.22	97.4	-	-
9	2,484	2,490	2.91	97.4	-	-
Sum			12.96			

- Data undefined due to calculation with octave data

Noise sensitive area: T Darza iela 14

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,922	9,924	-10.02	97.4	-	-
10	4,017	4,022	-1.47	97.4	-	-
11	1,518	1,528	7.30	97.4	-	-
12	4,392	4,397	-2.29	97.4	-	-
13	2,776	2,783	1.90	97.4	-	-
14	3,466	3,472	-0.11	97.4	-	-
15	8,757	8,759	-8.81	97.4	-	-
16	8,137	8,140	-8.10	97.4	-	-
17	7,187	7,190	-6.91	97.4	-	-
18	9,148	9,150	-9.23	97.4	-	-
19	8,748	8,750	-8.80	97.4	-	-
2	13,407	13,409	-12.97	97.4	-	-
20	8,672	8,674	-8.71	97.4	-	-
21	8,069	8,072	-8.02	97.4	-	-
22	7,880	7,883	-7.79	97.4	-	-
23	6,711	6,713	-6.26	97.4	-	-
24	18,128	18,129	-15.99	97.4	-	-
25	16,384	16,385	-14.97	97.4	-	-
26	16,142	16,144	-14.82	97.4	-	-
27	14,870	14,871	-14.00	97.4	-	-
28	17,614	17,615	-15.70	97.4	-	-
29	17,950	17,951	-15.89	97.4	-	-
3	14,339	14,341	-13.64	97.4	-	-
30	18,828	18,829	-16.37	97.4	-	-
31	18,276	18,277	-16.07	97.4	-	-
32	19,070	19,071	-16.50	97.4	-	-
33	17,977	17,978	-15.90	97.4	-	-
34	2,893	2,898	1.54	97.4	-	-
35	10,654	10,656	-10.71	97.4	-	-
36	7,648	7,651	-7.51	97.4	-	-
37	6,886	6,889	-6.51	97.4	-	-
38	4,777	4,781	-3.07	97.4	-	-
39	6,120	6,122	-5.39	97.4	-	-
4	6,114	6,118	-5.38	97.4	-	-
40	17,019	17,020	-15.35	97.4	-	-
5	4,759	4,763	-3.03	97.4	-	-
6	5,678	5,682	-4.68	97.4	-	-
7	6,653	6,656	-6.18	97.4	-	-
8	2,148	2,155	4.22	97.4	-	-
9	2,484	2,490	2.91	97.4	-	-
Sum			12.96			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: U Darza iela 16

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,780	9,782	-9.88	97.4	-	-
10	3,875	3,880	-1.14	97.4	-	-
11	1,308	1,320	8.60	97.4	-	-
12	4,223	4,228	-1.93	97.4	-	-
13	2,578	2,585	2.57	97.4	-	-
14	3,257	3,263	0.45	97.4	-	-
15	8,646	8,648	-8.68	97.4	-	-
16	8,036	8,039	-7.98	97.4	-	-
17	7,043	7,046	-6.72	97.4	-	-
18	9,017	9,020	-9.09	97.4	-	-
19	8,624	8,627	-8.66	97.4	-	-
2	13,392	13,394	-12.96	97.4	-	-
20	8,528	8,530	-8.55	97.4	-	-
21	7,933	7,936	-7.86	97.4	-	-
22	7,798	7,801	-7.69	97.4	-	-
23	6,555	6,558	-6.04	97.4	-	-
24	18,111	18,112	-15.98	97.4	-	-
25	16,374	16,375	-14.96	97.4	-	-
26	16,139	16,141	-14.82	97.4	-	-
27	14,824	14,826	-13.97	97.4	-	-
28	17,591	17,592	-15.68	97.4	-	-
29	17,921	17,921	-15.87	97.4	-	-
3	14,301	14,302	-13.61	97.4	-	-
30	18,814	18,815	-16.36	97.4	-	-
31	18,268	18,269	-16.06	97.4	-	-
32	19,048	19,049	-16.49	97.4	-	-
33	17,941	17,942	-15.88	97.4	-	-
34	2,681	2,686	2.22	97.4	-	-
35	10,516	10,519	-10.58	97.4	-	-
36	7,528	7,531	-7.36	97.4	-	-
37	6,760	6,763	-6.33	97.4	-	-
38	4,630	4,635	-2.78	97.4	-	-
39	5,958	5,961	-5.14	97.4	-	-
4	6,030	6,034	-5.25	97.4	-	-
40	17,004	17,006	-15.34	97.4	-	-
5	4,573	4,578	-2.67	97.4	-	-
6	5,525	5,529	-4.43	97.4	-	-
7	6,510	6,513	-5.97	97.4	-	-
8	1,935	1,943	5.15	97.4	-	-
9	2,318	2,325	3.53	97.4	-	-
Sum			13.72			

- Data undefined due to calculation with octave data

Noise sensitive area: U Darza iela 16

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,780	9,782	-9.88	97.4	-	-
10	3,875	3,880	-1.14	97.4	-	-
11	1,308	1,320	8.60	97.4	-	-
12	4,223	4,228	-1.93	97.4	-	-
13	2,578	2,585	2.57	97.4	-	-
14	3,257	3,263	0.45	97.4	-	-
15	8,646	8,648	-8.68	97.4	-	-
16	8,036	8,039	-7.98	97.4	-	-
17	7,043	7,046	-6.72	97.4	-	-
18	9,017	9,020	-9.09	97.4	-	-
19	8,624	8,627	-8.66	97.4	-	-
2	13,392	13,394	-12.96	97.4	-	-
20	8,528	8,530	-8.55	97.4	-	-
21	7,933	7,936	-7.86	97.4	-	-
22	7,798	7,801	-7.69	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,555	6,558	-6.04	97.4	-	-
24	18,111	18,112	-15.98	97.4	-	-
25	16,374	16,375	-14.96	97.4	-	-
26	16,139	16,141	-14.82	97.4	-	-
27	14,824	14,826	-13.97	97.4	-	-
28	17,591	17,592	-15.68	97.4	-	-
29	17,921	17,921	-15.87	97.4	-	-
3	14,301	14,302	-13.61	97.4	-	-
30	18,814	18,815	-16.36	97.4	-	-
31	18,268	18,269	-16.06	97.4	-	-
32	19,048	19,049	-16.49	97.4	-	-
33	17,941	17,942	-15.88	97.4	-	-
34	2,681	2,686	2.22	97.4	-	-
35	10,516	10,519	-10.58	97.4	-	-
36	7,528	7,531	-7.36	97.4	-	-
37	6,760	6,763	-6.33	97.4	-	-
38	4,630	4,635	-2.78	97.4	-	-
39	5,958	5,961	-5.14	97.4	-	-
4	6,030	6,034	-5.25	97.4	-	-
40	17,004	17,006	-15.34	97.4	-	-
5	4,573	4,578	-2.67	97.4	-	-
6	5,525	5,529	-4.43	97.4	-	-
7	6,510	6,513	-5.97	97.4	-	-
8	1,935	1,943	5.15	97.4	-	-
9	2,318	2,325	3.53	97.4	-	-
Sum			13.72			

- Data undefined due to calculation with octave data

Noise sensitive area: V Darza iela 16A

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,799	9,802	-9.90	97.4	-	-
10	3,894	3,899	-1.18	97.4	-	-
11	1,357	1,368	8.28	97.4	-	-
12	4,252	4,257	-1.99	97.4	-	-
13	2,620	2,627	2.43	97.4	-	-
14	3,306	3,311	0.32	97.4	-	-
15	8,656	8,658	-8.69	97.4	-	-
16	8,042	8,045	-7.99	97.4	-	-
17	7,063	7,066	-6.75	97.4	-	-
18	9,033	9,035	-9.11	97.4	-	-
19	8,638	8,640	-8.67	97.4	-	-
2	13,374	13,376	-12.95	97.4	-	-
20	8,548	8,550	-8.57	97.4	-	-
21	7,951	7,954	-7.88	97.4	-	-
22	7,798	7,801	-7.69	97.4	-	-
23	6,580	6,582	-6.07	97.4	-	-
24	18,094	18,094	-15.97	97.4	-	-
25	16,355	16,356	-14.95	97.4	-	-
26	16,118	16,120	-14.81	97.4	-	-
27	14,814	14,816	-13.96	97.4	-	-
28	17,575	17,576	-15.67	97.4	-	-
29	17,906	17,907	-15.86	97.4	-	-
3	14,289	14,291	-13.60	97.4	-	-
30	18,796	18,797	-16.35	97.4	-	-
31	18,249	18,249	-16.05	97.4	-	-
32	19,032	19,033	-16.48	97.4	-	-
33	17,929	17,930	-15.87	97.4	-	-
34	2,737	2,742	2.04	97.4	-	-
35	10,534	10,537	-10.60	97.4	-	-
36	7,540	7,543	-7.37	97.4	-	-
37	6,774	6,777	-6.35	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,651	4,656	-2.82	97.4	-	-
39	5,985	5,987	-5.18	97.4	-	-
4	6,031	6,035	-5.25	97.4	-	-
40	16,986	16,988	-15.33	97.4	-	-
5	4,609	4,614	-2.74	97.4	-	-
6	5,548	5,552	-4.47	97.4	-	-
7	6,530	6,533	-6.00	97.4	-	-
8	1,990	1,997	4.90	97.4	-	-
9	2,346	2,352	3.43	97.4	-	-
Sum			13.54			

- Data undefined due to calculation with octave data

Noise sensitive area: V Darza iela 16A

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,799	9,802	-9.90	97.4	-	-
10	3,894	3,899	-1.18	97.4	-	-
11	1,357	1,368	8.28	97.4	-	-
12	4,252	4,257	-1.99	97.4	-	-
13	2,620	2,627	2.43	97.4	-	-
14	3,306	3,311	0.32	97.4	-	-
15	8,656	8,658	-8.69	97.4	-	-
16	8,042	8,045	-7.99	97.4	-	-
17	7,063	7,066	-6.75	97.4	-	-
18	9,033	9,035	-9.11	97.4	-	-
19	8,638	8,640	-8.67	97.4	-	-
2	13,374	13,376	-12.95	97.4	-	-
20	8,548	8,550	-8.57	97.4	-	-
21	7,951	7,954	-7.88	97.4	-	-
22	7,798	7,801	-7.69	97.4	-	-
23	6,580	6,582	-6.07	97.4	-	-
24	18,094	18,094	-15.97	97.4	-	-
25	16,355	16,356	-14.95	97.4	-	-
26	16,118	16,120	-14.81	97.4	-	-
27	14,814	14,816	-13.96	97.4	-	-
28	17,575	17,576	-15.67	97.4	-	-
29	17,906	17,907	-15.86	97.4	-	-
3	14,289	14,291	-13.60	97.4	-	-
30	18,796	18,797	-16.35	97.4	-	-
31	18,249	18,249	-16.05	97.4	-	-
32	19,032	19,033	-16.48	97.4	-	-
33	17,929	17,930	-15.87	97.4	-	-
34	2,737	2,742	2.04	97.4	-	-
35	10,534	10,537	-10.60	97.4	-	-
36	7,540	7,543	-7.37	97.4	-	-
37	6,774	6,777	-6.35	97.4	-	-
38	4,651	4,656	-2.82	97.4	-	-
39	5,985	5,987	-5.18	97.4	-	-
4	6,031	6,035	-5.25	97.4	-	-
40	16,986	16,988	-15.33	97.4	-	-
5	4,609	4,614	-2.74	97.4	-	-
6	5,548	5,552	-4.47	97.4	-	-
7	6,530	6,533	-6.00	97.4	-	-
8	1,990	1,997	4.90	97.4	-	-
9	2,346	2,352	3.43	97.4	-	-
Sum			13.54			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: W Darza iela 17

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,769	9,771	-9.87	97.4	-	-
10	3,863	3,869	-1.11	97.4	-	-
11	1,343	1,354	8.37	97.4	-	-
12	4,225	4,230	-1.93	97.4	-	-
13	2,599	2,607	2.50	97.4	-	-
14	3,291	3,297	0.36	97.4	-	-
15	8,622	8,624	-8.66	97.4	-	-
16	8,009	8,012	-7.95	97.4	-	-
17	7,032	7,035	-6.71	97.4	-	-
18	9,001	9,004	-9.07	97.4	-	-
19	8,605	8,608	-8.64	97.4	-	-
2	13,340	13,342	-12.92	97.4	-	-
20	8,518	8,520	-8.54	97.4	-	-
21	7,919	7,922	-7.84	97.4	-	-
22	7,764	7,767	-7.65	97.4	-	-
23	6,550	6,553	-6.03	97.4	-	-
24	18,059	18,060	-15.95	97.4	-	-
25	16,321	16,322	-14.93	97.4	-	-
26	16,085	16,086	-14.78	97.4	-	-
27	14,780	14,781	-13.94	97.4	-	-
28	17,541	17,542	-15.65	97.4	-	-
29	17,872	17,873	-15.84	97.4	-	-
3	14,254	14,256	-13.58	97.4	-	-
30	18,762	18,763	-16.33	97.4	-	-
31	18,215	18,216	-16.03	97.4	-	-
32	18,997	18,998	-16.46	97.4	-	-
33	17,894	17,895	-15.86	97.4	-	-
34	2,733	2,738	2.05	97.4	-	-
35	10,503	10,505	-10.57	97.4	-	-
36	7,508	7,511	-7.33	97.4	-	-
37	6,742	6,745	-6.31	97.4	-	-
38	4,621	4,625	-2.76	97.4	-	-
39	5,956	5,959	-5.13	97.4	-	-
4	5,996	6,000	-5.20	97.4	-	-
40	16,952	16,954	-15.31	97.4	-	-
5	4,585	4,590	-2.69	97.4	-	-
6	5,519	5,522	-4.42	97.4	-	-
7	6,499	6,502	-5.96	97.4	-	-
8	1,983	1,990	4.93	97.4	-	-
9	2,318	2,325	3.53	97.4	-	-
Sum			13.60			

- Data undefined due to calculation with octave data

Noise sensitive area: W Darza iela 17

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,769	9,771	-9.87	97.4	-	-
10	3,863	3,869	-1.11	97.4	-	-
11	1,343	1,354	8.37	97.4	-	-
12	4,225	4,230	-1.93	97.4	-	-
13	2,599	2,607	2.50	97.4	-	-
14	3,291	3,297	0.36	97.4	-	-
15	8,622	8,624	-8.66	97.4	-	-
16	8,009	8,012	-7.95	97.4	-	-
17	7,032	7,035	-6.71	97.4	-	-
18	9,001	9,004	-9.07	97.4	-	-
19	8,605	8,608	-8.64	97.4	-	-
2	13,340	13,342	-12.92	97.4	-	-
20	8,518	8,520	-8.54	97.4	-	-
21	7,919	7,922	-7.84	97.4	-	-
22	7,764	7,767	-7.65	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,550	6,553	-6.03	97.4	-	-
24	18,059	18,060	-15.95	97.4	-	-
25	16,321	16,322	-14.93	97.4	-	-
26	16,085	16,086	-14.78	97.4	-	-
27	14,780	14,781	-13.94	97.4	-	-
28	17,541	17,542	-15.65	97.4	-	-
29	17,872	17,873	-15.84	97.4	-	-
3	14,254	14,256	-13.58	97.4	-	-
30	18,762	18,763	-16.33	97.4	-	-
31	18,215	18,216	-16.03	97.4	-	-
32	18,997	18,998	-16.46	97.4	-	-
33	17,894	17,895	-15.86	97.4	-	-
34	2,733	2,738	2.05	97.4	-	-
35	10,503	10,505	-10.57	97.4	-	-
36	7,508	7,511	-7.33	97.4	-	-
37	6,742	6,745	-6.31	97.4	-	-
38	4,621	4,625	-2.76	97.4	-	-
39	5,956	5,959	-5.13	97.4	-	-
4	5,996	6,000	-5.20	97.4	-	-
40	16,952	16,954	-15.31	97.4	-	-
5	4,585	4,590	-2.69	97.4	-	-
6	5,519	5,522	-4.42	97.4	-	-
7	6,499	6,502	-5.96	97.4	-	-
8	1,983	1,990	4.93	97.4	-	-
9	2,318	2,325	3.53	97.4	-	-
Sum			13.60			

- Data undefined due to calculation with octave data

Noise sensitive area: X Darza iela 18

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,763	9,765	-9.86	97.4	-	-
10	3,859	3,864	-1.10	97.4	-	-
11	1,274	1,286	8.83	97.4	-	-
12	4,201	4,206	-1.88	97.4	-	-
13	2,547	2,555	2.68	97.4	-	-
14	3,222	3,228	0.55	97.4	-	-
15	8,637	8,639	-8.67	97.4	-	-
16	8,029	8,032	-7.97	97.4	-	-
17	7,026	7,029	-6.70	97.4	-	-
18	9,004	9,006	-9.08	97.4	-	-
19	8,612	8,615	-8.65	97.4	-	-
2	13,401	13,402	-12.97	97.4	-	-
20	8,512	8,514	-8.53	97.4	-	-
21	7,919	7,921	-7.84	97.4	-	-
22	7,795	7,797	-7.69	97.4	-	-
23	6,536	6,538	-6.01	97.4	-	-
24	18,119	18,120	-15.98	97.4	-	-
25	16,384	16,385	-14.97	97.4	-	-
26	16,150	16,152	-14.83	97.4	-	-
27	14,827	14,829	-13.97	97.4	-	-
28	17,599	17,600	-15.69	97.4	-	-
29	17,927	17,928	-15.87	97.4	-	-
3	14,305	14,307	-13.62	97.4	-	-
30	18,823	18,824	-16.37	97.4	-	-
31	18,278	18,279	-16.07	97.4	-	-
32	19,055	19,056	-16.49	97.4	-	-
33	17,946	17,947	-15.88	97.4	-	-
34	2,642	2,647	2.36	97.4	-	-
35	10,501	10,503	-10.57	97.4	-	-
36	7,517	7,520	-7.34	97.4	-	-
37	6,747	6,750	-6.31	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,613	4,618	-2.75	97.4	-	-
39	5,937	5,940	-5.10	97.4	-	-
4	6,026	6,030	-5.24	97.4	-	-
40	17,013	17,015	-15.35	97.4	-	-
5	4,546	4,551	-2.61	97.4	-	-
6	5,506	5,510	-4.40	97.4	-	-
7	6,494	6,497	-5.95	97.4	-	-
8	1,897	1,905	5.33	97.4	-	-
9	2,297	2,304	3.61	97.4	-	-
Sum			13.85			

- Data undefined due to calculation with octave data

Noise sensitive area: X Darza iela 18

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,763	9,765	-9.86	97.4	-	-
10	3,859	3,864	-1.10	97.4	-	-
11	1,274	1,286	8.83	97.4	-	-
12	4,201	4,206	-1.88	97.4	-	-
13	2,547	2,555	2.68	97.4	-	-
14	3,222	3,228	0.55	97.4	-	-
15	8,637	8,639	-8.67	97.4	-	-
16	8,029	8,032	-7.97	97.4	-	-
17	7,026	7,029	-6.70	97.4	-	-
18	9,004	9,006	-9.08	97.4	-	-
19	8,612	8,615	-8.65	97.4	-	-
2	13,401	13,402	-12.97	97.4	-	-
20	8,512	8,514	-8.53	97.4	-	-
21	7,919	7,921	-7.84	97.4	-	-
22	7,795	7,797	-7.69	97.4	-	-
23	6,536	6,538	-6.01	97.4	-	-
24	18,119	18,120	-15.98	97.4	-	-
25	16,384	16,385	-14.97	97.4	-	-
26	16,150	16,152	-14.83	97.4	-	-
27	14,827	14,829	-13.97	97.4	-	-
28	17,599	17,600	-15.69	97.4	-	-
29	17,927	17,928	-15.87	97.4	-	-
3	14,305	14,307	-13.62	97.4	-	-
30	18,823	18,824	-16.37	97.4	-	-
31	18,278	18,279	-16.07	97.4	-	-
32	19,055	19,056	-16.49	97.4	-	-
33	17,946	17,947	-15.88	97.4	-	-
34	2,642	2,647	2.36	97.4	-	-
35	10,501	10,503	-10.57	97.4	-	-
36	7,517	7,520	-7.34	97.4	-	-
37	6,747	6,750	-6.31	97.4	-	-
38	4,613	4,618	-2.75	97.4	-	-
39	5,937	5,940	-5.10	97.4	-	-
4	6,026	6,030	-5.24	97.4	-	-
40	17,013	17,015	-15.35	97.4	-	-
5	4,546	4,551	-2.61	97.4	-	-
6	5,506	5,510	-4.40	97.4	-	-
7	6,494	6,497	-5.95	97.4	-	-
8	1,897	1,905	5.33	97.4	-	-
9	2,297	2,304	3.61	97.4	-	-
Sum			13.85			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: Y Darza iela 19

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,759	9,761	-9.86	97.4	-	-
10	3,854	3,859	-1.09	97.4	-	-
11	1,318	1,329	8.54	97.4	-	-
12	4,210	4,215	-1.90	97.4	-	-
13	2,578	2,585	2.57	97.4	-	-
14	3,266	3,272	0.43	97.4	-	-
15	8,618	8,620	-8.65	97.4	-	-
16	8,006	8,009	-7.95	97.4	-	-
17	7,023	7,026	-6.69	97.4	-	-
18	8,994	8,996	-9.06	97.4	-	-
19	8,599	8,602	-8.63	97.4	-	-
2	13,350	13,352	-12.93	97.4	-	-
20	8,508	8,510	-8.53	97.4	-	-
21	7,911	7,914	-7.83	97.4	-	-
22	7,765	7,768	-7.65	97.4	-	-
23	6,538	6,541	-6.01	97.4	-	-
24	18,069	18,070	-15.95	97.4	-	-
25	16,331	16,333	-14.94	97.4	-	-
26	16,096	16,098	-14.79	97.4	-	-
27	14,785	14,787	-13.94	97.4	-	-
28	17,550	17,551	-15.66	97.4	-	-
29	17,880	17,881	-15.85	97.4	-	-
3	14,261	14,263	-13.58	97.4	-	-
30	18,772	18,773	-16.34	97.4	-	-
31	18,226	18,227	-16.04	97.4	-	-
32	19,007	19,007	-16.46	97.4	-	-
33	17,901	17,902	-15.86	97.4	-	-
34	2,704	2,709	2.15	97.4	-	-
35	10,495	10,497	-10.56	97.4	-	-
36	7,502	7,505	-7.32	97.4	-	-
37	6,735	6,738	-6.30	97.4	-	-
38	4,611	4,615	-2.74	97.4	-	-
39	5,943	5,945	-5.11	97.4	-	-
4	5,997	6,001	-5.20	97.4	-	-
40	16,962	16,964	-15.32	97.4	-	-
5	4,567	4,571	-2.65	97.4	-	-
6	5,507	5,511	-4.40	97.4	-	-
7	6,489	6,493	-5.94	97.4	-	-
8	1,955	1,962	5.06	97.4	-	-
9	2,304	2,311	3.59	97.4	-	-
Sum			13.70			

- Data undefined due to calculation with octave data

Noise sensitive area: Y Darza iela 19

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,759	9,761	-9.86	97.4	-	-
10	3,854	3,859	-1.09	97.4	-	-
11	1,318	1,329	8.54	97.4	-	-
12	4,210	4,215	-1.90	97.4	-	-
13	2,578	2,585	2.57	97.4	-	-
14	3,266	3,272	0.43	97.4	-	-
15	8,618	8,620	-8.65	97.4	-	-
16	8,006	8,009	-7.95	97.4	-	-
17	7,023	7,026	-6.69	97.4	-	-
18	8,994	8,996	-9.06	97.4	-	-
19	8,599	8,602	-8.63	97.4	-	-
2	13,350	13,352	-12.93	97.4	-	-
20	8,508	8,510	-8.53	97.4	-	-
21	7,911	7,914	-7.83	97.4	-	-
22	7,765	7,768	-7.65	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,538	6,541	-6.01	97.4	-	-
24	18,069	18,070	-15.95	97.4	-	-
25	16,331	16,333	-14.94	97.4	-	-
26	16,096	16,098	-14.79	97.4	-	-
27	14,785	14,787	-13.94	97.4	-	-
28	17,550	17,551	-15.66	97.4	-	-
29	17,880	17,881	-15.85	97.4	-	-
3	14,261	14,263	-13.58	97.4	-	-
30	18,772	18,773	-16.34	97.4	-	-
31	18,226	18,227	-16.04	97.4	-	-
32	19,007	19,007	-16.46	97.4	-	-
33	17,901	17,902	-15.86	97.4	-	-
34	2,704	2,709	2.15	97.4	-	-
35	10,495	10,497	-10.56	97.4	-	-
36	7,502	7,505	-7.32	97.4	-	-
37	6,735	6,738	-6.30	97.4	-	-
38	4,611	4,615	-2.74	97.4	-	-
39	5,943	5,945	-5.11	97.4	-	-
4	5,997	6,001	-5.20	97.4	-	-
40	16,962	16,964	-15.32	97.4	-	-
5	4,567	4,571	-2.65	97.4	-	-
6	5,507	5,511	-4.40	97.4	-	-
7	6,489	6,493	-5.94	97.4	-	-
8	1,955	1,962	5.06	97.4	-	-
9	2,304	2,311	3.59	97.4	-	-
Sum			13.70			

- Data undefined due to calculation with octave data

Noise sensitive area: Z Darza iela 20

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,750	9,752	-9.85	97.4	-	-
10	3,847	3,852	-1.07	97.4	-	-
11	1,247	1,259	9.02	97.4	-	-
12	4,183	4,188	-1.84	97.4	-	-
13	2,524	2,531	2.76	97.4	-	-
14	3,195	3,201	0.63	97.4	-	-
15	8,629	8,632	-8.67	97.4	-	-
16	8,023	8,026	-7.97	97.4	-	-
17	7,013	7,016	-6.68	97.4	-	-
18	8,993	8,995	-9.06	97.4	-	-
19	8,602	8,605	-8.64	97.4	-	-
2	13,408	13,409	-12.97	97.4	-	-
20	8,499	8,501	-8.52	97.4	-	-
21	7,907	7,910	-7.83	97.4	-	-
22	7,792	7,795	-7.69	97.4	-	-
23	6,521	6,523	-5.99	97.4	-	-
24	18,126	18,127	-15.98	97.4	-	-
25	16,391	16,393	-14.97	97.4	-	-
26	16,159	16,160	-14.83	97.4	-	-
27	14,830	14,831	-13.97	97.4	-	-
28	17,604	17,606	-15.69	97.4	-	-
29	17,932	17,933	-15.88	97.4	-	-
3	14,309	14,311	-13.62	97.4	-	-
30	18,830	18,831	-16.37	97.4	-	-
31	18,286	18,287	-16.07	97.4	-	-
32	19,061	19,062	-16.49	97.4	-	-
33	17,950	17,951	-15.89	97.4	-	-
34	2,612	2,617	2.46	97.4	-	-
35	10,489	10,491	-10.56	97.4	-	-
36	7,508	7,511	-7.33	97.4	-	-
37	6,737	6,741	-6.30	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,600	4,605	-2.72	97.4	-	-
39	5,921	5,923	-5.08	97.4	-	-
4	6,023	6,027	-5.24	97.4	-	-
40	17,020	17,022	-15.35	97.4	-	-
5	4,526	4,530	-2.57	97.4	-	-
6	5,492	5,495	-4.37	97.4	-	-
7	6,481	6,484	-5.93	97.4	-	-
8	1,867	1,875	5.47	97.4	-	-
9	2,281	2,288	3.68	97.4	-	-
Sum			13.96			

- Data undefined due to calculation with octave data

Noise sensitive area: Z Darza iela 20

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,750	9,752	-9.85	97.4	-	-
10	3,847	3,852	-1.07	97.4	-	-
11	1,247	1,259	9.02	97.4	-	-
12	4,183	4,188	-1.84	97.4	-	-
13	2,524	2,531	2.76	97.4	-	-
14	3,195	3,201	0.63	97.4	-	-
15	8,629	8,632	-8.67	97.4	-	-
16	8,023	8,026	-7.97	97.4	-	-
17	7,013	7,016	-6.68	97.4	-	-
18	8,993	8,995	-9.06	97.4	-	-
19	8,602	8,605	-8.64	97.4	-	-
2	13,408	13,409	-12.97	97.4	-	-
20	8,499	8,501	-8.52	97.4	-	-
21	7,907	7,910	-7.83	97.4	-	-
22	7,792	7,795	-7.69	97.4	-	-
23	6,521	6,523	-5.99	97.4	-	-
24	18,126	18,127	-15.98	97.4	-	-
25	16,391	16,393	-14.97	97.4	-	-
26	16,159	16,160	-14.83	97.4	-	-
27	14,830	14,831	-13.97	97.4	-	-
28	17,604	17,606	-15.69	97.4	-	-
29	17,932	17,933	-15.88	97.4	-	-
3	14,309	14,311	-13.62	97.4	-	-
30	18,830	18,831	-16.37	97.4	-	-
31	18,286	18,287	-16.07	97.4	-	-
32	19,061	19,062	-16.49	97.4	-	-
33	17,950	17,951	-15.89	97.4	-	-
34	2,612	2,617	2.46	97.4	-	-
35	10,489	10,491	-10.56	97.4	-	-
36	7,508	7,511	-7.33	97.4	-	-
37	6,737	6,741	-6.30	97.4	-	-
38	4,600	4,605	-2.72	97.4	-	-
39	5,921	5,923	-5.08	97.4	-	-
4	6,023	6,027	-5.24	97.4	-	-
40	17,020	17,022	-15.35	97.4	-	-
5	4,526	4,530	-2.57	97.4	-	-
6	5,492	5,495	-4.37	97.4	-	-
7	6,481	6,484	-5.93	97.4	-	-
8	1,867	1,875	5.47	97.4	-	-
9	2,281	2,288	3.68	97.4	-	-
Sum			13.96			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: AA Darza iela 21

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,747	9,749	-9.84	97.4	-	-
10	3,842	3,848	-1.06	97.4	-	-
11	1,290	1,302	8.72	97.4	-	-
12	4,193	4,198	-1.86	97.4	-	-
13	2,554	2,561	2.66	97.4	-	-
14	3,238	3,244	0.51	97.4	-	-
15	8,612	8,614	-8.65	97.4	-	-
16	8,002	8,005	-7.94	97.4	-	-
17	7,011	7,013	-6.68	97.4	-	-
18	8,984	8,987	-9.05	97.4	-	-
19	8,591	8,593	-8.62	97.4	-	-
2	13,359	13,361	-12.94	97.4	-	-
20	8,496	8,498	-8.51	97.4	-	-
21	7,901	7,903	-7.82	97.4	-	-
22	7,764	7,766	-7.65	97.4	-	-
23	6,524	6,526	-5.99	97.4	-	-
24	18,078	18,079	-15.96	97.4	-	-
25	16,341	16,343	-14.94	97.4	-	-
26	16,107	16,108	-14.80	97.4	-	-
27	14,790	14,791	-13.95	97.4	-	-
28	17,558	17,559	-15.66	97.4	-	-
29	17,887	17,888	-15.85	97.4	-	-
3	14,267	14,268	-13.59	97.4	-	-
30	18,781	18,782	-16.34	97.4	-	-
31	18,236	18,237	-16.05	97.4	-	-
32	19,015	19,016	-16.47	97.4	-	-
33	17,907	17,908	-15.86	97.4	-	-
34	2,672	2,677	2.25	97.4	-	-
35	10,484	10,486	-10.55	97.4	-	-
36	7,494	7,497	-7.31	97.4	-	-
37	6,726	6,730	-6.28	97.4	-	-
38	4,598	4,603	-2.72	97.4	-	-
39	5,927	5,930	-5.09	97.4	-	-
4	5,995	5,999	-5.20	97.4	-	-
40	16,972	16,973	-15.32	97.4	-	-
5	4,546	4,551	-2.61	97.4	-	-
6	5,493	5,497	-4.37	97.4	-	-
7	6,478	6,481	-5.93	97.4	-	-
8	1,924	1,931	5.20	97.4	-	-
9	2,288	2,295	3.65	97.4	-	-
Sum			13.80			

- Data undefined due to calculation with octave data

Noise sensitive area: AA Darza iela 21

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,747	9,749	-9.84	97.4	-	-
10	3,842	3,848	-1.06	97.4	-	-
11	1,290	1,302	8.72	97.4	-	-
12	4,193	4,198	-1.86	97.4	-	-
13	2,554	2,561	2.66	97.4	-	-
14	3,238	3,244	0.51	97.4	-	-
15	8,612	8,614	-8.65	97.4	-	-
16	8,002	8,005	-7.94	97.4	-	-
17	7,011	7,013	-6.68	97.4	-	-
18	8,984	8,987	-9.05	97.4	-	-
19	8,591	8,593	-8.62	97.4	-	-
2	13,359	13,361	-12.94	97.4	-	-
20	8,496	8,498	-8.51	97.4	-	-
21	7,901	7,903	-7.82	97.4	-	-
22	7,764	7,766	-7.65	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,524	6,526	-5.99	97.4	-	-
24	18,078	18,079	-15.96	97.4	-	-
25	16,341	16,343	-14.94	97.4	-	-
26	16,107	16,108	-14.80	97.4	-	-
27	14,790	14,791	-13.95	97.4	-	-
28	17,558	17,559	-15.66	97.4	-	-
29	17,887	17,888	-15.85	97.4	-	-
3	14,267	14,268	-13.59	97.4	-	-
30	18,781	18,782	-16.34	97.4	-	-
31	18,236	18,237	-16.05	97.4	-	-
32	19,015	19,016	-16.47	97.4	-	-
33	17,907	17,908	-15.86	97.4	-	-
34	2,672	2,677	2.25	97.4	-	-
35	10,484	10,486	-10.55	97.4	-	-
36	7,494	7,497	-7.31	97.4	-	-
37	6,726	6,730	-6.28	97.4	-	-
38	4,598	4,603	-2.72	97.4	-	-
39	5,927	5,930	-5.09	97.4	-	-
4	5,995	5,999	-5.20	97.4	-	-
40	16,972	16,973	-15.32	97.4	-	-
5	4,546	4,551	-2.61	97.4	-	-
6	5,493	5,497	-4.37	97.4	-	-
7	6,478	6,481	-5.93	97.4	-	-
8	1,924	1,931	5.20	97.4	-	-
9	2,288	2,295	3.65	97.4	-	-
Sum			13.80			

- Data undefined due to calculation with octave data

Noise sensitive area: AB Darza iela 22

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,737	9,740	-9.83	97.4	-	-
10	3,835	3,840	-1.04	97.4	-	-
11	1,218	1,231	9.22	97.4	-	-
12	4,166	4,171	-1.80	97.4	-	-
13	2,499	2,507	2.85	97.4	-	-
14	3,166	3,172	0.71	97.4	-	-
15	8,623	8,625	-8.66	97.4	-	-
16	8,018	8,021	-7.96	97.4	-	-
17	7,001	7,003	-6.66	97.4	-	-
18	8,983	8,985	-9.05	97.4	-	-
19	8,593	8,596	-8.63	97.4	-	-
2	13,417	13,418	-12.98	97.4	-	-
20	8,486	8,488	-8.50	97.4	-	-
21	7,896	7,899	-7.81	97.4	-	-
22	7,790	7,793	-7.68	97.4	-	-
23	6,506	6,508	-5.97	97.4	-	-
24	18,135	18,136	-15.99	97.4	-	-
25	16,401	16,402	-14.98	97.4	-	-
26	16,170	16,171	-14.84	97.4	-	-
27	14,834	14,835	-13.98	97.4	-	-
28	17,612	17,613	-15.70	97.4	-	-
29	17,938	17,939	-15.88	97.4	-	-
3	14,314	14,316	-13.62	97.4	-	-
30	18,839	18,840	-16.37	97.4	-	-
31	18,296	18,297	-16.08	97.4	-	-
32	19,069	19,070	-16.50	97.4	-	-
33	17,956	17,957	-15.89	97.4	-	-
34	2,579	2,584	2.57	97.4	-	-
35	10,477	10,479	-10.55	97.4	-	-
36	7,500	7,503	-7.32	97.4	-	-
37	6,728	6,731	-6.29	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,587	4,592	-2.69	97.4	-	-
39	5,904	5,907	-5.05	97.4	-	-
4	6,021	6,025	-5.24	97.4	-	-
40	17,029	17,031	-15.36	97.4	-	-
5	4,504	4,509	-2.52	97.4	-	-
6	5,477	5,481	-4.35	97.4	-	-
7	6,469	6,472	-5.91	97.4	-	-
8	1,835	1,843	5.62	97.4	-	-
9	2,265	2,272	3.74	97.4	-	-
Sum			14.08			

- Data undefined due to calculation with octave data

Noise sensitive area: AB Darza iela 22

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,737	9,740	-9.83	97.4	-	-
10	3,835	3,840	-1.04	97.4	-	-
11	1,218	1,231	9.22	97.4	-	-
12	4,166	4,171	-1.80	97.4	-	-
13	2,499	2,507	2.85	97.4	-	-
14	3,166	3,172	0.71	97.4	-	-
15	8,623	8,625	-8.66	97.4	-	-
16	8,018	8,021	-7.96	97.4	-	-
17	7,001	7,003	-6.66	97.4	-	-
18	8,983	8,985	-9.05	97.4	-	-
19	8,593	8,596	-8.63	97.4	-	-
2	13,417	13,418	-12.98	97.4	-	-
20	8,486	8,488	-8.50	97.4	-	-
21	7,896	7,899	-7.81	97.4	-	-
22	7,790	7,793	-7.68	97.4	-	-
23	6,506	6,508	-5.97	97.4	-	-
24	18,135	18,136	-15.99	97.4	-	-
25	16,401	16,402	-14.98	97.4	-	-
26	16,170	16,171	-14.84	97.4	-	-
27	14,834	14,835	-13.98	97.4	-	-
28	17,612	17,613	-15.70	97.4	-	-
29	17,938	17,939	-15.88	97.4	-	-
3	14,314	14,316	-13.62	97.4	-	-
30	18,839	18,840	-16.37	97.4	-	-
31	18,296	18,297	-16.08	97.4	-	-
32	19,069	19,070	-16.50	97.4	-	-
33	17,956	17,957	-15.89	97.4	-	-
34	2,579	2,584	2.57	97.4	-	-
35	10,477	10,479	-10.55	97.4	-	-
36	7,500	7,503	-7.32	97.4	-	-
37	6,728	6,731	-6.29	97.4	-	-
38	4,587	4,592	-2.69	97.4	-	-
39	5,904	5,907	-5.05	97.4	-	-
4	6,021	6,025	-5.24	97.4	-	-
40	17,029	17,031	-15.36	97.4	-	-
5	4,504	4,509	-2.52	97.4	-	-
6	5,477	5,481	-4.35	97.4	-	-
7	6,469	6,472	-5.91	97.4	-	-
8	1,835	1,843	5.62	97.4	-	-
9	2,265	2,272	3.74	97.4	-	-
Sum			14.08			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: AC Darza iela 23

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,735	9,738	-9.83	97.4	-	-
10	3,831	3,836	-1.03	97.4	-	-
11	1,262	1,274	8.91	97.4	-	-
12	4,176	4,181	-1.83	97.4	-	-
13	2,530	2,538	2.74	97.4	-	-
14	3,211	3,217	0.58	97.4	-	-
15	8,606	8,608	-8.64	97.4	-	-
16	7,997	8,000	-7.93	97.4	-	-
17	6,999	7,001	-6.66	97.4	-	-
18	8,974	8,977	-9.04	97.4	-	-
19	8,582	8,585	-8.61	97.4	-	-
2	13,368	13,369	-12.94	97.4	-	-
20	8,484	8,486	-8.50	97.4	-	-
21	7,890	7,893	-7.80	97.4	-	-
22	7,762	7,765	-7.65	97.4	-	-
23	6,510	6,512	-5.97	97.4	-	-
24	18,086	18,087	-15.96	97.4	-	-
25	16,351	16,352	-14.95	97.4	-	-
26	16,117	16,119	-14.81	97.4	-	-
27	14,794	14,796	-13.95	97.4	-	-
28	17,565	17,567	-15.67	97.4	-	-
29	17,894	17,895	-15.85	97.4	-	-
3	14,272	14,274	-13.59	97.4	-	-
30	18,790	18,791	-16.35	97.4	-	-
31	18,246	18,246	-16.05	97.4	-	-
32	19,022	19,023	-16.47	97.4	-	-
33	17,913	17,914	-15.87	97.4	-	-
34	2,641	2,646	2.36	97.4	-	-
35	10,473	10,475	-10.54	97.4	-	-
36	7,487	7,490	-7.30	97.4	-	-
37	6,718	6,721	-6.27	97.4	-	-
38	4,586	4,590	-2.69	97.4	-	-
39	5,912	5,914	-5.06	97.4	-	-
4	5,994	5,998	-5.19	97.4	-	-
40	16,980	16,982	-15.33	97.4	-	-
5	4,526	4,530	-2.57	97.4	-	-
6	5,479	5,483	-4.35	97.4	-	-
7	6,466	6,469	-5.91	97.4	-	-
8	1,893	1,901	5.34	97.4	-	-
9	2,272	2,279	3.71	97.4	-	-
Sum			13.91			

- Data undefined due to calculation with octave data

Noise sensitive area: AC Darza iela 23

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,735	9,738	-9.83	97.4	-	-
10	3,831	3,836	-1.03	97.4	-	-
11	1,262	1,274	8.91	97.4	-	-
12	4,176	4,181	-1.83	97.4	-	-
13	2,530	2,538	2.74	97.4	-	-
14	3,211	3,217	0.58	97.4	-	-
15	8,606	8,608	-8.64	97.4	-	-
16	7,997	8,000	-7.93	97.4	-	-
17	6,999	7,001	-6.66	97.4	-	-
18	8,974	8,977	-9.04	97.4	-	-
19	8,582	8,585	-8.61	97.4	-	-
2	13,368	13,369	-12.94	97.4	-	-
20	8,484	8,486	-8.50	97.4	-	-
21	7,890	7,893	-7.80	97.4	-	-
22	7,762	7,765	-7.65	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,510	6,512	-5.97	97.4	-	-
24	18,086	18,087	-15.96	97.4	-	-
25	16,351	16,352	-14.95	97.4	-	-
26	16,117	16,119	-14.81	97.4	-	-
27	14,794	14,796	-13.95	97.4	-	-
28	17,565	17,567	-15.67	97.4	-	-
29	17,894	17,895	-15.85	97.4	-	-
3	14,272	14,274	-13.59	97.4	-	-
30	18,790	18,791	-16.35	97.4	-	-
31	18,246	18,246	-16.05	97.4	-	-
32	19,022	19,023	-16.47	97.4	-	-
33	17,913	17,914	-15.87	97.4	-	-
34	2,641	2,646	2.36	97.4	-	-
35	10,473	10,475	-10.54	97.4	-	-
36	7,487	7,490	-7.30	97.4	-	-
37	6,718	6,721	-6.27	97.4	-	-
38	4,586	4,590	-2.69	97.4	-	-
39	5,912	5,914	-5.06	97.4	-	-
4	5,994	5,998	-5.19	97.4	-	-
40	16,980	16,982	-15.33	97.4	-	-
5	4,526	4,530	-2.57	97.4	-	-
6	5,479	5,483	-4.35	97.4	-	-
7	6,466	6,469	-5.91	97.4	-	-
8	1,893	1,901	5.34	97.4	-	-
9	2,272	2,279	3.71	97.4	-	-
Sum			13.91			

- Data undefined due to calculation with octave data

Noise sensitive area: AD Darza iela 24

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,727	9,729	-9.82	97.4	-	-
10	3,825	3,831	-1.02	97.4	-	-
11	1,194	1,207	9.39	97.4	-	-
12	4,151	4,156	-1.77	97.4	-	-
13	2,478	2,486	2.93	97.4	-	-
14	3,141	3,147	0.78	97.4	-	-
15	8,618	8,620	-8.65	97.4	-	-
16	8,015	8,018	-7.96	97.4	-	-
17	6,990	6,993	-6.65	97.4	-	-
18	8,974	8,977	-9.04	97.4	-	-
19	8,586	8,589	-8.62	97.4	-	-
2	13,425	13,427	-12.98	97.4	-	-
20	8,476	8,478	-8.49	97.4	-	-
21	7,887	7,889	-7.80	97.4	-	-
22	7,790	7,793	-7.68	97.4	-	-
23	6,493	6,496	-5.95	97.4	-	-
24	18,143	18,144	-15.99	97.4	-	-
25	16,410	16,411	-14.99	97.4	-	-
26	16,180	16,181	-14.84	97.4	-	-
27	14,838	14,840	-13.98	97.4	-	-
28	17,619	17,621	-15.70	97.4	-	-
29	17,945	17,946	-15.88	97.4	-	-
3	14,320	14,321	-13.62	97.4	-	-
30	18,847	18,848	-16.38	97.4	-	-
31	18,306	18,306	-16.08	97.4	-	-
32	19,077	19,078	-16.50	97.4	-	-
33	17,961	17,962	-15.89	97.4	-	-
34	2,550	2,556	2.67	97.4	-	-
35	10,468	10,470	-10.54	97.4	-	-
36	7,493	7,496	-7.31	97.4	-	-
37	6,721	6,724	-6.28	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,577	4,581	-2.67	97.4	-	-
39	5,891	5,893	-5.03	97.4	-	-
4	6,021	6,025	-5.24	97.4	-	-
40	17,038	17,039	-15.36	97.4	-	-
5	4,486	4,490	-2.49	97.4	-	-
6	5,465	5,469	-4.33	97.4	-	-
7	6,458	6,462	-5.90	97.4	-	-
8	1,807	1,815	5.76	97.4	-	-
9	2,252	2,258	3.79	97.4	-	-
Sum			14.18			

- Data undefined due to calculation with octave data

Noise sensitive area: AD Darza iela 24

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,727	9,729	-9.82	97.4	-	-
10	3,825	3,831	-1.02	97.4	-	-
11	1,194	1,207	9.39	97.4	-	-
12	4,151	4,156	-1.77	97.4	-	-
13	2,478	2,486	2.93	97.4	-	-
14	3,141	3,147	0.78	97.4	-	-
15	8,618	8,620	-8.65	97.4	-	-
16	8,015	8,018	-7.96	97.4	-	-
17	6,990	6,993	-6.65	97.4	-	-
18	8,974	8,977	-9.04	97.4	-	-
19	8,586	8,589	-8.62	97.4	-	-
2	13,425	13,427	-12.98	97.4	-	-
20	8,476	8,478	-8.49	97.4	-	-
21	7,887	7,889	-7.80	97.4	-	-
22	7,790	7,793	-7.68	97.4	-	-
23	6,493	6,496	-5.95	97.4	-	-
24	18,143	18,144	-15.99	97.4	-	-
25	16,410	16,411	-14.99	97.4	-	-
26	16,180	16,181	-14.84	97.4	-	-
27	14,838	14,840	-13.98	97.4	-	-
28	17,619	17,621	-15.70	97.4	-	-
29	17,945	17,946	-15.88	97.4	-	-
3	14,320	14,321	-13.62	97.4	-	-
30	18,847	18,848	-16.38	97.4	-	-
31	18,306	18,306	-16.08	97.4	-	-
32	19,077	19,078	-16.50	97.4	-	-
33	17,961	17,962	-15.89	97.4	-	-
34	2,550	2,556	2.67	97.4	-	-
35	10,468	10,470	-10.54	97.4	-	-
36	7,493	7,496	-7.31	97.4	-	-
37	6,721	6,724	-6.28	97.4	-	-
38	4,577	4,581	-2.67	97.4	-	-
39	5,891	5,893	-5.03	97.4	-	-
4	6,021	6,025	-5.24	97.4	-	-
40	17,038	17,039	-15.36	97.4	-	-
5	4,486	4,490	-2.49	97.4	-	-
6	5,465	5,469	-4.33	97.4	-	-
7	6,458	6,462	-5.90	97.4	-	-
8	1,807	1,815	5.76	97.4	-	-
9	2,252	2,258	3.79	97.4	-	-
Sum			14.18			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: AE Darza iela 25

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,723	9,725	-9.82	97.4	-	-
10	3,819	3,824	-1.00	97.4	-	-
11	1,236	1,248	9.10	97.4	-	-
12	4,159	4,165	-1.79	97.4	-	-
13	2,507	2,515	2.82	97.4	-	-
14	3,184	3,190	0.66	97.4	-	-
15	8,599	8,601	-8.63	97.4	-	-
16	7,992	7,995	-7.93	97.4	-	-
17	6,986	6,989	-6.64	97.4	-	-
18	8,964	8,967	-9.03	97.4	-	-
19	8,573	8,576	-8.60	97.4	-	-
2	13,375	13,377	-12.95	97.4	-	-
20	8,472	8,474	-8.49	97.4	-	-
21	7,879	7,882	-7.79	97.4	-	-
22	7,760	7,763	-7.65	97.4	-	-
23	6,495	6,498	-5.95	97.4	-	-
24	18,093	18,094	-15.97	97.4	-	-
25	16,359	16,360	-14.95	97.4	-	-
26	16,126	16,128	-14.81	97.4	-	-
27	14,797	14,799	-13.95	97.4	-	-
28	17,572	17,573	-15.67	97.4	-	-
29	17,899	17,900	-15.86	97.4	-	-
3	14,276	14,278	-13.59	97.4	-	-
30	18,797	18,798	-16.35	97.4	-	-
31	18,254	18,255	-16.06	97.4	-	-
32	19,029	19,030	-16.48	97.4	-	-
33	17,917	17,918	-15.87	97.4	-	-
34	2,611	2,617	2.46	97.4	-	-
35	10,461	10,463	-10.53	97.4	-	-
36	7,478	7,482	-7.29	97.4	-	-
37	6,708	6,712	-6.26	97.4	-	-
38	4,573	4,578	-2.67	97.4	-	-
39	5,896	5,899	-5.04	97.4	-	-
4	5,991	5,995	-5.19	97.4	-	-
40	16,988	16,989	-15.33	97.4	-	-
5	4,505	4,510	-2.53	97.4	-	-
6	5,465	5,469	-4.33	97.4	-	-
7	6,454	6,457	-5.89	97.4	-	-
8	1,864	1,872	5.48	97.4	-	-
9	2,256	2,263	3.77	97.4	-	-
Sum			14.02			

- Data undefined due to calculation with octave data

Noise sensitive area: AE Darza iela 25

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,723	9,725	-9.82	97.4	-	-
10	3,819	3,824	-1.00	97.4	-	-
11	1,236	1,248	9.10	97.4	-	-
12	4,159	4,165	-1.79	97.4	-	-
13	2,507	2,515	2.82	97.4	-	-
14	3,184	3,190	0.66	97.4	-	-
15	8,599	8,601	-8.63	97.4	-	-
16	7,992	7,995	-7.93	97.4	-	-
17	6,986	6,989	-6.64	97.4	-	-
18	8,964	8,967	-9.03	97.4	-	-
19	8,573	8,576	-8.60	97.4	-	-
2	13,375	13,377	-12.95	97.4	-	-
20	8,472	8,474	-8.49	97.4	-	-
21	7,879	7,882	-7.79	97.4	-	-
22	7,760	7,763	-7.65	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,495	6,498	-5.95	97.4	-	-
24	18,093	18,094	-15.97	97.4	-	-
25	16,359	16,360	-14.95	97.4	-	-
26	16,126	16,128	-14.81	97.4	-	-
27	14,797	14,799	-13.95	97.4	-	-
28	17,572	17,573	-15.67	97.4	-	-
29	17,899	17,900	-15.86	97.4	-	-
3	14,276	14,278	-13.59	97.4	-	-
30	18,797	18,798	-16.35	97.4	-	-
31	18,254	18,255	-16.06	97.4	-	-
32	19,029	19,030	-16.48	97.4	-	-
33	17,917	17,918	-15.87	97.4	-	-
34	2,611	2,617	2.46	97.4	-	-
35	10,461	10,463	-10.53	97.4	-	-
36	7,478	7,482	-7.29	97.4	-	-
37	6,708	6,712	-6.26	97.4	-	-
38	4,573	4,578	-2.67	97.4	-	-
39	5,896	5,899	-5.04	97.4	-	-
4	5,991	5,995	-5.19	97.4	-	-
40	16,988	16,989	-15.33	97.4	-	-
5	4,505	4,510	-2.53	97.4	-	-
6	5,465	5,469	-4.33	97.4	-	-
7	6,454	6,457	-5.89	97.4	-	-
8	1,864	1,872	5.48	97.4	-	-
9	2,256	2,263	3.77	97.4	-	-
Sum			14.02			

- Data undefined due to calculation with octave data

Noise sensitive area: AF Darza iela 27

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,711	9,713	-9.81	97.4	-	-
10	3,808	3,813	-0.98	97.4	-	-
11	1,208	1,220	9.29	97.4	-	-
12	4,142	4,147	-1.75	97.4	-	-
13	2,483	2,491	2.91	97.4	-	-
14	3,156	3,162	0.74	97.4	-	-
15	8,593	8,595	-8.62	97.4	-	-
16	7,988	7,990	-7.92	97.4	-	-
17	6,974	6,977	-6.63	97.4	-	-
18	8,954	8,957	-9.02	97.4	-	-
19	8,564	8,567	-8.59	97.4	-	-
2	13,383	13,385	-12.95	97.4	-	-
20	8,459	8,461	-8.47	97.4	-	-
21	7,868	7,871	-7.78	97.4	-	-
22	7,759	7,762	-7.64	97.4	-	-
23	6,481	6,483	-5.93	97.4	-	-
24	18,102	18,103	-15.97	97.4	-	-
25	16,368	16,369	-14.96	97.4	-	-
26	16,137	16,138	-14.82	97.4	-	-
27	14,801	14,803	-13.95	97.4	-	-
28	17,579	17,580	-15.68	97.4	-	-
29	17,905	17,906	-15.86	97.4	-	-
3	14,281	14,283	-13.60	97.4	-	-
30	18,806	18,807	-16.36	97.4	-	-
31	18,263	18,264	-16.06	97.4	-	-
32	19,036	19,037	-16.48	97.4	-	-
33	17,923	17,924	-15.87	97.4	-	-
34	2,579	2,585	2.57	97.4	-	-
35	10,450	10,452	-10.52	97.4	-	-
36	7,471	7,474	-7.28	97.4	-	-
37	6,699	6,703	-6.25	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,561	4,565	-2.64	97.4	-	-
39	5,880	5,883	-5.01	97.4	-	-
4	5,990	5,994	-5.19	97.4	-	-
40	16,996	16,998	-15.34	97.4	-	-
5	4,484	4,489	-2.48	97.4	-	-
6	5,451	5,455	-4.30	97.4	-	-
7	6,442	6,445	-5.87	97.4	-	-
8	1,833	1,841	5.63	97.4	-	-
9	2,240	2,247	3.84	97.4	-	-
Sum			14.13			

- Data undefined due to calculation with octave data

Noise sensitive area: AF Darza iela 27

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,711	9,713	-9.81	97.4	-	-
10	3,808	3,813	-0.98	97.4	-	-
11	1,208	1,220	9.29	97.4	-	-
12	4,142	4,147	-1.75	97.4	-	-
13	2,483	2,491	2.91	97.4	-	-
14	3,156	3,162	0.74	97.4	-	-
15	8,593	8,595	-8.62	97.4	-	-
16	7,988	7,990	-7.92	97.4	-	-
17	6,974	6,977	-6.63	97.4	-	-
18	8,954	8,957	-9.02	97.4	-	-
19	8,564	8,567	-8.59	97.4	-	-
2	13,383	13,385	-12.95	97.4	-	-
20	8,459	8,461	-8.47	97.4	-	-
21	7,868	7,871	-7.78	97.4	-	-
22	7,759	7,762	-7.64	97.4	-	-
23	6,481	6,483	-5.93	97.4	-	-
24	18,102	18,103	-15.97	97.4	-	-
25	16,368	16,369	-14.96	97.4	-	-
26	16,137	16,138	-14.82	97.4	-	-
27	14,801	14,803	-13.95	97.4	-	-
28	17,579	17,580	-15.68	97.4	-	-
29	17,905	17,906	-15.86	97.4	-	-
3	14,281	14,283	-13.60	97.4	-	-
30	18,806	18,807	-16.36	97.4	-	-
31	18,263	18,264	-16.06	97.4	-	-
32	19,036	19,037	-16.48	97.4	-	-
33	17,923	17,924	-15.87	97.4	-	-
34	2,579	2,585	2.57	97.4	-	-
35	10,450	10,452	-10.52	97.4	-	-
36	7,471	7,474	-7.28	97.4	-	-
37	6,699	6,703	-6.25	97.4	-	-
38	4,561	4,565	-2.64	97.4	-	-
39	5,880	5,883	-5.01	97.4	-	-
4	5,990	5,994	-5.19	97.4	-	-
40	16,996	16,998	-15.34	97.4	-	-
5	4,484	4,489	-2.48	97.4	-	-
6	5,451	5,455	-4.30	97.4	-	-
7	6,442	6,445	-5.87	97.4	-	-
8	1,833	1,841	5.63	97.4	-	-
9	2,240	2,247	3.84	97.4	-	-
Sum			14.13			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: AG Dreimani

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,684	9,686	-9.78	97.4	-	-
10	4,038	4,043	-1.52	97.4	-	-
11	1,229	1,242	9.14	97.4	-	-
12	4,034	4,040	-1.51	97.4	-	-
13	2,156	2,166	4.17	97.4	-	-
14	2,352	2,360	3.40	97.4	-	-
15	8,895	8,897	-8.96	97.4	-	-
16	8,388	8,391	-8.39	97.4	-	-
17	7,000	7,003	-6.66	97.4	-	-
18	9,066	9,069	-9.14	97.4	-	-
19	8,750	8,752	-8.80	97.4	-	-
2	14,329	14,330	-13.63	97.4	-	-
20	8,451	8,454	-8.46	97.4	-	-
21	7,952	7,955	-7.88	97.4	-	-
22	8,316	8,319	-8.31	97.4	-	-
23	6,395	6,398	-5.80	97.4	-	-
24	19,017	19,018	-16.47	97.4	-	-
25	17,333	17,334	-15.53	97.4	-	-
26	17,145	17,146	-15.42	97.4	-	-
27	15,539	15,541	-14.44	97.4	-	-
28	18,459	18,461	-16.17	97.4	-	-
29	18,741	18,742	-16.32	97.4	-	-
3	15,074	15,075	-14.14	97.4	-	-
30	19,734	19,735	-16.84	97.4	-	-
31	19,234	19,235	-16.58	97.4	-	-
32	19,916	19,917	-16.94	97.4	-	-
33	18,715	18,716	-16.31	97.4	-	-
34	1,374	1,385	8.17	97.4	-	-
35	10,465	10,467	-10.54	97.4	-	-
36	7,720	7,724	-7.60	97.4	-	-
37	6,913	6,916	-6.54	97.4	-	-
38	4,679	4,683	-2.88	97.4	-	-
39	5,742	5,745	-4.79	97.4	-	-
4	6,582	6,586	-6.08	97.4	-	-
40	17,929	17,930	-15.88	97.4	-	-
5	4,107	4,112	-1.67	97.4	-	-
6	5,439	5,443	-4.28	97.4	-	-
7	6,499	6,503	-5.96	97.4	-	-
8	1,004	1,019	10.89	97.4	-	-
9	2,482	2,488	2.92	97.4	-	-
Sum			16.02			

- Data undefined due to calculation with octave data

Noise sensitive area: AG Dreimani

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,684	9,686	-9.78	97.4	-	-
10	4,038	4,043	-1.52	97.4	-	-
11	1,229	1,242	9.14	97.4	-	-
12	4,034	4,040	-1.51	97.4	-	-
13	2,156	2,166	4.17	97.4	-	-
14	2,352	2,360	3.40	97.4	-	-
15	8,895	8,897	-8.96	97.4	-	-
16	8,388	8,391	-8.39	97.4	-	-
17	7,000	7,003	-6.66	97.4	-	-
18	9,066	9,069	-9.14	97.4	-	-
19	8,750	8,752	-8.80	97.4	-	-
2	14,329	14,330	-13.63	97.4	-	-
20	8,451	8,454	-8.46	97.4	-	-
21	7,952	7,955	-7.88	97.4	-	-
22	8,316	8,319	-8.31	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,395	6,398	-5.80	97.4	-	-
24	19,017	19,018	-16.47	97.4	-	-
25	17,333	17,334	-15.53	97.4	-	-
26	17,145	17,146	-15.42	97.4	-	-
27	15,539	15,541	-14.44	97.4	-	-
28	18,459	18,461	-16.17	97.4	-	-
29	18,741	18,742	-16.32	97.4	-	-
3	15,074	15,075	-14.14	97.4	-	-
30	19,734	19,735	-16.84	97.4	-	-
31	19,234	19,235	-16.58	97.4	-	-
32	19,916	19,917	-16.94	97.4	-	-
33	18,715	18,716	-16.31	97.4	-	-
34	1,374	1,385	8.17	97.4	-	-
35	10,465	10,467	-10.54	97.4	-	-
36	7,720	7,724	-7.60	97.4	-	-
37	6,913	6,916	-6.54	97.4	-	-
38	4,679	4,683	-2.88	97.4	-	-
39	5,742	5,745	-4.79	97.4	-	-
4	6,582	6,586	-6.08	97.4	-	-
40	17,929	17,930	-15.88	97.4	-	-
5	4,107	4,112	-1.67	97.4	-	-
6	5,439	5,443	-4.28	97.4	-	-
7	6,499	6,503	-5.96	97.4	-	-
8	1,004	1,019	10.89	97.4	-	-
9	2,482	2,488	2.92	97.4	-	-
Sum			16.02			

- Data undefined due to calculation with octave data

Noise sensitive area: AH Dumini

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	14,341	14,342	-13.64	97.4	-	-
10	17,223	17,223	-15.47	97.4	-	-
11	19,722	19,722	-16.84	97.4	-	-
12	17,670	17,671	-15.73	97.4	-	-
13	19,120	19,121	-16.52	97.4	-	-
14	19,616	19,617	-16.78	97.4	-	-
15	13,370	13,371	-12.94	97.4	-	-
16	13,436	13,437	-12.99	97.4	-	-
17	15,516	15,518	-14.42	97.4	-	-
18	14,001	14,002	-13.40	97.4	-	-
19	13,895	13,897	-13.33	97.4	-	-
2	6,671	6,674	-6.21	97.4	-	-
20	14,832	14,833	-13.97	97.4	-	-
21	14,755	14,756	-13.92	97.4	-	-
22	13,103	13,104	-12.74	97.4	-	-
23	16,202	16,203	-14.86	97.4	-	-
24	2,523	2,528	2.77	97.4	-	-
25	3,703	3,708	-0.72	97.4	-	-
26	3,810	3,814	-0.98	97.4	-	-
27	6,431	6,434	-5.86	97.4	-	-
28	3,228	3,234	0.54	97.4	-	-
29	3,475	3,479	-0.13	97.4	-	-
3	6,492	6,495	-5.95	97.4	-	-
30	1,925	1,932	5.20	97.4	-	-
31	1,910	1,917	5.27	97.4	-	-
32	2,432	2,438	3.10	97.4	-	-
33	3,954	3,958	-1.32	97.4	-	-
34	20,444	20,444	-17.20	97.4	-	-
35	13,791	13,792	-13.25	97.4	-	-
36	14,368	14,369	-13.66	97.4	-	-
37	15,045	15,046	-14.12	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	16,867	16,868	-15.26	97.4	-	-
39	16,713	16,714	-15.17	97.4	-	-
4	14,589	14,591	-13.81	97.4	-	-
40	3,282	3,287	0.38	97.4	-	-
5	18,127	18,128	-15.99	97.4	-	-
6	16,586	16,587	-15.09	97.4	-	-
7	15,735	15,736	-14.56	97.4	-	-
8	20,120	20,120	-17.04	97.4	-	-
9	18,530	18,530	-16.21	97.4	-	-
Sum			12.52			

- Data undefined due to calculation with octave data

Noise sensitive area: AH Dumini

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	14,341	14,342	-13.64	97.4	-	-
10	17,223	17,223	-15.47	97.4	-	-
11	19,722	19,722	-16.84	97.4	-	-
12	17,670	17,671	-15.73	97.4	-	-
13	19,120	19,121	-16.52	97.4	-	-
14	19,616	19,617	-16.78	97.4	-	-
15	13,370	13,371	-12.94	97.4	-	-
16	13,436	13,437	-12.99	97.4	-	-
17	15,516	15,518	-14.42	97.4	-	-
18	14,001	14,002	-13.40	97.4	-	-
19	13,895	13,897	-13.33	97.4	-	-
2	6,671	6,674	-6.21	97.4	-	-
20	14,832	14,833	-13.97	97.4	-	-
21	14,755	14,756	-13.92	97.4	-	-
22	13,103	13,104	-12.74	97.4	-	-
23	16,202	16,203	-14.86	97.4	-	-
24	2,523	2,528	2.77	97.4	-	-
25	3,703	3,708	-0.72	97.4	-	-
26	3,810	3,814	-0.98	97.4	-	-
27	6,431	6,434	-5.86	97.4	-	-
28	3,228	3,234	0.54	97.4	-	-
29	3,475	3,479	-0.13	97.4	-	-
3	6,492	6,495	-5.95	97.4	-	-
30	1,925	1,932	5.20	97.4	-	-
31	1,910	1,917	5.27	97.4	-	-
32	2,432	2,438	3.10	97.4	-	-
33	3,954	3,958	-1.32	97.4	-	-
34	20,444	20,444	-17.20	97.4	-	-
35	13,791	13,792	-13.25	97.4	-	-
36	14,368	14,369	-13.66	97.4	-	-
37	15,045	15,046	-14.12	97.4	-	-
38	16,867	16,868	-15.26	97.4	-	-
39	16,713	16,714	-15.17	97.4	-	-
4	14,589	14,591	-13.81	97.4	-	-
40	3,282	3,287	0.38	97.4	-	-
5	18,127	18,128	-15.99	97.4	-	-
6	16,586	16,587	-15.09	97.4	-	-
7	15,735	15,736	-14.56	97.4	-	-
8	20,120	20,120	-17.04	97.4	-	-
9	18,530	18,530	-16.21	97.4	-	-
Sum			12.52			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: AI Dzelzcela eka 162. km

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11,878	11,880	-11.78	97.4	-	-
10	13,674	13,676	-13.17	97.4	-	-
11	15,965	15,965	-14.71	97.4	-	-
12	14,219	14,221	-13.55	97.4	-	-
13	15,497	15,498	-14.41	97.4	-	-
14	16,080	16,081	-14.78	97.4	-	-
15	10,473	10,475	-10.54	97.4	-	-
16	10,352	10,354	-10.43	97.4	-	-
17	12,454	12,456	-12.24	97.4	-	-
18	11,299	11,301	-11.29	97.4	-	-
19	11,068	11,070	-11.08	97.4	-	-
2	3,640	3,645	-0.56	97.4	-	-
20	12,073	12,075	-11.94	97.4	-	-
21	11,837	11,839	-11.74	97.4	-	-
22	9,854	9,857	-9.95	97.4	-	-
23	13,089	13,090	-12.73	97.4	-	-
24	3,680	3,684	-0.66	97.4	-	-
25	2,378	2,386	3.30	97.4	-	-
26	1,819	1,830	5.68	97.4	-	-
27	4,985	4,989	-3.47	97.4	-	-
28	3,780	3,785	-0.91	97.4	-	-
29	4,422	4,425	-2.35	97.4	-	-
3	4,556	4,561	-2.63	97.4	-	-
30	4,018	4,021	-1.47	97.4	-	-
31	3,227	3,232	0.54	97.4	-	-
32	4,642	4,646	-2.80	97.4	-	-
33	4,906	4,909	-3.32	97.4	-	-
34	16,822	16,823	-15.23	97.4	-	-
35	11,503	11,505	-11.46	97.4	-	-
36	11,293	11,295	-11.28	97.4	-	-
37	11,861	11,863	-11.76	97.4	-	-
38	13,424	13,426	-12.98	97.4	-	-
39	13,513	13,514	-13.05	97.4	-	-
4	11,114	11,116	-11.12	97.4	-	-
40	2,935	2,942	1.40	97.4	-	-
5	14,754	14,756	-13.92	97.4	-	-
6	13,292	13,293	-12.89	97.4	-	-
7	12,571	12,573	-12.33	97.4	-	-
8	16,425	16,425	-14.99	97.4	-	-
9	14,846	14,846	-13.98	97.4	-	-
Sum			11.98			

- Data undefined due to calculation with octave data

Noise sensitive area: AI Dzelzcela eka 162. km

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11,878	11,880	-11.78	97.4	-	-
10	13,674	13,676	-13.17	97.4	-	-
11	15,965	15,965	-14.71	97.4	-	-
12	14,219	14,221	-13.55	97.4	-	-
13	15,497	15,498	-14.41	97.4	-	-
14	16,080	16,081	-14.78	97.4	-	-
15	10,473	10,475	-10.54	97.4	-	-
16	10,352	10,354	-10.43	97.4	-	-
17	12,454	12,456	-12.24	97.4	-	-
18	11,299	11,301	-11.29	97.4	-	-
19	11,068	11,070	-11.08	97.4	-	-
2	3,640	3,645	-0.56	97.4	-	-
20	12,073	12,075	-11.94	97.4	-	-
21	11,837	11,839	-11.74	97.4	-	-
22	9,854	9,857	-9.95	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	13,089	13,090	-12.73	97.4	-	-
24	3,680	3,684	-0.66	97.4	-	-
25	2,378	2,386	3.30	97.4	-	-
26	1,819	1,830	5.68	97.4	-	-
27	4,985	4,989	-3.47	97.4	-	-
28	3,780	3,785	-0.91	97.4	-	-
29	4,422	4,425	-2.35	97.4	-	-
3	4,556	4,561	-2.63	97.4	-	-
30	4,018	4,021	-1.47	97.4	-	-
31	3,227	3,232	0.54	97.4	-	-
32	4,642	4,646	-2.80	97.4	-	-
33	4,906	4,909	-3.32	97.4	-	-
34	16,822	16,823	-15.23	97.4	-	-
35	11,503	11,505	-11.46	97.4	-	-
36	11,293	11,295	-11.28	97.4	-	-
37	11,861	11,863	-11.76	97.4	-	-
38	13,424	13,426	-12.98	97.4	-	-
39	13,513	13,514	-13.05	97.4	-	-
4	11,114	11,116	-11.12	97.4	-	-
40	2,935	2,942	1.40	97.4	-	-
5	14,754	14,756	-13.92	97.4	-	-
6	13,292	13,293	-12.89	97.4	-	-
7	12,571	12,573	-12.33	97.4	-	-
8	16,425	16,425	-14.99	97.4	-	-
9	14,846	14,846	-13.98	97.4	-	-
Sum			11.98			

- Data undefined due to calculation with octave data

Noise sensitive area: AJ Dzivojama maja 145. km

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,488	9,490	-9.58	97.4	-	-
10	3,608	3,614	-0.48	97.4	-	-
11	816	835	12.65	97.4	-	-
12	3,868	3,873	-1.12	97.4	-	-
13	2,128	2,137	4.29	97.4	-	-
14	2,749	2,756	1.99	97.4	-	-
15	8,449	8,451	-8.46	97.4	-	-
16	7,868	7,871	-7.78	97.4	-	-
17	6,753	6,757	-6.32	97.4	-	-
18	8,763	8,765	-8.81	97.4	-	-
19	8,390	8,393	-8.39	97.4	-	-
2	13,440	13,441	-13.00	97.4	-	-
20	8,237	8,240	-8.22	97.4	-	-
21	7,666	7,669	-7.53	97.4	-	-
22	7,682	7,685	-7.55	97.4	-	-
23	6,232	6,235	-5.56	97.4	-	-
24	18,152	18,152	-16.00	97.4	-	-
25	16,433	16,435	-15.00	97.4	-	-
26	16,216	16,218	-14.87	97.4	-	-
27	14,793	14,794	-13.95	97.4	-	-
28	17,617	17,619	-15.70	97.4	-	-
29	17,930	17,931	-15.88	97.4	-	-
3	14,289	14,291	-13.60	97.4	-	-
30	18,860	18,861	-16.39	97.4	-	-
31	18,332	18,332	-16.10	97.4	-	-
32	19,075	19,076	-16.50	97.4	-	-
33	17,934	17,935	-15.88	97.4	-	-
34	2,139	2,145	4.26	97.4	-	-
35	10,239	10,241	-10.32	97.4	-	-
36	7,308	7,312	-7.07	97.4	-	-
37	6,524	6,527	-5.99	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,344	4,349	-2.19	97.4	-	-
39	5,616	5,619	-4.58	97.4	-	-
4	5,915	5,919	-5.07	97.4	-	-
40	17,051	17,053	-15.37	97.4	-	-
5	4,159	4,164	-1.79	97.4	-	-
6	5,212	5,216	-3.88	97.4	-	-
7	6,226	6,229	-5.55	97.4	-	-
8	1,396	1,407	8.03	97.4	-	-
9	1,999	2,006	4.86	97.4	-	-
Sum			16.20			

- Data undefined due to calculation with octave data

Noise sensitive area: AJ Dzivojama maja 145. km

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,488	9,490	-9.58	97.4	-	-
10	3,608	3,614	-0.48	97.4	-	-
11	816	835	12.65	97.4	-	-
12	3,868	3,873	-1.12	97.4	-	-
13	2,128	2,137	4.29	97.4	-	-
14	2,749	2,756	1.99	97.4	-	-
15	8,449	8,451	-8.46	97.4	-	-
16	7,868	7,871	-7.78	97.4	-	-
17	6,753	6,757	-6.32	97.4	-	-
18	8,763	8,765	-8.81	97.4	-	-
19	8,390	8,393	-8.39	97.4	-	-
2	13,440	13,441	-13.00	97.4	-	-
20	8,237	8,240	-8.22	97.4	-	-
21	7,666	7,669	-7.53	97.4	-	-
22	7,682	7,685	-7.55	97.4	-	-
23	6,232	6,235	-5.56	97.4	-	-
24	18,152	18,152	-16.00	97.4	-	-
25	16,433	16,435	-15.00	97.4	-	-
26	16,216	16,218	-14.87	97.4	-	-
27	14,793	14,794	-13.95	97.4	-	-
28	17,617	17,619	-15.70	97.4	-	-
29	17,930	17,931	-15.88	97.4	-	-
3	14,289	14,291	-13.60	97.4	-	-
30	18,860	18,861	-16.39	97.4	-	-
31	18,332	18,332	-16.10	97.4	-	-
32	19,075	19,076	-16.50	97.4	-	-
33	17,934	17,935	-15.88	97.4	-	-
34	2,139	2,145	4.26	97.4	-	-
35	10,239	10,241	-10.32	97.4	-	-
36	7,308	7,312	-7.07	97.4	-	-
37	6,524	6,527	-5.99	97.4	-	-
38	4,344	4,349	-2.19	97.4	-	-
39	5,616	5,619	-4.58	97.4	-	-
4	5,915	5,919	-5.07	97.4	-	-
40	17,051	17,053	-15.37	97.4	-	-
5	4,159	4,164	-1.79	97.4	-	-
6	5,212	5,216	-3.88	97.4	-	-
7	6,226	6,229	-5.55	97.4	-	-
8	1,396	1,407	8.03	97.4	-	-
9	1,999	2,006	4.86	97.4	-	-
Sum			16.20			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: AK Ezernieki

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4,136	4,141	-1.74	97.4	-	-
10	2,808	2,815	1.80	97.4	-	-
11	5,074	5,077	-3.63	97.4	-	-
12	2,127	2,137	4.29	97.4	-	-
13	3,760	3,765	-0.86	97.4	-	-
14	3,449	3,455	-0.07	97.4	-	-
15	4,171	4,175	-1.81	97.4	-	-
16	4,080	4,085	-1.61	97.4	-	-
17	1,988	1,998	4.89	97.4	-	-
18	3,829	3,835	-1.03	97.4	-	-
19	3,735	3,741	-0.80	97.4	-	-
2	10,939	10,941	-10.97	97.4	-	-
20	3,036	3,041	1.10	97.4	-	-
21	2,829	2,837	1.73	97.4	-	-
22	4,551	4,556	-2.62	97.4	-	-
23	1,312	1,324	8.57	97.4	-	-
24	15,230	15,231	-14.24	97.4	-	-
25	13,806	13,807	-13.26	97.4	-	-
26	13,788	13,789	-13.25	97.4	-	-
27	11,358	11,360	-11.34	97.4	-	-
28	14,580	14,581	-13.80	97.4	-	-
29	14,707	14,708	-13.89	97.4	-	-
3	11,093	11,095	-11.10	97.4	-	-
30	15,962	15,963	-14.71	97.4	-	-
31	15,633	15,634	-14.50	97.4	-	-
32	15,975	15,976	-14.72	97.4	-	-
33	14,547	14,548	-13.78	97.4	-	-
34	4,512	4,515	-2.54	97.4	-	-
35	4,940	4,944	-3.38	97.4	-	-
36	3,140	3,147	0.78	97.4	-	-
37	2,544	2,552	2.69	97.4	-	-
38	2,177	2,186	4.09	97.4	-	-
39	996	1,011	10.96	97.4	-	-
4	3,730	3,736	-0.79	97.4	-	-
40	14,255	14,256	-13.58	97.4	-	-
5	1,713	1,725	6.21	97.4	-	-
6	1,484	1,498	7.47	97.4	-	-
7	1,833	1,844	5.61	97.4	-	-
8	4,808	4,811	-3.13	97.4	-	-
9	3,995	3,999	-1.42	97.4	-	-
Sum			17.70			

- Data undefined due to calculation with octave data

Noise sensitive area: AK Ezernieki

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4,136	4,141	-1.74	97.4	-	-
10	2,808	2,815	1.80	97.4	-	-
11	5,074	5,077	-3.63	97.4	-	-
12	2,127	2,137	4.29	97.4	-	-
13	3,760	3,765	-0.86	97.4	-	-
14	3,449	3,455	-0.07	97.4	-	-
15	4,171	4,175	-1.81	97.4	-	-
16	4,080	4,085	-1.61	97.4	-	-
17	1,988	1,998	4.89	97.4	-	-
18	3,829	3,835	-1.03	97.4	-	-
19	3,735	3,741	-0.80	97.4	-	-
2	10,939	10,941	-10.97	97.4	-	-
20	3,036	3,041	1.10	97.4	-	-
21	2,829	2,837	1.73	97.4	-	-
22	4,551	4,556	-2.62	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	1,312	1,324	8.57	97.4	-	-
24	15,230	15,231	-14.24	97.4	-	-
25	13,806	13,807	-13.26	97.4	-	-
26	13,788	13,789	-13.25	97.4	-	-
27	11,358	11,360	-11.34	97.4	-	-
28	14,580	14,581	-13.80	97.4	-	-
29	14,707	14,708	-13.89	97.4	-	-
3	11,093	11,095	-11.10	97.4	-	-
30	15,962	15,963	-14.71	97.4	-	-
31	15,633	15,634	-14.50	97.4	-	-
32	15,975	15,976	-14.72	97.4	-	-
33	14,547	14,548	-13.78	97.4	-	-
34	4,512	4,515	-2.54	97.4	-	-
35	4,940	4,944	-3.38	97.4	-	-
36	3,140	3,147	0.78	97.4	-	-
37	2,544	2,552	2.69	97.4	-	-
38	2,177	2,186	4.09	97.4	-	-
39	996	1,011	10.96	97.4	-	-
4	3,730	3,736	-0.79	97.4	-	-
40	14,255	14,256	-13.58	97.4	-	-
5	1,713	1,725	6.21	97.4	-	-
6	1,484	1,498	7.47	97.4	-	-
7	1,833	1,844	5.61	97.4	-	-
8	4,808	4,811	-3.13	97.4	-	-
9	3,995	3,999	-1.42	97.4	-	-
Sum			17.70			

- Data undefined due to calculation with octave data

Noise sensitive area: AL Gaujaskalni

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11,684	11,685	-11.61	97.4	-	-
10	15,830	15,832	-14.63	97.4	-	-
11	18,630	18,631	-16.26	97.4	-	-
12	16,089	16,090	-14.79	97.4	-	-
13	17,780	17,781	-15.79	97.4	-	-
14	18,097	18,098	-15.97	97.4	-	-
15	11,290	11,292	-11.28	97.4	-	-
16	11,591	11,593	-11.54	97.4	-	-
17	13,485	13,487	-13.03	97.4	-	-
18	11,633	11,635	-11.57	97.4	-	-
19	11,684	11,686	-11.61	97.4	-	-
2	6,131	6,134	-5.41	97.4	-	-
20	12,469	12,470	-12.25	97.4	-	-
21	12,590	12,592	-12.35	97.4	-	-
22	11,519	11,521	-11.47	97.4	-	-
23	14,198	14,199	-13.54	97.4	-	-
24	2,626	2,632	2.41	97.4	-	-
25	3,984	3,989	-1.39	97.4	-	-
26	4,546	4,551	-2.61	97.4	-	-
27	4,286	4,291	-2.07	97.4	-	-
28	2,433	2,442	3.09	97.4	-	-
29	1,795	1,804	5.81	97.4	-	-
3	4,834	4,838	-3.18	97.4	-	-
30	2,704	2,710	2.14	97.4	-	-
31	3,335	3,339	0.24	97.4	-	-
32	2,037	2,045	4.69	97.4	-	-
33	1,403	1,414	7.99	97.4	-	-
34	19,052	19,052	-16.49	97.4	-	-
35	10,994	10,996	-11.02	97.4	-	-
36	12,434	12,436	-12.23	97.4	-	-
37	13,211	13,213	-12.83	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	15,314	15,315	-14.29	97.4	-	-
39	14,799	14,800	-13.95	97.4	-	-
4	13,232	13,234	-12.84	97.4	-	-
40	3,302	3,308	0.33	97.4	-	-
5	16,401	16,402	-14.98	97.4	-	-
6	14,816	14,818	-13.96	97.4	-	-
7	13,827	13,828	-13.28	97.4	-	-
8	18,884	18,884	-16.40	97.4	-	-
9	17,332	17,333	-15.53	97.4	-	-
Sum			13.90			

- Data undefined due to calculation with octave data

Noise sensitive area: AL Gaujaskalni

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11,684	11,685	-11.61	97.4	-	-
10	15,830	15,832	-14.63	97.4	-	-
11	18,630	18,631	-16.26	97.4	-	-
12	16,089	16,090	-14.79	97.4	-	-
13	17,780	17,781	-15.79	97.4	-	-
14	18,097	18,098	-15.97	97.4	-	-
15	11,290	11,292	-11.28	97.4	-	-
16	11,591	11,593	-11.54	97.4	-	-
17	13,485	13,487	-13.03	97.4	-	-
18	11,633	11,635	-11.57	97.4	-	-
19	11,684	11,686	-11.61	97.4	-	-
2	6,131	6,134	-5.41	97.4	-	-
20	12,469	12,470	-12.25	97.4	-	-
21	12,590	12,592	-12.35	97.4	-	-
22	11,519	11,521	-11.47	97.4	-	-
23	14,198	14,199	-13.54	97.4	-	-
24	2,626	2,632	2.41	97.4	-	-
25	3,984	3,989	-1.39	97.4	-	-
26	4,546	4,551	-2.61	97.4	-	-
27	4,286	4,291	-2.07	97.4	-	-
28	2,433	2,442	3.09	97.4	-	-
29	1,795	1,804	5.81	97.4	-	-
3	4,834	4,838	-3.18	97.4	-	-
30	2,704	2,710	2.14	97.4	-	-
31	3,335	3,339	0.24	97.4	-	-
32	2,037	2,045	4.69	97.4	-	-
33	1,403	1,414	7.99	97.4	-	-
34	19,052	19,052	-16.49	97.4	-	-
35	10,994	10,996	-11.02	97.4	-	-
36	12,434	12,436	-12.23	97.4	-	-
37	13,211	13,213	-12.83	97.4	-	-
38	15,314	15,315	-14.29	97.4	-	-
39	14,799	14,800	-13.95	97.4	-	-
4	13,232	13,234	-12.84	97.4	-	-
40	3,302	3,308	0.33	97.4	-	-
5	16,401	16,402	-14.98	97.4	-	-
6	14,816	14,818	-13.96	97.4	-	-
7	13,827	13,828	-13.28	97.4	-	-
8	18,884	18,884	-16.40	97.4	-	-
9	17,332	17,333	-15.53	97.4	-	-
Sum			13.90			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: AM Jaunziles

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11,246	11,248	-11.24	97.4	-	-
10	15,326	15,327	-14.30	97.4	-	-
11	18,120	18,120	-15.98	97.4	-	-
12	15,592	15,594	-14.47	97.4	-	-
13	17,276	17,277	-15.50	97.4	-	-
14	17,600	17,601	-15.69	97.4	-	-
15	10,809	10,811	-10.85	97.4	-	-
16	11,099	11,101	-11.11	97.4	-	-
17	13,007	13,008	-12.67	97.4	-	-
18	11,172	11,174	-11.17	97.4	-	-
19	11,213	11,214	-11.21	97.4	-	-
2	5,618	5,622	-4.58	97.4	-	-
20	12,010	12,011	-11.88	97.4	-	-
21	12,118	12,120	-11.97	97.4	-	-
22	11,015	11,017	-11.04	97.4	-	-
23	13,719	13,720	-13.20	97.4	-	-
24	2,376	2,383	3.31	97.4	-	-
25	3,566	3,571	-0.37	97.4	-	-
26	4,136	4,141	-1.74	97.4	-	-
27	3,771	3,777	-0.89	97.4	-	-
28	2,066	2,076	4.55	97.4	-	-
29	1,427	1,438	7.84	97.4	-	-
3	4,313	4,318	-2.12	97.4	-	-
30	2,591	2,597	2.53	97.4	-	-
31	3,131	3,135	0.82	97.4	-	-
32	1,990	1,998	4.89	97.4	-	-
33	954	971	11.32	97.4	-	-
34	18,550	18,551	-16.22	97.4	-	-
35	10,568	10,570	-10.63	97.4	-	-
36	11,948	11,950	-11.83	97.4	-	-
37	12,722	12,723	-12.45	97.4	-	-
38	14,815	14,816	-13.96	97.4	-	-
39	14,316	14,317	-13.62	97.4	-	-
4	12,724	12,725	-12.45	97.4	-	-
40	2,914	2,921	1.46	97.4	-	-
5	15,911	15,912	-14.68	97.4	-	-
6	14,326	14,328	-13.63	97.4	-	-
7	13,342	13,344	-12.92	97.4	-	-
8	18,377	18,378	-16.12	97.4	-	-
9	16,823	16,824	-15.23	97.4	-	-
Sum			15.67			

- Data undefined due to calculation with octave data

Noise sensitive area: AM Jaunziles

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11,246	11,248	-11.24	97.4	-	-
10	15,326	15,327	-14.30	97.4	-	-
11	18,120	18,120	-15.98	97.4	-	-
12	15,592	15,594	-14.47	97.4	-	-
13	17,276	17,277	-15.50	97.4	-	-
14	17,600	17,601	-15.69	97.4	-	-
15	10,809	10,811	-10.85	97.4	-	-
16	11,099	11,101	-11.11	97.4	-	-
17	13,007	13,008	-12.67	97.4	-	-
18	11,172	11,174	-11.17	97.4	-	-
19	11,213	11,214	-11.21	97.4	-	-
2	5,618	5,622	-4.58	97.4	-	-
20	12,010	12,011	-11.88	97.4	-	-
21	12,118	12,120	-11.97	97.4	-	-
22	11,015	11,017	-11.04	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	13,719	13,720	-13.20	97.4	-	-
24	2,376	2,383	3.31	97.4	-	-
25	3,566	3,571	-0.37	97.4	-	-
26	4,136	4,141	-1.74	97.4	-	-
27	3,771	3,777	-0.89	97.4	-	-
28	2,066	2,076	4.55	97.4	-	-
29	1,427	1,438	7.84	97.4	-	-
3	4,313	4,318	-2.12	97.4	-	-
30	2,591	2,597	2.53	97.4	-	-
31	3,131	3,135	0.82	97.4	-	-
32	1,990	1,998	4.89	97.4	-	-
33	954	971	11.32	97.4	-	-
34	18,550	18,551	-16.22	97.4	-	-
35	10,568	10,570	-10.63	97.4	-	-
36	11,948	11,950	-11.83	97.4	-	-
37	12,722	12,723	-12.45	97.4	-	-
38	14,815	14,816	-13.96	97.4	-	-
39	14,316	14,317	-13.62	97.4	-	-
4	12,724	12,725	-12.45	97.4	-	-
40	2,914	2,921	1.46	97.4	-	-
5	15,911	15,912	-14.68	97.4	-	-
6	14,326	14,328	-13.63	97.4	-	-
7	13,342	13,344	-12.92	97.4	-	-
8	18,377	18,378	-16.12	97.4	-	-
9	16,823	16,824	-15.23	97.4	-	-
Sum			15.67			

- Data undefined due to calculation with octave data

Noise sensitive area: AN Kauci

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,938	9,940	-10.03	97.4	-	-
10	4,398	4,402	-2.30	97.4	-	-
11	1,686	1,695	6.37	97.4	-	-
12	4,326	4,331	-2.15	97.4	-	-
13	2,472	2,480	2.95	97.4	-	-
14	2,514	2,522	2.80	97.4	-	-
15	9,226	9,228	-9.31	97.4	-	-
16	8,740	8,743	-8.79	97.4	-	-
17	7,281	7,284	-7.04	97.4	-	-
18	9,355	9,358	-9.45	97.4	-	-
19	9,056	9,059	-9.13	97.4	-	-
2	14,761	14,762	-13.93	97.4	-	-
20	8,716	8,718	-8.76	97.4	-	-
21	8,240	8,243	-8.22	97.4	-	-
22	8,698	8,700	-8.74	97.4	-	-
23	6,657	6,659	-6.18	97.4	-	-
24	19,441	19,442	-16.69	97.4	-	-
25	17,766	17,767	-15.78	97.4	-	-
26	17,583	17,584	-15.68	97.4	-	-
27	15,937	15,939	-14.69	97.4	-	-
28	18,879	18,880	-16.40	97.4	-	-
29	19,154	19,155	-16.54	97.4	-	-
3	15,482	15,483	-14.40	97.4	-	-
30	20,160	20,161	-17.06	97.4	-	-
31	19,666	19,667	-16.81	97.4	-	-
32	20,334	20,335	-17.15	97.4	-	-
33	19,121	19,121	-16.52	97.4	-	-
34	1,459	1,469	7.64	97.4	-	-
35	10,726	10,728	-10.78	97.4	-	-
36	8,046	8,049	-7.99	97.4	-	-
37	7,236	7,239	-6.98	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	5,006	5,011	-3.51	97.4	-	-
39	5,998	6,000	-5.20	97.4	-	-
4	6,978	6,981	-6.63	97.4	-	-
40	18,357	18,358	-16.11	97.4	-	-
5	4,330	4,334	-2.16	97.4	-	-
6	5,728	5,732	-4.77	97.4	-	-
7	6,792	6,796	-6.38	97.4	-	-
8	1,329	1,340	8.46	97.4	-	-
9	2,886	2,891	1.56	97.4	-	-
Sum			14.48			

- Data undefined due to calculation with octave data

Noise sensitive area: AN Kauci

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,938	9,940	-10.03	97.4	-	-
10	4,398	4,402	-2.30	97.4	-	-
11	1,686	1,695	6.37	97.4	-	-
12	4,326	4,331	-2.15	97.4	-	-
13	2,472	2,480	2.95	97.4	-	-
14	2,514	2,522	2.80	97.4	-	-
15	9,226	9,228	-9.31	97.4	-	-
16	8,740	8,743	-8.79	97.4	-	-
17	7,281	7,284	-7.04	97.4	-	-
18	9,355	9,358	-9.45	97.4	-	-
19	9,056	9,059	-9.13	97.4	-	-
2	14,761	14,762	-13.93	97.4	-	-
20	8,716	8,718	-8.76	97.4	-	-
21	8,240	8,243	-8.22	97.4	-	-
22	8,698	8,700	-8.74	97.4	-	-
23	6,657	6,659	-6.18	97.4	-	-
24	19,441	19,442	-16.69	97.4	-	-
25	17,766	17,767	-15.78	97.4	-	-
26	17,583	17,584	-15.68	97.4	-	-
27	15,937	15,939	-14.69	97.4	-	-
28	18,879	18,880	-16.40	97.4	-	-
29	19,154	19,155	-16.54	97.4	-	-
3	15,482	15,483	-14.40	97.4	-	-
30	20,160	20,161	-17.06	97.4	-	-
31	19,666	19,667	-16.81	97.4	-	-
32	20,334	20,335	-17.15	97.4	-	-
33	19,121	19,121	-16.52	97.4	-	-
34	1,459	1,469	7.64	97.4	-	-
35	10,726	10,728	-10.78	97.4	-	-
36	8,046	8,049	-7.99	97.4	-	-
37	7,236	7,239	-6.98	97.4	-	-
38	5,006	5,011	-3.51	97.4	-	-
39	5,998	6,000	-5.20	97.4	-	-
4	6,978	6,981	-6.63	97.4	-	-
40	18,357	18,358	-16.11	97.4	-	-
5	4,330	4,334	-2.16	97.4	-	-
6	5,728	5,732	-4.77	97.4	-	-
7	6,792	6,796	-6.38	97.4	-	-
8	1,329	1,340	8.46	97.4	-	-
9	2,886	2,891	1.56	97.4	-	-
Sum			14.48			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: AO Kocini

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	14,243	14,245	-13.57	97.4	-	-
10	17,284	17,285	-15.51	97.4	-	-
11	19,823	19,824	-16.89	97.4	-	-
12	17,711	17,712	-15.75	97.4	-	-
13	19,193	19,193	-16.56	97.4	-	-
14	19,670	19,671	-16.81	97.4	-	-
15	13,337	13,338	-12.92	97.4	-	-
16	13,430	13,432	-12.99	97.4	-	-
17	15,499	15,500	-14.41	97.4	-	-
18	13,937	13,938	-13.36	97.4	-	-
19	13,850	13,851	-13.29	97.4	-	-
2	6,734	6,736	-6.29	97.4	-	-
20	14,772	14,773	-13.93	97.4	-	-
21	14,719	14,720	-13.90	97.4	-	-
22	13,125	13,126	-12.76	97.4	-	-
23	16,190	16,191	-14.85	97.4	-	-
24	2,344	2,350	3.43	97.4	-	-
25	3,733	3,738	-0.79	97.4	-	-
26	3,911	3,916	-1.22	97.4	-	-
27	6,309	6,312	-5.68	97.4	-	-
28	3,049	3,055	1.05	97.4	-	-
29	3,214	3,218	0.58	97.4	-	-
3	6,425	6,428	-5.85	97.4	-	-
30	1,671	1,679	6.45	97.4	-	-
31	1,855	1,862	5.53	97.4	-	-
32	2,076	2,083	4.52	97.4	-	-
33	3,659	3,663	-0.61	97.4	-	-
34	20,514	20,514	-17.24	97.4	-	-
35	13,673	13,675	-13.17	97.4	-	-
36	14,357	14,358	-13.65	97.4	-	-
37	15,048	15,049	-14.12	97.4	-	-
38	16,909	16,910	-15.29	97.4	-	-
39	16,713	16,714	-15.17	97.4	-	-
4	14,644	14,646	-13.85	97.4	-	-
40	3,232	3,238	0.52	97.4	-	-
5	18,154	18,154	-16.00	97.4	-	-
6	16,603	16,604	-15.10	97.4	-	-
7	15,732	15,733	-14.56	97.4	-	-
8	20,206	20,207	-17.08	97.4	-	-
9	18,616	18,617	-16.25	97.4	-	-
Sum			13.17			

- Data undefined due to calculation with octave data

Noise sensitive area: AO Kocini

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	14,243	14,245	-13.57	97.4	-	-
10	17,284	17,285	-15.51	97.4	-	-
11	19,823	19,824	-16.89	97.4	-	-
12	17,711	17,712	-15.75	97.4	-	-
13	19,193	19,193	-16.56	97.4	-	-
14	19,670	19,671	-16.81	97.4	-	-
15	13,337	13,338	-12.92	97.4	-	-
16	13,430	13,432	-12.99	97.4	-	-
17	15,499	15,500	-14.41	97.4	-	-
18	13,937	13,938	-13.36	97.4	-	-
19	13,850	13,851	-13.29	97.4	-	-
2	6,734	6,736	-6.29	97.4	-	-
20	14,772	14,773	-13.93	97.4	-	-
21	14,719	14,720	-13.90	97.4	-	-
22	13,125	13,126	-12.76	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	16,190	16,191	-14.85	97.4	-	-
24	2,344	2,350	3.43	97.4	-	-
25	3,733	3,738	-0.79	97.4	-	-
26	3,911	3,916	-1.22	97.4	-	-
27	6,309	6,312	-5.68	97.4	-	-
28	3,049	3,055	1.05	97.4	-	-
29	3,214	3,218	0.58	97.4	-	-
3	6,425	6,428	-5.85	97.4	-	-
30	1,671	1,679	6.45	97.4	-	-
31	1,855	1,862	5.53	97.4	-	-
32	2,076	2,083	4.52	97.4	-	-
33	3,659	3,663	-0.61	97.4	-	-
34	20,514	20,514	-17.24	97.4	-	-
35	13,673	13,675	-13.17	97.4	-	-
36	14,357	14,358	-13.65	97.4	-	-
37	15,048	15,049	-14.12	97.4	-	-
38	16,909	16,910	-15.29	97.4	-	-
39	16,713	16,714	-15.17	97.4	-	-
4	14,644	14,646	-13.85	97.4	-	-
40	3,232	3,238	0.52	97.4	-	-
5	18,154	18,154	-16.00	97.4	-	-
6	16,603	16,604	-15.10	97.4	-	-
7	15,732	15,733	-14.56	97.4	-	-
8	20,206	20,207	-17.08	97.4	-	-
9	18,616	18,617	-16.25	97.4	-	-
Sum			13.17			

- Data undefined due to calculation with octave data

Noise sensitive area: AP Kudras iela 3

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,799	9,801	-9.90	97.4	-	-
10	3,896	3,901	-1.19	97.4	-	-
11	1,277	1,289	8.81	97.4	-	-
12	4,229	4,234	-1.94	97.4	-	-
13	2,561	2,568	2.63	97.4	-	-
14	3,223	3,229	0.55	97.4	-	-
15	8,681	8,683	-8.72	97.4	-	-
16	8,075	8,078	-8.03	97.4	-	-
17	7,062	7,065	-6.75	97.4	-	-
18	9,043	9,045	-9.12	97.4	-	-
19	8,653	8,656	-8.69	97.4	-	-
2	13,457	13,459	-13.01	97.4	-	-
20	8,548	8,550	-8.57	97.4	-	-
21	7,957	7,960	-7.89	97.4	-	-
22	7,844	7,847	-7.75	97.4	-	-
23	6,568	6,571	-6.06	97.4	-	-
24	18,176	18,177	-16.01	97.4	-	-
25	16,440	16,442	-15.00	97.4	-	-
26	16,207	16,209	-14.86	97.4	-	-
27	14,881	14,882	-14.01	97.4	-	-
28	17,654	17,656	-15.72	97.4	-	-
29	17,982	17,983	-15.90	97.4	-	-
3	14,360	14,361	-13.65	97.4	-	-
30	18,879	18,880	-16.40	97.4	-	-
31	18,335	18,336	-16.10	97.4	-	-
32	19,111	19,112	-16.52	97.4	-	-
33	18,001	18,002	-15.92	97.4	-	-
34	2,626	2,631	2.41	97.4	-	-
35	10,538	10,541	-10.60	97.4	-	-
36	7,559	7,562	-7.39	97.4	-	-
37	6,788	6,791	-6.37	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,649	4,653	-2.82	97.4	-	-
39	5,967	5,970	-5.15	97.4	-	-
4	6,075	6,079	-5.32	97.4	-	-
40	17,070	17,071	-15.38	97.4	-	-
5	4,567	4,571	-2.65	97.4	-	-
6	5,539	5,543	-4.45	97.4	-	-
7	6,530	6,533	-6.00	97.4	-	-
8	1,885	1,893	5.38	97.4	-	-
9	2,328	2,334	3.50	97.4	-	-
Sum			13.83			

- Data undefined due to calculation with octave data

Noise sensitive area: AP Kudras iela 3

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,799	9,801	-9.90	97.4	-	-
10	3,896	3,901	-1.19	97.4	-	-
11	1,277	1,289	8.81	97.4	-	-
12	4,229	4,234	-1.94	97.4	-	-
13	2,561	2,568	2.63	97.4	-	-
14	3,223	3,229	0.55	97.4	-	-
15	8,681	8,683	-8.72	97.4	-	-
16	8,075	8,078	-8.03	97.4	-	-
17	7,062	7,065	-6.75	97.4	-	-
18	9,043	9,045	-9.12	97.4	-	-
19	8,653	8,656	-8.69	97.4	-	-
2	13,457	13,459	-13.01	97.4	-	-
20	8,548	8,550	-8.57	97.4	-	-
21	7,957	7,960	-7.89	97.4	-	-
22	7,844	7,847	-7.75	97.4	-	-
23	6,568	6,571	-6.06	97.4	-	-
24	18,176	18,177	-16.01	97.4	-	-
25	16,440	16,442	-15.00	97.4	-	-
26	16,207	16,209	-14.86	97.4	-	-
27	14,881	14,882	-14.01	97.4	-	-
28	17,654	17,656	-15.72	97.4	-	-
29	17,982	17,983	-15.90	97.4	-	-
3	14,360	14,361	-13.65	97.4	-	-
30	18,879	18,880	-16.40	97.4	-	-
31	18,335	18,336	-16.10	97.4	-	-
32	19,111	19,112	-16.52	97.4	-	-
33	18,001	18,002	-15.92	97.4	-	-
34	2,626	2,631	2.41	97.4	-	-
35	10,538	10,541	-10.60	97.4	-	-
36	7,559	7,562	-7.39	97.4	-	-
37	6,788	6,791	-6.37	97.4	-	-
38	4,649	4,653	-2.82	97.4	-	-
39	5,967	5,970	-5.15	97.4	-	-
4	6,075	6,079	-5.32	97.4	-	-
40	17,070	17,071	-15.38	97.4	-	-
5	4,567	4,571	-2.65	97.4	-	-
6	5,539	5,543	-4.45	97.4	-	-
7	6,530	6,533	-6.00	97.4	-	-
8	1,885	1,893	5.38	97.4	-	-
9	2,328	2,334	3.50	97.4	-	-
Sum			13.83			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: AQ Kudras iela 5

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,791	9,793	-9.89	97.4	-	-
10	3,888	3,894	-1.17	97.4	-	-
11	1,258	1,271	8.94	97.4	-	-
12	4,217	4,222	-1.92	97.4	-	-
13	2,545	2,552	2.69	97.4	-	-
14	3,204	3,210	0.60	97.4	-	-
15	8,677	8,679	-8.72	97.4	-	-
16	8,072	8,075	-8.02	97.4	-	-
17	7,054	7,057	-6.74	97.4	-	-
18	9,036	9,039	-9.11	97.4	-	-
19	8,647	8,650	-8.69	97.4	-	-
2	13,463	13,465	-13.01	97.4	-	-
20	8,539	8,541	-8.56	97.4	-	-
21	7,949	7,952	-7.88	97.4	-	-
22	7,843	7,846	-7.75	97.4	-	-
23	6,558	6,561	-6.04	97.4	-	-
24	18,182	18,183	-16.02	97.4	-	-
25	16,447	16,448	-15.01	97.4	-	-
26	16,215	16,216	-14.87	97.4	-	-
27	14,884	14,885	-14.01	97.4	-	-
28	17,660	17,661	-15.72	97.4	-	-
29	17,987	17,988	-15.91	97.4	-	-
3	14,364	14,365	-13.66	97.4	-	-
30	18,885	18,886	-16.40	97.4	-	-
31	18,342	18,343	-16.10	97.4	-	-
32	19,117	19,118	-16.52	97.4	-	-
33	18,005	18,006	-15.92	97.4	-	-
34	2,604	2,610	2.49	97.4	-	-
35	10,531	10,533	-10.60	97.4	-	-
36	7,554	7,557	-7.39	97.4	-	-
37	6,782	6,785	-6.36	97.4	-	-
38	4,641	4,645	-2.80	97.4	-	-
39	5,956	5,959	-5.13	97.4	-	-
4	6,074	6,078	-5.32	97.4	-	-
40	17,076	17,077	-15.38	97.4	-	-
5	4,553	4,557	-2.62	97.4	-	-
6	5,530	5,534	-4.44	97.4	-	-
7	6,522	6,525	-5.99	97.4	-	-
8	1,864	1,872	5.48	97.4	-	-
9	2,317	2,324	3.54	97.4	-	-
Sum			13.90			

- Data undefined due to calculation with octave data

Noise sensitive area: AQ Kudras iela 5

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,791	9,793	-9.89	97.4	-	-
10	3,888	3,894	-1.17	97.4	-	-
11	1,258	1,271	8.94	97.4	-	-
12	4,217	4,222	-1.92	97.4	-	-
13	2,545	2,552	2.69	97.4	-	-
14	3,204	3,210	0.60	97.4	-	-
15	8,677	8,679	-8.72	97.4	-	-
16	8,072	8,075	-8.02	97.4	-	-
17	7,054	7,057	-6.74	97.4	-	-
18	9,036	9,039	-9.11	97.4	-	-
19	8,647	8,650	-8.69	97.4	-	-
2	13,463	13,465	-13.01	97.4	-	-
20	8,539	8,541	-8.56	97.4	-	-
21	7,949	7,952	-7.88	97.4	-	-
22	7,843	7,846	-7.75	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,558	6,561	-6.04	97.4	-	-
24	18,182	18,183	-16.02	97.4	-	-
25	16,447	16,448	-15.01	97.4	-	-
26	16,215	16,216	-14.87	97.4	-	-
27	14,884	14,885	-14.01	97.4	-	-
28	17,660	17,661	-15.72	97.4	-	-
29	17,987	17,988	-15.91	97.4	-	-
3	14,364	14,365	-13.66	97.4	-	-
30	18,885	18,886	-16.40	97.4	-	-
31	18,342	18,343	-16.10	97.4	-	-
32	19,117	19,118	-16.52	97.4	-	-
33	18,005	18,006	-15.92	97.4	-	-
34	2,604	2,610	2.49	97.4	-	-
35	10,531	10,533	-10.60	97.4	-	-
36	7,554	7,557	-7.39	97.4	-	-
37	6,782	6,785	-6.36	97.4	-	-
38	4,641	4,645	-2.80	97.4	-	-
39	5,956	5,959	-5.13	97.4	-	-
4	6,074	6,078	-5.32	97.4	-	-
40	17,076	17,077	-15.38	97.4	-	-
5	4,553	4,557	-2.62	97.4	-	-
6	5,530	5,534	-4.44	97.4	-	-
7	6,522	6,525	-5.99	97.4	-	-
8	1,864	1,872	5.48	97.4	-	-
9	2,317	2,324	3.54	97.4	-	-
Sum			13.90			

- Data undefined due to calculation with octave data

Noise sensitive area: AR Kuminas

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4,106	4,112	-1.67	97.4	-	-
10	2,664	2,672	2.27	97.4	-	-
11	5,001	5,004	-3.49	97.4	-	-
12	2,010	2,020	4.80	97.4	-	-
13	3,691	3,697	-0.69	97.4	-	-
14	3,422	3,427	0.00	97.4	-	-
15	4,059	4,063	-1.56	97.4	-	-
16	3,944	3,950	-1.30	97.4	-	-
17	1,865	1,876	5.46	97.4	-	-
18	3,756	3,762	-0.85	97.4	-	-
19	3,640	3,646	-0.56	97.4	-	-
2	10,799	10,801	-10.84	97.4	-	-
20	2,978	2,984	1.27	97.4	-	-
21	2,734	2,742	2.04	97.4	-	-
22	4,398	4,403	-2.31	97.4	-	-
23	1,173	1,186	9.54	97.4	-	-
24	15,110	15,111	-14.16	97.4	-	-
25	13,675	13,677	-13.17	97.4	-	-
26	13,652	13,654	-13.15	97.4	-	-
27	11,247	11,249	-11.24	97.4	-	-
28	14,461	14,463	-13.72	97.4	-	-
29	14,595	14,596	-13.81	97.4	-	-
3	10,973	10,975	-11.00	97.4	-	-
30	15,842	15,843	-14.63	97.4	-	-
31	15,507	15,508	-14.42	97.4	-	-
32	15,861	15,862	-14.64	97.4	-	-
33	14,440	14,441	-13.71	97.4	-	-
34	4,489	4,492	-2.49	97.4	-	-
35	4,910	4,914	-3.33	97.4	-	-
36	3,007	3,015	1.18	97.4	-	-
37	2,390	2,399	3.25	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	2,016	2,027	4.77	97.4	-	-
39	818	837	12.63	97.4	-	-
4	3,553	3,560	-0.34	97.4	-	-
40	14,129	14,131	-13.49	97.4	-	-
5	1,645	1,658	6.57	97.4	-	-
6	1,306	1,322	8.59	97.4	-	-
7	1,679	1,691	6.39	97.4	-	-
8	4,758	4,761	-3.03	97.4	-	-
9	3,895	3,899	-1.18	97.4	-	-
Sum			18.55			

- Data undefined due to calculation with octave data

Noise sensitive area: AR Kuminas

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4,106	4,112	-1.67	97.4	-	-
10	2,664	2,672	2.27	97.4	-	-
11	5,001	5,004	-3.49	97.4	-	-
12	2,010	2,020	4.80	97.4	-	-
13	3,691	3,697	-0.69	97.4	-	-
14	3,422	3,427	0.00	97.4	-	-
15	4,059	4,063	-1.56	97.4	-	-
16	3,944	3,950	-1.30	97.4	-	-
17	1,865	1,876	5.46	97.4	-	-
18	3,756	3,762	-0.85	97.4	-	-
19	3,640	3,646	-0.56	97.4	-	-
2	10,799	10,801	-10.84	97.4	-	-
20	2,978	2,984	1.27	97.4	-	-
21	2,734	2,742	2.04	97.4	-	-
22	4,398	4,403	-2.31	97.4	-	-
23	1,173	1,186	9.54	97.4	-	-
24	15,110	15,111	-14.16	97.4	-	-
25	13,675	13,677	-13.17	97.4	-	-
26	13,652	13,654	-13.15	97.4	-	-
27	11,247	11,249	-11.24	97.4	-	-
28	14,461	14,463	-13.72	97.4	-	-
29	14,595	14,596	-13.81	97.4	-	-
3	10,973	10,975	-11.00	97.4	-	-
30	15,842	15,843	-14.63	97.4	-	-
31	15,507	15,508	-14.42	97.4	-	-
32	15,861	15,862	-14.64	97.4	-	-
33	14,440	14,441	-13.71	97.4	-	-
34	4,489	4,492	-2.49	97.4	-	-
35	4,910	4,914	-3.33	97.4	-	-
36	3,007	3,015	1.18	97.4	-	-
37	2,390	2,399	3.25	97.4	-	-
38	2,016	2,027	4.77	97.4	-	-
39	818	837	12.63	97.4	-	-
4	3,553	3,560	-0.34	97.4	-	-
40	14,129	14,131	-13.49	97.4	-	-
5	1,645	1,658	6.57	97.4	-	-
6	1,306	1,322	8.59	97.4	-	-
7	1,679	1,691	6.39	97.4	-	-
8	4,758	4,761	-3.03	97.4	-	-
9	3,895	3,899	-1.18	97.4	-	-
Sum			18.55			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: AS Lejas Gerki

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12,022	12,024	-11.89	97.4	-	-
10	13,820	13,821	-13.27	97.4	-	-
11	16,105	16,106	-14.80	97.4	-	-
12	14,366	14,367	-13.66	97.4	-	-
13	15,640	15,641	-14.50	97.4	-	-
14	16,225	16,226	-14.87	97.4	-	-
15	10,621	10,622	-10.68	97.4	-	-
16	10,501	10,503	-10.57	97.4	-	-
17	12,602	12,604	-12.36	97.4	-	-
18	11,445	11,447	-11.41	97.4	-	-
19	11,215	11,217	-11.21	97.4	-	-
2	3,783	3,788	-0.92	97.4	-	-
20	12,220	12,221	-12.06	97.4	-	-
21	11,985	11,986	-11.86	97.4	-	-
22	10,003	10,005	-10.10	97.4	-	-
23	13,237	13,238	-12.84	97.4	-	-
24	3,669	3,673	-0.63	97.4	-	-
25	2,431	2,439	3.10	97.4	-	-
26	1,884	1,894	5.37	97.4	-	-
27	5,094	5,098	-3.67	97.4	-	-
28	3,797	3,802	-0.95	97.4	-	-
29	4,438	4,442	-2.39	97.4	-	-
3	4,677	4,681	-2.87	97.4	-	-
30	3,982	3,985	-1.38	97.4	-	-
31	3,189	3,194	0.65	97.4	-	-
32	4,617	4,620	-2.75	97.4	-	-
33	4,930	4,933	-3.36	97.4	-	-
34	16,966	16,966	-15.32	97.4	-	-
35	11,645	11,646	-11.58	97.4	-	-
36	11,441	11,443	-11.41	97.4	-	-
37	12,009	12,011	-11.88	97.4	-	-
38	13,571	13,572	-13.09	97.4	-	-
39	13,661	13,662	-13.16	97.4	-	-
4	11,261	11,263	-11.25	97.4	-	-
40	2,963	2,969	1.31	97.4	-	-
5	14,901	14,903	-14.02	97.4	-	-
6	13,440	13,441	-13.00	97.4	-	-
7	12,720	12,721	-12.45	97.4	-	-
8	16,567	16,567	-15.08	97.4	-	-
9	14,988	14,989	-14.08	97.4	-	-
Sum			11.84			

- Data undefined due to calculation with octave data

Noise sensitive area: AS Lejas Gerki

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12,022	12,024	-11.89	97.4	-	-
10	13,820	13,821	-13.27	97.4	-	-
11	16,105	16,106	-14.80	97.4	-	-
12	14,366	14,367	-13.66	97.4	-	-
13	15,640	15,641	-14.50	97.4	-	-
14	16,225	16,226	-14.87	97.4	-	-
15	10,621	10,622	-10.68	97.4	-	-
16	10,501	10,503	-10.57	97.4	-	-
17	12,602	12,604	-12.36	97.4	-	-
18	11,445	11,447	-11.41	97.4	-	-
19	11,215	11,217	-11.21	97.4	-	-
2	3,783	3,788	-0.92	97.4	-	-
20	12,220	12,221	-12.06	97.4	-	-
21	11,985	11,986	-11.86	97.4	-	-
22	10,003	10,005	-10.10	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	13,237	13,238	-12.84	97.4	-	-
24	3,669	3,673	-0.63	97.4	-	-
25	2,431	2,439	3.10	97.4	-	-
26	1,884	1,894	5.37	97.4	-	-
27	5,094	5,098	-3.67	97.4	-	-
28	3,797	3,802	-0.95	97.4	-	-
29	4,438	4,442	-2.39	97.4	-	-
3	4,677	4,681	-2.87	97.4	-	-
30	3,982	3,985	-1.38	97.4	-	-
31	3,189	3,194	0.65	97.4	-	-
32	4,617	4,620	-2.75	97.4	-	-
33	4,930	4,933	-3.36	97.4	-	-
34	16,966	16,966	-15.32	97.4	-	-
35	11,645	11,646	-11.58	97.4	-	-
36	11,441	11,443	-11.41	97.4	-	-
37	12,009	12,011	-11.88	97.4	-	-
38	13,571	13,572	-13.09	97.4	-	-
39	13,661	13,662	-13.16	97.4	-	-
4	11,261	11,263	-11.25	97.4	-	-
40	2,963	2,969	1.31	97.4	-	-
5	14,901	14,903	-14.02	97.4	-	-
6	13,440	13,441	-13.00	97.4	-	-
7	12,720	12,721	-12.45	97.4	-	-
8	16,567	16,567	-15.08	97.4	-	-
9	14,988	14,989	-14.08	97.4	-	-
Sum			11.84			

- Data undefined due to calculation with octave data

Noise sensitive area: AT Liepkalni

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12,238	12,239	-12.07	97.4	-	-
10	14,235	14,236	-13.57	97.4	-	-
11	16,564	16,565	-15.08	97.4	-	-
12	14,764	14,765	-13.93	97.4	-	-
13	16,073	16,074	-14.78	97.4	-	-
14	16,642	16,643	-15.13	97.4	-	-
15	10,905	10,907	-10.94	97.4	-	-
16	10,819	10,821	-10.86	97.4	-	-
17	12,925	12,926	-12.61	97.4	-	-
18	11,699	11,701	-11.63	97.4	-	-
19	11,490	11,492	-11.45	97.4	-	-
2	4,015	4,019	-1.46	97.4	-	-
20	12,487	12,488	-12.27	97.4	-	-
21	12,279	12,281	-12.10	97.4	-	-
22	10,350	10,352	-10.43	97.4	-	-
23	13,570	13,571	-13.09	97.4	-	-
24	3,199	3,203	0.62	97.4	-	-
25	2,181	2,189	4.07	97.4	-	-
26	1,698	1,709	6.30	97.4	-	-
27	5,050	5,054	-3.59	97.4	-	-
28	3,398	3,404	0.07	97.4	-	-
29	4,034	4,037	-1.50	97.4	-	-
3	4,706	4,711	-2.93	97.4	-	-
30	3,460	3,464	-0.09	97.4	-	-
31	2,668	2,673	2.27	97.4	-	-
32	4,113	4,116	-1.68	97.4	-	-
33	4,546	4,550	-2.61	97.4	-	-
34	17,399	17,400	-15.57	97.4	-	-
35	11,829	11,830	-11.73	97.4	-	-
36	11,762	11,763	-11.68	97.4	-	-
37	12,352	12,353	-12.16	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	13,966	13,967	-13.38	97.4	-	-
39	14,011	14,012	-13.41	97.4	-	-
4	11,657	11,659	-11.59	97.4	-	-
40	2,607	2,614	2.47	97.4	-	-
5	15,286	15,287	-14.28	97.4	-	-
6	13,806	13,808	-13.26	97.4	-	-
7	13,061	13,062	-12.71	97.4	-	-
8	17,014	17,015	-15.35	97.4	-	-
9	15,432	15,433	-14.37	97.4	-	-
Sum			12.66			

- Data undefined due to calculation with octave data

Noise sensitive area: AT Liepkalni

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12,238	12,239	-12.07	97.4	-	-
10	14,235	14,236	-13.57	97.4	-	-
11	16,564	16,565	-15.08	97.4	-	-
12	14,764	14,765	-13.93	97.4	-	-
13	16,073	16,074	-14.78	97.4	-	-
14	16,642	16,643	-15.13	97.4	-	-
15	10,905	10,907	-10.94	97.4	-	-
16	10,819	10,821	-10.86	97.4	-	-
17	12,925	12,926	-12.61	97.4	-	-
18	11,699	11,701	-11.63	97.4	-	-
19	11,490	11,492	-11.45	97.4	-	-
2	4,015	4,019	-1.46	97.4	-	-
20	12,487	12,488	-12.27	97.4	-	-
21	12,279	12,281	-12.10	97.4	-	-
22	10,350	10,352	-10.43	97.4	-	-
23	13,570	13,571	-13.09	97.4	-	-
24	3,199	3,203	0.62	97.4	-	-
25	2,181	2,189	4.07	97.4	-	-
26	1,698	1,709	6.30	97.4	-	-
27	5,050	5,054	-3.59	97.4	-	-
28	3,398	3,404	0.07	97.4	-	-
29	4,034	4,037	-1.50	97.4	-	-
3	4,706	4,711	-2.93	97.4	-	-
30	3,460	3,464	-0.09	97.4	-	-
31	2,668	2,673	2.27	97.4	-	-
32	4,113	4,116	-1.68	97.4	-	-
33	4,546	4,550	-2.61	97.4	-	-
34	17,399	17,400	-15.57	97.4	-	-
35	11,829	11,830	-11.73	97.4	-	-
36	11,762	11,763	-11.68	97.4	-	-
37	12,352	12,353	-12.16	97.4	-	-
38	13,966	13,967	-13.38	97.4	-	-
39	14,011	14,012	-13.41	97.4	-	-
4	11,657	11,659	-11.59	97.4	-	-
40	2,607	2,614	2.47	97.4	-	-
5	15,286	15,287	-14.28	97.4	-	-
6	13,806	13,808	-13.26	97.4	-	-
7	13,061	13,062	-12.71	97.4	-	-
8	17,014	17,015	-15.35	97.4	-	-
9	15,432	15,433	-14.37	97.4	-	-
Sum			12.66			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: AU Maizeni

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	14,351	14,352	-13.65	97.4	-	-
10	17,417	17,418	-15.58	97.4	-	-
11	19,960	19,961	-16.96	97.4	-	-
12	17,842	17,843	-15.83	97.4	-	-
13	19,327	19,328	-16.63	97.4	-	-
14	19,802	19,802	-16.88	97.4	-	-
15	13,457	13,458	-13.01	97.4	-	-
16	13,554	13,556	-13.08	97.4	-	-
17	15,621	15,622	-14.49	97.4	-	-
18	14,051	14,053	-13.44	97.4	-	-
19	13,967	13,968	-13.38	97.4	-	-
2	6,868	6,871	-6.48	97.4	-	-
20	14,887	14,888	-14.01	97.4	-	-
21	14,838	14,839	-13.98	97.4	-	-
22	13,253	13,255	-12.86	97.4	-	-
23	16,313	16,314	-14.93	97.4	-	-
24	2,444	2,450	3.06	97.4	-	-
25	3,866	3,870	-1.11	97.4	-	-
26	4,051	4,055	-1.54	97.4	-	-
27	6,414	6,417	-5.83	97.4	-	-
28	3,146	3,152	0.77	97.4	-	-
29	3,288	3,292	0.37	97.4	-	-
3	6,540	6,543	-6.02	97.4	-	-
30	1,756	1,764	6.01	97.4	-	-
31	1,981	1,987	4.94	97.4	-	-
32	2,121	2,128	4.33	97.4	-	-
33	3,721	3,725	-0.76	97.4	-	-
34	20,647	20,648	-17.30	97.4	-	-
35	13,777	13,778	-13.24	97.4	-	-
36	14,480	14,481	-13.74	97.4	-	-
37	15,173	15,175	-14.20	97.4	-	-
38	17,040	17,041	-15.36	97.4	-	-
39	16,838	16,838	-15.24	97.4	-	-
4	14,777	14,778	-13.94	97.4	-	-
40	3,354	3,359	0.19	97.4	-	-
5	18,282	18,283	-16.07	97.4	-	-
6	16,730	16,731	-15.18	97.4	-	-
7	15,857	15,858	-14.64	97.4	-	-
8	20,342	20,343	-17.15	97.4	-	-
9	18,752	18,753	-16.33	97.4	-	-
Sum			12.82			

- Data undefined due to calculation with octave data

Noise sensitive area: AU Maizeni

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	14,351	14,352	-13.65	97.4	-	-
10	17,417	17,418	-15.58	97.4	-	-
11	19,960	19,961	-16.96	97.4	-	-
12	17,842	17,843	-15.83	97.4	-	-
13	19,327	19,328	-16.63	97.4	-	-
14	19,802	19,802	-16.88	97.4	-	-
15	13,457	13,458	-13.01	97.4	-	-
16	13,554	13,556	-13.08	97.4	-	-
17	15,621	15,622	-14.49	97.4	-	-
18	14,051	14,053	-13.44	97.4	-	-
19	13,967	13,968	-13.38	97.4	-	-
2	6,868	6,871	-6.48	97.4	-	-
20	14,887	14,888	-14.01	97.4	-	-
21	14,838	14,839	-13.98	97.4	-	-
22	13,253	13,255	-12.86	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	16,313	16,314	-14.93	97.4	-	-
24	2,444	2,450	3.06	97.4	-	-
25	3,866	3,870	-1.11	97.4	-	-
26	4,051	4,055	-1.54	97.4	-	-
27	6,414	6,417	-5.83	97.4	-	-
28	3,146	3,152	0.77	97.4	-	-
29	3,288	3,292	0.37	97.4	-	-
3	6,540	6,543	-6.02	97.4	-	-
30	1,756	1,764	6.01	97.4	-	-
31	1,981	1,987	4.94	97.4	-	-
32	2,121	2,128	4.33	97.4	-	-
33	3,721	3,725	-0.76	97.4	-	-
34	20,647	20,648	-17.30	97.4	-	-
35	13,777	13,778	-13.24	97.4	-	-
36	14,480	14,481	-13.74	97.4	-	-
37	15,173	15,175	-14.20	97.4	-	-
38	17,040	17,041	-15.36	97.4	-	-
39	16,838	16,838	-15.24	97.4	-	-
4	14,777	14,778	-13.94	97.4	-	-
40	3,354	3,359	0.19	97.4	-	-
5	18,282	18,283	-16.07	97.4	-	-
6	16,730	16,731	-15.18	97.4	-	-
7	15,857	15,858	-14.64	97.4	-	-
8	20,342	20,343	-17.15	97.4	-	-
9	18,752	18,753	-16.33	97.4	-	-
Sum			12.82			

- Data undefined due to calculation with octave data

Noise sensitive area: AV Maza Celtnieku iela 3

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,958	9,960	-10.05	97.4	-	-
10	4,054	4,059	-1.55	97.4	-	-
11	1,419	1,430	7.89	97.4	-	-
12	4,388	4,393	-2.28	97.4	-	-
13	2,712	2,719	2.11	97.4	-	-
14	3,361	3,367	0.17	97.4	-	-
15	8,834	8,836	-8.89	97.4	-	-
16	8,225	8,228	-8.20	97.4	-	-
17	7,221	7,224	-6.96	97.4	-	-
18	9,200	9,202	-9.28	97.4	-	-
19	8,809	8,811	-8.86	97.4	-	-
2	13,574	13,576	-13.09	97.4	-	-
20	8,706	8,708	-8.75	97.4	-	-
21	8,114	8,117	-8.07	97.4	-	-
22	7,988	7,991	-7.92	97.4	-	-
23	6,728	6,730	-6.28	97.4	-	-
24	18,293	18,294	-16.08	97.4	-	-
25	16,554	16,556	-15.07	97.4	-	-
26	16,318	16,319	-14.93	97.4	-	-
27	15,012	15,014	-14.10	97.4	-	-
28	17,775	17,776	-15.79	97.4	-	-
29	18,106	18,107	-15.97	97.4	-	-
3	14,488	14,489	-13.74	97.4	-	-
30	18,996	18,997	-16.46	97.4	-	-
31	18,448	18,449	-16.16	97.4	-	-
32	19,232	19,232	-16.58	97.4	-	-
33	18,128	18,129	-15.99	97.4	-	-
34	2,734	2,739	2.05	97.4	-	-
35	10,697	10,699	-10.75	97.4	-	-
36	7,714	7,717	-7.59	97.4	-	-
37	6,944	6,947	-6.59	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,808	4,812	-3.13	97.4	-	-
39	6,127	6,129	-5.40	97.4	-	-
4	6,220	6,224	-5.54	97.4	-	-
40	17,186	17,188	-15.45	97.4	-	-
5	4,723	4,727	-2.96	97.4	-	-
6	5,699	5,702	-4.72	97.4	-	-
7	6,689	6,692	-6.23	97.4	-	-
8	2,004	2,011	4.84	97.4	-	-
9	2,487	2,493	2.90	97.4	-	-
Sum			13.27			

- Data undefined due to calculation with octave data

Noise sensitive area: AV Maza Celtnieku iela 3

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,958	9,960	-10.05	97.4	-	-
10	4,054	4,059	-1.55	97.4	-	-
11	1,419	1,430	7.89	97.4	-	-
12	4,388	4,393	-2.28	97.4	-	-
13	2,712	2,719	2.11	97.4	-	-
14	3,361	3,367	0.17	97.4	-	-
15	8,834	8,836	-8.89	97.4	-	-
16	8,225	8,228	-8.20	97.4	-	-
17	7,221	7,224	-6.96	97.4	-	-
18	9,200	9,202	-9.28	97.4	-	-
19	8,809	8,811	-8.86	97.4	-	-
2	13,574	13,576	-13.09	97.4	-	-
20	8,706	8,708	-8.75	97.4	-	-
21	8,114	8,117	-8.07	97.4	-	-
22	7,988	7,991	-7.92	97.4	-	-
23	6,728	6,730	-6.28	97.4	-	-
24	18,293	18,294	-16.08	97.4	-	-
25	16,554	16,556	-15.07	97.4	-	-
26	16,318	16,319	-14.93	97.4	-	-
27	15,012	15,014	-14.10	97.4	-	-
28	17,775	17,776	-15.79	97.4	-	-
29	18,106	18,107	-15.97	97.4	-	-
3	14,488	14,489	-13.74	97.4	-	-
30	18,996	18,997	-16.46	97.4	-	-
31	18,448	18,449	-16.16	97.4	-	-
32	19,232	19,232	-16.58	97.4	-	-
33	18,128	18,129	-15.99	97.4	-	-
34	2,734	2,739	2.05	97.4	-	-
35	10,697	10,699	-10.75	97.4	-	-
36	7,714	7,717	-7.59	97.4	-	-
37	6,944	6,947	-6.59	97.4	-	-
38	4,808	4,812	-3.13	97.4	-	-
39	6,127	6,129	-5.40	97.4	-	-
4	6,220	6,224	-5.54	97.4	-	-
40	17,186	17,188	-15.45	97.4	-	-
5	4,723	4,727	-2.96	97.4	-	-
6	5,699	5,702	-4.72	97.4	-	-
7	6,689	6,692	-6.23	97.4	-	-
8	2,004	2,011	4.84	97.4	-	-
9	2,487	2,493	2.90	97.4	-	-
Sum			13.27			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: AW Medni

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8,146	8,148	-8.11	97.4	-	-
10	9,995	9,996	-10.09	97.4	-	-
11	12,468	12,469	-12.25	97.4	-	-
12	10,485	10,487	-10.55	97.4	-	-
13	11,874	11,876	-11.77	97.4	-	-
14	12,398	12,399	-12.20	97.4	-	-
15	6,643	6,645	-6.16	97.4	-	-
16	6,511	6,514	-5.98	97.4	-	-
17	8,614	8,616	-8.65	97.4	-	-
18	7,501	7,503	-7.32	97.4	-	-
19	7,245	7,248	-6.99	97.4	-	-
2	844	868	12.31	97.4	-	-
20	8,256	8,258	-8.24	97.4	-	-
21	7,999	8,002	-7.94	97.4	-	-
22	6,031	6,034	-5.25	97.4	-	-
23	9,253	9,255	-9.34	97.4	-	-
24	5,453	5,455	-4.30	97.4	-	-
25	3,677	3,682	-0.65	97.4	-	-
26	3,450	3,456	-0.07	97.4	-	-
27	3,268	3,275	0.42	97.4	-	-
28	5,007	5,011	-3.51	97.4	-	-
29	5,446	5,448	-4.29	97.4	-	-
3	2,529	2,538	2.74	97.4	-	-
30	6,135	6,137	-5.41	97.4	-	-
31	5,567	5,570	-4.50	97.4	-	-
32	6,437	6,439	-5.87	97.4	-	-
33	5,615	5,618	-4.58	97.4	-	-
34	13,200	13,201	-12.82	97.4	-	-
35	7,850	7,852	-7.76	97.4	-	-
36	7,452	7,455	-7.26	97.4	-	-
37	8,032	8,035	-7.98	97.4	-	-
38	9,683	9,685	-9.78	97.4	-	-
39	9,691	9,693	-9.79	97.4	-	-
4	7,382	7,385	-7.17	97.4	-	-
40	4,333	4,338	-2.17	97.4	-	-
5	10,987	10,988	-11.01	97.4	-	-
6	9,493	9,495	-9.59	97.4	-	-
7	8,741	8,744	-8.79	97.4	-	-
8	12,865	12,866	-12.56	97.4	-	-
9	11,275	11,276	-11.26	97.4	-	-
Sum			14.56			

- Data undefined due to calculation with octave data

Noise sensitive area: AW Medni

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8,146	8,148	-8.11	97.4	-	-
10	9,995	9,996	-10.09	97.4	-	-
11	12,468	12,469	-12.25	97.4	-	-
12	10,485	10,487	-10.55	97.4	-	-
13	11,874	11,876	-11.77	97.4	-	-
14	12,398	12,399	-12.20	97.4	-	-
15	6,643	6,645	-6.16	97.4	-	-
16	6,511	6,514	-5.98	97.4	-	-
17	8,614	8,616	-8.65	97.4	-	-
18	7,501	7,503	-7.32	97.4	-	-
19	7,245	7,248	-6.99	97.4	-	-
2	844	868	12.31	97.4	-	-
20	8,256	8,258	-8.24	97.4	-	-
21	7,999	8,002	-7.94	97.4	-	-
22	6,031	6,034	-5.25	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	9,253	9,255	-9.34	97.4	-	-
24	5,453	5,455	-4.30	97.4	-	-
25	3,677	3,682	-0.65	97.4	-	-
26	3,450	3,456	-0.07	97.4	-	-
27	3,268	3,275	0.42	97.4	-	-
28	5,007	5,011	-3.51	97.4	-	-
29	5,446	5,448	-4.29	97.4	-	-
3	2,529	2,538	2.74	97.4	-	-
30	6,135	6,137	-5.41	97.4	-	-
31	5,567	5,570	-4.50	97.4	-	-
32	6,437	6,439	-5.87	97.4	-	-
33	5,615	5,618	-4.58	97.4	-	-
34	13,200	13,201	-12.82	97.4	-	-
35	7,850	7,852	-7.76	97.4	-	-
36	7,452	7,455	-7.26	97.4	-	-
37	8,032	8,035	-7.98	97.4	-	-
38	9,683	9,685	-9.78	97.4	-	-
39	9,691	9,693	-9.79	97.4	-	-
4	7,382	7,385	-7.17	97.4	-	-
40	4,333	4,338	-2.17	97.4	-	-
5	10,987	10,988	-11.01	97.4	-	-
6	9,493	9,495	-9.59	97.4	-	-
7	8,741	8,744	-8.79	97.4	-	-
8	12,865	12,866	-12.56	97.4	-	-
9	11,275	11,276	-11.26	97.4	-	-
Sum			14.56			

- Data undefined due to calculation with octave data

Noise sensitive area: AX Melderi

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3,898	3,903	-1.19	97.4	-	-
10	2,749	2,757	1.99	97.4	-	-
11	5,165	5,168	-3.80	97.4	-	-
12	2,136	2,146	4.25	97.4	-	-
13	3,860	3,865	-1.10	97.4	-	-
14	3,616	3,621	-0.50	97.4	-	-
15	3,863	3,867	-1.11	97.4	-	-
16	3,766	3,772	-0.88	97.4	-	-
17	1,676	1,688	6.41	97.4	-	-
18	3,547	3,553	-0.33	97.4	-	-
19	3,436	3,442	-0.04	97.4	-	-
2	10,625	10,627	-10.68	97.4	-	-
20	2,767	2,773	1.94	97.4	-	-
21	2,529	2,538	2.74	97.4	-	-
22	4,241	4,247	-1.97	97.4	-	-
23	999	1,014	10.93	97.4	-	-
24	14,919	14,920	-14.03	97.4	-	-
25	13,493	13,494	-13.03	97.4	-	-
26	13,474	13,476	-13.02	97.4	-	-
27	11,051	11,053	-11.07	97.4	-	-
28	14,269	14,271	-13.59	97.4	-	-
29	14,399	14,400	-13.68	97.4	-	-
3	10,782	10,784	-10.83	97.4	-	-
30	15,651	15,652	-14.51	97.4	-	-
31	15,321	15,322	-14.30	97.4	-	-
32	15,667	15,668	-14.52	97.4	-	-
33	14,241	14,243	-13.57	97.4	-	-
34	4,684	4,687	-2.89	97.4	-	-
35	4,701	4,706	-2.92	97.4	-	-
36	2,826	2,835	1.74	97.4	-	-
37	2,236	2,245	3.85	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	2,069	2,079	4.54	97.4	-	-
39	752	772	13.34	97.4	-	-
4	3,465	3,472	-0.12	97.4	-	-
40	13,943	13,944	-13.36	97.4	-	-
5	1,821	1,832	5.68	97.4	-	-
6	1,288	1,303	8.71	97.4	-	-
7	1,526	1,540	7.23	97.4	-	-
8	4,939	4,942	-3.38	97.4	-	-
9	4,035	4,039	-1.51	97.4	-	-
Sum			19.03			

- Data undefined due to calculation with octave data

Noise sensitive area: AX Melderi

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3,898	3,903	-1.19	97.4	-	-
10	2,749	2,757	1.99	97.4	-	-
11	5,165	5,168	-3.80	97.4	-	-
12	2,136	2,146	4.25	97.4	-	-
13	3,860	3,865	-1.10	97.4	-	-
14	3,616	3,621	-0.50	97.4	-	-
15	3,863	3,867	-1.11	97.4	-	-
16	3,766	3,772	-0.88	97.4	-	-
17	1,676	1,688	6.41	97.4	-	-
18	3,547	3,553	-0.33	97.4	-	-
19	3,436	3,442	-0.04	97.4	-	-
2	10,625	10,627	-10.68	97.4	-	-
20	2,767	2,773	1.94	97.4	-	-
21	2,529	2,538	2.74	97.4	-	-
22	4,241	4,247	-1.97	97.4	-	-
23	999	1,014	10.93	97.4	-	-
24	14,919	14,920	-14.03	97.4	-	-
25	13,493	13,494	-13.03	97.4	-	-
26	13,474	13,476	-13.02	97.4	-	-
27	11,051	11,053	-11.07	97.4	-	-
28	14,269	14,271	-13.59	97.4	-	-
29	14,399	14,400	-13.68	97.4	-	-
3	10,782	10,784	-10.83	97.4	-	-
30	15,651	15,652	-14.51	97.4	-	-
31	15,321	15,322	-14.30	97.4	-	-
32	15,667	15,668	-14.52	97.4	-	-
33	14,241	14,243	-13.57	97.4	-	-
34	4,684	4,687	-2.89	97.4	-	-
35	4,701	4,706	-2.92	97.4	-	-
36	2,826	2,835	1.74	97.4	-	-
37	2,236	2,245	3.85	97.4	-	-
38	2,069	2,079	4.54	97.4	-	-
39	752	772	13.34	97.4	-	-
4	3,465	3,472	-0.12	97.4	-	-
40	13,943	13,944	-13.36	97.4	-	-
5	1,821	1,832	5.68	97.4	-	-
6	1,288	1,303	8.71	97.4	-	-
7	1,526	1,540	7.23	97.4	-	-
8	4,939	4,942	-3.38	97.4	-	-
9	4,035	4,039	-1.51	97.4	-	-
Sum			19.03			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: AY Mežuli

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3,891	3,897	-1.18	97.4	-	-
10	2,816	2,823	1.77	97.4	-	-
11	5,208	5,211	-3.87	97.4	-	-
12	2,193	2,202	4.02	97.4	-	-
13	3,901	3,906	-1.20	97.4	-	-
14	3,641	3,646	-0.56	97.4	-	-
15	3,896	3,901	-1.18	97.4	-	-
16	3,812	3,818	-0.99	97.4	-	-
17	1,716	1,728	6.20	97.4	-	-
18	3,560	3,567	-0.36	97.4	-	-
19	3,460	3,467	-0.10	97.4	-	-
2	10,672	10,674	-10.73	97.4	-	-
20	2,773	2,779	1.92	97.4	-	-
21	2,555	2,563	2.65	97.4	-	-
22	4,297	4,302	-2.09	97.4	-	-
23	1,050	1,065	10.50	97.4	-	-
24	14,956	14,957	-14.06	97.4	-	-
25	13,535	13,536	-13.07	97.4	-	-
26	13,519	13,521	-13.05	97.4	-	-
27	11,083	11,085	-11.10	97.4	-	-
28	14,305	14,307	-13.61	97.4	-	-
29	14,432	14,433	-13.70	97.4	-	-
3	10,818	10,821	-10.86	97.4	-	-
30	15,688	15,689	-14.53	97.4	-	-
31	15,361	15,362	-14.32	97.4	-	-
32	15,700	15,702	-14.54	97.4	-	-
33	14,272	14,273	-13.59	97.4	-	-
34	4,708	4,711	-2.93	97.4	-	-
35	4,695	4,700	-2.91	97.4	-	-
36	2,871	2,879	1.59	97.4	-	-
37	2,293	2,302	3.62	97.4	-	-
38	2,140	2,149	4.24	97.4	-	-
39	827	845	12.54	97.4	-	-
4	3,537	3,543	-0.30	97.4	-	-
40	13,982	13,984	-13.39	97.4	-	-
5	1,858	1,869	5.50	97.4	-	-
6	1,363	1,378	8.21	97.4	-	-
7	1,584	1,597	6.90	97.4	-	-
8	4,973	4,976	-3.44	97.4	-	-
9	4,088	4,092	-1.63	97.4	-	-
Sum			18.63			

- Data undefined due to calculation with octave data

Noise sensitive area: AY Mežuli

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3,891	3,897	-1.18	97.4	-	-
10	2,816	2,823	1.77	97.4	-	-
11	5,208	5,211	-3.87	97.4	-	-
12	2,193	2,202	4.02	97.4	-	-
13	3,901	3,906	-1.20	97.4	-	-
14	3,641	3,646	-0.56	97.4	-	-
15	3,896	3,901	-1.18	97.4	-	-
16	3,812	3,818	-0.99	97.4	-	-
17	1,716	1,728	6.20	97.4	-	-
18	3,560	3,567	-0.36	97.4	-	-
19	3,460	3,467	-0.10	97.4	-	-
2	10,672	10,674	-10.73	97.4	-	-
20	2,773	2,779	1.92	97.4	-	-
21	2,555	2,563	2.65	97.4	-	-
22	4,297	4,302	-2.09	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	1,050	1,065	10.50	97.4	-	-
24	14,956	14,957	-14.06	97.4	-	-
25	13,535	13,536	-13.07	97.4	-	-
26	13,519	13,521	-13.05	97.4	-	-
27	11,083	11,085	-11.10	97.4	-	-
28	14,305	14,307	-13.61	97.4	-	-
29	14,432	14,433	-13.70	97.4	-	-
3	10,818	10,821	-10.86	97.4	-	-
30	15,688	15,689	-14.53	97.4	-	-
31	15,361	15,362	-14.32	97.4	-	-
32	15,700	15,702	-14.54	97.4	-	-
33	14,272	14,273	-13.59	97.4	-	-
34	4,708	4,711	-2.93	97.4	-	-
35	4,695	4,700	-2.91	97.4	-	-
36	2,871	2,879	1.59	97.4	-	-
37	2,293	2,302	3.62	97.4	-	-
38	2,140	2,149	4.24	97.4	-	-
39	827	845	12.54	97.4	-	-
4	3,537	3,543	-0.30	97.4	-	-
40	13,982	13,984	-13.39	97.4	-	-
5	1,858	1,869	5.50	97.4	-	-
6	1,363	1,378	8.21	97.4	-	-
7	1,584	1,597	6.90	97.4	-	-
8	4,973	4,976	-3.44	97.4	-	-
9	4,088	4,092	-1.63	97.4	-	-
Sum			18.63			

- Data undefined due to calculation with octave data

Noise sensitive area: AZ Me ž vidi

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12,199	12,200	-12.04	97.4	-	-
10	16,355	16,357	-14.95	97.4	-	-
11	19,152	19,153	-16.54	97.4	-	-
12	16,616	16,617	-15.11	97.4	-	-
13	18,305	18,306	-16.08	97.4	-	-
14	18,624	18,625	-16.26	97.4	-	-
15	11,817	11,818	-11.72	97.4	-	-
16	12,119	12,120	-11.97	97.4	-	-
17	14,012	14,013	-13.41	97.4	-	-
18	12,156	12,158	-12.00	97.4	-	-
19	12,210	12,212	-12.05	97.4	-	-
2	6,595	6,598	-6.10	97.4	-	-
20	12,991	12,993	-12.66	97.4	-	-
21	13,116	13,118	-12.75	97.4	-	-
22	12,044	12,046	-11.91	97.4	-	-
23	14,724	14,725	-13.90	97.4	-	-
24	2,801	2,807	1.82	97.4	-	-
25	4,314	4,319	-2.13	97.4	-	-
26	4,862	4,866	-3.24	97.4	-	-
27	4,804	4,809	-3.13	97.4	-	-
28	2,732	2,740	2.05	97.4	-	-
29	2,119	2,127	4.33	97.4	-	-
3	5,340	5,344	-4.11	97.4	-	-
30	2,740	2,746	2.02	97.4	-	-
31	3,444	3,448	-0.05	97.4	-	-
32	2,039	2,047	4.68	97.4	-	-
33	1,817	1,826	5.70	97.4	-	-
34	19,577	19,578	-16.76	97.4	-	-
35	11,505	11,507	-11.46	97.4	-	-
36	12,962	12,963	-12.64	97.4	-	-
37	13,738	13,740	-13.21	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	15,840	15,842	-14.63	97.4	-	-
39	15,326	15,327	-14.30	97.4	-	-
4	13,755	13,757	-13.23	97.4	-	-
40	3,606	3,612	-0.48	97.4	-	-
5	16,928	16,929	-15.30	97.4	-	-
6	15,344	15,345	-14.31	97.4	-	-
7	14,354	14,355	-13.65	97.4	-	-
8	19,408	19,408	-16.67	97.4	-	-
9	17,855	17,856	-15.83	97.4	-	-
Sum			12.87			

- Data undefined due to calculation with octave data

Noise sensitive area: AZ Me ž vidi

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12,199	12,200	-12.04	97.4	-	-
10	16,355	16,357	-14.95	97.4	-	-
11	19,152	19,153	-16.54	97.4	-	-
12	16,616	16,617	-15.11	97.4	-	-
13	18,305	18,306	-16.08	97.4	-	-
14	18,624	18,625	-16.26	97.4	-	-
15	11,817	11,818	-11.72	97.4	-	-
16	12,119	12,120	-11.97	97.4	-	-
17	14,012	14,013	-13.41	97.4	-	-
18	12,156	12,158	-12.00	97.4	-	-
19	12,210	12,212	-12.05	97.4	-	-
2	6,595	6,598	-6.10	97.4	-	-
20	12,991	12,993	-12.66	97.4	-	-
21	13,116	13,118	-12.75	97.4	-	-
22	12,044	12,046	-11.91	97.4	-	-
23	14,724	14,725	-13.90	97.4	-	-
24	2,801	2,807	1.82	97.4	-	-
25	4,314	4,319	-2.13	97.4	-	-
26	4,862	4,866	-3.24	97.4	-	-
27	4,804	4,809	-3.13	97.4	-	-
28	2,732	2,740	2.05	97.4	-	-
29	2,119	2,127	4.33	97.4	-	-
3	5,340	5,344	-4.11	97.4	-	-
30	2,740	2,746	2.02	97.4	-	-
31	3,444	3,448	-0.05	97.4	-	-
32	2,039	2,047	4.68	97.4	-	-
33	1,817	1,826	5.70	97.4	-	-
34	19,577	19,578	-16.76	97.4	-	-
35	11,505	11,507	-11.46	97.4	-	-
36	12,962	12,963	-12.64	97.4	-	-
37	13,738	13,740	-13.21	97.4	-	-
38	15,840	15,842	-14.63	97.4	-	-
39	15,326	15,327	-14.30	97.4	-	-
4	13,755	13,757	-13.23	97.4	-	-
40	3,606	3,612	-0.48	97.4	-	-
5	16,928	16,929	-15.30	97.4	-	-
6	15,344	15,345	-14.31	97.4	-	-
7	14,354	14,355	-13.65	97.4	-	-
8	19,408	19,408	-16.67	97.4	-	-
9	17,855	17,856	-15.83	97.4	-	-
Sum			12.87			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: BA Miera iela 1

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,589	9,591	-9.68	97.4	-	-
10	3,684	3,689	-0.67	97.4	-	-
11	1,254	1,266	8.97	97.4	-	-
12	4,061	4,066	-1.57	97.4	-	-
13	2,471	2,479	2.95	97.4	-	-
14	3,192	3,198	0.64	97.4	-	-
15	8,434	8,436	-8.44	97.4	-	-
16	7,819	7,822	-7.72	97.4	-	-
17	6,853	6,856	-6.46	97.4	-	-
18	8,817	8,820	-8.87	97.4	-	-
19	8,419	8,422	-8.43	97.4	-	-
2	13,160	13,161	-12.79	97.4	-	-
20	8,338	8,340	-8.33	97.4	-	-
21	7,737	7,740	-7.62	97.4	-	-
22	7,574	7,577	-7.41	97.4	-	-
23	6,377	6,379	-5.78	97.4	-	-
24	17,879	17,879	-15.85	97.4	-	-
25	16,142	16,143	-14.82	97.4	-	-
26	15,908	15,909	-14.67	97.4	-	-
27	14,592	14,594	-13.81	97.4	-	-
28	17,358	17,360	-15.55	97.4	-	-
29	17,688	17,689	-15.74	97.4	-	-
3	14,068	14,070	-13.45	97.4	-	-
30	18,582	18,583	-16.24	97.4	-	-
31	18,037	18,037	-15.93	97.4	-	-
32	18,815	18,816	-16.36	97.4	-	-
33	17,709	17,710	-15.75	97.4	-	-
34	2,689	2,694	2.20	97.4	-	-
35	10,322	10,324	-10.40	97.4	-	-
36	7,321	7,324	-7.09	97.4	-	-
37	6,557	6,560	-6.04	97.4	-	-
38	4,443	4,448	-2.40	97.4	-	-
39	5,787	5,789	-4.86	97.4	-	-
4	5,806	5,810	-4.89	97.4	-	-
40	16,772	16,773	-15.20	97.4	-	-
5	4,436	4,441	-2.38	97.4	-	-
6	5,344	5,348	-4.12	97.4	-	-
7	6,319	6,323	-5.69	97.4	-	-
8	1,930	1,937	5.17	97.4	-	-
9	2,153	2,159	4.20	97.4	-	-
Sum			14.02			

- Data undefined due to calculation with octave data

Noise sensitive area: BA Miera iela 1

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,589	9,591	-9.68	97.4	-	-
10	3,684	3,689	-0.67	97.4	-	-
11	1,254	1,266	8.97	97.4	-	-
12	4,061	4,066	-1.57	97.4	-	-
13	2,471	2,479	2.95	97.4	-	-
14	3,192	3,198	0.64	97.4	-	-
15	8,434	8,436	-8.44	97.4	-	-
16	7,819	7,822	-7.72	97.4	-	-
17	6,853	6,856	-6.46	97.4	-	-
18	8,817	8,820	-8.87	97.4	-	-
19	8,419	8,422	-8.43	97.4	-	-
2	13,160	13,161	-12.79	97.4	-	-
20	8,338	8,340	-8.33	97.4	-	-
21	7,737	7,740	-7.62	97.4	-	-
22	7,574	7,577	-7.41	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,377	6,379	-5.78	97.4	-	-
24	17,879	17,879	-15.85	97.4	-	-
25	16,142	16,143	-14.82	97.4	-	-
26	15,908	15,909	-14.67	97.4	-	-
27	14,592	14,594	-13.81	97.4	-	-
28	17,358	17,360	-15.55	97.4	-	-
29	17,688	17,689	-15.74	97.4	-	-
3	14,068	14,070	-13.45	97.4	-	-
30	18,582	18,583	-16.24	97.4	-	-
31	18,037	18,037	-15.93	97.4	-	-
32	18,815	18,816	-16.36	97.4	-	-
33	17,709	17,710	-15.75	97.4	-	-
34	2,689	2,694	2.20	97.4	-	-
35	10,322	10,324	-10.40	97.4	-	-
36	7,321	7,324	-7.09	97.4	-	-
37	6,557	6,560	-6.04	97.4	-	-
38	4,443	4,448	-2.40	97.4	-	-
39	5,787	5,789	-4.86	97.4	-	-
4	5,806	5,810	-4.89	97.4	-	-
40	16,772	16,773	-15.20	97.4	-	-
5	4,436	4,441	-2.38	97.4	-	-
6	5,344	5,348	-4.12	97.4	-	-
7	6,319	6,323	-5.69	97.4	-	-
8	1,930	1,937	5.17	97.4	-	-
9	2,153	2,159	4.20	97.4	-	-
Sum			14.02			

- Data undefined due to calculation with octave data

Noise sensitive area: BB Miera iela 2

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,648	9,650	-9.74	97.4	-	-
10	3,742	3,748	-0.82	97.4	-	-
11	1,283	1,295	8.77	97.4	-	-
12	4,115	4,120	-1.69	97.4	-	-
13	2,514	2,521	2.80	97.4	-	-
14	3,226	3,232	0.54	97.4	-	-
15	8,495	8,497	-8.51	97.4	-	-
16	7,880	7,883	-7.79	97.4	-	-
17	6,912	6,915	-6.54	97.4	-	-
18	8,877	8,879	-8.94	97.4	-	-
19	8,480	8,482	-8.50	97.4	-	-
2	13,216	13,218	-12.83	97.4	-	-
20	8,397	8,399	-8.40	97.4	-	-
21	7,797	7,799	-7.69	97.4	-	-
22	7,635	7,638	-7.49	97.4	-	-
23	6,434	6,436	-5.86	97.4	-	-
24	17,936	17,936	-15.88	97.4	-	-
25	16,198	16,200	-14.86	97.4	-	-
26	15,964	15,965	-14.71	97.4	-	-
27	14,652	14,653	-13.85	97.4	-	-
28	17,416	17,417	-15.58	97.4	-	-
29	17,746	17,747	-15.77	97.4	-	-
3	14,127	14,129	-13.49	97.4	-	-
30	18,639	18,639	-16.27	97.4	-	-
31	18,093	18,093	-15.97	97.4	-	-
32	18,873	18,874	-16.39	97.4	-	-
33	17,767	17,768	-15.78	97.4	-	-
34	2,705	2,710	2.14	97.4	-	-
35	10,381	10,383	-10.46	97.4	-	-
36	7,381	7,384	-7.17	97.4	-	-
37	6,617	6,620	-6.13	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,501	4,506	-2.52	97.4	-	-
39	5,843	5,845	-4.95	97.4	-	-
4	5,867	5,871	-4.99	97.4	-	-
40	16,829	16,830	-15.24	97.4	-	-
5	4,486	4,490	-2.49	97.4	-	-
6	5,401	5,405	-4.22	97.4	-	-
7	6,378	6,381	-5.78	97.4	-	-
8	1,948	1,955	5.09	97.4	-	-
9	2,207	2,214	3.97	97.4	-	-
Sum			13.88			

- Data undefined due to calculation with octave data

Noise sensitive area: BB Miera iela 2

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,648	9,650	-9.74	97.4	-	-
10	3,742	3,748	-0.82	97.4	-	-
11	1,283	1,295	8.77	97.4	-	-
12	4,115	4,120	-1.69	97.4	-	-
13	2,514	2,521	2.80	97.4	-	-
14	3,226	3,232	0.54	97.4	-	-
15	8,495	8,497	-8.51	97.4	-	-
16	7,880	7,883	-7.79	97.4	-	-
17	6,912	6,915	-6.54	97.4	-	-
18	8,877	8,879	-8.94	97.4	-	-
19	8,480	8,482	-8.50	97.4	-	-
2	13,216	13,218	-12.83	97.4	-	-
20	8,397	8,399	-8.40	97.4	-	-
21	7,797	7,799	-7.69	97.4	-	-
22	7,635	7,638	-7.49	97.4	-	-
23	6,434	6,436	-5.86	97.4	-	-
24	17,936	17,936	-15.88	97.4	-	-
25	16,198	16,200	-14.86	97.4	-	-
26	15,964	15,965	-14.71	97.4	-	-
27	14,652	14,653	-13.85	97.4	-	-
28	17,416	17,417	-15.58	97.4	-	-
29	17,746	17,747	-15.77	97.4	-	-
3	14,127	14,129	-13.49	97.4	-	-
30	18,639	18,639	-16.27	97.4	-	-
31	18,093	18,093	-15.97	97.4	-	-
32	18,873	18,874	-16.39	97.4	-	-
33	17,767	17,768	-15.78	97.4	-	-
34	2,705	2,710	2.14	97.4	-	-
35	10,381	10,383	-10.46	97.4	-	-
36	7,381	7,384	-7.17	97.4	-	-
37	6,617	6,620	-6.13	97.4	-	-
38	4,501	4,506	-2.52	97.4	-	-
39	5,843	5,845	-4.95	97.4	-	-
4	5,867	5,871	-4.99	97.4	-	-
40	16,829	16,830	-15.24	97.4	-	-
5	4,486	4,490	-2.49	97.4	-	-
6	5,401	5,405	-4.22	97.4	-	-
7	6,378	6,381	-5.78	97.4	-	-
8	1,948	1,955	5.09	97.4	-	-
9	2,207	2,214	3.97	97.4	-	-
Sum			13.88			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: BC Miera iela 3

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,577	9,579	-9.67	97.4	-	-
10	3,671	3,677	-0.64	97.4	-	-
11	1,207	1,219	9.30	97.4	-	-
12	4,038	4,043	-1.52	97.4	-	-
13	2,434	2,442	3.09	97.4	-	-
14	3,148	3,154	0.76	97.4	-	-
15	8,432	8,434	-8.44	97.4	-	-
16	7,820	7,823	-7.72	97.4	-	-
17	6,840	6,843	-6.44	97.4	-	-
18	8,809	8,811	-8.86	97.4	-	-
19	8,413	8,416	-8.42	97.4	-	-
2	13,183	13,185	-12.80	97.4	-	-
20	8,326	8,328	-8.32	97.4	-	-
21	7,727	7,730	-7.61	97.4	-	-
22	7,580	7,583	-7.42	97.4	-	-
23	6,360	6,362	-5.75	97.4	-	-
24	17,902	17,903	-15.86	97.4	-	-
25	16,167	16,168	-14.84	97.4	-	-
26	15,935	15,936	-14.69	97.4	-	-
27	14,609	14,610	-13.82	97.4	-	-
28	17,381	17,382	-15.56	97.4	-	-
29	17,708	17,709	-15.75	97.4	-	-
3	14,087	14,088	-13.46	97.4	-	-
30	18,606	18,607	-16.25	97.4	-	-
31	18,062	18,063	-15.95	97.4	-	-
32	18,838	18,838	-16.37	97.4	-	-
33	17,728	17,729	-15.76	97.4	-	-
34	2,637	2,642	2.38	97.4	-	-
35	10,311	10,313	-10.39	97.4	-	-
36	7,316	7,319	-7.08	97.4	-	-
37	6,550	6,553	-6.03	97.4	-	-
38	4,429	4,434	-2.37	97.4	-	-
39	5,767	5,770	-4.83	97.4	-	-
4	5,812	5,816	-4.90	97.4	-	-
40	16,796	16,798	-15.22	97.4	-	-
5	4,407	4,411	-2.32	97.4	-	-
6	5,328	5,332	-4.09	97.4	-	-
7	6,307	6,310	-5.67	97.4	-	-
8	1,878	1,885	5.42	97.4	-	-
9	2,130	2,137	4.29	97.4	-	-
Sum			14.20			

- Data undefined due to calculation with octave data

Noise sensitive area: BC Miera iela 3

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,577	9,579	-9.67	97.4	-	-
10	3,671	3,677	-0.64	97.4	-	-
11	1,207	1,219	9.30	97.4	-	-
12	4,038	4,043	-1.52	97.4	-	-
13	2,434	2,442	3.09	97.4	-	-
14	3,148	3,154	0.76	97.4	-	-
15	8,432	8,434	-8.44	97.4	-	-
16	7,820	7,823	-7.72	97.4	-	-
17	6,840	6,843	-6.44	97.4	-	-
18	8,809	8,811	-8.86	97.4	-	-
19	8,413	8,416	-8.42	97.4	-	-
2	13,183	13,185	-12.80	97.4	-	-
20	8,326	8,328	-8.32	97.4	-	-
21	7,727	7,730	-7.61	97.4	-	-
22	7,580	7,583	-7.42	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,360	6,362	-5.75	97.4	-	-
24	17,902	17,903	-15.86	97.4	-	-
25	16,167	16,168	-14.84	97.4	-	-
26	15,935	15,936	-14.69	97.4	-	-
27	14,609	14,610	-13.82	97.4	-	-
28	17,381	17,382	-15.56	97.4	-	-
29	17,708	17,709	-15.75	97.4	-	-
3	14,087	14,088	-13.46	97.4	-	-
30	18,606	18,607	-16.25	97.4	-	-
31	18,062	18,063	-15.95	97.4	-	-
32	18,838	18,838	-16.37	97.4	-	-
33	17,728	17,729	-15.76	97.4	-	-
34	2,637	2,642	2.38	97.4	-	-
35	10,311	10,313	-10.39	97.4	-	-
36	7,316	7,319	-7.08	97.4	-	-
37	6,550	6,553	-6.03	97.4	-	-
38	4,429	4,434	-2.37	97.4	-	-
39	5,767	5,770	-4.83	97.4	-	-
4	5,812	5,816	-4.90	97.4	-	-
40	16,796	16,798	-15.22	97.4	-	-
5	4,407	4,411	-2.32	97.4	-	-
6	5,328	5,332	-4.09	97.4	-	-
7	6,307	6,310	-5.67	97.4	-	-
8	1,878	1,885	5.42	97.4	-	-
9	2,130	2,137	4.29	97.4	-	-
Sum			14.20			

- Data undefined due to calculation with octave data

Noise sensitive area: BD Miera iela 4

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,616	9,619	-9.71	97.4	-	-
10	3,711	3,716	-0.74	97.4	-	-
11	1,224	1,236	9.18	97.4	-	-
12	4,074	4,079	-1.60	97.4	-	-
13	2,461	2,469	2.99	97.4	-	-
14	3,168	3,174	0.71	97.4	-	-
15	8,474	8,476	-8.49	97.4	-	-
16	7,862	7,865	-7.77	97.4	-	-
17	6,880	6,883	-6.50	97.4	-	-
18	8,850	8,852	-8.91	97.4	-	-
19	8,455	8,457	-8.47	97.4	-	-
2	13,224	13,226	-12.84	97.4	-	-
20	8,365	8,367	-8.37	97.4	-	-
21	7,767	7,770	-7.65	97.4	-	-
22	7,623	7,626	-7.48	97.4	-	-
23	6,398	6,400	-5.81	97.4	-	-
24	17,943	17,944	-15.88	97.4	-	-
25	16,208	16,209	-14.86	97.4	-	-
26	15,975	15,976	-14.72	97.4	-	-
27	14,651	14,652	-13.85	97.4	-	-
28	17,422	17,423	-15.59	97.4	-	-
29	17,750	17,751	-15.77	97.4	-	-
3	14,129	14,130	-13.49	97.4	-	-
30	18,647	18,647	-16.27	97.4	-	-
31	18,103	18,103	-15.97	97.4	-	-
32	18,879	18,880	-16.40	97.4	-	-
33	17,769	17,770	-15.78	97.4	-	-
34	2,644	2,649	2.35	97.4	-	-
35	10,351	10,353	-10.43	97.4	-	-
36	7,358	7,361	-7.14	97.4	-	-
37	6,591	6,594	-6.09	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,468	4,473	-2.45	97.4	-	-
39	5,804	5,807	-4.89	97.4	-	-
4	5,855	5,859	-4.97	97.4	-	-
40	16,837	16,838	-15.24	97.4	-	-
5	4,439	4,443	-2.39	97.4	-	-
6	5,366	5,370	-4.16	97.4	-	-
7	6,347	6,350	-5.73	97.4	-	-
8	1,887	1,895	5.37	97.4	-	-
9	2,167	2,173	4.14	97.4	-	-
Sum			14.11			

- Data undefined due to calculation with octave data

Noise sensitive area: BD Miera iela 4

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,616	9,619	-9.71	97.4	-	-
10	3,711	3,716	-0.74	97.4	-	-
11	1,224	1,236	9.18	97.4	-	-
12	4,074	4,079	-1.60	97.4	-	-
13	2,461	2,469	2.99	97.4	-	-
14	3,168	3,174	0.71	97.4	-	-
15	8,474	8,476	-8.49	97.4	-	-
16	7,862	7,865	-7.77	97.4	-	-
17	6,880	6,883	-6.50	97.4	-	-
18	8,850	8,852	-8.91	97.4	-	-
19	8,455	8,457	-8.47	97.4	-	-
2	13,224	13,226	-12.84	97.4	-	-
20	8,365	8,367	-8.37	97.4	-	-
21	7,767	7,770	-7.65	97.4	-	-
22	7,623	7,626	-7.48	97.4	-	-
23	6,398	6,400	-5.81	97.4	-	-
24	17,943	17,944	-15.88	97.4	-	-
25	16,208	16,209	-14.86	97.4	-	-
26	15,975	15,976	-14.72	97.4	-	-
27	14,651	14,652	-13.85	97.4	-	-
28	17,422	17,423	-15.59	97.4	-	-
29	17,750	17,751	-15.77	97.4	-	-
3	14,129	14,130	-13.49	97.4	-	-
30	18,647	18,647	-16.27	97.4	-	-
31	18,103	18,103	-15.97	97.4	-	-
32	18,879	18,880	-16.40	97.4	-	-
33	17,769	17,770	-15.78	97.4	-	-
34	2,644	2,649	2.35	97.4	-	-
35	10,351	10,353	-10.43	97.4	-	-
36	7,358	7,361	-7.14	97.4	-	-
37	6,591	6,594	-6.09	97.4	-	-
38	4,468	4,473	-2.45	97.4	-	-
39	5,804	5,807	-4.89	97.4	-	-
4	5,855	5,859	-4.97	97.4	-	-
40	16,837	16,838	-15.24	97.4	-	-
5	4,439	4,443	-2.39	97.4	-	-
6	5,366	5,370	-4.16	97.4	-	-
7	6,347	6,350	-5.73	97.4	-	-
8	1,887	1,895	5.37	97.4	-	-
9	2,167	2,173	4.14	97.4	-	-
Sum			14.11			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: BE Miera iela 5

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,551	9,553	-9.65	97.4	-	-
10	3,646	3,652	-0.58	97.4	-	-
11	1,142	1,155	9.78	97.4	-	-
12	4,000	4,006	-1.43	97.4	-	-
13	2,380	2,388	3.29	97.4	-	-
14	3,086	3,092	0.94	97.4	-	-
15	8,419	8,421	-8.43	97.4	-	-
16	7,811	7,814	-7.71	97.4	-	-
17	6,814	6,817	-6.41	97.4	-	-
18	8,788	8,791	-8.84	97.4	-	-
19	8,396	8,398	-8.40	97.4	-	-
2	13,204	13,206	-12.82	97.4	-	-
20	8,300	8,302	-8.29	97.4	-	-
21	7,704	7,707	-7.58	97.4	-	-
22	7,579	7,582	-7.42	97.4	-	-
23	6,329	6,331	-5.71	97.4	-	-
24	17,922	17,923	-15.87	97.4	-	-
25	16,189	16,191	-14.85	97.4	-	-
26	15,959	15,961	-14.71	97.4	-	-
27	14,619	14,621	-13.83	97.4	-	-
28	17,399	17,400	-15.57	97.4	-	-
29	17,724	17,725	-15.76	97.4	-	-
3	14,100	14,101	-13.47	97.4	-	-
30	18,626	18,627	-16.26	97.4	-	-
31	18,085	18,086	-15.96	97.4	-	-
32	18,856	18,857	-16.38	97.4	-	-
33	17,741	17,742	-15.77	97.4	-	-
34	2,567	2,572	2.62	97.4	-	-
35	10,287	10,290	-10.37	97.4	-	-
36	7,300	7,303	-7.06	97.4	-	-
37	6,531	6,534	-6.00	97.4	-	-
38	4,402	4,407	-2.31	97.4	-	-
39	5,733	5,735	-4.77	97.4	-	-
4	5,810	5,814	-4.90	97.4	-	-
40	16,817	16,818	-15.23	97.4	-	-
5	4,361	4,365	-2.23	97.4	-	-
6	5,297	5,301	-4.03	97.4	-	-
7	6,281	6,285	-5.64	97.4	-	-
8	1,809	1,817	5.75	97.4	-	-
9	2,094	2,101	4.44	97.4	-	-
Sum			14.47			

- Data undefined due to calculation with octave data

Noise sensitive area: BE Miera iela 5

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,551	9,553	-9.65	97.4	-	-
10	3,646	3,652	-0.58	97.4	-	-
11	1,142	1,155	9.78	97.4	-	-
12	4,000	4,006	-1.43	97.4	-	-
13	2,380	2,388	3.29	97.4	-	-
14	3,086	3,092	0.94	97.4	-	-
15	8,419	8,421	-8.43	97.4	-	-
16	7,811	7,814	-7.71	97.4	-	-
17	6,814	6,817	-6.41	97.4	-	-
18	8,788	8,791	-8.84	97.4	-	-
19	8,396	8,398	-8.40	97.4	-	-
2	13,204	13,206	-12.82	97.4	-	-
20	8,300	8,302	-8.29	97.4	-	-
21	7,704	7,707	-7.58	97.4	-	-
22	7,579	7,582	-7.42	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,329	6,331	-5.71	97.4	-	-
24	17,922	17,923	-15.87	97.4	-	-
25	16,189	16,191	-14.85	97.4	-	-
26	15,959	15,961	-14.71	97.4	-	-
27	14,619	14,621	-13.83	97.4	-	-
28	17,399	17,400	-15.57	97.4	-	-
29	17,724	17,725	-15.76	97.4	-	-
3	14,100	14,101	-13.47	97.4	-	-
30	18,626	18,627	-16.26	97.4	-	-
31	18,085	18,086	-15.96	97.4	-	-
32	18,856	18,857	-16.38	97.4	-	-
33	17,741	17,742	-15.77	97.4	-	-
34	2,567	2,572	2.62	97.4	-	-
35	10,287	10,290	-10.37	97.4	-	-
36	7,300	7,303	-7.06	97.4	-	-
37	6,531	6,534	-6.00	97.4	-	-
38	4,402	4,407	-2.31	97.4	-	-
39	5,733	5,735	-4.77	97.4	-	-
4	5,810	5,814	-4.90	97.4	-	-
40	16,817	16,818	-15.23	97.4	-	-
5	4,361	4,365	-2.23	97.4	-	-
6	5,297	5,301	-4.03	97.4	-	-
7	6,281	6,285	-5.64	97.4	-	-
8	1,809	1,817	5.75	97.4	-	-
9	2,094	2,101	4.44	97.4	-	-
Sum			14.47			

- Data undefined due to calculation with octave data

Noise sensitive area: BF Miera iela 6

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,591	9,593	-9.69	97.4	-	-
10	3,686	3,691	-0.68	97.4	-	-
11	1,161	1,174	9.64	97.4	-	-
12	4,037	4,042	-1.51	97.4	-	-
13	2,408	2,416	3.19	97.4	-	-
14	3,107	3,113	0.88	97.4	-	-
15	8,461	8,463	-8.48	97.4	-	-
16	7,854	7,856	-7.76	97.4	-	-
17	6,854	6,857	-6.46	97.4	-	-
18	8,829	8,832	-8.89	97.4	-	-
19	8,437	8,439	-8.45	97.4	-	-
2	13,245	13,246	-12.85	97.4	-	-
20	8,339	8,341	-8.34	97.4	-	-
21	7,745	7,748	-7.63	97.4	-	-
22	7,621	7,624	-7.47	97.4	-	-
23	6,367	6,369	-5.76	97.4	-	-
24	17,963	17,964	-15.89	97.4	-	-
25	16,230	16,231	-14.87	97.4	-	-
26	15,999	16,000	-14.73	97.4	-	-
27	14,661	14,663	-13.86	97.4	-	-
28	17,440	17,441	-15.60	97.4	-	-
29	17,766	17,767	-15.78	97.4	-	-
3	14,142	14,143	-13.50	97.4	-	-
30	18,667	18,668	-16.28	97.4	-	-
31	18,125	18,126	-15.98	97.4	-	-
32	18,897	18,898	-16.40	97.4	-	-
33	17,783	17,784	-15.79	97.4	-	-
34	2,574	2,580	2.59	97.4	-	-
35	10,328	10,330	-10.41	97.4	-	-
36	7,341	7,345	-7.12	97.4	-	-
37	6,572	6,575	-6.06	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,441	4,446	-2.39	97.4	-	-
39	5,770	5,773	-4.83	97.4	-	-
4	5,852	5,856	-4.97	97.4	-	-
40	16,858	16,859	-15.26	97.4	-	-
5	4,393	4,398	-2.29	97.4	-	-
6	5,336	5,340	-4.10	97.4	-	-
7	6,321	6,324	-5.70	97.4	-	-
8	1,819	1,826	5.70	97.4	-	-
9	2,131	2,138	4.29	97.4	-	-
Sum			14.38			

- Data undefined due to calculation with octave data

Noise sensitive area: BF Miera iela 6

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,591	9,593	-9.69	97.4	-	-
10	3,686	3,691	-0.68	97.4	-	-
11	1,161	1,174	9.64	97.4	-	-
12	4,037	4,042	-1.51	97.4	-	-
13	2,408	2,416	3.19	97.4	-	-
14	3,107	3,113	0.88	97.4	-	-
15	8,461	8,463	-8.48	97.4	-	-
16	7,854	7,856	-7.76	97.4	-	-
17	6,854	6,857	-6.46	97.4	-	-
18	8,829	8,832	-8.89	97.4	-	-
19	8,437	8,439	-8.45	97.4	-	-
2	13,245	13,246	-12.85	97.4	-	-
20	8,339	8,341	-8.34	97.4	-	-
21	7,745	7,748	-7.63	97.4	-	-
22	7,621	7,624	-7.47	97.4	-	-
23	6,367	6,369	-5.76	97.4	-	-
24	17,963	17,964	-15.89	97.4	-	-
25	16,230	16,231	-14.87	97.4	-	-
26	15,999	16,000	-14.73	97.4	-	-
27	14,661	14,663	-13.86	97.4	-	-
28	17,440	17,441	-15.60	97.4	-	-
29	17,766	17,767	-15.78	97.4	-	-
3	14,142	14,143	-13.50	97.4	-	-
30	18,667	18,668	-16.28	97.4	-	-
31	18,125	18,126	-15.98	97.4	-	-
32	18,897	18,898	-16.40	97.4	-	-
33	17,783	17,784	-15.79	97.4	-	-
34	2,574	2,580	2.59	97.4	-	-
35	10,328	10,330	-10.41	97.4	-	-
36	7,341	7,345	-7.12	97.4	-	-
37	6,572	6,575	-6.06	97.4	-	-
38	4,441	4,446	-2.39	97.4	-	-
39	5,770	5,773	-4.83	97.4	-	-
4	5,852	5,856	-4.97	97.4	-	-
40	16,858	16,859	-15.26	97.4	-	-
5	4,393	4,398	-2.29	97.4	-	-
6	5,336	5,340	-4.10	97.4	-	-
7	6,321	6,324	-5.70	97.4	-	-
8	1,819	1,826	5.70	97.4	-	-
9	2,131	2,138	4.29	97.4	-	-
Sum			14.38			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: BG Miera iela 7

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,522	9,524	-9.62	97.4	-	-
10	3,618	3,624	-0.51	97.4	-	-
11	1,085	1,099	10.22	97.4	-	-
12	3,962	3,968	-1.34	97.4	-	-
13	2,330	2,338	3.48	97.4	-	-
14	3,030	3,037	1.11	97.4	-	-
15	8,401	8,403	-8.41	97.4	-	-
16	7,796	7,799	-7.69	97.4	-	-
17	6,785	6,788	-6.37	97.4	-	-
18	8,763	8,766	-8.81	97.4	-	-
19	8,373	8,376	-8.38	97.4	-	-
2	13,214	13,215	-12.83	97.4	-	-
20	8,271	8,273	-8.26	97.4	-	-
21	7,678	7,681	-7.54	97.4	-	-
22	7,569	7,572	-7.41	97.4	-	-
23	6,295	6,298	-5.66	97.4	-	-
24	17,931	17,932	-15.88	97.4	-	-
25	16,200	16,202	-14.86	97.4	-	-
26	15,972	15,973	-14.71	97.4	-	-
27	14,620	14,621	-13.83	97.4	-	-
28	17,406	17,407	-15.58	97.4	-	-
29	17,730	17,731	-15.76	97.4	-	-
3	14,103	14,104	-13.47	97.4	-	-
30	18,636	18,637	-16.26	97.4	-	-
31	18,096	18,097	-15.97	97.4	-	-
32	18,863	18,864	-16.39	97.4	-	-
33	17,745	17,746	-15.77	97.4	-	-
34	2,507	2,513	2.83	97.4	-	-
35	10,260	10,262	-10.34	97.4	-	-
36	7,279	7,282	-7.03	97.4	-	-
37	6,508	6,511	-5.97	97.4	-	-
38	4,372	4,377	-2.25	97.4	-	-
39	5,697	5,700	-4.71	97.4	-	-
4	5,800	5,804	-4.89	97.4	-	-
40	16,826	16,828	-15.24	97.4	-	-
5	4,316	4,321	-2.13	97.4	-	-
6	5,265	5,269	-3.98	97.4	-	-
7	6,253	6,256	-5.59	97.4	-	-
8	1,750	1,758	6.04	97.4	-	-
9	2,058	2,065	4.60	97.4	-	-
Sum			14.73			

- Data undefined due to calculation with octave data

Noise sensitive area: BG Miera iela 7

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,522	9,524	-9.62	97.4	-	-
10	3,618	3,624	-0.51	97.4	-	-
11	1,085	1,099	10.22	97.4	-	-
12	3,962	3,968	-1.34	97.4	-	-
13	2,330	2,338	3.48	97.4	-	-
14	3,030	3,037	1.11	97.4	-	-
15	8,401	8,403	-8.41	97.4	-	-
16	7,796	7,799	-7.69	97.4	-	-
17	6,785	6,788	-6.37	97.4	-	-
18	8,763	8,766	-8.81	97.4	-	-
19	8,373	8,376	-8.38	97.4	-	-
2	13,214	13,215	-12.83	97.4	-	-
20	8,271	8,273	-8.26	97.4	-	-
21	7,678	7,681	-7.54	97.4	-	-
22	7,569	7,572	-7.41	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,295	6,298	-5.66	97.4	-	-
24	17,931	17,932	-15.88	97.4	-	-
25	16,200	16,202	-14.86	97.4	-	-
26	15,972	15,973	-14.71	97.4	-	-
27	14,620	14,621	-13.83	97.4	-	-
28	17,406	17,407	-15.58	97.4	-	-
29	17,730	17,731	-15.76	97.4	-	-
3	14,103	14,104	-13.47	97.4	-	-
30	18,636	18,637	-16.26	97.4	-	-
31	18,096	18,097	-15.97	97.4	-	-
32	18,863	18,864	-16.39	97.4	-	-
33	17,745	17,746	-15.77	97.4	-	-
34	2,507	2,513	2.83	97.4	-	-
35	10,260	10,262	-10.34	97.4	-	-
36	7,279	7,282	-7.03	97.4	-	-
37	6,508	6,511	-5.97	97.4	-	-
38	4,372	4,377	-2.25	97.4	-	-
39	5,697	5,700	-4.71	97.4	-	-
4	5,800	5,804	-4.89	97.4	-	-
40	16,826	16,828	-15.24	97.4	-	-
5	4,316	4,321	-2.13	97.4	-	-
6	5,265	5,269	-3.98	97.4	-	-
7	6,253	6,256	-5.59	97.4	-	-
8	1,750	1,758	6.04	97.4	-	-
9	2,058	2,065	4.60	97.4	-	-
Sum			14.73			

- Data undefined due to calculation with octave data

Noise sensitive area: BH Miera iela 8

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,577	9,579	-9.67	97.4	-	-
10	3,673	3,679	-0.65	97.4	-	-
11	1,111	1,125	10.02	97.4	-	-
12	4,012	4,018	-1.46	97.4	-	-
13	2,368	2,376	3.33	97.4	-	-
14	3,059	3,065	1.02	97.4	-	-
15	8,459	8,461	-8.47	97.4	-	-
16	7,854	7,857	-7.76	97.4	-	-
17	6,840	6,843	-6.44	97.4	-	-
18	8,820	8,822	-8.88	97.4	-	-
19	8,430	8,432	-8.44	97.4	-	-
2	13,270	13,271	-12.87	97.4	-	-
20	8,325	8,327	-8.32	97.4	-	-
21	7,733	7,736	-7.61	97.4	-	-
22	7,628	7,631	-7.48	97.4	-	-
23	6,348	6,350	-5.73	97.4	-	-
24	17,987	17,988	-15.91	97.4	-	-
25	16,256	16,257	-14.89	97.4	-	-
26	16,027	16,029	-14.75	97.4	-	-
27	14,678	14,679	-13.87	97.4	-	-
28	17,463	17,464	-15.61	97.4	-	-
29	17,787	17,788	-15.79	97.4	-	-
3	14,160	14,162	-13.51	97.4	-	-
30	18,692	18,693	-16.29	97.4	-	-
31	18,152	18,153	-16.00	97.4	-	-
32	18,920	18,921	-16.42	97.4	-	-
33	17,802	17,803	-15.80	97.4	-	-
34	2,517	2,523	2.79	97.4	-	-
35	10,315	10,318	-10.40	97.4	-	-
36	7,336	7,339	-7.11	97.4	-	-
37	6,565	6,568	-6.05	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,427	4,431	-2.36	97.4	-	-
39	5,749	5,751	-4.80	97.4	-	-
4	5,859	5,863	-4.98	97.4	-	-
40	16,883	16,884	-15.27	97.4	-	-
5	4,361	4,366	-2.23	97.4	-	-
6	5,318	5,322	-4.07	97.4	-	-
7	6,307	6,311	-5.67	97.4	-	-
8	1,763	1,771	5.98	97.4	-	-
9	2,109	2,116	4.38	97.4	-	-
Sum			14.59			

- Data undefined due to calculation with octave data

Noise sensitive area: BH Miera iela 8

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,577	9,579	-9.67	97.4	-	-
10	3,673	3,679	-0.65	97.4	-	-
11	1,111	1,125	10.02	97.4	-	-
12	4,012	4,018	-1.46	97.4	-	-
13	2,368	2,376	3.33	97.4	-	-
14	3,059	3,065	1.02	97.4	-	-
15	8,459	8,461	-8.47	97.4	-	-
16	7,854	7,857	-7.76	97.4	-	-
17	6,840	6,843	-6.44	97.4	-	-
18	8,820	8,822	-8.88	97.4	-	-
19	8,430	8,432	-8.44	97.4	-	-
2	13,270	13,271	-12.87	97.4	-	-
20	8,325	8,327	-8.32	97.4	-	-
21	7,733	7,736	-7.61	97.4	-	-
22	7,628	7,631	-7.48	97.4	-	-
23	6,348	6,350	-5.73	97.4	-	-
24	17,987	17,988	-15.91	97.4	-	-
25	16,256	16,257	-14.89	97.4	-	-
26	16,027	16,029	-14.75	97.4	-	-
27	14,678	14,679	-13.87	97.4	-	-
28	17,463	17,464	-15.61	97.4	-	-
29	17,787	17,788	-15.79	97.4	-	-
3	14,160	14,162	-13.51	97.4	-	-
30	18,692	18,693	-16.29	97.4	-	-
31	18,152	18,153	-16.00	97.4	-	-
32	18,920	18,921	-16.42	97.4	-	-
33	17,802	17,803	-15.80	97.4	-	-
34	2,517	2,523	2.79	97.4	-	-
35	10,315	10,318	-10.40	97.4	-	-
36	7,336	7,339	-7.11	97.4	-	-
37	6,565	6,568	-6.05	97.4	-	-
38	4,427	4,431	-2.36	97.4	-	-
39	5,749	5,751	-4.80	97.4	-	-
4	5,859	5,863	-4.98	97.4	-	-
40	16,883	16,884	-15.27	97.4	-	-
5	4,361	4,366	-2.23	97.4	-	-
6	5,318	5,322	-4.07	97.4	-	-
7	6,307	6,311	-5.67	97.4	-	-
8	1,763	1,771	5.98	97.4	-	-
9	2,109	2,116	4.38	97.4	-	-
Sum			14.59			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: BI Olinas

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3,471	3,477	-0.13	97.4	-	-
10	3,239	3,245	0.50	97.4	-	-
11	5,687	5,690	-4.70	97.4	-	-
12	2,654	2,662	2.30	97.4	-	-
13	4,381	4,386	-2.27	97.4	-	-
14	4,113	4,118	-1.69	97.4	-	-
15	3,663	3,668	-0.62	97.4	-	-
16	3,669	3,675	-0.64	97.4	-	-
17	1,571	1,584	6.97	97.4	-	-
18	3,222	3,229	0.55	97.4	-	-
19	3,179	3,186	0.67	97.4	-	-
2	10,515	10,517	-10.58	97.4	-	-
20	2,406	2,414	3.19	97.4	-	-
21	2,287	2,297	3.64	97.4	-	-
22	4,227	4,232	-1.94	97.4	-	-
23	1,039	1,054	10.59	97.4	-	-
24	14,727	14,728	-13.90	97.4	-	-
25	13,341	13,343	-12.92	97.4	-	-
26	13,345	13,346	-12.92	97.4	-	-
27	10,827	10,829	-10.87	97.4	-	-
28	14,068	14,070	-13.45	97.4	-	-
29	14,176	14,177	-13.52	97.4	-	-
3	10,589	10,591	-10.65	97.4	-	-
30	15,458	15,459	-14.39	97.4	-	-
31	15,150	15,152	-14.19	97.4	-	-
32	15,451	15,452	-14.38	97.4	-	-
33	14,001	14,003	-13.40	97.4	-	-
34	5,179	5,182	-3.82	97.4	-	-
35	4,274	4,279	-2.04	97.4	-	-
36	2,728	2,737	2.06	97.4	-	-
37	2,266	2,275	3.73	97.4	-	-
38	2,532	2,540	2.73	97.4	-	-
39	1,115	1,129	9.98	97.4	-	-
4	3,667	3,674	-0.63	97.4	-	-
40	13,770	13,771	-13.24	97.4	-	-
5	2,338	2,347	3.45	97.4	-	-
6	1,680	1,693	6.38	97.4	-	-
7	1,596	1,609	6.83	97.4	-	-
8	5,452	5,455	-4.30	97.4	-	-
9	4,556	4,560	-2.63	97.4	-	-
Sum			17.90			

- Data undefined due to calculation with octave data

Noise sensitive area: BI Olinas

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3,471	3,477	-0.13	97.4	-	-
10	3,239	3,245	0.50	97.4	-	-
11	5,687	5,690	-4.70	97.4	-	-
12	2,654	2,662	2.30	97.4	-	-
13	4,381	4,386	-2.27	97.4	-	-
14	4,113	4,118	-1.69	97.4	-	-
15	3,663	3,668	-0.62	97.4	-	-
16	3,669	3,675	-0.64	97.4	-	-
17	1,571	1,584	6.97	97.4	-	-
18	3,222	3,229	0.55	97.4	-	-
19	3,179	3,186	0.67	97.4	-	-
2	10,515	10,517	-10.58	97.4	-	-
20	2,406	2,414	3.19	97.4	-	-
21	2,287	2,297	3.64	97.4	-	-
22	4,227	4,232	-1.94	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	1,039	1,054	10.59	97.4	-	-
24	14,727	14,728	-13.90	97.4	-	-
25	13,341	13,343	-12.92	97.4	-	-
26	13,345	13,346	-12.92	97.4	-	-
27	10,827	10,829	-10.87	97.4	-	-
28	14,068	14,070	-13.45	97.4	-	-
29	14,176	14,177	-13.52	97.4	-	-
3	10,589	10,591	-10.65	97.4	-	-
30	15,458	15,459	-14.39	97.4	-	-
31	15,150	15,152	-14.19	97.4	-	-
32	15,451	15,452	-14.38	97.4	-	-
33	14,001	14,003	-13.40	97.4	-	-
34	5,179	5,182	-3.82	97.4	-	-
35	4,274	4,279	-2.04	97.4	-	-
36	2,728	2,737	2.06	97.4	-	-
37	2,266	2,275	3.73	97.4	-	-
38	2,532	2,540	2.73	97.4	-	-
39	1,115	1,129	9.98	97.4	-	-
4	3,667	3,674	-0.63	97.4	-	-
40	13,770	13,771	-13.24	97.4	-	-
5	2,338	2,347	3.45	97.4	-	-
6	1,680	1,693	6.38	97.4	-	-
7	1,596	1,609	6.83	97.4	-	-
8	5,452	5,455	-4.30	97.4	-	-
9	4,556	4,560	-2.63	97.4	-	-
Sum			17.90			

- Data undefined due to calculation with octave data

Noise sensitive area: BJ Parka iela 4

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,475	9,477	-9.57	97.4	-	-
10	3,574	3,580	-0.40	97.4	-	-
11	1,331	1,342	8.45	97.4	-	-
12	3,991	3,996	-1.41	97.4	-	-
13	2,476	2,484	2.93	97.4	-	-
14	3,238	3,243	0.51	97.4	-	-
15	8,285	8,287	-8.27	97.4	-	-
16	7,661	7,664	-7.52	97.4	-	-
17	6,742	6,745	-6.31	97.4	-	-
18	8,689	8,691	-8.73	97.4	-	-
19	8,284	8,286	-8.27	97.4	-	-
2	12,949	12,950	-12.63	97.4	-	-
20	8,226	8,227	-8.20	97.4	-	-
21	7,615	7,618	-7.47	97.4	-	-
22	7,400	7,403	-7.19	97.4	-	-
23	6,282	6,284	-5.64	97.4	-	-
24	17,668	17,669	-15.73	97.4	-	-
25	15,929	15,930	-14.69	97.4	-	-
26	15,693	15,694	-14.54	97.4	-	-
27	14,395	14,397	-13.68	97.4	-	-
28	17,150	17,152	-15.43	97.4	-	-
29	17,483	17,484	-15.62	97.4	-	-
3	13,868	13,869	-13.31	97.4	-	-
30	18,370	18,371	-16.12	97.4	-	-
31	17,823	17,824	-15.81	97.4	-	-
32	18,607	18,608	-16.25	97.4	-	-
33	17,507	17,507	-15.63	97.4	-	-
34	2,802	2,807	1.82	97.4	-	-
35	10,201	10,203	-10.29	97.4	-	-
36	7,181	7,184	-6.91	97.4	-	-
37	6,424	6,427	-5.85	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,338	4,343	-2.18	97.4	-	-
39	5,703	5,705	-4.72	97.4	-	-
4	5,635	5,638	-4.61	97.4	-	-
40	16,561	16,562	-15.08	97.4	-	-
5	4,398	4,402	-2.30	97.4	-	-
6	5,247	5,251	-3.95	97.4	-	-
7	6,207	6,210	-5.52	97.4	-	-
8	2,038	2,044	4.69	97.4	-	-
9	2,088	2,094	4.47	97.4	-	-
Sum			13.85			

- Data undefined due to calculation with octave data

Noise sensitive area: BJ Parka iela 4

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,475	9,477	-9.57	97.4	-	-
10	3,574	3,580	-0.40	97.4	-	-
11	1,331	1,342	8.45	97.4	-	-
12	3,991	3,996	-1.41	97.4	-	-
13	2,476	2,484	2.93	97.4	-	-
14	3,238	3,243	0.51	97.4	-	-
15	8,285	8,287	-8.27	97.4	-	-
16	7,661	7,664	-7.52	97.4	-	-
17	6,742	6,745	-6.31	97.4	-	-
18	8,689	8,691	-8.73	97.4	-	-
19	8,284	8,286	-8.27	97.4	-	-
2	12,949	12,950	-12.63	97.4	-	-
20	8,226	8,227	-8.20	97.4	-	-
21	7,615	7,618	-7.47	97.4	-	-
22	7,400	7,403	-7.19	97.4	-	-
23	6,282	6,284	-5.64	97.4	-	-
24	17,668	17,669	-15.73	97.4	-	-
25	15,929	15,930	-14.69	97.4	-	-
26	15,693	15,694	-14.54	97.4	-	-
27	14,395	14,397	-13.68	97.4	-	-
28	17,150	17,152	-15.43	97.4	-	-
29	17,483	17,484	-15.62	97.4	-	-
3	13,868	13,869	-13.31	97.4	-	-
30	18,370	18,371	-16.12	97.4	-	-
31	17,823	17,824	-15.81	97.4	-	-
32	18,607	18,608	-16.25	97.4	-	-
33	17,507	17,507	-15.63	97.4	-	-
34	2,802	2,807	1.82	97.4	-	-
35	10,201	10,203	-10.29	97.4	-	-
36	7,181	7,184	-6.91	97.4	-	-
37	6,424	6,427	-5.85	97.4	-	-
38	4,338	4,343	-2.18	97.4	-	-
39	5,703	5,705	-4.72	97.4	-	-
4	5,635	5,638	-4.61	97.4	-	-
40	16,561	16,562	-15.08	97.4	-	-
5	4,398	4,402	-2.30	97.4	-	-
6	5,247	5,251	-3.95	97.4	-	-
7	6,207	6,210	-5.52	97.4	-	-
8	2,038	2,044	4.69	97.4	-	-
9	2,088	2,094	4.47	97.4	-	-
Sum			13.85			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: BK Parka iela 6

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,511	9,513	-9.61	97.4	-	-
10	3,611	3,616	-0.49	97.4	-	-
11	1,360	1,371	8.26	97.4	-	-
12	4,028	4,033	-1.49	97.4	-	-
13	2,512	2,519	2.81	97.4	-	-
14	3,271	3,276	0.42	97.4	-	-
15	8,319	8,321	-8.31	97.4	-	-
16	7,694	7,697	-7.56	97.4	-	-
17	6,778	6,781	-6.36	97.4	-	-
18	8,724	8,726	-8.77	97.4	-	-
19	8,318	8,321	-8.31	97.4	-	-
2	12,970	12,972	-12.64	97.4	-	-
20	8,262	8,264	-8.25	97.4	-	-
21	7,651	7,654	-7.51	97.4	-	-
22	7,431	7,434	-7.23	97.4	-	-
23	6,319	6,321	-5.69	97.4	-	-
24	17,690	17,691	-15.74	97.4	-	-
25	15,950	15,951	-14.70	97.4	-	-
26	15,713	15,714	-14.55	97.4	-	-
27	14,421	14,423	-13.70	97.4	-	-
28	17,173	17,174	-15.44	97.4	-	-
29	17,506	17,507	-15.63	97.4	-	-
3	13,893	13,894	-13.32	97.4	-	-
30	18,392	18,393	-16.13	97.4	-	-
31	17,844	17,844	-15.83	97.4	-	-
32	18,630	18,631	-16.26	97.4	-	-
33	17,531	17,532	-15.65	97.4	-	-
34	2,828	2,833	1.74	97.4	-	-
35	10,237	10,239	-10.32	97.4	-	-
36	7,216	7,219	-6.95	97.4	-	-
37	6,459	6,462	-5.90	97.4	-	-
38	4,375	4,379	-2.25	97.4	-	-
39	5,740	5,742	-4.78	97.4	-	-
4	5,666	5,669	-4.66	97.4	-	-
40	16,583	16,584	-15.09	97.4	-	-
5	4,435	4,439	-2.38	97.4	-	-
6	5,284	5,288	-4.01	97.4	-	-
7	6,243	6,247	-5.58	97.4	-	-
8	2,064	2,070	4.58	97.4	-	-
9	2,125	2,131	4.31	97.4	-	-
Sum			13.73			

- Data undefined due to calculation with octave data

Noise sensitive area: BK Parka iela 6

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,511	9,513	-9.61	97.4	-	-
10	3,611	3,616	-0.49	97.4	-	-
11	1,360	1,371	8.26	97.4	-	-
12	4,028	4,033	-1.49	97.4	-	-
13	2,512	2,519	2.81	97.4	-	-
14	3,271	3,276	0.42	97.4	-	-
15	8,319	8,321	-8.31	97.4	-	-
16	7,694	7,697	-7.56	97.4	-	-
17	6,778	6,781	-6.36	97.4	-	-
18	8,724	8,726	-8.77	97.4	-	-
19	8,318	8,321	-8.31	97.4	-	-
2	12,970	12,972	-12.64	97.4	-	-
20	8,262	8,264	-8.25	97.4	-	-
21	7,651	7,654	-7.51	97.4	-	-
22	7,431	7,434	-7.23	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,319	6,321	-5.69	97.4	-	-
24	17,690	17,691	-15.74	97.4	-	-
25	15,950	15,951	-14.70	97.4	-	-
26	15,713	15,714	-14.55	97.4	-	-
27	14,421	14,423	-13.70	97.4	-	-
28	17,173	17,174	-15.44	97.4	-	-
29	17,506	17,507	-15.63	97.4	-	-
3	13,893	13,894	-13.32	97.4	-	-
30	18,392	18,393	-16.13	97.4	-	-
31	17,844	17,844	-15.83	97.4	-	-
32	18,630	18,631	-16.26	97.4	-	-
33	17,531	17,532	-15.65	97.4	-	-
34	2,828	2,833	1.74	97.4	-	-
35	10,237	10,239	-10.32	97.4	-	-
36	7,216	7,219	-6.95	97.4	-	-
37	6,459	6,462	-5.90	97.4	-	-
38	4,375	4,379	-2.25	97.4	-	-
39	5,740	5,742	-4.78	97.4	-	-
4	5,666	5,669	-4.66	97.4	-	-
40	16,583	16,584	-15.09	97.4	-	-
5	4,435	4,439	-2.38	97.4	-	-
6	5,284	5,288	-4.01	97.4	-	-
7	6,243	6,247	-5.58	97.4	-	-
8	2,064	2,070	4.58	97.4	-	-
9	2,125	2,131	4.31	97.4	-	-
Sum			13.73			

- Data undefined due to calculation with octave data

Noise sensitive area: BL Parka iela 8

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,535	9,537	-9.63	97.4	-	-
10	3,633	3,638	-0.55	97.4	-	-
11	1,355	1,365	8.30	97.4	-	-
12	4,045	4,050	-1.53	97.4	-	-
13	2,518	2,525	2.79	97.4	-	-
14	3,271	3,276	0.42	97.4	-	-
15	8,346	8,348	-8.34	97.4	-	-
16	7,723	7,725	-7.60	97.4	-	-
17	6,801	6,804	-6.39	97.4	-	-
18	8,749	8,752	-8.80	97.4	-	-
19	8,345	8,347	-8.34	97.4	-	-
2	13,004	13,006	-12.67	97.4	-	-
20	8,285	8,287	-8.27	97.4	-	-
21	7,676	7,678	-7.54	97.4	-	-
22	7,461	7,464	-7.27	97.4	-	-
23	6,340	6,342	-5.72	97.4	-	-
24	17,724	17,725	-15.76	97.4	-	-
25	15,984	15,985	-14.72	97.4	-	-
26	15,747	15,748	-14.57	97.4	-	-
27	14,454	14,456	-13.72	97.4	-	-
28	17,207	17,208	-15.46	97.4	-	-
29	17,540	17,541	-15.65	97.4	-	-
3	13,926	13,927	-13.35	97.4	-	-
30	18,426	18,427	-16.15	97.4	-	-
31	17,878	17,879	-15.85	97.4	-	-
32	18,663	18,664	-16.28	97.4	-	-
33	17,564	17,565	-15.67	97.4	-	-
34	2,817	2,822	1.78	97.4	-	-
35	10,261	10,263	-10.34	97.4	-	-
36	7,242	7,245	-6.99	97.4	-	-
37	6,485	6,488	-5.94	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,397	4,401	-2.30	97.4	-	-
39	5,759	5,762	-4.82	97.4	-	-
4	5,696	5,700	-4.71	97.4	-	-
40	16,617	16,618	-15.11	97.4	-	-
5	4,448	4,452	-2.41	97.4	-	-
6	5,305	5,309	-4.05	97.4	-	-
7	6,266	6,270	-5.61	97.4	-	-
8	2,054	2,060	4.62	97.4	-	-
9	2,141	2,147	4.25	97.4	-	-
Sum			13.73			

- Data undefined due to calculation with octave data

Noise sensitive area: BL Parka iela 8

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,535	9,537	-9.63	97.4	-	-
10	3,633	3,638	-0.55	97.4	-	-
11	1,355	1,365	8.30	97.4	-	-
12	4,045	4,050	-1.53	97.4	-	-
13	2,518	2,525	2.79	97.4	-	-
14	3,271	3,276	0.42	97.4	-	-
15	8,346	8,348	-8.34	97.4	-	-
16	7,723	7,725	-7.60	97.4	-	-
17	6,801	6,804	-6.39	97.4	-	-
18	8,749	8,752	-8.80	97.4	-	-
19	8,345	8,347	-8.34	97.4	-	-
2	13,004	13,006	-12.67	97.4	-	-
20	8,285	8,287	-8.27	97.4	-	-
21	7,676	7,678	-7.54	97.4	-	-
22	7,461	7,464	-7.27	97.4	-	-
23	6,340	6,342	-5.72	97.4	-	-
24	17,724	17,725	-15.76	97.4	-	-
25	15,984	15,985	-14.72	97.4	-	-
26	15,747	15,748	-14.57	97.4	-	-
27	14,454	14,456	-13.72	97.4	-	-
28	17,207	17,208	-15.46	97.4	-	-
29	17,540	17,541	-15.65	97.4	-	-
3	13,926	13,927	-13.35	97.4	-	-
30	18,426	18,427	-16.15	97.4	-	-
31	17,878	17,879	-15.85	97.4	-	-
32	18,663	18,664	-16.28	97.4	-	-
33	17,564	17,565	-15.67	97.4	-	-
34	2,817	2,822	1.78	97.4	-	-
35	10,261	10,263	-10.34	97.4	-	-
36	7,242	7,245	-6.99	97.4	-	-
37	6,485	6,488	-5.94	97.4	-	-
38	4,397	4,401	-2.30	97.4	-	-
39	5,759	5,762	-4.82	97.4	-	-
4	5,696	5,700	-4.71	97.4	-	-
40	16,617	16,618	-15.11	97.4	-	-
5	4,448	4,452	-2.41	97.4	-	-
6	5,305	5,309	-4.05	97.4	-	-
7	6,266	6,270	-5.61	97.4	-	-
8	2,054	2,060	4.62	97.4	-	-
9	2,141	2,147	4.25	97.4	-	-
Sum			13.73			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: BM Parka iela 10

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,521	9,523	-9.62	97.4	-	-
10	3,618	3,624	-0.51	97.4	-	-
11	1,325	1,335	8.50	97.4	-	-
12	4,026	4,031	-1.49	97.4	-	-
13	2,491	2,499	2.88	97.4	-	-
14	3,242	3,248	0.50	97.4	-	-
15	8,338	8,340	-8.33	97.4	-	-
16	7,716	7,718	-7.59	97.4	-	-
17	6,787	6,790	-6.37	97.4	-	-
18	8,737	8,740	-8.79	97.4	-	-
19	8,334	8,336	-8.33	97.4	-	-
2	13,011	13,012	-12.67	97.4	-	-
20	8,271	8,273	-8.26	97.4	-	-
21	7,663	7,665	-7.52	97.4	-	-
22	7,458	7,460	-7.27	97.4	-	-
23	6,323	6,326	-5.70	97.4	-	-
24	17,730	17,731	-15.76	97.4	-	-
25	15,991	15,993	-14.73	97.4	-	-
26	15,755	15,756	-14.58	97.4	-	-
27	14,456	14,458	-13.72	97.4	-	-
28	17,212	17,214	-15.46	97.4	-	-
29	17,544	17,545	-15.66	97.4	-	-
3	13,929	13,930	-13.35	97.4	-	-
30	18,433	18,433	-16.15	97.4	-	-
31	17,885	17,886	-15.85	97.4	-	-
32	18,669	18,670	-16.28	97.4	-	-
33	17,568	17,569	-15.67	97.4	-	-
34	2,787	2,792	1.88	97.4	-	-
35	10,248	10,250	-10.33	97.4	-	-
36	7,232	7,235	-6.97	97.4	-	-
37	6,474	6,477	-5.92	97.4	-	-
38	4,381	4,386	-2.27	97.4	-	-
39	5,741	5,744	-4.79	97.4	-	-
4	5,691	5,695	-4.71	97.4	-	-
40	16,623	16,624	-15.11	97.4	-	-
5	4,425	4,429	-2.36	97.4	-	-
6	5,289	5,292	-4.02	97.4	-	-
7	6,252	6,255	-5.59	97.4	-	-
8	2,023	2,030	4.75	97.4	-	-
9	2,120	2,127	4.33	97.4	-	-
Sum			13.84			

- Data undefined due to calculation with octave data

Noise sensitive area: BM Parka iela 10

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,521	9,523	-9.62	97.4	-	-
10	3,618	3,624	-0.51	97.4	-	-
11	1,325	1,335	8.50	97.4	-	-
12	4,026	4,031	-1.49	97.4	-	-
13	2,491	2,499	2.88	97.4	-	-
14	3,242	3,248	0.50	97.4	-	-
15	8,338	8,340	-8.33	97.4	-	-
16	7,716	7,718	-7.59	97.4	-	-
17	6,787	6,790	-6.37	97.4	-	-
18	8,737	8,740	-8.79	97.4	-	-
19	8,334	8,336	-8.33	97.4	-	-
2	13,011	13,012	-12.67	97.4	-	-
20	8,271	8,273	-8.26	97.4	-	-
21	7,663	7,665	-7.52	97.4	-	-
22	7,458	7,460	-7.27	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,323	6,326	-5.70	97.4	-	-
24	17,730	17,731	-15.76	97.4	-	-
25	15,991	15,993	-14.73	97.4	-	-
26	15,755	15,756	-14.58	97.4	-	-
27	14,456	14,458	-13.72	97.4	-	-
28	17,212	17,214	-15.46	97.4	-	-
29	17,544	17,545	-15.66	97.4	-	-
3	13,929	13,930	-13.35	97.4	-	-
30	18,433	18,433	-16.15	97.4	-	-
31	17,885	17,886	-15.85	97.4	-	-
32	18,669	18,670	-16.28	97.4	-	-
33	17,568	17,569	-15.67	97.4	-	-
34	2,787	2,792	1.88	97.4	-	-
35	10,248	10,250	-10.33	97.4	-	-
36	7,232	7,235	-6.97	97.4	-	-
37	6,474	6,477	-5.92	97.4	-	-
38	4,381	4,386	-2.27	97.4	-	-
39	5,741	5,744	-4.79	97.4	-	-
4	5,691	5,695	-4.71	97.4	-	-
40	16,623	16,624	-15.11	97.4	-	-
5	4,425	4,429	-2.36	97.4	-	-
6	5,289	5,292	-4.02	97.4	-	-
7	6,252	6,255	-5.59	97.4	-	-
8	2,023	2,030	4.75	97.4	-	-
9	2,120	2,127	4.33	97.4	-	-
Sum			13.84			

- Data undefined due to calculation with octave data

Noise sensitive area: BN Parka iela 12

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,484	9,486	-9.58	97.4	-	-
10	3,582	3,587	-0.41	97.4	-	-
11	1,299	1,309	8.67	97.4	-	-
12	3,989	3,994	-1.40	97.4	-	-
13	2,458	2,465	3.00	97.4	-	-
14	3,212	3,218	0.58	97.4	-	-
15	8,303	8,305	-8.29	97.4	-	-
16	7,682	7,684	-7.55	97.4	-	-
17	6,751	6,753	-6.32	97.4	-	-
18	8,702	8,704	-8.75	97.4	-	-
19	8,298	8,301	-8.29	97.4	-	-
2	12,986	12,987	-12.66	97.4	-	-
20	8,234	8,236	-8.21	97.4	-	-
21	7,627	7,629	-7.48	97.4	-	-
22	7,425	7,428	-7.22	97.4	-	-
23	6,287	6,289	-5.64	97.4	-	-
24	17,705	17,706	-15.75	97.4	-	-
25	15,967	15,968	-14.71	97.4	-	-
26	15,732	15,733	-14.56	97.4	-	-
27	14,427	14,429	-13.70	97.4	-	-
28	17,186	17,188	-15.45	97.4	-	-
29	17,518	17,519	-15.64	97.4	-	-
3	13,901	13,903	-13.33	97.4	-	-
30	18,408	18,409	-16.14	97.4	-	-
31	17,861	17,862	-15.84	97.4	-	-
32	18,643	18,644	-16.27	97.4	-	-
33	17,540	17,541	-15.65	97.4	-	-
34	2,765	2,770	1.95	97.4	-	-
35	10,212	10,214	-10.30	97.4	-	-
36	7,197	7,200	-6.93	97.4	-	-
37	6,438	6,441	-5.87	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,345	4,349	-2.19	97.4	-	-
39	5,705	5,707	-4.73	97.4	-	-
4	5,659	5,663	-4.65	97.4	-	-
40	16,598	16,599	-15.10	97.4	-	-
5	4,389	4,394	-2.29	97.4	-	-
6	5,252	5,256	-3.95	97.4	-	-
7	6,216	6,219	-5.54	97.4	-	-
8	2,001	2,008	4.85	97.4	-	-
9	2,084	2,091	4.49	97.4	-	-
Sum			13.95			

- Data undefined due to calculation with octave data

Noise sensitive area: BN Parka iela 12

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,484	9,486	-9.58	97.4	-	-
10	3,582	3,587	-0.41	97.4	-	-
11	1,299	1,309	8.67	97.4	-	-
12	3,989	3,994	-1.40	97.4	-	-
13	2,458	2,465	3.00	97.4	-	-
14	3,212	3,218	0.58	97.4	-	-
15	8,303	8,305	-8.29	97.4	-	-
16	7,682	7,684	-7.55	97.4	-	-
17	6,751	6,753	-6.32	97.4	-	-
18	8,702	8,704	-8.75	97.4	-	-
19	8,298	8,301	-8.29	97.4	-	-
2	12,986	12,987	-12.66	97.4	-	-
20	8,234	8,236	-8.21	97.4	-	-
21	7,627	7,629	-7.48	97.4	-	-
22	7,425	7,428	-7.22	97.4	-	-
23	6,287	6,289	-5.64	97.4	-	-
24	17,705	17,706	-15.75	97.4	-	-
25	15,967	15,968	-14.71	97.4	-	-
26	15,732	15,733	-14.56	97.4	-	-
27	14,427	14,429	-13.70	97.4	-	-
28	17,186	17,188	-15.45	97.4	-	-
29	17,518	17,519	-15.64	97.4	-	-
3	13,901	13,903	-13.33	97.4	-	-
30	18,408	18,409	-16.14	97.4	-	-
31	17,861	17,862	-15.84	97.4	-	-
32	18,643	18,644	-16.27	97.4	-	-
33	17,540	17,541	-15.65	97.4	-	-
34	2,765	2,770	1.95	97.4	-	-
35	10,212	10,214	-10.30	97.4	-	-
36	7,197	7,200	-6.93	97.4	-	-
37	6,438	6,441	-5.87	97.4	-	-
38	4,345	4,349	-2.19	97.4	-	-
39	5,705	5,707	-4.73	97.4	-	-
4	5,659	5,663	-4.65	97.4	-	-
40	16,598	16,599	-15.10	97.4	-	-
5	4,389	4,394	-2.29	97.4	-	-
6	5,252	5,256	-3.95	97.4	-	-
7	6,216	6,219	-5.54	97.4	-	-
8	2,001	2,008	4.85	97.4	-	-
9	2,084	2,091	4.49	97.4	-	-
Sum			13.95			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: BO Parka iela 18

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,445	9,447	-9.54	97.4	-	-
10	3,540	3,545	-0.31	97.4	-	-
11	1,148	1,161	9.74	97.4	-	-
12	3,917	3,922	-1.24	97.4	-	-
13	2,340	2,348	3.44	97.4	-	-
14	3,075	3,081	0.98	97.4	-	-
15	8,295	8,297	-8.28	97.4	-	-
16	7,683	7,686	-7.55	97.4	-	-
17	6,709	6,712	-6.26	97.4	-	-
18	8,675	8,677	-8.72	97.4	-	-
19	8,278	8,281	-8.27	97.4	-	-
2	13,056	13,058	-12.71	97.4	-	-
20	8,194	8,196	-8.17	97.4	-	-
21	7,594	7,597	-7.44	97.4	-	-
22	7,443	7,446	-7.25	97.4	-	-
23	6,232	6,235	-5.56	97.4	-	-
24	17,774	17,775	-15.79	97.4	-	-
25	16,041	16,042	-14.76	97.4	-	-
26	15,811	15,812	-14.61	97.4	-	-
27	14,475	14,477	-13.73	97.4	-	-
28	17,251	17,253	-15.49	97.4	-	-
29	17,578	17,579	-15.68	97.4	-	-
3	13,954	13,956	-13.37	97.4	-	-
30	18,478	18,479	-16.18	97.4	-	-
31	17,937	17,937	-15.88	97.4	-	-
32	18,708	18,709	-16.30	97.4	-	-
33	17,596	17,597	-15.69	97.4	-	-
34	2,606	2,611	2.48	97.4	-	-
35	10,178	10,180	-10.26	97.4	-	-
36	7,180	7,183	-6.90	97.4	-	-
37	6,415	6,418	-5.83	97.4	-	-
38	4,299	4,303	-2.09	97.4	-	-
39	5,642	5,645	-4.62	97.4	-	-
4	5,675	5,679	-4.68	97.4	-	-
40	16,669	16,670	-15.14	97.4	-	-
5	4,296	4,301	-2.09	97.4	-	-
6	5,199	5,203	-3.86	97.4	-	-
7	6,175	6,179	-5.48	97.4	-	-
8	1,842	1,850	5.59	97.4	-	-
9	2,009	2,016	4.82	97.4	-	-
Sum			14.52			

- Data undefined due to calculation with octave data

Noise sensitive area: BO Parka iela 18

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,445	9,447	-9.54	97.4	-	-
10	3,540	3,545	-0.31	97.4	-	-
11	1,148	1,161	9.74	97.4	-	-
12	3,917	3,922	-1.24	97.4	-	-
13	2,340	2,348	3.44	97.4	-	-
14	3,075	3,081	0.98	97.4	-	-
15	8,295	8,297	-8.28	97.4	-	-
16	7,683	7,686	-7.55	97.4	-	-
17	6,709	6,712	-6.26	97.4	-	-
18	8,675	8,677	-8.72	97.4	-	-
19	8,278	8,281	-8.27	97.4	-	-
2	13,056	13,058	-12.71	97.4	-	-
20	8,194	8,196	-8.17	97.4	-	-
21	7,594	7,597	-7.44	97.4	-	-
22	7,443	7,446	-7.25	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,232	6,235	-5.56	97.4	-	-
24	17,774	17,775	-15.79	97.4	-	-
25	16,041	16,042	-14.76	97.4	-	-
26	15,811	15,812	-14.61	97.4	-	-
27	14,475	14,477	-13.73	97.4	-	-
28	17,251	17,253	-15.49	97.4	-	-
29	17,578	17,579	-15.68	97.4	-	-
3	13,954	13,956	-13.37	97.4	-	-
30	18,478	18,479	-16.18	97.4	-	-
31	17,937	17,937	-15.88	97.4	-	-
32	18,708	18,709	-16.30	97.4	-	-
33	17,596	17,597	-15.69	97.4	-	-
34	2,606	2,611	2.48	97.4	-	-
35	10,178	10,180	-10.26	97.4	-	-
36	7,180	7,183	-6.90	97.4	-	-
37	6,415	6,418	-5.83	97.4	-	-
38	4,299	4,303	-2.09	97.4	-	-
39	5,642	5,645	-4.62	97.4	-	-
4	5,675	5,679	-4.68	97.4	-	-
40	16,669	16,670	-15.14	97.4	-	-
5	4,296	4,301	-2.09	97.4	-	-
6	5,199	5,203	-3.86	97.4	-	-
7	6,175	6,179	-5.48	97.4	-	-
8	1,842	1,850	5.59	97.4	-	-
9	2,009	2,016	4.82	97.4	-	-
Sum			14.52			

- Data undefined due to calculation with octave data

Noise sensitive area: BP Parka iela 20

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,433	9,435	-9.53	97.4	-	-
10	3,528	3,533	-0.28	97.4	-	-
11	1,118	1,131	9.97	97.4	-	-
12	3,899	3,904	-1.19	97.4	-	-
13	2,315	2,323	3.54	97.4	-	-
14	3,047	3,053	1.06	97.4	-	-
15	8,289	8,291	-8.28	97.4	-	-
16	7,678	7,681	-7.54	97.4	-	-
17	6,697	6,700	-6.24	97.4	-	-
18	8,665	8,667	-8.70	97.4	-	-
19	8,269	8,272	-8.26	97.4	-	-
2	13,065	13,066	-12.72	97.4	-	-
20	8,182	8,184	-8.15	97.4	-	-
21	7,583	7,586	-7.43	97.4	-	-
22	7,442	7,445	-7.25	97.4	-	-
23	6,218	6,220	-5.54	97.4	-	-
24	17,782	17,783	-15.79	97.4	-	-
25	16,050	16,052	-14.76	97.4	-	-
26	15,821	15,822	-14.62	97.4	-	-
27	14,479	14,481	-13.74	97.4	-	-
28	17,259	17,260	-15.49	97.4	-	-
29	17,584	17,585	-15.68	97.4	-	-
3	13,960	13,961	-13.37	97.4	-	-
30	18,487	18,488	-16.18	97.4	-	-
31	17,946	17,947	-15.88	97.4	-	-
32	18,716	18,717	-16.31	97.4	-	-
33	17,601	17,602	-15.69	97.4	-	-
34	2,575	2,580	2.59	97.4	-	-
35	10,167	10,169	-10.25	97.4	-	-
36	7,172	7,175	-6.89	97.4	-	-
37	6,406	6,409	-5.82	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,286	4,290	-2.06	97.4	-	-
39	5,626	5,629	-4.60	97.4	-	-
4	5,673	5,677	-4.68	97.4	-	-
40	16,678	16,679	-15.15	97.4	-	-
5	4,275	4,279	-2.04	97.4	-	-
6	5,185	5,189	-3.83	97.4	-	-
7	6,163	6,167	-5.46	97.4	-	-
8	1,811	1,819	5.74	97.4	-	-
9	1,991	1,998	4.89	97.4	-	-
Sum			14.65			

- Data undefined due to calculation with octave data

Noise sensitive area: BP Parka iela 20

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,433	9,435	-9.53	97.4	-	-
10	3,528	3,533	-0.28	97.4	-	-
11	1,118	1,131	9.97	97.4	-	-
12	3,899	3,904	-1.19	97.4	-	-
13	2,315	2,323	3.54	97.4	-	-
14	3,047	3,053	1.06	97.4	-	-
15	8,289	8,291	-8.28	97.4	-	-
16	7,678	7,681	-7.54	97.4	-	-
17	6,697	6,700	-6.24	97.4	-	-
18	8,665	8,667	-8.70	97.4	-	-
19	8,269	8,272	-8.26	97.4	-	-
2	13,065	13,066	-12.72	97.4	-	-
20	8,182	8,184	-8.15	97.4	-	-
21	7,583	7,586	-7.43	97.4	-	-
22	7,442	7,445	-7.25	97.4	-	-
23	6,218	6,220	-5.54	97.4	-	-
24	17,782	17,783	-15.79	97.4	-	-
25	16,050	16,052	-14.76	97.4	-	-
26	15,821	15,822	-14.62	97.4	-	-
27	14,479	14,481	-13.74	97.4	-	-
28	17,259	17,260	-15.49	97.4	-	-
29	17,584	17,585	-15.68	97.4	-	-
3	13,960	13,961	-13.37	97.4	-	-
30	18,487	18,488	-16.18	97.4	-	-
31	17,946	17,947	-15.88	97.4	-	-
32	18,716	18,717	-16.31	97.4	-	-
33	17,601	17,602	-15.69	97.4	-	-
34	2,575	2,580	2.59	97.4	-	-
35	10,167	10,169	-10.25	97.4	-	-
36	7,172	7,175	-6.89	97.4	-	-
37	6,406	6,409	-5.82	97.4	-	-
38	4,286	4,290	-2.06	97.4	-	-
39	5,626	5,629	-4.60	97.4	-	-
4	5,673	5,677	-4.68	97.4	-	-
40	16,678	16,679	-15.15	97.4	-	-
5	4,275	4,279	-2.04	97.4	-	-
6	5,185	5,189	-3.83	97.4	-	-
7	6,163	6,167	-5.46	97.4	-	-
8	1,811	1,819	5.74	97.4	-	-
9	1,991	1,998	4.89	97.4	-	-
Sum			14.65			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: BQ Parka iela 22

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,421	9,423	-9.51	97.4	-	-
10	3,516	3,521	-0.24	97.4	-	-
11	1,088	1,102	10.20	97.4	-	-
12	3,881	3,887	-1.15	97.4	-	-
13	2,290	2,298	3.64	97.4	-	-
14	3,019	3,025	1.15	97.4	-	-
15	8,283	8,285	-8.27	97.4	-	-
16	7,674	7,677	-7.54	97.4	-	-
17	6,684	6,687	-6.22	97.4	-	-
18	8,655	8,658	-8.69	97.4	-	-
19	8,261	8,264	-8.25	97.4	-	-
2	13,073	13,075	-12.72	97.4	-	-
20	8,170	8,172	-8.14	97.4	-	-
21	7,572	7,575	-7.41	97.4	-	-
22	7,441	7,444	-7.24	97.4	-	-
23	6,203	6,205	-5.52	97.4	-	-
24	17,791	17,792	-15.80	97.4	-	-
25	16,060	16,061	-14.77	97.4	-	-
26	15,831	15,833	-14.63	97.4	-	-
27	14,483	14,485	-13.74	97.4	-	-
28	17,266	17,268	-15.50	97.4	-	-
29	17,591	17,592	-15.68	97.4	-	-
3	13,965	13,967	-13.38	97.4	-	-
30	18,496	18,497	-16.19	97.4	-	-
31	17,956	17,957	-15.89	97.4	-	-
32	18,724	18,725	-16.31	97.4	-	-
33	17,607	17,608	-15.69	97.4	-	-
34	2,544	2,549	2.70	97.4	-	-
35	10,156	10,158	-10.24	97.4	-	-
36	7,165	7,168	-6.88	97.4	-	-
37	6,397	6,400	-5.81	97.4	-	-
38	4,273	4,278	-2.04	97.4	-	-
39	5,610	5,613	-4.57	97.4	-	-
4	5,672	5,676	-4.68	97.4	-	-
40	16,686	16,688	-15.15	97.4	-	-
5	4,254	4,258	-2.00	97.4	-	-
6	5,171	5,175	-3.81	97.4	-	-
7	6,151	6,155	-5.44	97.4	-	-
8	1,781	1,788	5.89	97.4	-	-
9	1,974	1,981	4.97	97.4	-	-
Sum			14.78			

- Data undefined due to calculation with octave data

Noise sensitive area: BQ Parka iela 22

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,421	9,423	-9.51	97.4	-	-
10	3,516	3,521	-0.24	97.4	-	-
11	1,088	1,102	10.20	97.4	-	-
12	3,881	3,887	-1.15	97.4	-	-
13	2,290	2,298	3.64	97.4	-	-
14	3,019	3,025	1.15	97.4	-	-
15	8,283	8,285	-8.27	97.4	-	-
16	7,674	7,677	-7.54	97.4	-	-
17	6,684	6,687	-6.22	97.4	-	-
18	8,655	8,658	-8.69	97.4	-	-
19	8,261	8,264	-8.25	97.4	-	-
2	13,073	13,075	-12.72	97.4	-	-
20	8,170	8,172	-8.14	97.4	-	-
21	7,572	7,575	-7.41	97.4	-	-
22	7,441	7,444	-7.24	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,203	6,205	-5.52	97.4	-	-
24	17,791	17,792	-15.80	97.4	-	-
25	16,060	16,061	-14.77	97.4	-	-
26	15,831	15,833	-14.63	97.4	-	-
27	14,483	14,485	-13.74	97.4	-	-
28	17,266	17,268	-15.50	97.4	-	-
29	17,591	17,592	-15.68	97.4	-	-
3	13,965	13,967	-13.38	97.4	-	-
30	18,496	18,497	-16.19	97.4	-	-
31	17,956	17,957	-15.89	97.4	-	-
32	18,724	18,725	-16.31	97.4	-	-
33	17,607	17,608	-15.69	97.4	-	-
34	2,544	2,549	2.70	97.4	-	-
35	10,156	10,158	-10.24	97.4	-	-
36	7,165	7,168	-6.88	97.4	-	-
37	6,397	6,400	-5.81	97.4	-	-
38	4,273	4,278	-2.04	97.4	-	-
39	5,610	5,613	-4.57	97.4	-	-
4	5,672	5,676	-4.68	97.4	-	-
40	16,686	16,688	-15.15	97.4	-	-
5	4,254	4,258	-2.00	97.4	-	-
6	5,171	5,175	-3.81	97.4	-	-
7	6,151	6,155	-5.44	97.4	-	-
8	1,781	1,788	5.89	97.4	-	-
9	1,974	1,981	4.97	97.4	-	-
Sum			14.78			

- Data undefined due to calculation with octave data

Noise sensitive area: BR Parka iela 23

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,308	9,310	-9.40	97.4	-	-
10	3,402	3,408	0.05	97.4	-	-
11	1,011	1,025	10.84	97.4	-	-
12	3,768	3,774	-0.88	97.4	-	-
13	2,187	2,195	4.05	97.4	-	-
14	2,928	2,934	1.42	97.4	-	-
15	8,174	8,176	-8.14	97.4	-	-
16	7,567	7,570	-7.40	97.4	-	-
17	6,571	6,574	-6.06	97.4	-	-
18	8,543	8,545	-8.57	97.4	-	-
19	8,150	8,153	-8.12	97.4	-	-
2	12,992	12,994	-12.66	97.4	-	-
20	8,057	8,059	-8.00	97.4	-	-
21	7,460	7,463	-7.27	97.4	-	-
22	7,338	7,342	-7.11	97.4	-	-
23	6,089	6,092	-5.34	97.4	-	-
24	17,709	17,710	-15.75	97.4	-	-
25	15,981	15,982	-14.72	97.4	-	-
26	15,755	15,756	-14.58	97.4	-	-
27	14,391	14,393	-13.67	97.4	-	-
28	17,182	17,184	-15.45	97.4	-	-
29	17,504	17,505	-15.63	97.4	-	-
3	13,876	13,877	-13.31	97.4	-	-
30	18,415	18,416	-16.14	97.4	-	-
31	17,877	17,878	-15.85	97.4	-	-
32	18,640	18,641	-16.27	97.4	-	-
33	17,518	17,519	-15.64	97.4	-	-
34	2,482	2,488	2.92	97.4	-	-
35	10,043	10,045	-10.13	97.4	-	-
36	7,054	7,057	-6.74	97.4	-	-
37	6,285	6,289	-5.64	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,159	4,164	-1.79	97.4	-	-
39	5,497	5,499	-4.38	97.4	-	-
4	5,569	5,573	-4.50	97.4	-	-
40	16,605	16,607	-15.10	97.4	-	-
5	4,143	4,148	-1.75	97.4	-	-
6	5,057	5,061	-3.60	97.4	-	-
7	6,038	6,041	-5.26	97.4	-	-
8	1,717	1,725	6.21	97.4	-	-
9	1,860	1,868	5.50	97.4	-	-
Sum			15.21			

- Data undefined due to calculation with octave data

Noise sensitive area: BR Parka iela 23

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,308	9,310	-9.40	97.4	-	-
10	3,402	3,408	0.05	97.4	-	-
11	1,011	1,025	10.84	97.4	-	-
12	3,768	3,774	-0.88	97.4	-	-
13	2,187	2,195	4.05	97.4	-	-
14	2,928	2,934	1.42	97.4	-	-
15	8,174	8,176	-8.14	97.4	-	-
16	7,567	7,570	-7.40	97.4	-	-
17	6,571	6,574	-6.06	97.4	-	-
18	8,543	8,545	-8.57	97.4	-	-
19	8,150	8,153	-8.12	97.4	-	-
2	12,992	12,994	-12.66	97.4	-	-
20	8,057	8,059	-8.00	97.4	-	-
21	7,460	7,463	-7.27	97.4	-	-
22	7,338	7,342	-7.11	97.4	-	-
23	6,089	6,092	-5.34	97.4	-	-
24	17,709	17,710	-15.75	97.4	-	-
25	15,981	15,982	-14.72	97.4	-	-
26	15,755	15,756	-14.58	97.4	-	-
27	14,391	14,393	-13.67	97.4	-	-
28	17,182	17,184	-15.45	97.4	-	-
29	17,504	17,505	-15.63	97.4	-	-
3	13,876	13,877	-13.31	97.4	-	-
30	18,415	18,416	-16.14	97.4	-	-
31	17,877	17,878	-15.85	97.4	-	-
32	18,640	18,641	-16.27	97.4	-	-
33	17,518	17,519	-15.64	97.4	-	-
34	2,482	2,488	2.92	97.4	-	-
35	10,043	10,045	-10.13	97.4	-	-
36	7,054	7,057	-6.74	97.4	-	-
37	6,285	6,289	-5.64	97.4	-	-
38	4,159	4,164	-1.79	97.4	-	-
39	5,497	5,499	-4.38	97.4	-	-
4	5,569	5,573	-4.50	97.4	-	-
40	16,605	16,607	-15.10	97.4	-	-
5	4,143	4,148	-1.75	97.4	-	-
6	5,057	5,061	-3.60	97.4	-	-
7	6,038	6,041	-5.26	97.4	-	-
8	1,717	1,725	6.21	97.4	-	-
9	1,860	1,868	5.50	97.4	-	-
Sum			15.21			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: BS Parka iela 24

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,410	9,412	-9.50	97.4	-	-
10	3,505	3,511	-0.22	97.4	-	-
11	1,040	1,054	10.59	97.4	-	-
12	3,860	3,865	-1.10	97.4	-	-
13	2,253	2,261	3.78	97.4	-	-
14	2,974	2,981	1.28	97.4	-	-
15	8,282	8,284	-8.27	97.4	-	-
16	7,676	7,679	-7.54	97.4	-	-
17	6,673	6,676	-6.21	97.4	-	-
18	8,648	8,651	-8.69	97.4	-	-
19	8,256	8,259	-8.24	97.4	-	-
2	13,098	13,100	-12.74	97.4	-	-
20	8,159	8,161	-8.13	97.4	-	-
21	7,564	7,567	-7.40	97.4	-	-
22	7,449	7,452	-7.25	97.4	-	-
23	6,187	6,190	-5.49	97.4	-	-
24	17,815	17,816	-15.81	97.4	-	-
25	16,086	16,087	-14.79	97.4	-	-
26	15,859	15,860	-14.64	97.4	-	-
27	14,501	14,502	-13.75	97.4	-	-
28	17,290	17,291	-15.51	97.4	-	-
29	17,612	17,613	-15.70	97.4	-	-
3	13,984	13,986	-13.39	97.4	-	-
30	18,521	18,522	-16.20	97.4	-	-
31	17,982	17,983	-15.90	97.4	-	-
32	18,747	18,748	-16.32	97.4	-	-
33	17,627	17,628	-15.70	97.4	-	-
34	2,491	2,496	2.89	97.4	-	-
35	10,147	10,149	-10.23	97.4	-	-
36	7,161	7,165	-6.88	97.4	-	-
37	6,392	6,395	-5.80	97.4	-	-
38	4,261	4,265	-2.01	97.4	-	-
39	5,592	5,595	-4.54	97.4	-	-
4	5,680	5,684	-4.69	97.4	-	-
40	16,711	16,713	-15.17	97.4	-	-
5	4,225	4,230	-1.93	97.4	-	-
6	5,156	5,160	-3.78	97.4	-	-
7	6,140	6,144	-5.42	97.4	-	-
8	1,728	1,736	6.15	97.4	-	-
9	1,953	1,961	5.06	97.4	-	-
Sum			15.00			

- Data undefined due to calculation with octave data

Noise sensitive area: BS Parka iela 24

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,410	9,412	-9.50	97.4	-	-
10	3,505	3,511	-0.22	97.4	-	-
11	1,040	1,054	10.59	97.4	-	-
12	3,860	3,865	-1.10	97.4	-	-
13	2,253	2,261	3.78	97.4	-	-
14	2,974	2,981	1.28	97.4	-	-
15	8,282	8,284	-8.27	97.4	-	-
16	7,676	7,679	-7.54	97.4	-	-
17	6,673	6,676	-6.21	97.4	-	-
18	8,648	8,651	-8.69	97.4	-	-
19	8,256	8,259	-8.24	97.4	-	-
2	13,098	13,100	-12.74	97.4	-	-
20	8,159	8,161	-8.13	97.4	-	-
21	7,564	7,567	-7.40	97.4	-	-
22	7,449	7,452	-7.25	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,187	6,190	-5.49	97.4	-	-
24	17,815	17,816	-15.81	97.4	-	-
25	16,086	16,087	-14.79	97.4	-	-
26	15,859	15,860	-14.64	97.4	-	-
27	14,501	14,502	-13.75	97.4	-	-
28	17,290	17,291	-15.51	97.4	-	-
29	17,612	17,613	-15.70	97.4	-	-
3	13,984	13,986	-13.39	97.4	-	-
30	18,521	18,522	-16.20	97.4	-	-
31	17,982	17,983	-15.90	97.4	-	-
32	18,747	18,748	-16.32	97.4	-	-
33	17,627	17,628	-15.70	97.4	-	-
34	2,491	2,496	2.89	97.4	-	-
35	10,147	10,149	-10.23	97.4	-	-
36	7,161	7,165	-6.88	97.4	-	-
37	6,392	6,395	-5.80	97.4	-	-
38	4,261	4,265	-2.01	97.4	-	-
39	5,592	5,595	-4.54	97.4	-	-
4	5,680	5,684	-4.69	97.4	-	-
40	16,711	16,713	-15.17	97.4	-	-
5	4,225	4,230	-1.93	97.4	-	-
6	5,156	5,160	-3.78	97.4	-	-
7	6,140	6,144	-5.42	97.4	-	-
8	1,728	1,736	6.15	97.4	-	-
9	1,953	1,961	5.06	97.4	-	-
Sum			15.00			

- Data undefined due to calculation with octave data

Noise sensitive area: BT Parka iela 2A

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,465	9,467	-9.56	97.4	-	-
10	3,569	3,574	-0.38	97.4	-	-
11	1,401	1,411	8.01	97.4	-	-
12	4,003	4,007	-1.43	97.4	-	-
13	2,520	2,527	2.78	97.4	-	-
14	3,293	3,299	0.35	97.4	-	-
15	8,258	8,260	-8.24	97.4	-	-
16	7,629	7,632	-7.48	97.4	-	-
17	6,734	6,737	-6.29	97.4	-	-
18	8,672	8,674	-8.71	97.4	-	-
19	8,263	8,266	-8.25	97.4	-	-
2	12,883	12,884	-12.58	97.4	-	-
20	8,216	8,218	-8.19	97.4	-	-
21	7,602	7,605	-7.45	97.4	-	-
22	7,359	7,362	-7.14	97.4	-	-
23	6,282	6,284	-5.63	97.4	-	-
24	17,602	17,603	-15.69	97.4	-	-
25	15,861	15,863	-14.64	97.4	-	-
26	15,623	15,624	-14.49	97.4	-	-
27	14,339	14,341	-13.64	97.4	-	-
28	17,087	17,088	-15.39	97.4	-	-
29	17,421	17,422	-15.59	97.4	-	-
3	13,809	13,811	-13.26	97.4	-	-
30	18,304	18,305	-16.08	97.4	-	-
31	17,755	17,755	-15.78	97.4	-	-
32	18,543	18,544	-16.21	97.4	-	-
33	17,447	17,448	-15.60	97.4	-	-
34	2,879	2,883	1.58	97.4	-	-
35	10,188	10,190	-10.27	97.4	-	-
36	7,159	7,162	-6.88	97.4	-	-
37	6,406	6,409	-5.82	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,334	4,338	-2.17	97.4	-	-
39	5,707	5,710	-4.73	97.4	-	-
4	5,595	5,599	-4.55	97.4	-	-
40	16,495	16,496	-15.04	97.4	-	-
5	4,422	4,427	-2.35	97.4	-	-
6	5,246	5,250	-3.94	97.4	-	-
7	6,198	6,202	-5.51	97.4	-	-
8	2,113	2,120	4.36	97.4	-	-
9	2,104	2,111	4.40	97.4	-	-
Sum			13.65			

- Data undefined due to calculation with octave data

Noise sensitive area: BT Parka iela 2A

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,465	9,467	-9.56	97.4	-	-
10	3,569	3,574	-0.38	97.4	-	-
11	1,401	1,411	8.01	97.4	-	-
12	4,003	4,007	-1.43	97.4	-	-
13	2,520	2,527	2.78	97.4	-	-
14	3,293	3,299	0.35	97.4	-	-
15	8,258	8,260	-8.24	97.4	-	-
16	7,629	7,632	-7.48	97.4	-	-
17	6,734	6,737	-6.29	97.4	-	-
18	8,672	8,674	-8.71	97.4	-	-
19	8,263	8,266	-8.25	97.4	-	-
2	12,883	12,884	-12.58	97.4	-	-
20	8,216	8,218	-8.19	97.4	-	-
21	7,602	7,605	-7.45	97.4	-	-
22	7,359	7,362	-7.14	97.4	-	-
23	6,282	6,284	-5.63	97.4	-	-
24	17,602	17,603	-15.69	97.4	-	-
25	15,861	15,863	-14.64	97.4	-	-
26	15,623	15,624	-14.49	97.4	-	-
27	14,339	14,341	-13.64	97.4	-	-
28	17,087	17,088	-15.39	97.4	-	-
29	17,421	17,422	-15.59	97.4	-	-
3	13,809	13,811	-13.26	97.4	-	-
30	18,304	18,305	-16.08	97.4	-	-
31	17,755	17,755	-15.78	97.4	-	-
32	18,543	18,544	-16.21	97.4	-	-
33	17,447	17,448	-15.60	97.4	-	-
34	2,879	2,883	1.58	97.4	-	-
35	10,188	10,190	-10.27	97.4	-	-
36	7,159	7,162	-6.88	97.4	-	-
37	6,406	6,409	-5.82	97.4	-	-
38	4,334	4,338	-2.17	97.4	-	-
39	5,707	5,710	-4.73	97.4	-	-
4	5,595	5,599	-4.55	97.4	-	-
40	16,495	16,496	-15.04	97.4	-	-
5	4,422	4,427	-2.35	97.4	-	-
6	5,246	5,250	-3.94	97.4	-	-
7	6,198	6,202	-5.51	97.4	-	-
8	2,113	2,120	4.36	97.4	-	-
9	2,104	2,111	4.40	97.4	-	-
Sum			13.65			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: BU Parceltuves

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4,286	4,291	-2.07	97.4	-	-
10	2,774	2,781	1.91	97.4	-	-
11	4,971	4,974	-3.44	97.4	-	-
12	2,066	2,076	4.55	97.4	-	-
13	3,654	3,660	-0.60	97.4	-	-
14	3,321	3,327	0.28	97.4	-	-
15	4,316	4,320	-2.13	97.4	-	-
16	4,214	4,220	-1.91	97.4	-	-
17	2,128	2,138	4.29	97.4	-	-
18	3,981	3,987	-1.39	97.4	-	-
19	3,884	3,890	-1.16	97.4	-	-
2	11,071	11,073	-11.09	97.4	-	-
20	3,188	3,193	0.65	97.4	-	-
21	2,978	2,986	1.26	97.4	-	-
22	4,673	4,678	-2.87	97.4	-	-
23	1,444	1,455	7.73	97.4	-	-
24	15,373	15,374	-14.33	97.4	-	-
25	13,944	13,945	-13.36	97.4	-	-
26	13,923	13,924	-13.35	97.4	-	-
27	11,504	11,506	-11.46	97.4	-	-
28	14,723	14,724	-13.90	97.4	-	-
29	14,852	14,853	-13.99	97.4	-	-
3	11,235	11,237	-11.23	97.4	-	-
30	16,105	16,106	-14.80	97.4	-	-
31	15,773	15,774	-14.59	97.4	-	-
32	16,120	16,121	-14.81	97.4	-	-
33	14,694	14,695	-13.88	97.4	-	-
34	4,380	4,384	-2.26	97.4	-	-
35	5,089	5,094	-3.66	97.4	-	-
36	3,276	3,283	0.40	97.4	-	-
37	2,665	2,673	2.27	97.4	-	-
38	2,171	2,180	4.11	97.4	-	-
39	1,078	1,092	10.28	97.4	-	-
4	3,810	3,816	-0.98	97.4	-	-
40	14,395	14,397	-13.68	97.4	-	-
5	1,612	1,625	6.75	97.4	-	-
6	1,532	1,545	7.20	97.4	-	-
7	1,953	1,964	5.05	97.4	-	-
8	4,690	4,693	-2.90	97.4	-	-
9	3,914	3,918	-1.23	97.4	-	-
Sum			17.38			

- Data undefined due to calculation with octave data

Noise sensitive area: BU Parceltuves

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4,286	4,291	-2.07	97.4	-	-
10	2,774	2,781	1.91	97.4	-	-
11	4,971	4,974	-3.44	97.4	-	-
12	2,066	2,076	4.55	97.4	-	-
13	3,654	3,660	-0.60	97.4	-	-
14	3,321	3,327	0.28	97.4	-	-
15	4,316	4,320	-2.13	97.4	-	-
16	4,214	4,220	-1.91	97.4	-	-
17	2,128	2,138	4.29	97.4	-	-
18	3,981	3,987	-1.39	97.4	-	-
19	3,884	3,890	-1.16	97.4	-	-
2	11,071	11,073	-11.09	97.4	-	-
20	3,188	3,193	0.65	97.4	-	-
21	2,978	2,986	1.26	97.4	-	-
22	4,673	4,678	-2.87	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	1,444	1,455	7.73	97.4	-	-
24	15,373	15,374	-14.33	97.4	-	-
25	13,944	13,945	-13.36	97.4	-	-
26	13,923	13,924	-13.35	97.4	-	-
27	11,504	11,506	-11.46	97.4	-	-
28	14,723	14,724	-13.90	97.4	-	-
29	14,852	14,853	-13.99	97.4	-	-
3	11,235	11,237	-11.23	97.4	-	-
30	16,105	16,106	-14.80	97.4	-	-
31	15,773	15,774	-14.59	97.4	-	-
32	16,120	16,121	-14.81	97.4	-	-
33	14,694	14,695	-13.88	97.4	-	-
34	4,380	4,384	-2.26	97.4	-	-
35	5,089	5,094	-3.66	97.4	-	-
36	3,276	3,283	0.40	97.4	-	-
37	2,665	2,673	2.27	97.4	-	-
38	2,171	2,180	4.11	97.4	-	-
39	1,078	1,092	10.28	97.4	-	-
4	3,810	3,816	-0.98	97.4	-	-
40	14,395	14,397	-13.68	97.4	-	-
5	1,612	1,625	6.75	97.4	-	-
6	1,532	1,545	7.20	97.4	-	-
7	1,953	1,964	5.05	97.4	-	-
8	4,690	4,693	-2.90	97.4	-	-
9	3,914	3,918	-1.23	97.4	-	-
Sum			17.38			

- Data undefined due to calculation with octave data

Noise sensitive area: BV Priedulaji

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11,351	11,353	-11.33	97.4	-	-
10	15,446	15,447	-14.38	97.4	-	-
11	18,240	18,241	-16.05	97.4	-	-
12	15,710	15,712	-14.55	97.4	-	-
13	17,395	17,397	-15.57	97.4	-	-
14	17,718	17,719	-15.76	97.4	-	-
15	10,924	10,925	-10.95	97.4	-	-
16	11,216	11,218	-11.21	97.4	-	-
17	13,120	13,122	-12.76	97.4	-	-
18	11,282	11,284	-11.27	97.4	-	-
19	11,325	11,327	-11.31	97.4	-	-
2	5,737	5,741	-4.78	97.4	-	-
20	12,120	12,121	-11.97	97.4	-	-
21	12,230	12,232	-12.06	97.4	-	-
22	11,134	11,136	-11.14	97.4	-	-
23	13,833	13,834	-13.28	97.4	-	-
24	2,423	2,429	3.14	97.4	-	-
25	3,658	3,664	-0.61	97.4	-	-
26	4,227	4,232	-1.94	97.4	-	-
27	3,893	3,898	-1.18	97.4	-	-
28	2,143	2,153	4.23	97.4	-	-
29	1,501	1,512	7.39	97.4	-	-
3	4,435	4,440	-2.38	97.4	-	-
30	2,604	2,609	2.49	97.4	-	-
31	3,167	3,172	0.71	97.4	-	-
32	1,984	1,992	4.92	97.4	-	-
33	1,051	1,066	10.50	97.4	-	-
34	18,669	18,670	-16.28	97.4	-	-
35	10,670	10,672	-10.72	97.4	-	-
36	12,064	12,065	-11.93	97.4	-	-
37	12,838	12,839	-12.54	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	14,933	14,935	-14.04	97.4	-	-
39	14,431	14,432	-13.70	97.4	-	-
4	12,844	12,846	-12.55	97.4	-	-
40	2,998	3,005	1.21	97.4	-	-
5	16,027	16,028	-14.75	97.4	-	-
6	14,443	14,444	-13.71	97.4	-	-
7	13,457	13,459	-13.01	97.4	-	-
8	18,497	18,498	-16.19	97.4	-	-
9	16,944	16,945	-15.31	97.4	-	-
Sum			15.23			

- Data undefined due to calculation with octave data

Noise sensitive area: BV Priedulaji

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11,351	11,353	-11.33	97.4	-	-
10	15,446	15,447	-14.38	97.4	-	-
11	18,240	18,241	-16.05	97.4	-	-
12	15,710	15,712	-14.55	97.4	-	-
13	17,395	17,397	-15.57	97.4	-	-
14	17,718	17,719	-15.76	97.4	-	-
15	10,924	10,925	-10.95	97.4	-	-
16	11,216	11,218	-11.21	97.4	-	-
17	13,120	13,122	-12.76	97.4	-	-
18	11,282	11,284	-11.27	97.4	-	-
19	11,325	11,327	-11.31	97.4	-	-
2	5,737	5,741	-4.78	97.4	-	-
20	12,120	12,121	-11.97	97.4	-	-
21	12,230	12,232	-12.06	97.4	-	-
22	11,134	11,136	-11.14	97.4	-	-
23	13,833	13,834	-13.28	97.4	-	-
24	2,423	2,429	3.14	97.4	-	-
25	3,658	3,664	-0.61	97.4	-	-
26	4,227	4,232	-1.94	97.4	-	-
27	3,893	3,898	-1.18	97.4	-	-
28	2,143	2,153	4.23	97.4	-	-
29	1,501	1,512	7.39	97.4	-	-
3	4,435	4,440	-2.38	97.4	-	-
30	2,604	2,609	2.49	97.4	-	-
31	3,167	3,172	0.71	97.4	-	-
32	1,984	1,992	4.92	97.4	-	-
33	1,051	1,066	10.50	97.4	-	-
34	18,669	18,670	-16.28	97.4	-	-
35	10,670	10,672	-10.72	97.4	-	-
36	12,064	12,065	-11.93	97.4	-	-
37	12,838	12,839	-12.54	97.4	-	-
38	14,933	14,935	-14.04	97.4	-	-
39	14,431	14,432	-13.70	97.4	-	-
4	12,844	12,846	-12.55	97.4	-	-
40	2,998	3,005	1.21	97.4	-	-
5	16,027	16,028	-14.75	97.4	-	-
6	14,443	14,444	-13.71	97.4	-	-
7	13,457	13,459	-13.01	97.4	-	-
8	18,497	18,498	-16.19	97.4	-	-
9	16,944	16,945	-15.31	97.4	-	-
Sum			15.23			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: BW Pulkas

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,160	9,163	-9.24	97.4	-	-
10	4,541	4,545	-2.60	97.4	-	-
11	3,009	3,014	1.18	97.4	-	-
12	4,087	4,092	-1.63	97.4	-	-
13	2,794	2,801	1.84	97.4	-	-
14	2,134	2,143	4.27	97.4	-	-
15	8,885	8,887	-8.95	97.4	-	-
16	8,549	8,552	-8.58	97.4	-	-
17	6,742	6,745	-6.31	97.4	-	-
18	8,774	8,777	-8.83	97.4	-	-
19	8,581	8,584	-8.61	97.4	-	-
2	15,071	15,072	-14.13	97.4	-	-
20	8,027	8,029	-7.97	97.4	-	-
21	7,694	7,697	-7.56	97.4	-	-
22	8,703	8,706	-8.75	97.4	-	-
23	6,043	6,046	-5.27	97.4	-	-
24	19,642	19,643	-16.80	97.4	-	-
25	18,058	18,059	-15.95	97.4	-	-
26	17,940	17,941	-15.88	97.4	-	-
27	15,941	15,943	-14.70	97.4	-	-
28	19,036	19,037	-16.48	97.4	-	-
29	19,246	19,247	-16.59	97.4	-	-
3	15,567	15,568	-14.46	97.4	-	-
30	20,371	20,372	-17.17	97.4	-	-
31	19,945	19,946	-16.95	97.4	-	-
32	20,475	20,476	-17.22	97.4	-	-
33	19,153	19,154	-16.54	97.4	-	-
34	1,579	1,589	6.95	97.4	-	-
35	9,964	9,967	-10.06	97.4	-	-
36	7,717	7,720	-7.59	97.4	-	-
37	6,930	6,933	-6.57	97.4	-	-
38	4,886	4,891	-3.28	97.4	-	-
39	5,399	5,402	-4.21	97.4	-	-
4	7,154	7,157	-6.87	97.4	-	-
40	18,596	18,597	-16.24	97.4	-	-
5	3,743	3,748	-0.82	97.4	-	-
6	5,325	5,329	-4.08	97.4	-	-
7	6,340	6,344	-5.72	97.4	-	-
8	2,283	2,290	3.67	97.4	-	-
9	3,559	3,563	-0.35	97.4	-	-
Sum			13.00			

- Data undefined due to calculation with octave data

Noise sensitive area: BW Pulkas

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,160	9,163	-9.24	97.4	-	-
10	4,541	4,545	-2.60	97.4	-	-
11	3,009	3,014	1.18	97.4	-	-
12	4,087	4,092	-1.63	97.4	-	-
13	2,794	2,801	1.84	97.4	-	-
14	2,134	2,143	4.27	97.4	-	-
15	8,885	8,887	-8.95	97.4	-	-
16	8,549	8,552	-8.58	97.4	-	-
17	6,742	6,745	-6.31	97.4	-	-
18	8,774	8,777	-8.83	97.4	-	-
19	8,581	8,584	-8.61	97.4	-	-
2	15,071	15,072	-14.13	97.4	-	-
20	8,027	8,029	-7.97	97.4	-	-
21	7,694	7,697	-7.56	97.4	-	-
22	8,703	8,706	-8.75	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,043	6,046	-5.27	97.4	-	-
24	19,642	19,643	-16.80	97.4	-	-
25	18,058	18,059	-15.95	97.4	-	-
26	17,940	17,941	-15.88	97.4	-	-
27	15,941	15,943	-14.70	97.4	-	-
28	19,036	19,037	-16.48	97.4	-	-
29	19,246	19,247	-16.59	97.4	-	-
3	15,567	15,568	-14.46	97.4	-	-
30	20,371	20,372	-17.17	97.4	-	-
31	19,945	19,946	-16.95	97.4	-	-
32	20,475	20,476	-17.22	97.4	-	-
33	19,153	19,154	-16.54	97.4	-	-
34	1,579	1,589	6.95	97.4	-	-
35	9,964	9,967	-10.06	97.4	-	-
36	7,717	7,720	-7.59	97.4	-	-
37	6,930	6,933	-6.57	97.4	-	-
38	4,886	4,891	-3.28	97.4	-	-
39	5,399	5,402	-4.21	97.4	-	-
4	7,154	7,157	-6.87	97.4	-	-
40	18,596	18,597	-16.24	97.4	-	-
5	3,743	3,748	-0.82	97.4	-	-
6	5,325	5,329	-4.08	97.4	-	-
7	6,340	6,344	-5.72	97.4	-	-
8	2,283	2,290	3.67	97.4	-	-
9	3,559	3,563	-0.35	97.4	-	-
Sum			13.00			

- Data undefined due to calculation with octave data

Noise sensitive area: BX Purva iela 8

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,928	9,930	-10.02	97.4	-	-
10	4,028	4,033	-1.49	97.4	-	-
11	1,643	1,652	6.60	97.4	-	-
12	4,435	4,440	-2.38	97.4	-	-
13	2,869	2,876	1.61	97.4	-	-
14	3,587	3,592	-0.43	97.4	-	-
15	8,729	8,731	-8.78	97.4	-	-
16	8,099	8,102	-8.06	97.4	-	-
17	7,195	7,198	-6.92	97.4	-	-
18	9,140	9,142	-9.22	97.4	-	-
19	8,733	8,735	-8.78	97.4	-	-
2	13,296	13,298	-12.89	97.4	-	-
20	8,679	8,681	-8.72	97.4	-	-
21	8,068	8,071	-8.02	97.4	-	-
22	7,824	7,827	-7.73	97.4	-	-
23	6,734	6,736	-6.29	97.4	-	-
24	18,016	18,017	-15.92	97.4	-	-
25	16,268	16,269	-14.90	97.4	-	-
26	16,021	16,023	-14.75	97.4	-	-
27	14,781	14,782	-13.94	97.4	-	-
28	17,507	17,508	-15.63	97.4	-	-
29	17,847	17,848	-15.83	97.4	-	-
3	14,244	14,246	-13.57	97.4	-	-
30	18,715	18,716	-16.31	97.4	-	-
31	18,158	18,159	-16.00	97.4	-	-
32	18,962	18,963	-16.44	97.4	-	-
33	17,879	17,880	-15.85	97.4	-	-
34	3,049	3,054	1.06	97.4	-	-
35	10,654	10,656	-10.71	97.4	-	-
36	7,629	7,632	-7.48	97.4	-	-
37	6,875	6,878	-6.49	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,791	4,795	-3.10	97.4	-	-
39	6,152	6,155	-5.44	97.4	-	-
4	6,062	6,066	-5.30	97.4	-	-
40	16,906	16,908	-15.28	97.4	-	-
5	4,826	4,830	-3.16	97.4	-	-
6	5,699	5,703	-4.72	97.4	-	-
7	6,660	6,664	-6.19	97.4	-	-
8	2,298	2,304	3.61	97.4	-	-
9	2,528	2,534	2.75	97.4	-	-
Sum			12.61			

- Data undefined due to calculation with octave data

Noise sensitive area: BX Purva iela 8

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,928	9,930	-10.02	97.4	-	-
10	4,028	4,033	-1.49	97.4	-	-
11	1,643	1,652	6.60	97.4	-	-
12	4,435	4,440	-2.38	97.4	-	-
13	2,869	2,876	1.61	97.4	-	-
14	3,587	3,592	-0.43	97.4	-	-
15	8,729	8,731	-8.78	97.4	-	-
16	8,099	8,102	-8.06	97.4	-	-
17	7,195	7,198	-6.92	97.4	-	-
18	9,140	9,142	-9.22	97.4	-	-
19	8,733	8,735	-8.78	97.4	-	-
2	13,296	13,298	-12.89	97.4	-	-
20	8,679	8,681	-8.72	97.4	-	-
21	8,068	8,071	-8.02	97.4	-	-
22	7,824	7,827	-7.73	97.4	-	-
23	6,734	6,736	-6.29	97.4	-	-
24	18,016	18,017	-15.92	97.4	-	-
25	16,268	16,269	-14.90	97.4	-	-
26	16,021	16,023	-14.75	97.4	-	-
27	14,781	14,782	-13.94	97.4	-	-
28	17,507	17,508	-15.63	97.4	-	-
29	17,847	17,848	-15.83	97.4	-	-
3	14,244	14,246	-13.57	97.4	-	-
30	18,715	18,716	-16.31	97.4	-	-
31	18,158	18,159	-16.00	97.4	-	-
32	18,962	18,963	-16.44	97.4	-	-
33	17,879	17,880	-15.85	97.4	-	-
34	3,049	3,054	1.06	97.4	-	-
35	10,654	10,656	-10.71	97.4	-	-
36	7,629	7,632	-7.48	97.4	-	-
37	6,875	6,878	-6.49	97.4	-	-
38	4,791	4,795	-3.10	97.4	-	-
39	6,152	6,155	-5.44	97.4	-	-
4	6,062	6,066	-5.30	97.4	-	-
40	16,906	16,908	-15.28	97.4	-	-
5	4,826	4,830	-3.16	97.4	-	-
6	5,699	5,703	-4.72	97.4	-	-
7	6,660	6,664	-6.19	97.4	-	-
8	2,298	2,304	3.61	97.4	-	-
9	2,528	2,534	2.75	97.4	-	-
Sum			12.61			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: BY Purva iela 8A

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,938	9,940	-10.03	97.4	-	-
10	4,038	4,043	-1.52	97.4	-	-
11	1,671	1,680	6.45	97.4	-	-
12	4,451	4,455	-2.41	97.4	-	-
13	2,892	2,899	1.53	97.4	-	-
14	3,613	3,619	-0.49	97.4	-	-
15	8,732	8,734	-8.78	97.4	-	-
16	8,101	8,104	-8.06	97.4	-	-
17	7,205	7,208	-6.94	97.4	-	-
18	9,147	9,150	-9.23	97.4	-	-
19	8,739	8,741	-8.79	97.4	-	-
2	13,284	13,286	-12.88	97.4	-	-
20	8,688	8,690	-8.73	97.4	-	-
21	8,076	8,079	-8.03	97.4	-	-
22	7,823	7,826	-7.72	97.4	-	-
23	6,746	6,749	-6.31	97.4	-	-
24	18,005	18,006	-15.92	97.4	-	-
25	16,255	16,256	-14.89	97.4	-	-
26	16,008	16,009	-14.74	97.4	-	-
27	14,774	14,775	-13.94	97.4	-	-
28	17,496	17,497	-15.63	97.4	-	-
29	17,838	17,838	-15.82	97.4	-	-
3	14,236	14,238	-13.57	97.4	-	-
30	18,703	18,704	-16.30	97.4	-	-
31	18,145	18,146	-16.00	97.4	-	-
32	18,951	18,952	-16.43	97.4	-	-
33	17,870	17,871	-15.84	97.4	-	-
34	3,080	3,084	0.97	97.4	-	-
35	10,662	10,664	-10.72	97.4	-	-
36	7,634	7,637	-7.49	97.4	-	-
37	6,881	6,885	-6.50	97.4	-	-
38	4,802	4,806	-3.12	97.4	-	-
39	6,166	6,168	-5.46	97.4	-	-
4	6,062	6,066	-5.30	97.4	-	-
40	16,894	16,896	-15.28	97.4	-	-
5	4,845	4,849	-3.20	97.4	-	-
6	5,711	5,715	-4.74	97.4	-	-
7	6,670	6,673	-6.20	97.4	-	-
8	2,328	2,334	3.50	97.4	-	-
9	2,545	2,551	2.69	97.4	-	-
Sum			12.53			

- Data undefined due to calculation with octave data

Noise sensitive area: BY Purva iela 8A

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,938	9,940	-10.03	97.4	-	-
10	4,038	4,043	-1.52	97.4	-	-
11	1,671	1,680	6.45	97.4	-	-
12	4,451	4,455	-2.41	97.4	-	-
13	2,892	2,899	1.53	97.4	-	-
14	3,613	3,619	-0.49	97.4	-	-
15	8,732	8,734	-8.78	97.4	-	-
16	8,101	8,104	-8.06	97.4	-	-
17	7,205	7,208	-6.94	97.4	-	-
18	9,147	9,150	-9.23	97.4	-	-
19	8,739	8,741	-8.79	97.4	-	-
2	13,284	13,286	-12.88	97.4	-	-
20	8,688	8,690	-8.73	97.4	-	-
21	8,076	8,079	-8.03	97.4	-	-
22	7,823	7,826	-7.72	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,746	6,749	-6.31	97.4	-	-
24	18,005	18,006	-15.92	97.4	-	-
25	16,255	16,256	-14.89	97.4	-	-
26	16,008	16,009	-14.74	97.4	-	-
27	14,774	14,775	-13.94	97.4	-	-
28	17,496	17,497	-15.63	97.4	-	-
29	17,838	17,838	-15.82	97.4	-	-
3	14,236	14,238	-13.57	97.4	-	-
30	18,703	18,704	-16.30	97.4	-	-
31	18,145	18,146	-16.00	97.4	-	-
32	18,951	18,952	-16.43	97.4	-	-
33	17,870	17,871	-15.84	97.4	-	-
34	3,080	3,084	0.97	97.4	-	-
35	10,662	10,664	-10.72	97.4	-	-
36	7,634	7,637	-7.49	97.4	-	-
37	6,881	6,885	-6.50	97.4	-	-
38	4,802	4,806	-3.12	97.4	-	-
39	6,166	6,168	-5.46	97.4	-	-
4	6,062	6,066	-5.30	97.4	-	-
40	16,894	16,896	-15.28	97.4	-	-
5	4,845	4,849	-3.20	97.4	-	-
6	5,711	5,715	-4.74	97.4	-	-
7	6,670	6,673	-6.20	97.4	-	-
8	2,328	2,334	3.50	97.4	-	-
9	2,545	2,551	2.69	97.4	-	-
Sum			12.53			

- Data undefined due to calculation with octave data

Noise sensitive area: BZ Purva iela 9

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,903	9,905	-10.00	97.4	-	-
10	4,001	4,006	-1.43	97.4	-	-
11	1,601	1,610	6.83	97.4	-	-
12	4,403	4,408	-2.32	97.4	-	-
13	2,830	2,837	1.73	97.4	-	-
14	3,545	3,550	-0.32	97.4	-	-
15	8,710	8,712	-8.75	97.4	-	-
16	8,083	8,086	-8.04	97.4	-	-
17	7,170	7,172	-6.89	97.4	-	-
18	9,117	9,120	-9.20	97.4	-	-
19	8,712	8,714	-8.76	97.4	-	-
2	13,298	13,299	-12.89	97.4	-	-
20	8,653	8,655	-8.69	97.4	-	-
21	8,044	8,047	-7.99	97.4	-	-
22	7,812	7,815	-7.71	97.4	-	-
23	6,706	6,708	-6.25	97.4	-	-
24	18,018	18,019	-15.92	97.4	-	-
25	16,271	16,272	-14.90	97.4	-	-
26	16,026	16,027	-14.75	97.4	-	-
27	14,777	14,778	-13.94	97.4	-	-
28	17,507	17,508	-15.64	97.4	-	-
29	17,847	17,848	-15.83	97.4	-	-
3	14,242	14,243	-13.57	97.4	-	-
30	18,718	18,718	-16.31	97.4	-	-
31	18,162	18,163	-16.00	97.4	-	-
32	18,963	18,964	-16.44	97.4	-	-
33	17,877	17,878	-15.85	97.4	-	-
34	3,006	3,011	1.19	97.4	-	-
35	10,630	10,632	-10.69	97.4	-	-
36	7,609	7,612	-7.46	97.4	-	-
37	6,853	6,856	-6.46	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,764	4,768	-3.05	97.4	-	-
39	6,122	6,125	-5.39	97.4	-	-
4	6,049	6,052	-5.28	97.4	-	-
40	16,909	16,910	-15.29	97.4	-	-
5	4,790	4,794	-3.10	97.4	-	-
6	5,671	5,675	-4.67	97.4	-	-
7	6,635	6,638	-6.15	97.4	-	-
8	2,255	2,261	3.78	97.4	-	-
9	2,496	2,502	2.87	97.4	-	-
Sum			12.74			

- Data undefined due to calculation with octave data

Noise sensitive area: BZ Purva iela 9

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,903	9,905	-10.00	97.4	-	-
10	4,001	4,006	-1.43	97.4	-	-
11	1,601	1,610	6.83	97.4	-	-
12	4,403	4,408	-2.32	97.4	-	-
13	2,830	2,837	1.73	97.4	-	-
14	3,545	3,550	-0.32	97.4	-	-
15	8,710	8,712	-8.75	97.4	-	-
16	8,083	8,086	-8.04	97.4	-	-
17	7,170	7,172	-6.89	97.4	-	-
18	9,117	9,120	-9.20	97.4	-	-
19	8,712	8,714	-8.76	97.4	-	-
2	13,298	13,299	-12.89	97.4	-	-
20	8,653	8,655	-8.69	97.4	-	-
21	8,044	8,047	-7.99	97.4	-	-
22	7,812	7,815	-7.71	97.4	-	-
23	6,706	6,708	-6.25	97.4	-	-
24	18,018	18,019	-15.92	97.4	-	-
25	16,271	16,272	-14.90	97.4	-	-
26	16,026	16,027	-14.75	97.4	-	-
27	14,777	14,778	-13.94	97.4	-	-
28	17,507	17,508	-15.64	97.4	-	-
29	17,847	17,848	-15.83	97.4	-	-
3	14,242	14,243	-13.57	97.4	-	-
30	18,718	18,718	-16.31	97.4	-	-
31	18,162	18,163	-16.00	97.4	-	-
32	18,963	18,964	-16.44	97.4	-	-
33	17,877	17,878	-15.85	97.4	-	-
34	3,006	3,011	1.19	97.4	-	-
35	10,630	10,632	-10.69	97.4	-	-
36	7,609	7,612	-7.46	97.4	-	-
37	6,853	6,856	-6.46	97.4	-	-
38	4,764	4,768	-3.05	97.4	-	-
39	6,122	6,125	-5.39	97.4	-	-
4	6,049	6,052	-5.28	97.4	-	-
40	16,909	16,910	-15.29	97.4	-	-
5	4,790	4,794	-3.10	97.4	-	-
6	5,671	5,675	-4.67	97.4	-	-
7	6,635	6,638	-6.15	97.4	-	-
8	2,255	2,261	3.78	97.4	-	-
9	2,496	2,502	2.87	97.4	-	-
Sum			12.74			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: CA Purva iela 10

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,930	9,932	-10.02	97.4	-	-
10	4,028	4,033	-1.49	97.4	-	-
11	1,624	1,634	6.70	97.4	-	-
12	4,430	4,435	-2.37	97.4	-	-
13	2,856	2,863	1.65	97.4	-	-
14	3,569	3,575	-0.38	97.4	-	-
15	8,735	8,737	-8.78	97.4	-	-
16	8,107	8,110	-8.07	97.4	-	-
17	7,196	7,199	-6.93	97.4	-	-
18	9,144	9,146	-9.22	97.4	-	-
19	8,738	8,740	-8.79	97.4	-	-
2	13,315	13,317	-12.90	97.4	-	-
20	8,680	8,682	-8.72	97.4	-	-
21	8,070	8,073	-8.02	97.4	-	-
22	7,836	7,839	-7.74	97.4	-	-
23	6,733	6,735	-6.29	97.4	-	-
24	18,036	18,037	-15.93	97.4	-	-
25	16,288	16,289	-14.91	97.4	-	-
26	16,043	16,044	-14.76	97.4	-	-
27	14,797	14,799	-13.95	97.4	-	-
28	17,526	17,527	-15.65	97.4	-	-
29	17,866	17,867	-15.84	97.4	-	-
3	14,262	14,263	-13.58	97.4	-	-
30	18,735	18,736	-16.32	97.4	-	-
31	18,179	18,180	-16.01	97.4	-	-
32	18,981	18,982	-16.45	97.4	-	-
33	17,897	17,898	-15.86	97.4	-	-
34	3,026	3,031	1.13	97.4	-	-
35	10,656	10,658	-10.71	97.4	-	-
36	7,634	7,637	-7.49	97.4	-	-
37	6,879	6,882	-6.50	97.4	-	-
38	4,791	4,795	-3.10	97.4	-	-
39	6,149	6,152	-5.43	97.4	-	-
4	6,072	6,076	-5.32	97.4	-	-
40	16,926	16,928	-15.30	97.4	-	-
5	4,817	4,821	-3.15	97.4	-	-
6	5,698	5,702	-4.72	97.4	-	-
7	6,661	6,665	-6.19	97.4	-	-
8	2,275	2,282	3.70	97.4	-	-
9	2,523	2,529	2.77	97.4	-	-
Sum			12.66			

- Data undefined due to calculation with octave data

Noise sensitive area: CA Purva iela 10

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,930	9,932	-10.02	97.4	-	-
10	4,028	4,033	-1.49	97.4	-	-
11	1,624	1,634	6.70	97.4	-	-
12	4,430	4,435	-2.37	97.4	-	-
13	2,856	2,863	1.65	97.4	-	-
14	3,569	3,575	-0.38	97.4	-	-
15	8,735	8,737	-8.78	97.4	-	-
16	8,107	8,110	-8.07	97.4	-	-
17	7,196	7,199	-6.93	97.4	-	-
18	9,144	9,146	-9.22	97.4	-	-
19	8,738	8,740	-8.79	97.4	-	-
2	13,315	13,317	-12.90	97.4	-	-
20	8,680	8,682	-8.72	97.4	-	-
21	8,070	8,073	-8.02	97.4	-	-
22	7,836	7,839	-7.74	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,733	6,735	-6.29	97.4	-	-
24	18,036	18,037	-15.93	97.4	-	-
25	16,288	16,289	-14.91	97.4	-	-
26	16,043	16,044	-14.76	97.4	-	-
27	14,797	14,799	-13.95	97.4	-	-
28	17,526	17,527	-15.65	97.4	-	-
29	17,866	17,867	-15.84	97.4	-	-
3	14,262	14,263	-13.58	97.4	-	-
30	18,735	18,736	-16.32	97.4	-	-
31	18,179	18,180	-16.01	97.4	-	-
32	18,981	18,982	-16.45	97.4	-	-
33	17,897	17,898	-15.86	97.4	-	-
34	3,026	3,031	1.13	97.4	-	-
35	10,656	10,658	-10.71	97.4	-	-
36	7,634	7,637	-7.49	97.4	-	-
37	6,879	6,882	-6.50	97.4	-	-
38	4,791	4,795	-3.10	97.4	-	-
39	6,149	6,152	-5.43	97.4	-	-
4	6,072	6,076	-5.32	97.4	-	-
40	16,926	16,928	-15.30	97.4	-	-
5	4,817	4,821	-3.15	97.4	-	-
6	5,698	5,702	-4.72	97.4	-	-
7	6,661	6,665	-6.19	97.4	-	-
8	2,275	2,282	3.70	97.4	-	-
9	2,523	2,529	2.77	97.4	-	-
Sum			12.66			

- Data undefined due to calculation with octave data

Noise sensitive area: CB Purva iela 11

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,905	9,907	-10.00	97.4	-	-
10	4,002	4,007	-1.43	97.4	-	-
11	1,582	1,592	6.93	97.4	-	-
12	4,399	4,403	-2.31	97.4	-	-
13	2,817	2,824	1.77	97.4	-	-
14	3,528	3,533	-0.28	97.4	-	-
15	8,717	8,719	-8.76	97.4	-	-
16	8,091	8,094	-8.05	97.4	-	-
17	7,171	7,174	-6.89	97.4	-	-
18	9,121	9,124	-9.20	97.4	-	-
19	8,717	8,719	-8.76	97.4	-	-
2	13,318	13,319	-12.90	97.4	-	-
20	8,655	8,657	-8.69	97.4	-	-
21	8,047	8,050	-7.99	97.4	-	-
22	7,823	7,826	-7.72	97.4	-	-
23	6,704	6,707	-6.25	97.4	-	-
24	18,038	18,039	-15.94	97.4	-	-
25	16,291	16,293	-14.91	97.4	-	-
26	16,047	16,049	-14.76	97.4	-	-
27	14,793	14,795	-13.95	97.4	-	-
28	17,526	17,528	-15.65	97.4	-	-
29	17,865	17,866	-15.84	97.4	-	-
3	14,259	14,261	-13.58	97.4	-	-
30	18,738	18,739	-16.32	97.4	-	-
31	18,183	18,184	-16.02	97.4	-	-
32	18,982	18,983	-16.45	97.4	-	-
33	17,895	17,896	-15.86	97.4	-	-
34	2,983	2,987	1.26	97.4	-	-
35	10,632	10,634	-10.69	97.4	-	-
36	7,614	7,617	-7.46	97.4	-	-
37	6,857	6,860	-6.47	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,764	4,769	-3.05	97.4	-	-
39	6,120	6,122	-5.39	97.4	-	-
4	6,059	6,063	-5.30	97.4	-	-
40	16,929	16,930	-15.30	97.4	-	-
5	4,782	4,786	-3.08	97.4	-	-
6	5,670	5,674	-4.67	97.4	-	-
7	6,636	6,639	-6.16	97.4	-	-
8	2,232	2,239	3.87	97.4	-	-
9	2,491	2,497	2.89	97.4	-	-
Sum			12.79			

- Data undefined due to calculation with octave data

Noise sensitive area: CB Purva iela 11

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,905	9,907	-10.00	97.4	-	-
10	4,002	4,007	-1.43	97.4	-	-
11	1,582	1,592	6.93	97.4	-	-
12	4,399	4,403	-2.31	97.4	-	-
13	2,817	2,824	1.77	97.4	-	-
14	3,528	3,533	-0.28	97.4	-	-
15	8,717	8,719	-8.76	97.4	-	-
16	8,091	8,094	-8.05	97.4	-	-
17	7,171	7,174	-6.89	97.4	-	-
18	9,121	9,124	-9.20	97.4	-	-
19	8,717	8,719	-8.76	97.4	-	-
2	13,318	13,319	-12.90	97.4	-	-
20	8,655	8,657	-8.69	97.4	-	-
21	8,047	8,050	-7.99	97.4	-	-
22	7,823	7,826	-7.72	97.4	-	-
23	6,704	6,707	-6.25	97.4	-	-
24	18,038	18,039	-15.94	97.4	-	-
25	16,291	16,293	-14.91	97.4	-	-
26	16,047	16,049	-14.76	97.4	-	-
27	14,793	14,795	-13.95	97.4	-	-
28	17,526	17,528	-15.65	97.4	-	-
29	17,865	17,866	-15.84	97.4	-	-
3	14,259	14,261	-13.58	97.4	-	-
30	18,738	18,739	-16.32	97.4	-	-
31	18,183	18,184	-16.02	97.4	-	-
32	18,982	18,983	-16.45	97.4	-	-
33	17,895	17,896	-15.86	97.4	-	-
34	2,983	2,987	1.26	97.4	-	-
35	10,632	10,634	-10.69	97.4	-	-
36	7,614	7,617	-7.46	97.4	-	-
37	6,857	6,860	-6.47	97.4	-	-
38	4,764	4,769	-3.05	97.4	-	-
39	6,120	6,122	-5.39	97.4	-	-
4	6,059	6,063	-5.30	97.4	-	-
40	16,929	16,930	-15.30	97.4	-	-
5	4,782	4,786	-3.08	97.4	-	-
6	5,670	5,674	-4.67	97.4	-	-
7	6,636	6,639	-6.16	97.4	-	-
8	2,232	2,239	3.87	97.4	-	-
9	2,491	2,497	2.89	97.4	-	-
Sum			12.79			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: CC Purva iela 12

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,931	9,934	-10.03	97.4	-	-
10	4,029	4,034	-1.49	97.4	-	-
11	1,605	1,615	6.80	97.4	-	-
12	4,426	4,430	-2.36	97.4	-	-
13	2,842	2,849	1.69	97.4	-	-
14	3,551	3,557	-0.34	97.4	-	-
15	8,743	8,745	-8.79	97.4	-	-
16	8,117	8,119	-8.08	97.4	-	-
17	7,198	7,201	-6.93	97.4	-	-
18	9,148	9,150	-9.23	97.4	-	-
19	8,743	8,746	-8.79	97.4	-	-
2	13,336	13,338	-12.92	97.4	-	-
20	8,682	8,684	-8.72	97.4	-	-
21	8,074	8,076	-8.03	97.4	-	-
22	7,848	7,851	-7.75	97.4	-	-
23	6,732	6,734	-6.29	97.4	-	-
24	18,057	18,058	-15.95	97.4	-	-
25	16,310	16,311	-14.92	97.4	-	-
26	16,065	16,066	-14.77	97.4	-	-
27	14,815	14,816	-13.96	97.4	-	-
28	17,546	17,547	-15.66	97.4	-	-
29	17,885	17,886	-15.85	97.4	-	-
3	14,280	14,282	-13.60	97.4	-	-
30	18,756	18,757	-16.33	97.4	-	-
31	18,201	18,202	-16.03	97.4	-	-
32	19,002	19,002	-16.46	97.4	-	-
33	17,916	17,917	-15.87	97.4	-	-
34	3,001	3,006	1.20	97.4	-	-
35	10,659	10,661	-10.71	97.4	-	-
36	7,640	7,643	-7.50	97.4	-	-
37	6,883	6,887	-6.50	97.4	-	-
38	4,791	4,796	-3.10	97.4	-	-
39	6,147	6,149	-5.43	97.4	-	-
4	6,084	6,088	-5.33	97.4	-	-
40	16,947	16,949	-15.31	97.4	-	-
5	4,808	4,813	-3.13	97.4	-	-
6	5,697	5,701	-4.72	97.4	-	-
7	6,663	6,666	-6.19	97.4	-	-
8	2,252	2,258	3.79	97.4	-	-
9	2,518	2,524	2.79	97.4	-	-
Sum			12.71			

- Data undefined due to calculation with octave data

Noise sensitive area: CC Purva iela 12

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,931	9,934	-10.03	97.4	-	-
10	4,029	4,034	-1.49	97.4	-	-
11	1,605	1,615	6.80	97.4	-	-
12	4,426	4,430	-2.36	97.4	-	-
13	2,842	2,849	1.69	97.4	-	-
14	3,551	3,557	-0.34	97.4	-	-
15	8,743	8,745	-8.79	97.4	-	-
16	8,117	8,119	-8.08	97.4	-	-
17	7,198	7,201	-6.93	97.4	-	-
18	9,148	9,150	-9.23	97.4	-	-
19	8,743	8,746	-8.79	97.4	-	-
2	13,336	13,338	-12.92	97.4	-	-
20	8,682	8,684	-8.72	97.4	-	-
21	8,074	8,076	-8.03	97.4	-	-
22	7,848	7,851	-7.75	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,732	6,734	-6.29	97.4	-	-
24	18,057	18,058	-15.95	97.4	-	-
25	16,310	16,311	-14.92	97.4	-	-
26	16,065	16,066	-14.77	97.4	-	-
27	14,815	14,816	-13.96	97.4	-	-
28	17,546	17,547	-15.66	97.4	-	-
29	17,885	17,886	-15.85	97.4	-	-
3	14,280	14,282	-13.60	97.4	-	-
30	18,756	18,757	-16.33	97.4	-	-
31	18,201	18,202	-16.03	97.4	-	-
32	19,002	19,002	-16.46	97.4	-	-
33	17,916	17,917	-15.87	97.4	-	-
34	3,001	3,006	1.20	97.4	-	-
35	10,659	10,661	-10.71	97.4	-	-
36	7,640	7,643	-7.50	97.4	-	-
37	6,883	6,887	-6.50	97.4	-	-
38	4,791	4,796	-3.10	97.4	-	-
39	6,147	6,149	-5.43	97.4	-	-
4	6,084	6,088	-5.33	97.4	-	-
40	16,947	16,949	-15.31	97.4	-	-
5	4,808	4,813	-3.13	97.4	-	-
6	5,697	5,701	-4.72	97.4	-	-
7	6,663	6,666	-6.19	97.4	-	-
8	2,252	2,258	3.79	97.4	-	-
9	2,518	2,524	2.79	97.4	-	-
Sum			12.71			

- Data undefined due to calculation with octave data

Noise sensitive area: CD Purva iela 13

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,909	9,911	-10.00	97.4	-	-
10	4,005	4,010	-1.44	97.4	-	-
11	1,560	1,570	7.06	97.4	-	-
12	4,395	4,400	-2.30	97.4	-	-
13	2,802	2,809	1.82	97.4	-	-
14	3,507	3,512	-0.22	97.4	-	-
15	8,729	8,731	-8.78	97.4	-	-
16	8,105	8,108	-8.06	97.4	-	-
17	7,175	7,178	-6.90	97.4	-	-
18	9,129	9,131	-9.21	97.4	-	-
19	8,726	8,728	-8.77	97.4	-	-
2	13,346	13,347	-12.93	97.4	-	-
20	8,659	8,661	-8.70	97.4	-	-
21	8,053	8,056	-8.00	97.4	-	-
22	7,841	7,844	-7.74	97.4	-	-
23	6,705	6,708	-6.25	97.4	-	-
24	18,066	18,067	-15.95	97.4	-	-
25	16,321	16,322	-14.93	97.4	-	-
26	16,077	16,079	-14.78	97.4	-	-
27	14,817	14,818	-13.96	97.4	-	-
28	17,554	17,555	-15.66	97.4	-	-
29	17,892	17,893	-15.85	97.4	-	-
3	14,284	14,286	-13.60	97.4	-	-
30	18,766	18,767	-16.33	97.4	-	-
31	18,212	18,213	-16.03	97.4	-	-
32	19,010	19,011	-16.47	97.4	-	-
33	17,921	17,922	-15.87	97.4	-	-
34	2,953	2,957	1.35	97.4	-	-
35	10,638	10,640	-10.70	97.4	-	-
36	7,624	7,627	-7.48	97.4	-	-
37	6,865	6,868	-6.48	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,767	4,771	-3.05	97.4	-	-
39	6,118	6,121	-5.39	97.4	-	-
4	6,076	6,080	-5.32	97.4	-	-
40	16,957	16,958	-15.31	97.4	-	-
5	4,773	4,777	-3.06	97.4	-	-
6	5,671	5,675	-4.67	97.4	-	-
7	6,640	6,643	-6.16	97.4	-	-
8	2,204	2,210	3.99	97.4	-	-
9	2,487	2,493	2.90	97.4	-	-
Sum			12.85			

- Data undefined due to calculation with octave data

Noise sensitive area: CD Purva iela 13

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,909	9,911	-10.00	97.4	-	-
10	4,005	4,010	-1.44	97.4	-	-
11	1,560	1,570	7.06	97.4	-	-
12	4,395	4,400	-2.30	97.4	-	-
13	2,802	2,809	1.82	97.4	-	-
14	3,507	3,512	-0.22	97.4	-	-
15	8,729	8,731	-8.78	97.4	-	-
16	8,105	8,108	-8.06	97.4	-	-
17	7,175	7,178	-6.90	97.4	-	-
18	9,129	9,131	-9.21	97.4	-	-
19	8,726	8,728	-8.77	97.4	-	-
2	13,346	13,347	-12.93	97.4	-	-
20	8,659	8,661	-8.70	97.4	-	-
21	8,053	8,056	-8.00	97.4	-	-
22	7,841	7,844	-7.74	97.4	-	-
23	6,705	6,708	-6.25	97.4	-	-
24	18,066	18,067	-15.95	97.4	-	-
25	16,321	16,322	-14.93	97.4	-	-
26	16,077	16,079	-14.78	97.4	-	-
27	14,817	14,818	-13.96	97.4	-	-
28	17,554	17,555	-15.66	97.4	-	-
29	17,892	17,893	-15.85	97.4	-	-
3	14,284	14,286	-13.60	97.4	-	-
30	18,766	18,767	-16.33	97.4	-	-
31	18,212	18,213	-16.03	97.4	-	-
32	19,010	19,011	-16.47	97.4	-	-
33	17,921	17,922	-15.87	97.4	-	-
34	2,953	2,957	1.35	97.4	-	-
35	10,638	10,640	-10.70	97.4	-	-
36	7,624	7,627	-7.48	97.4	-	-
37	6,865	6,868	-6.48	97.4	-	-
38	4,767	4,771	-3.05	97.4	-	-
39	6,118	6,121	-5.39	97.4	-	-
4	6,076	6,080	-5.32	97.4	-	-
40	16,957	16,958	-15.31	97.4	-	-
5	4,773	4,777	-3.06	97.4	-	-
6	5,671	5,675	-4.67	97.4	-	-
7	6,640	6,643	-6.16	97.4	-	-
8	2,204	2,210	3.99	97.4	-	-
9	2,487	2,493	2.90	97.4	-	-
Sum			12.85			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: CE Rozites

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4,308	4,313	-2.11	97.4	-	-
10	2,725	2,732	2.07	97.4	-	-
11	4,927	4,930	-3.36	97.4	-	-
12	2,017	2,027	4.76	97.4	-	-
13	3,611	3,616	-0.49	97.4	-	-
14	3,284	3,290	0.38	97.4	-	-
15	4,315	4,319	-2.13	97.4	-	-
16	4,205	4,210	-1.89	97.4	-	-
17	2,124	2,133	4.31	97.4	-	-
18	3,992	3,998	-1.41	97.4	-	-
19	3,889	3,894	-1.17	97.4	-	-
2	11,060	11,062	-11.08	97.4	-	-
20	3,203	3,208	0.61	97.4	-	-
21	2,982	2,990	1.25	97.4	-	-
22	4,656	4,661	-2.83	97.4	-	-
23	1,434	1,444	7.80	97.4	-	-
24	15,368	15,370	-14.33	97.4	-	-
25	13,936	13,937	-13.35	97.4	-	-
26	13,913	13,914	-13.34	97.4	-	-
27	11,503	11,505	-11.46	97.4	-	-
28	14,720	14,721	-13.90	97.4	-	-
29	14,851	14,852	-13.99	97.4	-	-
3	11,232	11,234	-11.23	97.4	-	-
30	16,101	16,102	-14.79	97.4	-	-
31	15,767	15,768	-14.59	97.4	-	-
32	16,118	16,119	-14.81	97.4	-	-
33	14,694	14,696	-13.88	97.4	-	-
34	4,345	4,348	-2.19	97.4	-	-
35	5,111	5,116	-3.70	97.4	-	-
36	3,268	3,275	0.42	97.4	-	-
37	2,648	2,656	2.33	97.4	-	-
38	2,123	2,133	4.31	97.4	-	-
39	1,048	1,062	10.52	97.4	-	-
4	3,778	3,784	-0.91	97.4	-	-
40	14,389	14,391	-13.67	97.4	-	-
5	1,567	1,580	7.00	97.4	-	-
6	1,493	1,506	7.42	97.4	-	-
7	1,937	1,948	5.12	97.4	-	-
8	4,649	4,652	-2.82	97.4	-	-
9	3,867	3,870	-1.11	97.4	-	-
Sum			17.52			

- Data undefined due to calculation with octave data

Noise sensitive area: CE Rozites

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4,308	4,313	-2.11	97.4	-	-
10	2,725	2,732	2.07	97.4	-	-
11	4,927	4,930	-3.36	97.4	-	-
12	2,017	2,027	4.76	97.4	-	-
13	3,611	3,616	-0.49	97.4	-	-
14	3,284	3,290	0.38	97.4	-	-
15	4,315	4,319	-2.13	97.4	-	-
16	4,205	4,210	-1.89	97.4	-	-
17	2,124	2,133	4.31	97.4	-	-
18	3,992	3,998	-1.41	97.4	-	-
19	3,889	3,894	-1.17	97.4	-	-
2	11,060	11,062	-11.08	97.4	-	-
20	3,203	3,208	0.61	97.4	-	-
21	2,982	2,990	1.25	97.4	-	-
22	4,656	4,661	-2.83	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	1,434	1,444	7.80	97.4	-	-
24	15,368	15,370	-14.33	97.4	-	-
25	13,936	13,937	-13.35	97.4	-	-
26	13,913	13,914	-13.34	97.4	-	-
27	11,503	11,505	-11.46	97.4	-	-
28	14,720	14,721	-13.90	97.4	-	-
29	14,851	14,852	-13.99	97.4	-	-
3	11,232	11,234	-11.23	97.4	-	-
30	16,101	16,102	-14.79	97.4	-	-
31	15,767	15,768	-14.59	97.4	-	-
32	16,118	16,119	-14.81	97.4	-	-
33	14,694	14,696	-13.88	97.4	-	-
34	4,345	4,348	-2.19	97.4	-	-
35	5,111	5,116	-3.70	97.4	-	-
36	3,268	3,275	0.42	97.4	-	-
37	2,648	2,656	2.33	97.4	-	-
38	2,123	2,133	4.31	97.4	-	-
39	1,048	1,062	10.52	97.4	-	-
4	3,778	3,784	-0.91	97.4	-	-
40	14,389	14,391	-13.67	97.4	-	-
5	1,567	1,580	7.00	97.4	-	-
6	1,493	1,506	7.42	97.4	-	-
7	1,937	1,948	5.12	97.4	-	-
8	4,649	4,652	-2.82	97.4	-	-
9	3,867	3,870	-1.11	97.4	-	-
Sum			17.52			

- Data undefined due to calculation with octave data

Noise sensitive area: CF Rubeni

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	14,230	14,231	-13.56	97.4	-	-
10	17,452	17,453	-15.60	97.4	-	-
11	20,035	20,035	-17.00	97.4	-	-
12	17,857	17,858	-15.83	97.4	-	-
13	19,372	19,373	-16.66	97.4	-	-
14	19,828	19,829	-16.89	97.4	-	-
15	13,402	13,403	-12.97	97.4	-	-
16	13,527	13,529	-13.06	97.4	-	-
17	15,579	15,580	-14.46	97.4	-	-
18	13,965	13,966	-13.38	97.4	-	-
19	13,899	13,900	-13.33	97.4	-	-
2	6,928	6,931	-6.56	97.4	-	-
20	14,804	14,805	-13.96	97.4	-	-
21	14,778	14,779	-13.94	97.4	-	-
22	13,254	13,256	-12.86	97.4	-	-
23	16,276	16,276	-14.90	97.4	-	-
24	2,337	2,342	3.47	97.4	-	-
25	3,926	3,930	-1.25	97.4	-	-
26	4,176	4,180	-1.82	97.4	-	-
27	6,293	6,296	-5.65	97.4	-	-
28	3,012	3,017	1.17	97.4	-	-
29	3,060	3,064	1.03	97.4	-	-
3	6,474	6,477	-5.92	97.4	-	-
30	1,608	1,616	6.80	97.4	-	-
31	2,027	2,033	4.74	97.4	-	-
32	1,817	1,824	5.71	97.4	-	-
33	3,446	3,450	-0.06	97.4	-	-
34	20,689	20,690	-17.32	97.4	-	-
35	13,637	13,638	-13.14	97.4	-	-
36	14,446	14,447	-13.71	97.4	-	-
37	15,153	15,154	-14.19	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	17,056	17,057	-15.37	97.4	-	-
39	16,812	16,813	-15.23	97.4	-	-
4	14,809	14,810	-13.96	97.4	-	-
40	3,347	3,352	0.21	97.4	-	-
5	18,281	18,282	-16.07	97.4	-	-
6	16,721	16,722	-15.17	97.4	-	-
7	15,829	15,830	-14.62	97.4	-	-
8	20,401	20,401	-17.18	97.4	-	-
9	18,812	18,813	-16.36	97.4	-	-
Sum			13.30			

- Data undefined due to calculation with octave data

Noise sensitive area: CF Rubeni

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	14,230	14,231	-13.56	97.4	-	-
10	17,452	17,453	-15.60	97.4	-	-
11	20,035	20,035	-17.00	97.4	-	-
12	17,857	17,858	-15.83	97.4	-	-
13	19,372	19,373	-16.66	97.4	-	-
14	19,828	19,829	-16.89	97.4	-	-
15	13,402	13,403	-12.97	97.4	-	-
16	13,527	13,529	-13.06	97.4	-	-
17	15,579	15,580	-14.46	97.4	-	-
18	13,965	13,966	-13.38	97.4	-	-
19	13,899	13,900	-13.33	97.4	-	-
2	6,928	6,931	-6.56	97.4	-	-
20	14,804	14,805	-13.96	97.4	-	-
21	14,778	14,779	-13.94	97.4	-	-
22	13,254	13,256	-12.86	97.4	-	-
23	16,276	16,276	-14.90	97.4	-	-
24	2,337	2,342	3.47	97.4	-	-
25	3,926	3,930	-1.25	97.4	-	-
26	4,176	4,180	-1.82	97.4	-	-
27	6,293	6,296	-5.65	97.4	-	-
28	3,012	3,017	1.17	97.4	-	-
29	3,060	3,064	1.03	97.4	-	-
3	6,474	6,477	-5.92	97.4	-	-
30	1,608	1,616	6.80	97.4	-	-
31	2,027	2,033	4.74	97.4	-	-
32	1,817	1,824	5.71	97.4	-	-
33	3,446	3,450	-0.06	97.4	-	-
34	20,689	20,690	-17.32	97.4	-	-
35	13,637	13,638	-13.14	97.4	-	-
36	14,446	14,447	-13.71	97.4	-	-
37	15,153	15,154	-14.19	97.4	-	-
38	17,056	17,057	-15.37	97.4	-	-
39	16,812	16,813	-15.23	97.4	-	-
4	14,809	14,810	-13.96	97.4	-	-
40	3,347	3,352	0.21	97.4	-	-
5	18,281	18,282	-16.07	97.4	-	-
6	16,721	16,722	-15.17	97.4	-	-
7	15,829	15,830	-14.62	97.4	-	-
8	20,401	20,401	-17.18	97.4	-	-
9	18,812	18,813	-16.36	97.4	-	-
Sum			13.30			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: CG Saules iela 1

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,477	9,479	-9.57	97.4	-	-
10	3,573	3,578	-0.39	97.4	-	-
11	1,216	1,228	9.24	97.4	-	-
12	3,961	3,966	-1.34	97.4	-	-
13	2,399	2,407	3.22	97.4	-	-
14	3,140	3,146	0.79	97.4	-	-
15	8,315	8,317	-8.31	97.4	-	-
16	7,699	7,702	-7.57	97.4	-	-
17	6,742	6,745	-6.31	97.4	-	-
18	8,702	8,705	-8.75	97.4	-	-
19	8,303	8,306	-8.29	97.4	-	-
2	13,043	13,044	-12.70	97.4	-	-
20	8,227	8,229	-8.21	97.4	-	-
21	7,624	7,626	-7.48	97.4	-	-
22	7,452	7,455	-7.26	97.4	-	-
23	6,270	6,272	-5.62	97.4	-	-
24	17,761	17,762	-15.78	97.4	-	-
25	16,026	16,027	-14.75	97.4	-	-
26	15,793	15,795	-14.60	97.4	-	-
27	14,472	14,473	-13.73	97.4	-	-
28	17,241	17,242	-15.48	97.4	-	-
29	17,569	17,570	-15.67	97.4	-	-
3	13,949	13,950	-13.36	97.4	-	-
30	18,465	18,466	-16.17	97.4	-	-
31	17,921	17,922	-15.87	97.4	-	-
32	18,697	18,698	-16.30	97.4	-	-
33	17,589	17,590	-15.68	97.4	-	-
34	2,675	2,680	2.25	97.4	-	-
35	10,208	10,210	-10.29	97.4	-	-
36	7,203	7,207	-6.94	97.4	-	-
37	6,441	6,444	-5.87	97.4	-	-
38	4,333	4,338	-2.17	97.4	-	-
39	5,683	5,686	-4.69	97.4	-	-
4	5,685	5,689	-4.70	97.4	-	-
40	16,656	16,657	-15.13	97.4	-	-
5	4,348	4,352	-2.20	97.4	-	-
6	5,236	5,240	-3.93	97.4	-	-
7	6,208	6,211	-5.52	97.4	-	-
8	1,911	1,919	5.26	97.4	-	-
9	2,053	2,060	4.62	97.4	-	-
Sum			14.24			

- Data undefined due to calculation with octave data

Noise sensitive area: CG Saules iela 1

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,477	9,479	-9.57	97.4	-	-
10	3,573	3,578	-0.39	97.4	-	-
11	1,216	1,228	9.24	97.4	-	-
12	3,961	3,966	-1.34	97.4	-	-
13	2,399	2,407	3.22	97.4	-	-
14	3,140	3,146	0.79	97.4	-	-
15	8,315	8,317	-8.31	97.4	-	-
16	7,699	7,702	-7.57	97.4	-	-
17	6,742	6,745	-6.31	97.4	-	-
18	8,702	8,705	-8.75	97.4	-	-
19	8,303	8,306	-8.29	97.4	-	-
2	13,043	13,044	-12.70	97.4	-	-
20	8,227	8,229	-8.21	97.4	-	-
21	7,624	7,626	-7.48	97.4	-	-
22	7,452	7,455	-7.26	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,270	6,272	-5.62	97.4	-	-
24	17,761	17,762	-15.78	97.4	-	-
25	16,026	16,027	-14.75	97.4	-	-
26	15,793	15,795	-14.60	97.4	-	-
27	14,472	14,473	-13.73	97.4	-	-
28	17,241	17,242	-15.48	97.4	-	-
29	17,569	17,570	-15.67	97.4	-	-
3	13,949	13,950	-13.36	97.4	-	-
30	18,465	18,466	-16.17	97.4	-	-
31	17,921	17,922	-15.87	97.4	-	-
32	18,697	18,698	-16.30	97.4	-	-
33	17,589	17,590	-15.68	97.4	-	-
34	2,675	2,680	2.25	97.4	-	-
35	10,208	10,210	-10.29	97.4	-	-
36	7,203	7,207	-6.94	97.4	-	-
37	6,441	6,444	-5.87	97.4	-	-
38	4,333	4,338	-2.17	97.4	-	-
39	5,683	5,686	-4.69	97.4	-	-
4	5,685	5,689	-4.70	97.4	-	-
40	16,656	16,657	-15.13	97.4	-	-
5	4,348	4,352	-2.20	97.4	-	-
6	5,236	5,240	-3.93	97.4	-	-
7	6,208	6,211	-5.52	97.4	-	-
8	1,911	1,919	5.26	97.4	-	-
9	2,053	2,060	4.62	97.4	-	-
Sum			14.24			

- Data undefined due to calculation with octave data

Noise sensitive area: CH Saules iela 2

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,509	9,511	-9.60	97.4	-	-
10	3,605	3,611	-0.47	97.4	-	-
11	1,277	1,288	8.81	97.4	-	-
12	4,003	4,008	-1.44	97.4	-	-
13	2,454	2,462	3.02	97.4	-	-
14	3,199	3,205	0.62	97.4	-	-
15	8,336	8,338	-8.33	97.4	-	-
16	7,717	7,719	-7.59	97.4	-	-
17	6,774	6,777	-6.35	97.4	-	-
18	8,730	8,732	-8.78	97.4	-	-
19	8,328	8,331	-8.32	97.4	-	-
2	13,034	13,035	-12.69	97.4	-	-
20	8,259	8,261	-8.24	97.4	-	-
21	7,653	7,656	-7.51	97.4	-	-
22	7,464	7,467	-7.27	97.4	-	-
23	6,307	6,309	-5.67	97.4	-	-
24	17,753	17,754	-15.78	97.4	-	-
25	16,016	16,017	-14.74	97.4	-	-
26	15,781	15,782	-14.59	97.4	-	-
27	14,472	14,473	-13.73	97.4	-	-
28	17,234	17,235	-15.48	97.4	-	-
29	17,564	17,565	-15.67	97.4	-	-
3	13,947	13,948	-13.36	97.4	-	-
30	18,456	18,457	-16.17	97.4	-	-
31	17,910	17,911	-15.86	97.4	-	-
32	18,691	18,691	-16.29	97.4	-	-
33	17,586	17,587	-15.68	97.4	-	-
34	2,737	2,741	2.04	97.4	-	-
35	10,238	10,240	-10.32	97.4	-	-
36	7,227	7,230	-6.97	97.4	-	-
37	6,467	6,470	-5.91	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,367	4,372	-2.24	97.4	-	-
39	5,722	5,725	-4.76	97.4	-	-
4	5,697	5,701	-4.72	97.4	-	-
40	16,646	16,648	-15.13	97.4	-	-
5	4,396	4,400	-2.30	97.4	-	-
6	5,272	5,276	-3.99	97.4	-	-
7	6,240	6,243	-5.57	97.4	-	-
8	1,973	1,980	4.98	97.4	-	-
9	2,096	2,103	4.43	97.4	-	-
Sum			14.00			

- Data undefined due to calculation with octave data

Noise sensitive area: CH Saules iela 2

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,509	9,511	-9.60	97.4	-	-
10	3,605	3,611	-0.47	97.4	-	-
11	1,277	1,288	8.81	97.4	-	-
12	4,003	4,008	-1.44	97.4	-	-
13	2,454	2,462	3.02	97.4	-	-
14	3,199	3,205	0.62	97.4	-	-
15	8,336	8,338	-8.33	97.4	-	-
16	7,717	7,719	-7.59	97.4	-	-
17	6,774	6,777	-6.35	97.4	-	-
18	8,730	8,732	-8.78	97.4	-	-
19	8,328	8,331	-8.32	97.4	-	-
2	13,034	13,035	-12.69	97.4	-	-
20	8,259	8,261	-8.24	97.4	-	-
21	7,653	7,656	-7.51	97.4	-	-
22	7,464	7,467	-7.27	97.4	-	-
23	6,307	6,309	-5.67	97.4	-	-
24	17,753	17,754	-15.78	97.4	-	-
25	16,016	16,017	-14.74	97.4	-	-
26	15,781	15,782	-14.59	97.4	-	-
27	14,472	14,473	-13.73	97.4	-	-
28	17,234	17,235	-15.48	97.4	-	-
29	17,564	17,565	-15.67	97.4	-	-
3	13,947	13,948	-13.36	97.4	-	-
30	18,456	18,457	-16.17	97.4	-	-
31	17,910	17,911	-15.86	97.4	-	-
32	18,691	18,691	-16.29	97.4	-	-
33	17,586	17,587	-15.68	97.4	-	-
34	2,737	2,741	2.04	97.4	-	-
35	10,238	10,240	-10.32	97.4	-	-
36	7,227	7,230	-6.97	97.4	-	-
37	6,467	6,470	-5.91	97.4	-	-
38	4,367	4,372	-2.24	97.4	-	-
39	5,722	5,725	-4.76	97.4	-	-
4	5,697	5,701	-4.72	97.4	-	-
40	16,646	16,648	-15.13	97.4	-	-
5	4,396	4,400	-2.30	97.4	-	-
6	5,272	5,276	-3.99	97.4	-	-
7	6,240	6,243	-5.57	97.4	-	-
8	1,973	1,980	4.98	97.4	-	-
9	2,096	2,103	4.43	97.4	-	-
Sum			14.00			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: CI Saules iela 3

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,534	9,536	-9.63	97.4	-	-
10	3,629	3,634	-0.53	97.4	-	-
11	1,240	1,251	9.07	97.4	-	-
12	4,013	4,018	-1.46	97.4	-	-
13	2,439	2,447	3.07	97.4	-	-
14	3,171	3,177	0.70	97.4	-	-
15	8,374	8,376	-8.38	97.4	-	-
16	7,758	7,761	-7.64	97.4	-	-
17	6,799	6,802	-6.38	97.4	-	-
18	8,760	8,762	-8.81	97.4	-	-
19	8,361	8,364	-8.36	97.4	-	-
2	13,097	13,099	-12.74	97.4	-	-
20	8,283	8,285	-8.27	97.4	-	-
21	7,681	7,684	-7.55	97.4	-	-
22	7,511	7,514	-7.33	97.4	-	-
23	6,325	6,327	-5.70	97.4	-	-
24	17,816	17,817	-15.81	97.4	-	-
25	16,080	16,081	-14.78	97.4	-	-
26	15,846	15,848	-14.64	97.4	-	-
27	14,529	14,531	-13.77	97.4	-	-
28	17,296	17,297	-15.51	97.4	-	-
29	17,625	17,626	-15.70	97.4	-	-
3	14,005	14,007	-13.40	97.4	-	-
30	18,519	18,520	-16.20	97.4	-	-
31	17,975	17,975	-15.90	97.4	-	-
32	18,753	18,754	-16.33	97.4	-	-
33	17,646	17,647	-15.71	97.4	-	-
34	2,688	2,693	2.20	97.4	-	-
35	10,266	10,268	-10.35	97.4	-	-
36	7,262	7,265	-7.01	97.4	-	-
37	6,499	6,502	-5.96	97.4	-	-
38	4,389	4,394	-2.29	97.4	-	-
39	5,737	5,739	-4.78	97.4	-	-
4	5,744	5,748	-4.79	97.4	-	-
40	16,710	16,711	-15.17	97.4	-	-
5	4,395	4,399	-2.30	97.4	-	-
6	5,292	5,295	-4.02	97.4	-	-
7	6,265	6,268	-5.61	97.4	-	-
8	1,926	1,933	5.19	97.4	-	-
9	2,105	2,112	4.40	97.4	-	-
Sum			14.11			

- Data undefined due to calculation with octave data

Noise sensitive area: CI Saules iela 3

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,534	9,536	-9.63	97.4	-	-
10	3,629	3,634	-0.53	97.4	-	-
11	1,240	1,251	9.07	97.4	-	-
12	4,013	4,018	-1.46	97.4	-	-
13	2,439	2,447	3.07	97.4	-	-
14	3,171	3,177	0.70	97.4	-	-
15	8,374	8,376	-8.38	97.4	-	-
16	7,758	7,761	-7.64	97.4	-	-
17	6,799	6,802	-6.38	97.4	-	-
18	8,760	8,762	-8.81	97.4	-	-
19	8,361	8,364	-8.36	97.4	-	-
2	13,097	13,099	-12.74	97.4	-	-
20	8,283	8,285	-8.27	97.4	-	-
21	7,681	7,684	-7.55	97.4	-	-
22	7,511	7,514	-7.33	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,325	6,327	-5.70	97.4	-	-
24	17,816	17,817	-15.81	97.4	-	-
25	16,080	16,081	-14.78	97.4	-	-
26	15,846	15,848	-14.64	97.4	-	-
27	14,529	14,531	-13.77	97.4	-	-
28	17,296	17,297	-15.51	97.4	-	-
29	17,625	17,626	-15.70	97.4	-	-
3	14,005	14,007	-13.40	97.4	-	-
30	18,519	18,520	-16.20	97.4	-	-
31	17,975	17,975	-15.90	97.4	-	-
32	18,753	18,754	-16.33	97.4	-	-
33	17,646	17,647	-15.71	97.4	-	-
34	2,688	2,693	2.20	97.4	-	-
35	10,266	10,268	-10.35	97.4	-	-
36	7,262	7,265	-7.01	97.4	-	-
37	6,499	6,502	-5.96	97.4	-	-
38	4,389	4,394	-2.29	97.4	-	-
39	5,737	5,739	-4.78	97.4	-	-
4	5,744	5,748	-4.79	97.4	-	-
40	16,710	16,711	-15.17	97.4	-	-
5	4,395	4,399	-2.30	97.4	-	-
6	5,292	5,295	-4.02	97.4	-	-
7	6,265	6,268	-5.61	97.4	-	-
8	1,926	1,933	5.19	97.4	-	-
9	2,105	2,112	4.40	97.4	-	-
Sum			14.11			

- Data undefined due to calculation with octave data

Noise sensitive area: CJ Saules iela 4

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,553	9,555	-9.65	97.4	-	-
10	3,649	3,654	-0.58	97.4	-	-
11	1,287	1,298	8.75	97.4	-	-
12	4,041	4,046	-1.52	97.4	-	-
13	2,479	2,486	2.92	97.4	-	-
14	3,216	3,221	0.57	97.4	-	-
15	8,384	8,386	-8.39	97.4	-	-
16	7,766	7,768	-7.65	97.4	-	-
17	6,818	6,821	-6.41	97.4	-	-
18	8,776	8,778	-8.83	97.4	-	-
19	8,375	8,378	-8.38	97.4	-	-
2	13,084	13,085	-12.73	97.4	-	-
20	8,303	8,305	-8.29	97.4	-	-
21	7,698	7,701	-7.57	97.4	-	-
22	7,514	7,517	-7.34	97.4	-	-
23	6,348	6,351	-5.73	97.4	-	-
24	17,803	17,804	-15.80	97.4	-	-
25	16,065	16,067	-14.77	97.4	-	-
26	15,830	15,832	-14.63	97.4	-	-
27	14,523	14,524	-13.77	97.4	-	-
28	17,284	17,285	-15.51	97.4	-	-
29	17,615	17,616	-15.70	97.4	-	-
3	13,997	13,999	-13.40	97.4	-	-
30	18,506	18,507	-16.19	97.4	-	-
31	17,960	17,960	-15.89	97.4	-	-
32	18,741	18,742	-16.32	97.4	-	-
33	17,637	17,638	-15.71	97.4	-	-
34	2,737	2,742	2.04	97.4	-	-
35	10,283	10,285	-10.36	97.4	-	-
36	7,275	7,278	-7.03	97.4	-	-
37	6,513	6,517	-5.98	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,410	4,415	-2.33	97.4	-	-
39	5,762	5,765	-4.82	97.4	-	-
4	5,747	5,751	-4.80	97.4	-	-
40	16,696	16,698	-15.16	97.4	-	-
5	4,429	4,433	-2.37	97.4	-	-
6	5,315	5,318	-4.06	97.4	-	-
7	6,284	6,287	-5.64	97.4	-	-
8	1,975	1,982	4.97	97.4	-	-
9	2,134	2,140	4.28	97.4	-	-
Sum			13.94			

- Data undefined due to calculation with octave data

Noise sensitive area: CJ Saules iela 4

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,553	9,555	-9.65	97.4	-	-
10	3,649	3,654	-0.58	97.4	-	-
11	1,287	1,298	8.75	97.4	-	-
12	4,041	4,046	-1.52	97.4	-	-
13	2,479	2,486	2.92	97.4	-	-
14	3,216	3,221	0.57	97.4	-	-
15	8,384	8,386	-8.39	97.4	-	-
16	7,766	7,768	-7.65	97.4	-	-
17	6,818	6,821	-6.41	97.4	-	-
18	8,776	8,778	-8.83	97.4	-	-
19	8,375	8,378	-8.38	97.4	-	-
2	13,084	13,085	-12.73	97.4	-	-
20	8,303	8,305	-8.29	97.4	-	-
21	7,698	7,701	-7.57	97.4	-	-
22	7,514	7,517	-7.34	97.4	-	-
23	6,348	6,351	-5.73	97.4	-	-
24	17,803	17,804	-15.80	97.4	-	-
25	16,065	16,067	-14.77	97.4	-	-
26	15,830	15,832	-14.63	97.4	-	-
27	14,523	14,524	-13.77	97.4	-	-
28	17,284	17,285	-15.51	97.4	-	-
29	17,615	17,616	-15.70	97.4	-	-
3	13,997	13,999	-13.40	97.4	-	-
30	18,506	18,507	-16.19	97.4	-	-
31	17,960	17,960	-15.89	97.4	-	-
32	18,741	18,742	-16.32	97.4	-	-
33	17,637	17,638	-15.71	97.4	-	-
34	2,737	2,742	2.04	97.4	-	-
35	10,283	10,285	-10.36	97.4	-	-
36	7,275	7,278	-7.03	97.4	-	-
37	6,513	6,517	-5.98	97.4	-	-
38	4,410	4,415	-2.33	97.4	-	-
39	5,762	5,765	-4.82	97.4	-	-
4	5,747	5,751	-4.80	97.4	-	-
40	16,696	16,698	-15.16	97.4	-	-
5	4,429	4,433	-2.37	97.4	-	-
6	5,315	5,318	-4.06	97.4	-	-
7	6,284	6,287	-5.64	97.4	-	-
8	1,975	1,982	4.97	97.4	-	-
9	2,134	2,140	4.28	97.4	-	-
Sum			13.94			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: CK Saules iela 9

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,710	9,712	-9.81	97.4	-	-
10	3,805	3,810	-0.97	97.4	-	-
11	1,327	1,339	8.47	97.4	-	-
12	4,175	4,180	-1.82	97.4	-	-
13	2,568	2,575	2.61	97.4	-	-
14	3,273	3,279	0.41	97.4	-	-
15	8,556	8,558	-8.58	97.4	-	-
16	7,941	7,944	-7.87	97.4	-	-
17	6,974	6,977	-6.63	97.4	-	-
18	8,939	8,941	-9.01	97.4	-	-
19	8,542	8,544	-8.57	97.4	-	-
2	13,266	13,268	-12.87	97.4	-	-
20	8,459	8,461	-8.47	97.4	-	-
21	7,859	7,862	-7.77	97.4	-	-
22	7,694	7,697	-7.56	97.4	-	-
23	6,496	6,498	-5.95	97.4	-	-
24	17,986	17,986	-15.91	97.4	-	-
25	16,247	16,248	-14.89	97.4	-	-
26	16,011	16,012	-14.74	97.4	-	-
27	14,706	14,708	-13.89	97.4	-	-
28	17,467	17,468	-15.61	97.4	-	-
29	17,798	17,799	-15.80	97.4	-	-
3	14,181	14,183	-13.53	97.4	-	-
30	18,688	18,689	-16.29	97.4	-	-
31	18,141	18,142	-15.99	97.4	-	-
32	18,924	18,925	-16.42	97.4	-	-
33	17,821	17,822	-15.81	97.4	-	-
34	2,737	2,742	2.04	97.4	-	-
35	10,443	10,445	-10.51	97.4	-	-
36	7,443	7,446	-7.25	97.4	-	-
37	6,679	6,682	-6.22	97.4	-	-
38	4,563	4,568	-2.65	97.4	-	-
39	5,904	5,906	-5.05	97.4	-	-
4	5,926	5,930	-5.09	97.4	-	-
40	16,879	16,880	-15.27	97.4	-	-
5	4,544	4,548	-2.61	97.4	-	-
6	5,463	5,467	-4.32	97.4	-	-
7	6,440	6,443	-5.87	97.4	-	-
8	1,983	1,990	4.93	97.4	-	-
9	2,268	2,274	3.73	97.4	-	-
Sum			13.69			

- Data undefined due to calculation with octave data

Noise sensitive area: CK Saules iela 9

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,710	9,712	-9.81	97.4	-	-
10	3,805	3,810	-0.97	97.4	-	-
11	1,327	1,339	8.47	97.4	-	-
12	4,175	4,180	-1.82	97.4	-	-
13	2,568	2,575	2.61	97.4	-	-
14	3,273	3,279	0.41	97.4	-	-
15	8,556	8,558	-8.58	97.4	-	-
16	7,941	7,944	-7.87	97.4	-	-
17	6,974	6,977	-6.63	97.4	-	-
18	8,939	8,941	-9.01	97.4	-	-
19	8,542	8,544	-8.57	97.4	-	-
2	13,266	13,268	-12.87	97.4	-	-
20	8,459	8,461	-8.47	97.4	-	-
21	7,859	7,862	-7.77	97.4	-	-
22	7,694	7,697	-7.56	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,496	6,498	-5.95	97.4	-	-
24	17,986	17,986	-15.91	97.4	-	-
25	16,247	16,248	-14.89	97.4	-	-
26	16,011	16,012	-14.74	97.4	-	-
27	14,706	14,708	-13.89	97.4	-	-
28	17,467	17,468	-15.61	97.4	-	-
29	17,798	17,799	-15.80	97.4	-	-
3	14,181	14,183	-13.53	97.4	-	-
30	18,688	18,689	-16.29	97.4	-	-
31	18,141	18,142	-15.99	97.4	-	-
32	18,924	18,925	-16.42	97.4	-	-
33	17,821	17,822	-15.81	97.4	-	-
34	2,737	2,742	2.04	97.4	-	-
35	10,443	10,445	-10.51	97.4	-	-
36	7,443	7,446	-7.25	97.4	-	-
37	6,679	6,682	-6.22	97.4	-	-
38	4,563	4,568	-2.65	97.4	-	-
39	5,904	5,906	-5.05	97.4	-	-
4	5,926	5,930	-5.09	97.4	-	-
40	16,879	16,880	-15.27	97.4	-	-
5	4,544	4,548	-2.61	97.4	-	-
6	5,463	5,467	-4.32	97.4	-	-
7	6,440	6,443	-5.87	97.4	-	-
8	1,983	1,990	4.93	97.4	-	-
9	2,268	2,274	3.73	97.4	-	-
Sum			13.69			

- Data undefined due to calculation with octave data

Noise sensitive area: CL Saules iela 11

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,762	9,764	-9.86	97.4	-	-
10	3,857	3,862	-1.09	97.4	-	-
11	1,361	1,372	8.26	97.4	-	-
12	4,225	4,230	-1.93	97.4	-	-
13	2,610	2,617	2.46	97.4	-	-
14	3,308	3,314	0.31	97.4	-	-
15	8,609	8,611	-8.64	97.4	-	-
16	7,994	7,996	-7.93	97.4	-	-
17	7,026	7,029	-6.70	97.4	-	-
18	8,992	8,994	-9.06	97.4	-	-
19	8,594	8,597	-8.63	97.4	-	-
2	13,313	13,314	-12.90	97.4	-	-
20	8,511	8,513	-8.53	97.4	-	-
21	7,911	7,914	-7.83	97.4	-	-
22	7,746	7,749	-7.63	97.4	-	-
23	6,547	6,549	-6.03	97.4	-	-
24	18,032	18,033	-15.93	97.4	-	-
25	16,293	16,294	-14.91	97.4	-	-
26	16,056	16,057	-14.77	97.4	-	-
27	14,756	14,758	-13.92	97.4	-	-
28	17,515	17,516	-15.64	97.4	-	-
29	17,846	17,847	-15.83	97.4	-	-
3	14,230	14,232	-13.56	97.4	-	-
30	18,735	18,735	-16.32	97.4	-	-
31	18,187	18,188	-16.02	97.4	-	-
32	18,971	18,972	-16.44	97.4	-	-
33	17,869	17,870	-15.84	97.4	-	-
34	2,758	2,763	1.97	97.4	-	-
35	10,495	10,497	-10.56	97.4	-	-
36	7,496	7,499	-7.31	97.4	-	-
37	6,732	6,735	-6.29	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,615	4,620	-2.75	97.4	-	-
39	5,954	5,957	-5.13	97.4	-	-
4	5,979	5,982	-5.17	97.4	-	-
40	16,925	16,926	-15.30	97.4	-	-
5	4,590	4,595	-2.70	97.4	-	-
6	5,514	5,518	-4.41	97.4	-	-
7	6,492	6,496	-5.95	97.4	-	-
8	2,007	2,014	4.82	97.4	-	-
9	2,317	2,324	3.54	97.4	-	-
Sum			13.55			

- Data undefined due to calculation with octave data

Noise sensitive area: CL Saules iela 11

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,762	9,764	-9.86	97.4	-	-
10	3,857	3,862	-1.09	97.4	-	-
11	1,361	1,372	8.26	97.4	-	-
12	4,225	4,230	-1.93	97.4	-	-
13	2,610	2,617	2.46	97.4	-	-
14	3,308	3,314	0.31	97.4	-	-
15	8,609	8,611	-8.64	97.4	-	-
16	7,994	7,996	-7.93	97.4	-	-
17	7,026	7,029	-6.70	97.4	-	-
18	8,992	8,994	-9.06	97.4	-	-
19	8,594	8,597	-8.63	97.4	-	-
2	13,313	13,314	-12.90	97.4	-	-
20	8,511	8,513	-8.53	97.4	-	-
21	7,911	7,914	-7.83	97.4	-	-
22	7,746	7,749	-7.63	97.4	-	-
23	6,547	6,549	-6.03	97.4	-	-
24	18,032	18,033	-15.93	97.4	-	-
25	16,293	16,294	-14.91	97.4	-	-
26	16,056	16,057	-14.77	97.4	-	-
27	14,756	14,758	-13.92	97.4	-	-
28	17,515	17,516	-15.64	97.4	-	-
29	17,846	17,847	-15.83	97.4	-	-
3	14,230	14,232	-13.56	97.4	-	-
30	18,735	18,735	-16.32	97.4	-	-
31	18,187	18,188	-16.02	97.4	-	-
32	18,971	18,972	-16.44	97.4	-	-
33	17,869	17,870	-15.84	97.4	-	-
34	2,758	2,763	1.97	97.4	-	-
35	10,495	10,497	-10.56	97.4	-	-
36	7,496	7,499	-7.31	97.4	-	-
37	6,732	6,735	-6.29	97.4	-	-
38	4,615	4,620	-2.75	97.4	-	-
39	5,954	5,957	-5.13	97.4	-	-
4	5,979	5,982	-5.17	97.4	-	-
40	16,925	16,926	-15.30	97.4	-	-
5	4,590	4,595	-2.70	97.4	-	-
6	5,514	5,518	-4.41	97.4	-	-
7	6,492	6,496	-5.95	97.4	-	-
8	2,007	2,014	4.82	97.4	-	-
9	2,317	2,324	3.54	97.4	-	-
Sum			13.55			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: CM Sili

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11,462	11,464	-11.43	97.4	-	-
10	15,515	15,516	-14.42	97.4	-	-
11	18,301	18,302	-16.08	97.4	-	-
12	15,786	15,788	-14.60	97.4	-	-
13	17,465	17,466	-15.61	97.4	-	-
14	17,794	17,795	-15.80	97.4	-	-
15	11,012	11,014	-11.03	97.4	-	-
16	11,296	11,298	-11.28	97.4	-	-
17	13,210	13,212	-12.82	97.4	-	-
18	11,382	11,384	-11.36	97.4	-	-
19	11,419	11,421	-11.39	97.4	-	-
2	5,740	5,744	-4.79	97.4	-	-
20	12,220	12,222	-12.06	97.4	-	-
21	12,324	12,326	-12.14	97.4	-	-
22	11,204	11,206	-11.20	97.4	-	-
23	13,923	13,924	-13.35	97.4	-	-
24	2,298	2,304	3.61	97.4	-	-
25	3,589	3,594	-0.43	97.4	-	-
26	4,154	4,158	-1.78	97.4	-	-
27	3,951	3,956	-1.32	97.4	-	-
28	2,052	2,061	4.62	97.4	-	-
29	1,411	1,421	7.94	97.4	-	-
3	4,475	4,480	-2.47	97.4	-	-
30	2,456	2,462	3.01	97.4	-	-
31	3,034	3,038	1.10	97.4	-	-
32	1,829	1,838	5.65	97.4	-	-
33	1,000	1,015	10.93	97.4	-	-
34	18,741	18,742	-16.32	97.4	-	-
35	10,785	10,787	-10.83	97.4	-	-
36	12,149	12,150	-12.00	97.4	-	-
37	12,920	12,922	-12.60	97.4	-	-
38	15,008	15,009	-14.09	97.4	-	-
39	14,518	14,519	-13.76	97.4	-	-
4	12,908	12,910	-12.60	97.4	-	-
40	2,915	2,922	1.46	97.4	-	-
5	16,109	16,110	-14.80	97.4	-	-
6	14,524	14,526	-13.77	97.4	-	-
7	13,543	13,545	-13.07	97.4	-	-
8	18,563	18,564	-16.22	97.4	-	-
9	17,007	17,008	-15.34	97.4	-	-
Sum			15.65			

- Data undefined due to calculation with octave data

Noise sensitive area: CM Sili

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11,462	11,464	-11.43	97.4	-	-
10	15,515	15,516	-14.42	97.4	-	-
11	18,301	18,302	-16.08	97.4	-	-
12	15,786	15,788	-14.60	97.4	-	-
13	17,465	17,466	-15.61	97.4	-	-
14	17,794	17,795	-15.80	97.4	-	-
15	11,012	11,014	-11.03	97.4	-	-
16	11,296	11,298	-11.28	97.4	-	-
17	13,210	13,212	-12.82	97.4	-	-
18	11,382	11,384	-11.36	97.4	-	-
19	11,419	11,421	-11.39	97.4	-	-
2	5,740	5,744	-4.79	97.4	-	-
20	12,220	12,222	-12.06	97.4	-	-
21	12,324	12,326	-12.14	97.4	-	-
22	11,204	11,206	-11.20	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	13,923	13,924	-13.35	97.4	-	-
24	2,298	2,304	3.61	97.4	-	-
25	3,589	3,594	-0.43	97.4	-	-
26	4,154	4,158	-1.78	97.4	-	-
27	3,951	3,956	-1.32	97.4	-	-
28	2,052	2,061	4.62	97.4	-	-
29	1,411	1,421	7.94	97.4	-	-
3	4,475	4,480	-2.47	97.4	-	-
30	2,456	2,462	3.01	97.4	-	-
31	3,034	3,038	1.10	97.4	-	-
32	1,829	1,838	5.65	97.4	-	-
33	1,000	1,015	10.93	97.4	-	-
34	18,741	18,742	-16.32	97.4	-	-
35	10,785	10,787	-10.83	97.4	-	-
36	12,149	12,150	-12.00	97.4	-	-
37	12,920	12,922	-12.60	97.4	-	-
38	15,008	15,009	-14.09	97.4	-	-
39	14,518	14,519	-13.76	97.4	-	-
4	12,908	12,910	-12.60	97.4	-	-
40	2,915	2,922	1.46	97.4	-	-
5	16,109	16,110	-14.80	97.4	-	-
6	14,524	14,526	-13.77	97.4	-	-
7	13,543	13,545	-13.07	97.4	-	-
8	18,563	18,564	-16.22	97.4	-	-
9	17,007	17,008	-15.34	97.4	-	-
Sum			15.65			

- Data undefined due to calculation with octave data

Noise sensitive area: CN Sporta iela 1

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,474	9,476	-9.57	97.4	-	-
10	3,575	3,580	-0.40	97.4	-	-
11	1,363	1,373	8.25	97.4	-	-
12	3,999	4,004	-1.43	97.4	-	-
13	2,497	2,504	2.86	97.4	-	-
14	3,264	3,269	0.44	97.4	-	-
15	8,276	8,278	-8.26	97.4	-	-
16	7,650	7,653	-7.51	97.4	-	-
17	6,742	6,744	-6.30	97.4	-	-
18	8,684	8,687	-8.73	97.4	-	-
19	8,278	8,280	-8.27	97.4	-	-
2	12,922	12,924	-12.61	97.4	-	-
20	8,225	8,226	-8.20	97.4	-	-
21	7,613	7,615	-7.46	97.4	-	-
22	7,385	7,388	-7.17	97.4	-	-
23	6,285	6,287	-5.64	97.4	-	-
24	17,642	17,643	-15.71	97.4	-	-
25	15,902	15,903	-14.67	97.4	-	-
26	15,665	15,666	-14.52	97.4	-	-
27	14,374	14,375	-13.66	97.4	-	-
28	17,125	17,127	-15.41	97.4	-	-
29	17,459	17,459	-15.61	97.4	-	-
3	13,845	13,846	-13.29	97.4	-	-
30	18,344	18,345	-16.11	97.4	-	-
31	17,796	17,797	-15.80	97.4	-	-
32	18,582	18,583	-16.24	97.4	-	-
33	17,483	17,484	-15.62	97.4	-	-
34	2,837	2,841	1.71	97.4	-	-
35	10,198	10,200	-10.28	97.4	-	-
36	7,174	7,177	-6.90	97.4	-	-
37	6,419	6,422	-5.84	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,339	4,344	-2.18	97.4	-	-
39	5,708	5,710	-4.73	97.4	-	-
4	5,620	5,624	-4.59	97.4	-	-
40	16,535	16,536	-15.06	97.4	-	-
5	4,411	4,415	-2.33	97.4	-	-
6	5,250	5,253	-3.95	97.4	-	-
7	6,206	6,210	-5.52	97.4	-	-
8	2,072	2,078	4.54	97.4	-	-
9	2,097	2,104	4.43	97.4	-	-
Sum			13.76			

- Data undefined due to calculation with octave data

Noise sensitive area: CN Sporta iela 1

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,474	9,476	-9.57	97.4	-	-
10	3,575	3,580	-0.40	97.4	-	-
11	1,363	1,373	8.25	97.4	-	-
12	3,999	4,004	-1.43	97.4	-	-
13	2,497	2,504	2.86	97.4	-	-
14	3,264	3,269	0.44	97.4	-	-
15	8,276	8,278	-8.26	97.4	-	-
16	7,650	7,653	-7.51	97.4	-	-
17	6,742	6,744	-6.30	97.4	-	-
18	8,684	8,687	-8.73	97.4	-	-
19	8,278	8,280	-8.27	97.4	-	-
2	12,922	12,924	-12.61	97.4	-	-
20	8,225	8,226	-8.20	97.4	-	-
21	7,613	7,615	-7.46	97.4	-	-
22	7,385	7,388	-7.17	97.4	-	-
23	6,285	6,287	-5.64	97.4	-	-
24	17,642	17,643	-15.71	97.4	-	-
25	15,902	15,903	-14.67	97.4	-	-
26	15,665	15,666	-14.52	97.4	-	-
27	14,374	14,375	-13.66	97.4	-	-
28	17,125	17,127	-15.41	97.4	-	-
29	17,459	17,459	-15.61	97.4	-	-
3	13,845	13,846	-13.29	97.4	-	-
30	18,344	18,345	-16.11	97.4	-	-
31	17,796	17,797	-15.80	97.4	-	-
32	18,582	18,583	-16.24	97.4	-	-
33	17,483	17,484	-15.62	97.4	-	-
34	2,837	2,841	1.71	97.4	-	-
35	10,198	10,200	-10.28	97.4	-	-
36	7,174	7,177	-6.90	97.4	-	-
37	6,419	6,422	-5.84	97.4	-	-
38	4,339	4,344	-2.18	97.4	-	-
39	5,708	5,710	-4.73	97.4	-	-
4	5,620	5,624	-4.59	97.4	-	-
40	16,535	16,536	-15.06	97.4	-	-
5	4,411	4,415	-2.33	97.4	-	-
6	5,250	5,253	-3.95	97.4	-	-
7	6,206	6,210	-5.52	97.4	-	-
8	2,072	2,078	4.54	97.4	-	-
9	2,097	2,104	4.43	97.4	-	-
Sum			13.76			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: CO Sporta iela 1A

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,358	9,360	-9.45	97.4	-	-
10	3,458	3,463	-0.09	97.4	-	-
11	1,283	1,294	8.78	97.4	-	-
12	3,881	3,886	-1.15	97.4	-	-
13	2,391	2,398	3.25	97.4	-	-
14	3,166	3,172	0.71	97.4	-	-
15	8,166	8,168	-8.13	97.4	-	-
16	7,543	7,546	-7.37	97.4	-	-
17	6,625	6,628	-6.14	97.4	-	-
18	8,570	8,573	-8.60	97.4	-	-
19	8,165	8,168	-8.13	97.4	-	-
2	12,846	12,848	-12.55	97.4	-	-
20	8,108	8,110	-8.07	97.4	-	-
21	7,498	7,500	-7.32	97.4	-	-
22	7,284	7,287	-7.04	97.4	-	-
23	6,168	6,170	-5.46	97.4	-	-
24	17,565	17,566	-15.67	97.4	-	-
25	15,828	15,830	-14.62	97.4	-	-
26	15,594	15,596	-14.48	97.4	-	-
27	14,285	14,287	-13.60	97.4	-	-
28	17,046	17,047	-15.37	97.4	-	-
29	17,377	17,377	-15.56	97.4	-	-
3	13,759	13,761	-13.23	97.4	-	-
30	18,268	18,269	-16.06	97.4	-	-
31	17,723	17,724	-15.76	97.4	-	-
32	18,503	18,504	-16.19	97.4	-	-
33	17,399	17,400	-15.57	97.4	-	-
34	2,766	2,771	1.94	97.4	-	-
35	10,083	10,085	-10.17	97.4	-	-
36	7,062	7,065	-6.75	97.4	-	-
37	6,306	6,309	-5.67	97.4	-	-
38	4,222	4,227	-1.93	97.4	-	-
39	5,590	5,592	-4.54	97.4	-	-
4	5,518	5,522	-4.42	97.4	-	-
40	16,459	16,460	-15.02	97.4	-	-
5	4,296	4,300	-2.09	97.4	-	-
6	5,132	5,136	-3.74	97.4	-	-
7	6,090	6,093	-5.34	97.4	-	-
8	2,001	2,007	4.85	97.4	-	-
9	1,981	1,987	4.94	97.4	-	-
Sum			14.12			

- Data undefined due to calculation with octave data

Noise sensitive area: CO Sporta iela 1A

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,358	9,360	-9.45	97.4	-	-
10	3,458	3,463	-0.09	97.4	-	-
11	1,283	1,294	8.78	97.4	-	-
12	3,881	3,886	-1.15	97.4	-	-
13	2,391	2,398	3.25	97.4	-	-
14	3,166	3,172	0.71	97.4	-	-
15	8,166	8,168	-8.13	97.4	-	-
16	7,543	7,546	-7.37	97.4	-	-
17	6,625	6,628	-6.14	97.4	-	-
18	8,570	8,573	-8.60	97.4	-	-
19	8,165	8,168	-8.13	97.4	-	-
2	12,846	12,848	-12.55	97.4	-	-
20	8,108	8,110	-8.07	97.4	-	-
21	7,498	7,500	-7.32	97.4	-	-
22	7,284	7,287	-7.04	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,168	6,170	-5.46	97.4	-	-
24	17,565	17,566	-15.67	97.4	-	-
25	15,828	15,830	-14.62	97.4	-	-
26	15,594	15,596	-14.48	97.4	-	-
27	14,285	14,287	-13.60	97.4	-	-
28	17,046	17,047	-15.37	97.4	-	-
29	17,377	17,377	-15.56	97.4	-	-
3	13,759	13,761	-13.23	97.4	-	-
30	18,268	18,269	-16.06	97.4	-	-
31	17,723	17,724	-15.76	97.4	-	-
32	18,503	18,504	-16.19	97.4	-	-
33	17,399	17,400	-15.57	97.4	-	-
34	2,766	2,771	1.94	97.4	-	-
35	10,083	10,085	-10.17	97.4	-	-
36	7,062	7,065	-6.75	97.4	-	-
37	6,306	6,309	-5.67	97.4	-	-
38	4,222	4,227	-1.93	97.4	-	-
39	5,590	5,592	-4.54	97.4	-	-
4	5,518	5,522	-4.42	97.4	-	-
40	16,459	16,460	-15.02	97.4	-	-
5	4,296	4,300	-2.09	97.4	-	-
6	5,132	5,136	-3.74	97.4	-	-
7	6,090	6,093	-5.34	97.4	-	-
8	2,001	2,007	4.85	97.4	-	-
9	1,981	1,987	4.94	97.4	-	-
Sum			14.12			

- Data undefined due to calculation with octave data

Noise sensitive area: CP Sporta iela 2

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,373	9,375	-9.46	97.4	-	-
10	3,476	3,481	-0.14	97.4	-	-
11	1,328	1,339	8.47	97.4	-	-
12	3,907	3,912	-1.21	97.4	-	-
13	2,429	2,436	3.11	97.4	-	-
14	3,209	3,214	0.59	97.4	-	-
15	8,173	8,175	-8.14	97.4	-	-
16	7,547	7,550	-7.38	97.4	-	-
17	6,642	6,645	-6.16	97.4	-	-
18	8,582	8,585	-8.61	97.4	-	-
19	8,175	8,178	-8.15	97.4	-	-
2	12,830	12,832	-12.54	97.4	-	-
20	8,124	8,126	-8.08	97.4	-	-
21	7,511	7,514	-7.33	97.4	-	-
22	7,283	7,286	-7.04	97.4	-	-
23	6,188	6,190	-5.49	97.4	-	-
24	17,549	17,550	-15.66	97.4	-	-
25	15,811	15,812	-14.61	97.4	-	-
26	15,575	15,577	-14.46	97.4	-	-
27	14,275	14,277	-13.59	97.4	-	-
28	17,031	17,033	-15.36	97.4	-	-
29	17,363	17,364	-15.55	97.4	-	-
3	13,748	13,749	-13.22	97.4	-	-
30	18,252	18,253	-16.05	97.4	-	-
31	17,705	17,706	-15.75	97.4	-	-
32	18,488	18,489	-16.18	97.4	-	-
33	17,387	17,388	-15.57	97.4	-	-
34	2,812	2,817	1.79	97.4	-	-
35	10,097	10,099	-10.19	97.4	-	-
36	7,072	7,075	-6.76	97.4	-	-
37	6,317	6,320	-5.69	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,241	4,245	-1.97	97.4	-	-
39	5,612	5,615	-4.57	97.4	-	-
4	5,518	5,522	-4.42	97.4	-	-
40	16,442	16,444	-15.01	97.4	-	-
5	4,327	4,331	-2.15	97.4	-	-
6	5,152	5,156	-3.77	97.4	-	-
7	6,106	6,110	-5.37	97.4	-	-
8	2,047	2,054	4.65	97.4	-	-
9	2,009	2,015	4.82	97.4	-	-
Sum			13.96			

- Data undefined due to calculation with octave data

Noise sensitive area: CP Sporta iela 2

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,373	9,375	-9.46	97.4	-	-
10	3,476	3,481	-0.14	97.4	-	-
11	1,328	1,339	8.47	97.4	-	-
12	3,907	3,912	-1.21	97.4	-	-
13	2,429	2,436	3.11	97.4	-	-
14	3,209	3,214	0.59	97.4	-	-
15	8,173	8,175	-8.14	97.4	-	-
16	7,547	7,550	-7.38	97.4	-	-
17	6,642	6,645	-6.16	97.4	-	-
18	8,582	8,585	-8.61	97.4	-	-
19	8,175	8,178	-8.15	97.4	-	-
2	12,830	12,832	-12.54	97.4	-	-
20	8,124	8,126	-8.08	97.4	-	-
21	7,511	7,514	-7.33	97.4	-	-
22	7,283	7,286	-7.04	97.4	-	-
23	6,188	6,190	-5.49	97.4	-	-
24	17,549	17,550	-15.66	97.4	-	-
25	15,811	15,812	-14.61	97.4	-	-
26	15,575	15,577	-14.46	97.4	-	-
27	14,275	14,277	-13.59	97.4	-	-
28	17,031	17,033	-15.36	97.4	-	-
29	17,363	17,364	-15.55	97.4	-	-
3	13,748	13,749	-13.22	97.4	-	-
30	18,252	18,253	-16.05	97.4	-	-
31	17,705	17,706	-15.75	97.4	-	-
32	18,488	18,489	-16.18	97.4	-	-
33	17,387	17,388	-15.57	97.4	-	-
34	2,812	2,817	1.79	97.4	-	-
35	10,097	10,099	-10.19	97.4	-	-
36	7,072	7,075	-6.76	97.4	-	-
37	6,317	6,320	-5.69	97.4	-	-
38	4,241	4,245	-1.97	97.4	-	-
39	5,612	5,615	-4.57	97.4	-	-
4	5,518	5,522	-4.42	97.4	-	-
40	16,442	16,444	-15.01	97.4	-	-
5	4,327	4,331	-2.15	97.4	-	-
6	5,152	5,156	-3.77	97.4	-	-
7	6,106	6,110	-5.37	97.4	-	-
8	2,047	2,054	4.65	97.4	-	-
9	2,009	2,015	4.82	97.4	-	-
Sum			13.96			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: CQ Sporta iela 3

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,506	9,508	-9.60	97.4	-	-
10	3,607	3,613	-0.48	97.4	-	-
11	1,386	1,396	8.10	97.4	-	-
12	4,032	4,036	-1.50	97.4	-	-
13	2,527	2,534	2.75	97.4	-	-
14	3,291	3,296	0.36	97.4	-	-
15	8,307	8,309	-8.30	97.4	-	-
16	7,680	7,683	-7.55	97.4	-	-
17	6,774	6,777	-6.35	97.4	-	-
18	8,716	8,719	-8.76	97.4	-	-
19	8,309	8,312	-8.30	97.4	-	-
2	12,944	12,945	-12.62	97.4	-	-
20	8,257	8,259	-8.24	97.4	-	-
21	7,645	7,647	-7.50	97.4	-	-
22	7,414	7,417	-7.21	97.4	-	-
23	6,318	6,320	-5.69	97.4	-	-
24	17,664	17,665	-15.72	97.4	-	-
25	15,923	15,924	-14.68	97.4	-	-
26	15,685	15,686	-14.53	97.4	-	-
27	14,399	14,400	-13.68	97.4	-	-
28	17,148	17,149	-15.43	97.4	-	-
29	17,482	17,482	-15.62	97.4	-	-
3	13,869	13,870	-13.31	97.4	-	-
30	18,365	18,366	-16.12	97.4	-	-
31	17,816	17,817	-15.81	97.4	-	-
32	18,604	18,605	-16.25	97.4	-	-
33	17,507	17,508	-15.63	97.4	-	-
34	2,857	2,861	1.65	97.4	-	-
35	10,230	10,232	-10.31	97.4	-	-
36	7,206	7,209	-6.94	97.4	-	-
37	6,451	6,454	-5.89	97.4	-	-
38	4,372	4,376	-2.25	97.4	-	-
39	5,740	5,743	-4.79	97.4	-	-
4	5,649	5,653	-4.64	97.4	-	-
40	16,556	16,557	-15.07	97.4	-	-
5	4,443	4,448	-2.40	97.4	-	-
6	5,282	5,286	-4.01	97.4	-	-
7	6,239	6,242	-5.57	97.4	-	-
8	2,092	2,098	4.45	97.4	-	-
9	2,130	2,136	4.29	97.4	-	-
Sum			13.66			

- Data undefined due to calculation with octave data

Noise sensitive area: CQ Sporta iela 3

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,506	9,508	-9.60	97.4	-	-
10	3,607	3,613	-0.48	97.4	-	-
11	1,386	1,396	8.10	97.4	-	-
12	4,032	4,036	-1.50	97.4	-	-
13	2,527	2,534	2.75	97.4	-	-
14	3,291	3,296	0.36	97.4	-	-
15	8,307	8,309	-8.30	97.4	-	-
16	7,680	7,683	-7.55	97.4	-	-
17	6,774	6,777	-6.35	97.4	-	-
18	8,716	8,719	-8.76	97.4	-	-
19	8,309	8,312	-8.30	97.4	-	-
2	12,944	12,945	-12.62	97.4	-	-
20	8,257	8,259	-8.24	97.4	-	-
21	7,645	7,647	-7.50	97.4	-	-
22	7,414	7,417	-7.21	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,318	6,320	-5.69	97.4	-	-
24	17,664	17,665	-15.72	97.4	-	-
25	15,923	15,924	-14.68	97.4	-	-
26	15,685	15,686	-14.53	97.4	-	-
27	14,399	14,400	-13.68	97.4	-	-
28	17,148	17,149	-15.43	97.4	-	-
29	17,482	17,482	-15.62	97.4	-	-
3	13,869	13,870	-13.31	97.4	-	-
30	18,365	18,366	-16.12	97.4	-	-
31	17,816	17,817	-15.81	97.4	-	-
32	18,604	18,605	-16.25	97.4	-	-
33	17,507	17,508	-15.63	97.4	-	-
34	2,857	2,861	1.65	97.4	-	-
35	10,230	10,232	-10.31	97.4	-	-
36	7,206	7,209	-6.94	97.4	-	-
37	6,451	6,454	-5.89	97.4	-	-
38	4,372	4,376	-2.25	97.4	-	-
39	5,740	5,743	-4.79	97.4	-	-
4	5,649	5,653	-4.64	97.4	-	-
40	16,556	16,557	-15.07	97.4	-	-
5	4,443	4,448	-2.40	97.4	-	-
6	5,282	5,286	-4.01	97.4	-	-
7	6,239	6,242	-5.57	97.4	-	-
8	2,092	2,098	4.45	97.4	-	-
9	2,130	2,136	4.29	97.4	-	-
Sum			13.66			

- Data undefined due to calculation with octave data

Noise sensitive area: CR Sporta iela 4

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,511	9,513	-9.61	97.4	-	-
10	3,614	3,619	-0.50	97.4	-	-
11	1,418	1,428	7.90	97.4	-	-
12	4,044	4,049	-1.53	97.4	-	-
13	2,551	2,558	2.67	97.4	-	-
14	3,319	3,324	0.28	97.4	-	-
15	8,305	8,307	-8.30	97.4	-	-
16	7,676	7,679	-7.54	97.4	-	-
17	6,779	6,782	-6.36	97.4	-	-
18	8,718	8,720	-8.76	97.4	-	-
19	8,310	8,312	-8.30	97.4	-	-
2	12,925	12,926	-12.61	97.4	-	-
20	8,262	8,264	-8.25	97.4	-	-
21	7,648	7,651	-7.51	97.4	-	-
22	7,406	7,409	-7.20	97.4	-	-
23	6,326	6,328	-5.70	97.4	-	-
24	17,645	17,646	-15.71	97.4	-	-
25	15,903	15,904	-14.67	97.4	-	-
26	15,664	15,665	-14.52	97.4	-	-
27	14,384	14,385	-13.67	97.4	-	-
28	17,129	17,131	-15.42	97.4	-	-
29	17,464	17,465	-15.61	97.4	-	-
3	13,853	13,855	-13.30	97.4	-	-
30	18,346	18,347	-16.11	97.4	-	-
31	17,796	17,797	-15.80	97.4	-	-
32	18,586	18,586	-16.24	97.4	-	-
33	17,491	17,492	-15.63	97.4	-	-
34	2,891	2,895	1.54	97.4	-	-
35	10,234	10,236	-10.32	97.4	-	-
36	7,205	7,208	-6.94	97.4	-	-
37	6,452	6,455	-5.89	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,379	4,383	-2.26	97.4	-	-
39	5,751	5,753	-4.80	97.4	-	-
4	5,642	5,646	-4.63	97.4	-	-
40	16,537	16,538	-15.06	97.4	-	-
5	4,461	4,465	-2.43	97.4	-	-
6	5,290	5,294	-4.02	97.4	-	-
7	6,244	6,247	-5.58	97.4	-	-
8	2,126	2,132	4.31	97.4	-	-
9	2,145	2,151	4.23	97.4	-	-
Sum			13.56			

- Data undefined due to calculation with octave data

Noise sensitive area: CR Sporta iela 4

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,511	9,513	-9.61	97.4	-	-
10	3,614	3,619	-0.50	97.4	-	-
11	1,418	1,428	7.90	97.4	-	-
12	4,044	4,049	-1.53	97.4	-	-
13	2,551	2,558	2.67	97.4	-	-
14	3,319	3,324	0.28	97.4	-	-
15	8,305	8,307	-8.30	97.4	-	-
16	7,676	7,679	-7.54	97.4	-	-
17	6,779	6,782	-6.36	97.4	-	-
18	8,718	8,720	-8.76	97.4	-	-
19	8,310	8,312	-8.30	97.4	-	-
2	12,925	12,926	-12.61	97.4	-	-
20	8,262	8,264	-8.25	97.4	-	-
21	7,648	7,651	-7.51	97.4	-	-
22	7,406	7,409	-7.20	97.4	-	-
23	6,326	6,328	-5.70	97.4	-	-
24	17,645	17,646	-15.71	97.4	-	-
25	15,903	15,904	-14.67	97.4	-	-
26	15,664	15,665	-14.52	97.4	-	-
27	14,384	14,385	-13.67	97.4	-	-
28	17,129	17,131	-15.42	97.4	-	-
29	17,464	17,465	-15.61	97.4	-	-
3	13,853	13,855	-13.30	97.4	-	-
30	18,346	18,347	-16.11	97.4	-	-
31	17,796	17,797	-15.80	97.4	-	-
32	18,586	18,586	-16.24	97.4	-	-
33	17,491	17,492	-15.63	97.4	-	-
34	2,891	2,895	1.54	97.4	-	-
35	10,234	10,236	-10.32	97.4	-	-
36	7,205	7,208	-6.94	97.4	-	-
37	6,452	6,455	-5.89	97.4	-	-
38	4,379	4,383	-2.26	97.4	-	-
39	5,751	5,753	-4.80	97.4	-	-
4	5,642	5,646	-4.63	97.4	-	-
40	16,537	16,538	-15.06	97.4	-	-
5	4,461	4,465	-2.43	97.4	-	-
6	5,290	5,294	-4.02	97.4	-	-
7	6,244	6,247	-5.58	97.4	-	-
8	2,126	2,132	4.31	97.4	-	-
9	2,145	2,151	4.23	97.4	-	-
Sum			13.56			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: CS Sporta iela 9

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,672	9,674	-9.77	97.4	-	-
10	3,774	3,779	-0.89	97.4	-	-
11	1,500	1,510	7.40	97.4	-	-
12	4,196	4,201	-1.87	97.4	-	-
13	2,674	2,681	2.24	97.4	-	-
14	3,423	3,429	0.00	97.4	-	-
15	8,467	8,469	-8.48	97.4	-	-
16	7,838	7,841	-7.74	97.4	-	-
17	6,940	6,943	-6.58	97.4	-	-
18	8,880	8,883	-8.94	97.4	-	-
19	8,472	8,475	-8.49	97.4	-	-
2	13,063	13,065	-12.71	97.4	-	-
20	8,423	8,425	-8.43	97.4	-	-
21	7,810	7,813	-7.71	97.4	-	-
22	7,565	7,568	-7.40	97.4	-	-
23	6,484	6,486	-5.93	97.4	-	-
24	17,783	17,784	-15.79	97.4	-	-
25	16,039	16,040	-14.76	97.4	-	-
26	15,797	15,798	-14.60	97.4	-	-
27	14,533	14,535	-13.77	97.4	-	-
28	17,270	17,272	-15.50	97.4	-	-
29	17,608	17,609	-15.69	97.4	-	-
3	14,000	14,002	-13.40	97.4	-	-
30	18,484	18,485	-16.18	97.4	-	-
31	17,931	17,932	-15.88	97.4	-	-
32	18,726	18,727	-16.31	97.4	-	-
33	17,637	17,638	-15.71	97.4	-	-
34	2,952	2,956	1.35	97.4	-	-
35	10,396	10,398	-10.47	97.4	-	-
36	7,368	7,371	-7.15	97.4	-	-
37	6,615	6,618	-6.12	97.4	-	-
38	4,538	4,542	-2.59	97.4	-	-
39	5,906	5,909	-5.05	97.4	-	-
4	5,802	5,806	-4.89	97.4	-	-
40	16,675	16,676	-15.15	97.4	-	-
5	4,603	4,607	-2.73	97.4	-	-
6	5,449	5,452	-4.30	97.4	-	-
7	6,405	6,408	-5.82	97.4	-	-
8	2,190	2,196	4.04	97.4	-	-
9	2,293	2,299	3.63	97.4	-	-
Sum			13.18			

- Data undefined due to calculation with octave data

Noise sensitive area: CS Sporta iela 9

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,672	9,674	-9.77	97.4	-	-
10	3,774	3,779	-0.89	97.4	-	-
11	1,500	1,510	7.40	97.4	-	-
12	4,196	4,201	-1.87	97.4	-	-
13	2,674	2,681	2.24	97.4	-	-
14	3,423	3,429	0.00	97.4	-	-
15	8,467	8,469	-8.48	97.4	-	-
16	7,838	7,841	-7.74	97.4	-	-
17	6,940	6,943	-6.58	97.4	-	-
18	8,880	8,883	-8.94	97.4	-	-
19	8,472	8,475	-8.49	97.4	-	-
2	13,063	13,065	-12.71	97.4	-	-
20	8,423	8,425	-8.43	97.4	-	-
21	7,810	7,813	-7.71	97.4	-	-
22	7,565	7,568	-7.40	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,484	6,486	-5.93	97.4	-	-
24	17,783	17,784	-15.79	97.4	-	-
25	16,039	16,040	-14.76	97.4	-	-
26	15,797	15,798	-14.60	97.4	-	-
27	14,533	14,535	-13.77	97.4	-	-
28	17,270	17,272	-15.50	97.4	-	-
29	17,608	17,609	-15.69	97.4	-	-
3	14,000	14,002	-13.40	97.4	-	-
30	18,484	18,485	-16.18	97.4	-	-
31	17,931	17,932	-15.88	97.4	-	-
32	18,726	18,727	-16.31	97.4	-	-
33	17,637	17,638	-15.71	97.4	-	-
34	2,952	2,956	1.35	97.4	-	-
35	10,396	10,398	-10.47	97.4	-	-
36	7,368	7,371	-7.15	97.4	-	-
37	6,615	6,618	-6.12	97.4	-	-
38	4,538	4,542	-2.59	97.4	-	-
39	5,906	5,909	-5.05	97.4	-	-
4	5,802	5,806	-4.89	97.4	-	-
40	16,675	16,676	-15.15	97.4	-	-
5	4,603	4,607	-2.73	97.4	-	-
6	5,449	5,452	-4.30	97.4	-	-
7	6,405	6,408	-5.82	97.4	-	-
8	2,190	2,196	4.04	97.4	-	-
9	2,293	2,299	3.63	97.4	-	-
Sum			13.18			

- Data undefined due to calculation with octave data

Noise sensitive area: CT Sporta iela 11

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,711	9,713	-9.81	97.4	-	-
10	3,813	3,818	-0.99	97.4	-	-
11	1,529	1,538	7.23	97.4	-	-
12	4,235	4,240	-1.96	97.4	-	-
13	2,710	2,717	2.12	97.4	-	-
14	3,456	3,461	-0.09	97.4	-	-
15	8,505	8,507	-8.53	97.4	-	-
16	7,875	7,878	-7.79	97.4	-	-
17	6,980	6,982	-6.63	97.4	-	-
18	8,919	8,922	-8.98	97.4	-	-
19	8,511	8,514	-8.53	97.4	-	-
2	13,091	13,093	-12.74	97.4	-	-
20	8,462	8,464	-8.48	97.4	-	-
21	7,849	7,852	-7.75	97.4	-	-
22	7,601	7,604	-7.45	97.4	-	-
23	6,524	6,526	-5.99	97.4	-	-
24	17,812	17,813	-15.81	97.4	-	-
25	16,066	16,067	-14.77	97.4	-	-
26	15,823	15,824	-14.62	97.4	-	-
27	14,565	14,567	-13.79	97.4	-	-
28	17,299	17,301	-15.52	97.4	-	-
29	17,638	17,639	-15.71	97.4	-	-
3	14,031	14,033	-13.42	97.4	-	-
30	18,512	18,513	-16.20	97.4	-	-
31	17,958	17,959	-15.89	97.4	-	-
32	18,755	18,756	-16.33	97.4	-	-
33	17,667	17,668	-15.73	97.4	-	-
34	2,976	2,980	1.28	97.4	-	-
35	10,435	10,437	-10.51	97.4	-	-
36	7,407	7,410	-7.20	97.4	-	-
37	6,654	6,657	-6.18	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,578	4,582	-2.67	97.4	-	-
39	5,946	5,948	-5.12	97.4	-	-
4	5,838	5,842	-4.95	97.4	-	-
40	16,703	16,704	-15.16	97.4	-	-
5	4,641	4,645	-2.80	97.4	-	-
6	5,488	5,492	-4.37	97.4	-	-
7	6,444	6,447	-5.88	97.4	-	-
8	2,215	2,221	3.94	97.4	-	-
9	2,332	2,338	3.48	97.4	-	-
Sum			13.07			

- Data undefined due to calculation with octave data

Noise sensitive area: CT Sporta iela 11

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,711	9,713	-9.81	97.4	-	-
10	3,813	3,818	-0.99	97.4	-	-
11	1,529	1,538	7.23	97.4	-	-
12	4,235	4,240	-1.96	97.4	-	-
13	2,710	2,717	2.12	97.4	-	-
14	3,456	3,461	-0.09	97.4	-	-
15	8,505	8,507	-8.53	97.4	-	-
16	7,875	7,878	-7.79	97.4	-	-
17	6,980	6,982	-6.63	97.4	-	-
18	8,919	8,922	-8.98	97.4	-	-
19	8,511	8,514	-8.53	97.4	-	-
2	13,091	13,093	-12.74	97.4	-	-
20	8,462	8,464	-8.48	97.4	-	-
21	7,849	7,852	-7.75	97.4	-	-
22	7,601	7,604	-7.45	97.4	-	-
23	6,524	6,526	-5.99	97.4	-	-
24	17,812	17,813	-15.81	97.4	-	-
25	16,066	16,067	-14.77	97.4	-	-
26	15,823	15,824	-14.62	97.4	-	-
27	14,565	14,567	-13.79	97.4	-	-
28	17,299	17,301	-15.52	97.4	-	-
29	17,638	17,639	-15.71	97.4	-	-
3	14,031	14,033	-13.42	97.4	-	-
30	18,512	18,513	-16.20	97.4	-	-
31	17,958	17,959	-15.89	97.4	-	-
32	18,755	18,756	-16.33	97.4	-	-
33	17,667	17,668	-15.73	97.4	-	-
34	2,976	2,980	1.28	97.4	-	-
35	10,435	10,437	-10.51	97.4	-	-
36	7,407	7,410	-7.20	97.4	-	-
37	6,654	6,657	-6.18	97.4	-	-
38	4,578	4,582	-2.67	97.4	-	-
39	5,946	5,948	-5.12	97.4	-	-
4	5,838	5,842	-4.95	97.4	-	-
40	16,703	16,704	-15.16	97.4	-	-
5	4,641	4,645	-2.80	97.4	-	-
6	5,488	5,492	-4.37	97.4	-	-
7	6,444	6,447	-5.88	97.4	-	-
8	2,215	2,221	3.94	97.4	-	-
9	2,332	2,338	3.48	97.4	-	-
Sum			13.07			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: CU Sporta iela 12

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,712	9,714	-9.81	97.4	-	-
10	3,816	3,821	-1.00	97.4	-	-
11	1,560	1,569	7.06	97.4	-	-
12	4,245	4,250	-1.98	97.4	-	-
13	2,732	2,739	2.05	97.4	-	-
14	3,483	3,488	-0.16	97.4	-	-
15	8,498	8,500	-8.52	97.4	-	-
16	7,866	7,869	-7.78	97.4	-	-
17	6,981	6,984	-6.64	97.4	-	-
18	8,917	8,920	-8.98	97.4	-	-
19	8,507	8,510	-8.53	97.4	-	-
2	13,066	13,068	-12.72	97.4	-	-
20	8,463	8,465	-8.48	97.4	-	-
21	7,849	7,851	-7.75	97.4	-	-
22	7,589	7,592	-7.43	97.4	-	-
23	6,529	6,531	-6.00	97.4	-	-
24	17,787	17,788	-15.79	97.4	-	-
25	16,040	16,042	-14.76	97.4	-	-
26	15,796	15,798	-14.60	97.4	-	-
27	14,545	14,547	-13.78	97.4	-	-
28	17,276	17,277	-15.50	97.4	-	-
29	17,615	17,616	-15.70	97.4	-	-
3	14,010	14,012	-13.41	97.4	-	-
30	18,487	18,487	-16.18	97.4	-	-
31	17,932	17,933	-15.88	97.4	-	-
32	18,731	18,732	-16.32	97.4	-	-
33	17,646	17,647	-15.71	97.4	-	-
34	3,011	3,015	1.17	97.4	-	-
35	10,434	10,436	-10.51	97.4	-	-
36	7,402	7,405	-7.19	97.4	-	-
37	6,651	6,654	-6.18	97.4	-	-
38	4,581	4,586	-2.68	97.4	-	-
39	5,953	5,956	-5.13	97.4	-	-
4	5,827	5,830	-4.93	97.4	-	-
40	16,678	16,679	-15.15	97.4	-	-
5	4,656	4,661	-2.83	97.4	-	-
6	5,493	5,497	-4.37	97.4	-	-
7	6,446	6,449	-5.88	97.4	-	-
8	2,249	2,255	3.81	97.4	-	-
9	2,344	2,350	3.43	97.4	-	-
Sum			12.99			

- Data undefined due to calculation with octave data

Noise sensitive area: CU Sporta iela 12

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,712	9,714	-9.81	97.4	-	-
10	3,816	3,821	-1.00	97.4	-	-
11	1,560	1,569	7.06	97.4	-	-
12	4,245	4,250	-1.98	97.4	-	-
13	2,732	2,739	2.05	97.4	-	-
14	3,483	3,488	-0.16	97.4	-	-
15	8,498	8,500	-8.52	97.4	-	-
16	7,866	7,869	-7.78	97.4	-	-
17	6,981	6,984	-6.64	97.4	-	-
18	8,917	8,920	-8.98	97.4	-	-
19	8,507	8,510	-8.53	97.4	-	-
2	13,066	13,068	-12.72	97.4	-	-
20	8,463	8,465	-8.48	97.4	-	-
21	7,849	7,851	-7.75	97.4	-	-
22	7,589	7,592	-7.43	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,529	6,531	-6.00	97.4	-	-
24	17,787	17,788	-15.79	97.4	-	-
25	16,040	16,042	-14.76	97.4	-	-
26	15,796	15,798	-14.60	97.4	-	-
27	14,545	14,547	-13.78	97.4	-	-
28	17,276	17,277	-15.50	97.4	-	-
29	17,615	17,616	-15.70	97.4	-	-
3	14,010	14,012	-13.41	97.4	-	-
30	18,487	18,487	-16.18	97.4	-	-
31	17,932	17,933	-15.88	97.4	-	-
32	18,731	18,732	-16.32	97.4	-	-
33	17,646	17,647	-15.71	97.4	-	-
34	3,011	3,015	1.17	97.4	-	-
35	10,434	10,436	-10.51	97.4	-	-
36	7,402	7,405	-7.19	97.4	-	-
37	6,651	6,654	-6.18	97.4	-	-
38	4,581	4,586	-2.68	97.4	-	-
39	5,953	5,956	-5.13	97.4	-	-
4	5,827	5,830	-4.93	97.4	-	-
40	16,678	16,679	-15.15	97.4	-	-
5	4,656	4,661	-2.83	97.4	-	-
6	5,493	5,497	-4.37	97.4	-	-
7	6,446	6,449	-5.88	97.4	-	-
8	2,249	2,255	3.81	97.4	-	-
9	2,344	2,350	3.43	97.4	-	-
Sum			12.99			

- Data undefined due to calculation with octave data

Noise sensitive area: CV Sporta iela 13

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,754	9,756	-9.85	97.4	-	-
10	3,856	3,861	-1.09	97.4	-	-
11	1,561	1,570	7.05	97.4	-	-
12	4,278	4,283	-2.05	97.4	-	-
13	2,749	2,755	1.99	97.4	-	-
14	3,491	3,496	-0.18	97.4	-	-
15	8,546	8,548	-8.57	97.4	-	-
16	7,916	7,919	-7.84	97.4	-	-
17	7,023	7,025	-6.69	97.4	-	-
18	8,962	8,964	-9.03	97.4	-	-
19	8,553	8,556	-8.58	97.4	-	-
2	13,122	13,124	-12.76	97.4	-	-
20	8,505	8,507	-8.53	97.4	-	-
21	7,892	7,895	-7.81	97.4	-	-
22	7,640	7,643	-7.50	97.4	-	-
23	6,567	6,569	-6.05	97.4	-	-
24	17,843	17,843	-15.83	97.4	-	-
25	16,096	16,097	-14.79	97.4	-	-
26	15,852	15,853	-14.64	97.4	-	-
27	14,600	14,602	-13.82	97.4	-	-
28	17,331	17,332	-15.53	97.4	-	-
29	17,670	17,671	-15.73	97.4	-	-
3	14,065	14,067	-13.45	97.4	-	-
30	18,542	18,543	-16.21	97.4	-	-
31	17,987	17,988	-15.91	97.4	-	-
32	18,787	18,788	-16.35	97.4	-	-
33	17,701	17,702	-15.75	97.4	-	-
34	3,002	3,007	1.20	97.4	-	-
35	10,478	10,480	-10.55	97.4	-	-
36	7,449	7,452	-7.25	97.4	-	-
37	6,696	6,699	-6.24	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,621	4,625	-2.76	97.4	-	-
39	5,989	5,992	-5.18	97.4	-	-
4	5,878	5,882	-5.01	97.4	-	-
40	16,733	16,734	-15.18	97.4	-	-
5	4,683	4,687	-2.89	97.4	-	-
6	5,532	5,535	-4.44	97.4	-	-
7	6,487	6,490	-5.94	97.4	-	-
8	2,243	2,249	3.83	97.4	-	-
9	2,375	2,381	3.32	97.4	-	-
Sum			12.95			

- Data undefined due to calculation with octave data

Noise sensitive area: CV Sporta iela 13

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,754	9,756	-9.85	97.4	-	-
10	3,856	3,861	-1.09	97.4	-	-
11	1,561	1,570	7.05	97.4	-	-
12	4,278	4,283	-2.05	97.4	-	-
13	2,749	2,755	1.99	97.4	-	-
14	3,491	3,496	-0.18	97.4	-	-
15	8,546	8,548	-8.57	97.4	-	-
16	7,916	7,919	-7.84	97.4	-	-
17	7,023	7,025	-6.69	97.4	-	-
18	8,962	8,964	-9.03	97.4	-	-
19	8,553	8,556	-8.58	97.4	-	-
2	13,122	13,124	-12.76	97.4	-	-
20	8,505	8,507	-8.53	97.4	-	-
21	7,892	7,895	-7.81	97.4	-	-
22	7,640	7,643	-7.50	97.4	-	-
23	6,567	6,569	-6.05	97.4	-	-
24	17,843	17,843	-15.83	97.4	-	-
25	16,096	16,097	-14.79	97.4	-	-
26	15,852	15,853	-14.64	97.4	-	-
27	14,600	14,602	-13.82	97.4	-	-
28	17,331	17,332	-15.53	97.4	-	-
29	17,670	17,671	-15.73	97.4	-	-
3	14,065	14,067	-13.45	97.4	-	-
30	18,542	18,543	-16.21	97.4	-	-
31	17,987	17,988	-15.91	97.4	-	-
32	18,787	18,788	-16.35	97.4	-	-
33	17,701	17,702	-15.75	97.4	-	-
34	3,002	3,007	1.20	97.4	-	-
35	10,478	10,480	-10.55	97.4	-	-
36	7,449	7,452	-7.25	97.4	-	-
37	6,696	6,699	-6.24	97.4	-	-
38	4,621	4,625	-2.76	97.4	-	-
39	5,989	5,992	-5.18	97.4	-	-
4	5,878	5,882	-5.01	97.4	-	-
40	16,733	16,734	-15.18	97.4	-	-
5	4,683	4,687	-2.89	97.4	-	-
6	5,532	5,535	-4.44	97.4	-	-
7	6,487	6,490	-5.94	97.4	-	-
8	2,243	2,249	3.83	97.4	-	-
9	2,375	2,381	3.32	97.4	-	-
Sum			12.95			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: CW Sporta iela 14

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,768	9,770	-9.86	97.4	-	-
10	3,872	3,877	-1.13	97.4	-	-
11	1,599	1,608	6.84	97.4	-	-
12	4,300	4,305	-2.10	97.4	-	-
13	2,781	2,787	1.89	97.4	-	-
14	3,527	3,532	-0.27	97.4	-	-
15	8,553	8,555	-8.58	97.4	-	-
16	7,920	7,923	-7.84	97.4	-	-
17	7,037	7,040	-6.71	97.4	-	-
18	8,973	8,975	-9.04	97.4	-	-
19	8,563	8,565	-8.59	97.4	-	-
2	13,108	13,110	-12.75	97.4	-	-
20	8,519	8,521	-8.54	97.4	-	-
21	7,904	7,907	-7.82	97.4	-	-
22	7,640	7,643	-7.50	97.4	-	-
23	6,584	6,587	-6.08	97.4	-	-
24	17,829	17,830	-15.82	97.4	-	-
25	16,081	16,082	-14.78	97.4	-	-
26	15,835	15,837	-14.63	97.4	-	-
27	14,592	14,593	-13.81	97.4	-	-
28	17,318	17,320	-15.53	97.4	-	-
29	17,659	17,660	-15.72	97.4	-	-
3	14,055	14,057	-13.44	97.4	-	-
30	18,528	18,529	-16.21	97.4	-	-
31	17,972	17,973	-15.90	97.4	-	-
32	18,774	18,775	-16.34	97.4	-	-
33	17,691	17,691	-15.74	97.4	-	-
34	3,043	3,047	1.08	97.4	-	-
35	10,490	10,492	-10.56	97.4	-	-
36	7,457	7,460	-7.27	97.4	-	-
37	6,706	6,710	-6.26	97.4	-	-
38	4,637	4,641	-2.79	97.4	-	-
39	6,009	6,011	-5.22	97.4	-	-
4	5,879	5,883	-5.01	97.4	-	-
40	16,719	16,720	-15.17	97.4	-	-
5	4,710	4,714	-2.94	97.4	-	-
6	5,549	5,552	-4.47	97.4	-	-
7	6,502	6,505	-5.96	97.4	-	-
8	2,283	2,289	3.67	97.4	-	-
9	2,398	2,405	3.23	97.4	-	-
Sum			12.84			

- Data undefined due to calculation with octave data

Noise sensitive area: CW Sporta iela 14

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,768	9,770	-9.86	97.4	-	-
10	3,872	3,877	-1.13	97.4	-	-
11	1,599	1,608	6.84	97.4	-	-
12	4,300	4,305	-2.10	97.4	-	-
13	2,781	2,787	1.89	97.4	-	-
14	3,527	3,532	-0.27	97.4	-	-
15	8,553	8,555	-8.58	97.4	-	-
16	7,920	7,923	-7.84	97.4	-	-
17	7,037	7,040	-6.71	97.4	-	-
18	8,973	8,975	-9.04	97.4	-	-
19	8,563	8,565	-8.59	97.4	-	-
2	13,108	13,110	-12.75	97.4	-	-
20	8,519	8,521	-8.54	97.4	-	-
21	7,904	7,907	-7.82	97.4	-	-
22	7,640	7,643	-7.50	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,584	6,587	-6.08	97.4	-	-
24	17,829	17,830	-15.82	97.4	-	-
25	16,081	16,082	-14.78	97.4	-	-
26	15,835	15,837	-14.63	97.4	-	-
27	14,592	14,593	-13.81	97.4	-	-
28	17,318	17,320	-15.53	97.4	-	-
29	17,659	17,660	-15.72	97.4	-	-
3	14,055	14,057	-13.44	97.4	-	-
30	18,528	18,529	-16.21	97.4	-	-
31	17,972	17,973	-15.90	97.4	-	-
32	18,774	18,775	-16.34	97.4	-	-
33	17,691	17,691	-15.74	97.4	-	-
34	3,043	3,047	1.08	97.4	-	-
35	10,490	10,492	-10.56	97.4	-	-
36	7,457	7,460	-7.27	97.4	-	-
37	6,706	6,710	-6.26	97.4	-	-
38	4,637	4,641	-2.79	97.4	-	-
39	6,009	6,011	-5.22	97.4	-	-
4	5,879	5,883	-5.01	97.4	-	-
40	16,719	16,720	-15.17	97.4	-	-
5	4,710	4,714	-2.94	97.4	-	-
6	5,549	5,552	-4.47	97.4	-	-
7	6,502	6,505	-5.96	97.4	-	-
8	2,283	2,289	3.67	97.4	-	-
9	2,398	2,405	3.23	97.4	-	-
Sum			12.84			

- Data undefined due to calculation with octave data

Noise sensitive area: CX Stacijas iela 1

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,655	9,657	-9.75	97.4	-	-
10	3,767	3,773	-0.88	97.4	-	-
11	1,621	1,630	6.72	97.4	-	-
12	4,220	4,225	-1.92	97.4	-	-
13	2,753	2,760	1.98	97.4	-	-
14	3,524	3,530	-0.27	97.4	-	-
15	8,419	8,421	-8.43	97.4	-	-
16	7,782	7,785	-7.67	97.4	-	-
17	6,927	6,930	-6.56	97.4	-	-
18	8,851	8,854	-8.91	97.4	-	-
19	8,437	8,440	-8.45	97.4	-	-
2	12,943	12,945	-12.62	97.4	-	-
20	8,408	8,410	-8.41	97.4	-	-
21	7,787	7,790	-7.68	97.4	-	-
22	7,493	7,496	-7.31	97.4	-	-
23	6,485	6,488	-5.94	97.4	-	-
24	17,664	17,664	-15.72	97.4	-	-
25	15,915	15,916	-14.68	97.4	-	-
26	15,669	15,670	-14.52	97.4	-	-
27	14,432	14,434	-13.70	97.4	-	-
28	17,154	17,155	-15.43	97.4	-	-
29	17,495	17,496	-15.63	97.4	-	-
3	13,894	13,896	-13.33	97.4	-	-
30	18,362	18,363	-16.12	97.4	-	-
31	17,806	17,807	-15.81	97.4	-	-
32	18,609	18,610	-16.25	97.4	-	-
33	17,528	17,529	-15.65	97.4	-	-
34	3,089	3,093	0.94	97.4	-	-
35	10,373	10,375	-10.45	97.4	-	-
36	7,330	7,333	-7.10	97.4	-	-
37	6,584	6,587	-6.08	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,534	4,538	-2.59	97.4	-	-
39	5,917	5,919	-5.07	97.4	-	-
4	5,734	5,738	-4.78	97.4	-	-
40	16,553	16,555	-15.07	97.4	-	-
5	4,649	4,653	-2.82	97.4	-	-
6	5,449	5,453	-4.30	97.4	-	-
7	6,392	6,395	-5.80	97.4	-	-
8	2,325	2,331	3.51	97.4	-	-
9	2,327	2,334	3.50	97.4	-	-
Sum			12.87			

- Data undefined due to calculation with octave data

Noise sensitive area: CX Stacijas iela 1

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,655	9,657	-9.75	97.4	-	-
10	3,767	3,773	-0.88	97.4	-	-
11	1,621	1,630	6.72	97.4	-	-
12	4,220	4,225	-1.92	97.4	-	-
13	2,753	2,760	1.98	97.4	-	-
14	3,524	3,530	-0.27	97.4	-	-
15	8,419	8,421	-8.43	97.4	-	-
16	7,782	7,785	-7.67	97.4	-	-
17	6,927	6,930	-6.56	97.4	-	-
18	8,851	8,854	-8.91	97.4	-	-
19	8,437	8,440	-8.45	97.4	-	-
2	12,943	12,945	-12.62	97.4	-	-
20	8,408	8,410	-8.41	97.4	-	-
21	7,787	7,790	-7.68	97.4	-	-
22	7,493	7,496	-7.31	97.4	-	-
23	6,485	6,488	-5.94	97.4	-	-
24	17,664	17,664	-15.72	97.4	-	-
25	15,915	15,916	-14.68	97.4	-	-
26	15,669	15,670	-14.52	97.4	-	-
27	14,432	14,434	-13.70	97.4	-	-
28	17,154	17,155	-15.43	97.4	-	-
29	17,495	17,496	-15.63	97.4	-	-
3	13,894	13,896	-13.33	97.4	-	-
30	18,362	18,363	-16.12	97.4	-	-
31	17,806	17,807	-15.81	97.4	-	-
32	18,609	18,610	-16.25	97.4	-	-
33	17,528	17,529	-15.65	97.4	-	-
34	3,089	3,093	0.94	97.4	-	-
35	10,373	10,375	-10.45	97.4	-	-
36	7,330	7,333	-7.10	97.4	-	-
37	6,584	6,587	-6.08	97.4	-	-
38	4,534	4,538	-2.59	97.4	-	-
39	5,917	5,919	-5.07	97.4	-	-
4	5,734	5,738	-4.78	97.4	-	-
40	16,553	16,555	-15.07	97.4	-	-
5	4,649	4,653	-2.82	97.4	-	-
6	5,449	5,453	-4.30	97.4	-	-
7	6,392	6,395	-5.80	97.4	-	-
8	2,325	2,331	3.51	97.4	-	-
9	2,327	2,334	3.50	97.4	-	-
Sum			12.87			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: CY Tīrgus iela 3

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,488	9,490	-9.58	97.4	-	-
10	3,594	3,599	-0.44	97.4	-	-
11	1,447	1,456	7.72	97.4	-	-
12	4,034	4,039	-1.51	97.4	-	-
13	2,561	2,568	2.63	97.4	-	-
14	3,337	3,343	0.23	97.4	-	-
15	8,273	8,275	-8.26	97.4	-	-
16	7,642	7,644	-7.50	97.4	-	-
17	6,758	6,760	-6.33	97.4	-	-
18	8,691	8,694	-8.73	97.4	-	-
19	8,281	8,284	-8.27	97.4	-	-
2	12,875	12,876	-12.57	97.4	-	-
20	8,239	8,241	-8.22	97.4	-	-
21	7,623	7,626	-7.48	97.4	-	-
22	7,367	7,370	-7.15	97.4	-	-
23	6,309	6,311	-5.67	97.4	-	-
24	17,595	17,596	-15.69	97.4	-	-
25	15,852	15,853	-14.64	97.4	-	-
26	15,612	15,614	-14.49	97.4	-	-
27	14,338	14,340	-13.64	97.4	-	-
28	17,080	17,081	-15.39	97.4	-	-
29	17,416	17,417	-15.58	97.4	-	-
3	13,806	13,808	-13.26	97.4	-	-
30	18,296	18,297	-16.08	97.4	-	-
31	17,745	17,746	-15.77	97.4	-	-
32	18,536	18,537	-16.21	97.4	-	-
33	17,443	17,444	-15.60	97.4	-	-
34	2,924	2,929	1.44	97.4	-	-
35	10,209	10,211	-10.29	97.4	-	-
36	7,176	7,179	-6.90	97.4	-	-
37	6,425	6,428	-5.85	97.4	-	-
38	4,359	4,364	-2.22	97.4	-	-
39	5,736	5,739	-4.78	97.4	-	-
4	5,604	5,608	-4.56	97.4	-	-
40	16,487	16,488	-15.03	97.4	-	-
5	4,458	4,463	-2.43	97.4	-	-
6	5,273	5,276	-3.99	97.4	-	-
7	6,222	6,225	-5.55	97.4	-	-
8	2,159	2,165	4.17	97.4	-	-
9	2,138	2,145	4.26	97.4	-	-
Sum			13.49			

- Data undefined due to calculation with octave data

Noise sensitive area: CY Tīrgus iela 3

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,488	9,490	-9.58	97.4	-	-
10	3,594	3,599	-0.44	97.4	-	-
11	1,447	1,456	7.72	97.4	-	-
12	4,034	4,039	-1.51	97.4	-	-
13	2,561	2,568	2.63	97.4	-	-
14	3,337	3,343	0.23	97.4	-	-
15	8,273	8,275	-8.26	97.4	-	-
16	7,642	7,644	-7.50	97.4	-	-
17	6,758	6,760	-6.33	97.4	-	-
18	8,691	8,694	-8.73	97.4	-	-
19	8,281	8,284	-8.27	97.4	-	-
2	12,875	12,876	-12.57	97.4	-	-
20	8,239	8,241	-8.22	97.4	-	-
21	7,623	7,626	-7.48	97.4	-	-
22	7,367	7,370	-7.15	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,309	6,311	-5.67	97.4	-	-
24	17,595	17,596	-15.69	97.4	-	-
25	15,852	15,853	-14.64	97.4	-	-
26	15,612	15,614	-14.49	97.4	-	-
27	14,338	14,340	-13.64	97.4	-	-
28	17,080	17,081	-15.39	97.4	-	-
29	17,416	17,417	-15.58	97.4	-	-
3	13,806	13,808	-13.26	97.4	-	-
30	18,296	18,297	-16.08	97.4	-	-
31	17,745	17,746	-15.77	97.4	-	-
32	18,536	18,537	-16.21	97.4	-	-
33	17,443	17,444	-15.60	97.4	-	-
34	2,924	2,929	1.44	97.4	-	-
35	10,209	10,211	-10.29	97.4	-	-
36	7,176	7,179	-6.90	97.4	-	-
37	6,425	6,428	-5.85	97.4	-	-
38	4,359	4,364	-2.22	97.4	-	-
39	5,736	5,739	-4.78	97.4	-	-
4	5,604	5,608	-4.56	97.4	-	-
40	16,487	16,488	-15.03	97.4	-	-
5	4,458	4,463	-2.43	97.4	-	-
6	5,273	5,276	-3.99	97.4	-	-
7	6,222	6,225	-5.55	97.4	-	-
8	2,159	2,165	4.17	97.4	-	-
9	2,138	2,145	4.26	97.4	-	-
Sum			13.49			

- Data undefined due to calculation with octave data

Noise sensitive area: CZ Tirgus iela 5

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,700	9,702	-9.80	97.4	-	-
10	3,807	3,812	-0.97	97.4	-	-
11	1,593	1,602	6.87	97.4	-	-
12	4,246	4,251	-1.98	97.4	-	-
13	2,750	2,757	1.99	97.4	-	-
14	3,509	3,514	-0.23	97.4	-	-
15	8,477	8,478	-8.49	97.4	-	-
16	7,842	7,845	-7.75	97.4	-	-
17	6,970	6,973	-6.62	97.4	-	-
18	8,901	8,904	-8.96	97.4	-	-
19	8,489	8,492	-8.51	97.4	-	-
2	13,023	13,025	-12.68	97.4	-	-
20	8,452	8,454	-8.46	97.4	-	-
21	7,834	7,837	-7.74	97.4	-	-
22	7,559	7,562	-7.40	97.4	-	-
23	6,522	6,524	-5.99	97.4	-	-
24	17,744	17,745	-15.77	97.4	-	-
25	15,996	15,997	-14.73	97.4	-	-
26	15,751	15,752	-14.57	97.4	-	-
27	14,507	14,509	-13.75	97.4	-	-
28	17,233	17,235	-15.48	97.4	-	-
29	17,574	17,575	-15.67	97.4	-	-
3	13,971	13,972	-13.38	97.4	-	-
30	18,443	18,444	-16.16	97.4	-	-
31	17,887	17,888	-15.85	97.4	-	-
32	18,689	18,690	-16.29	97.4	-	-
33	17,606	17,607	-15.69	97.4	-	-
34	3,050	3,054	1.06	97.4	-	-
35	10,420	10,422	-10.49	97.4	-	-
36	7,383	7,386	-7.17	97.4	-	-
37	6,634	6,637	-6.15	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,573	4,577	-2.66	97.4	-	-
39	5,949	5,952	-5.12	97.4	-	-
4	5,799	5,802	-4.88	97.4	-	-
40	16,634	16,635	-15.12	97.4	-	-
5	4,664	4,668	-2.85	97.4	-	-
6	5,486	5,490	-4.36	97.4	-	-
7	6,435	6,438	-5.86	97.4	-	-
8	2,287	2,293	3.66	97.4	-	-
9	2,348	2,354	3.42	97.4	-	-
Sum			12.91			

- Data undefined due to calculation with octave data

Noise sensitive area: CZ Tirgus iela 5

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,700	9,702	-9.80	97.4	-	-
10	3,807	3,812	-0.97	97.4	-	-
11	1,593	1,602	6.87	97.4	-	-
12	4,246	4,251	-1.98	97.4	-	-
13	2,750	2,757	1.99	97.4	-	-
14	3,509	3,514	-0.23	97.4	-	-
15	8,477	8,478	-8.49	97.4	-	-
16	7,842	7,845	-7.75	97.4	-	-
17	6,970	6,973	-6.62	97.4	-	-
18	8,901	8,904	-8.96	97.4	-	-
19	8,489	8,492	-8.51	97.4	-	-
2	13,023	13,025	-12.68	97.4	-	-
20	8,452	8,454	-8.46	97.4	-	-
21	7,834	7,837	-7.74	97.4	-	-
22	7,559	7,562	-7.40	97.4	-	-
23	6,522	6,524	-5.99	97.4	-	-
24	17,744	17,745	-15.77	97.4	-	-
25	15,996	15,997	-14.73	97.4	-	-
26	15,751	15,752	-14.57	97.4	-	-
27	14,507	14,509	-13.75	97.4	-	-
28	17,233	17,235	-15.48	97.4	-	-
29	17,574	17,575	-15.67	97.4	-	-
3	13,971	13,972	-13.38	97.4	-	-
30	18,443	18,444	-16.16	97.4	-	-
31	17,887	17,888	-15.85	97.4	-	-
32	18,689	18,690	-16.29	97.4	-	-
33	17,606	17,607	-15.69	97.4	-	-
34	3,050	3,054	1.06	97.4	-	-
35	10,420	10,422	-10.49	97.4	-	-
36	7,383	7,386	-7.17	97.4	-	-
37	6,634	6,637	-6.15	97.4	-	-
38	4,573	4,577	-2.66	97.4	-	-
39	5,949	5,952	-5.12	97.4	-	-
4	5,799	5,802	-4.88	97.4	-	-
40	16,634	16,635	-15.12	97.4	-	-
5	4,664	4,668	-2.85	97.4	-	-
6	5,486	5,490	-4.36	97.4	-	-
7	6,435	6,438	-5.86	97.4	-	-
8	2,287	2,293	3.66	97.4	-	-
9	2,348	2,354	3.42	97.4	-	-
Sum			12.91			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: DA Tīrgus iela 7

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,739	9,741	-9.84	97.4	-	-
10	3,846	3,851	-1.07	97.4	-	-
11	1,621	1,630	6.72	97.4	-	-
12	4,285	4,290	-2.06	97.4	-	-
13	2,785	2,792	1.87	97.4	-	-
14	3,541	3,546	-0.31	97.4	-	-
15	8,514	8,516	-8.54	97.4	-	-
16	7,879	7,882	-7.79	97.4	-	-
17	7,009	7,012	-6.67	97.4	-	-
18	8,940	8,942	-9.01	97.4	-	-
19	8,528	8,530	-8.55	97.4	-	-
2	13,051	13,053	-12.70	97.4	-	-
20	8,491	8,493	-8.51	97.4	-	-
21	7,873	7,876	-7.78	97.4	-	-
22	7,595	7,598	-7.44	97.4	-	-
23	6,561	6,563	-6.05	97.4	-	-
24	17,772	17,773	-15.79	97.4	-	-
25	16,023	16,024	-14.75	97.4	-	-
26	15,777	15,778	-14.59	97.4	-	-
27	14,539	14,541	-13.78	97.4	-	-
28	17,262	17,263	-15.49	97.4	-	-
29	17,603	17,604	-15.69	97.4	-	-
3	14,001	14,003	-13.40	97.4	-	-
30	18,471	18,471	-16.17	97.4	-	-
31	17,914	17,915	-15.87	97.4	-	-
32	18,717	18,718	-16.31	97.4	-	-
33	17,636	17,637	-15.71	97.4	-	-
34	3,073	3,078	0.99	97.4	-	-
35	10,459	10,461	-10.53	97.4	-	-
36	7,422	7,425	-7.22	97.4	-	-
37	6,673	6,676	-6.21	97.4	-	-
38	4,612	4,616	-2.74	97.4	-	-
39	5,988	5,991	-5.18	97.4	-	-
4	5,835	5,839	-4.94	97.4	-	-
40	16,662	16,663	-15.14	97.4	-	-
5	4,702	4,706	-2.92	97.4	-	-
6	5,525	5,529	-4.43	97.4	-	-
7	6,474	6,477	-5.92	97.4	-	-
8	2,312	2,318	3.56	97.4	-	-
9	2,386	2,392	3.27	97.4	-	-
Sum			12.80			

- Data undefined due to calculation with octave data

Noise sensitive area: DA Tīrgus iela 7

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,739	9,741	-9.84	97.4	-	-
10	3,846	3,851	-1.07	97.4	-	-
11	1,621	1,630	6.72	97.4	-	-
12	4,285	4,290	-2.06	97.4	-	-
13	2,785	2,792	1.87	97.4	-	-
14	3,541	3,546	-0.31	97.4	-	-
15	8,514	8,516	-8.54	97.4	-	-
16	7,879	7,882	-7.79	97.4	-	-
17	7,009	7,012	-6.67	97.4	-	-
18	8,940	8,942	-9.01	97.4	-	-
19	8,528	8,530	-8.55	97.4	-	-
2	13,051	13,053	-12.70	97.4	-	-
20	8,491	8,493	-8.51	97.4	-	-
21	7,873	7,876	-7.78	97.4	-	-
22	7,595	7,598	-7.44	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,561	6,563	-6.05	97.4	-	-
24	17,772	17,773	-15.79	97.4	-	-
25	16,023	16,024	-14.75	97.4	-	-
26	15,777	15,778	-14.59	97.4	-	-
27	14,539	14,541	-13.78	97.4	-	-
28	17,262	17,263	-15.49	97.4	-	-
29	17,603	17,604	-15.69	97.4	-	-
3	14,001	14,003	-13.40	97.4	-	-
30	18,471	18,471	-16.17	97.4	-	-
31	17,914	17,915	-15.87	97.4	-	-
32	18,717	18,718	-16.31	97.4	-	-
33	17,636	17,637	-15.71	97.4	-	-
34	3,073	3,078	0.99	97.4	-	-
35	10,459	10,461	-10.53	97.4	-	-
36	7,422	7,425	-7.22	97.4	-	-
37	6,673	6,676	-6.21	97.4	-	-
38	4,612	4,616	-2.74	97.4	-	-
39	5,988	5,991	-5.18	97.4	-	-
4	5,835	5,839	-4.94	97.4	-	-
40	16,662	16,663	-15.14	97.4	-	-
5	4,702	4,706	-2.92	97.4	-	-
6	5,525	5,529	-4.43	97.4	-	-
7	6,474	6,477	-5.92	97.4	-	-
8	2,312	2,318	3.56	97.4	-	-
9	2,386	2,392	3.27	97.4	-	-
Sum			12.80			

- Data undefined due to calculation with octave data

Noise sensitive area: DB Vecramji 1

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10,877	10,879	-10.91	97.4	-	-
10	15,102	15,103	-14.15	97.4	-	-
11	17,922	17,923	-15.87	97.4	-	-
12	15,343	15,344	-14.31	97.4	-	-
13	17,051	17,052	-15.37	97.4	-	-
14	17,351	17,352	-15.54	97.4	-	-
15	10,519	10,521	-10.59	97.4	-	-
16	10,839	10,841	-10.88	97.4	-	-
17	12,710	12,712	-12.44	97.4	-	-
18	10,841	10,843	-10.88	97.4	-	-
19	10,902	10,904	-10.94	97.4	-	-
2	5,647	5,650	-4.63	97.4	-	-
20	11,675	11,677	-11.61	97.4	-	-
21	11,809	11,811	-11.72	97.4	-	-
22	10,791	10,793	-10.84	97.4	-	-
23	13,423	13,424	-12.98	97.4	-	-
24	2,842	2,848	1.69	97.4	-	-
25	3,854	3,860	-1.09	97.4	-	-
26	4,431	4,435	-2.37	97.4	-	-
27	3,618	3,624	-0.51	97.4	-	-
28	2,448	2,457	3.03	97.4	-	-
29	1,830	1,840	5.64	97.4	-	-
3	4,221	4,227	-1.93	97.4	-	-
30	3,110	3,116	0.87	97.4	-	-
31	3,612	3,616	-0.49	97.4	-	-
32	2,526	2,533	2.76	97.4	-	-
33	1,296	1,309	8.67	97.4	-	-
34	18,314	18,315	-16.09	97.4	-	-
35	10,183	10,185	-10.27	97.4	-	-
36	11,670	11,672	-11.60	97.4	-	-
37	12,453	12,454	-12.24	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	14,572	14,574	-13.80	97.4	-	-
39	14,029	14,030	-13.42	97.4	-	-
4	12,517	12,519	-12.29	97.4	-	-
40	3,252	3,259	0.47	97.4	-	-
5	15,641	15,642	-14.50	97.4	-	-
6	14,058	14,059	-13.44	97.4	-	-
7	13,060	13,062	-12.71	97.4	-	-
8	18,161	18,162	-16.00	97.4	-	-
9	16,618	16,618	-15.11	97.4	-	-
Sum			13.86			

- Data undefined due to calculation with octave data

Noise sensitive area: DB Vecramji 1

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10,877	10,879	-10.91	97.4	-	-
10	15,102	15,103	-14.15	97.4	-	-
11	17,922	17,923	-15.87	97.4	-	-
12	15,343	15,344	-14.31	97.4	-	-
13	17,051	17,052	-15.37	97.4	-	-
14	17,351	17,352	-15.54	97.4	-	-
15	10,519	10,521	-10.59	97.4	-	-
16	10,839	10,841	-10.88	97.4	-	-
17	12,710	12,712	-12.44	97.4	-	-
18	10,841	10,843	-10.88	97.4	-	-
19	10,902	10,904	-10.94	97.4	-	-
2	5,647	5,650	-4.63	97.4	-	-
20	11,675	11,677	-11.61	97.4	-	-
21	11,809	11,811	-11.72	97.4	-	-
22	10,791	10,793	-10.84	97.4	-	-
23	13,423	13,424	-12.98	97.4	-	-
24	2,842	2,848	1.69	97.4	-	-
25	3,854	3,860	-1.09	97.4	-	-
26	4,431	4,435	-2.37	97.4	-	-
27	3,618	3,624	-0.51	97.4	-	-
28	2,448	2,457	3.03	97.4	-	-
29	1,830	1,840	5.64	97.4	-	-
3	4,221	4,227	-1.93	97.4	-	-
30	3,110	3,116	0.87	97.4	-	-
31	3,612	3,616	-0.49	97.4	-	-
32	2,526	2,533	2.76	97.4	-	-
33	1,296	1,309	8.67	97.4	-	-
34	18,314	18,315	-16.09	97.4	-	-
35	10,183	10,185	-10.27	97.4	-	-
36	11,670	11,672	-11.60	97.4	-	-
37	12,453	12,454	-12.24	97.4	-	-
38	14,572	14,574	-13.80	97.4	-	-
39	14,029	14,030	-13.42	97.4	-	-
4	12,517	12,519	-12.29	97.4	-	-
40	3,252	3,259	0.47	97.4	-	-
5	15,641	15,642	-14.50	97.4	-	-
6	14,058	14,059	-13.44	97.4	-	-
7	13,060	13,062	-12.71	97.4	-	-
8	18,161	18,162	-16.00	97.4	-	-
9	16,618	16,618	-15.11	97.4	-	-
Sum			13.86			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: DC Vecramji 2

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10,942	10,944	-10.97	97.4	-	-
10	15,158	15,159	-14.19	97.4	-	-
11	17,976	17,977	-15.90	97.4	-	-
12	15,401	15,402	-14.35	97.4	-	-
13	17,107	17,108	-15.40	97.4	-	-
14	17,409	17,410	-15.58	97.4	-	-
15	10,580	10,582	-10.64	97.4	-	-
16	10,897	10,899	-10.93	97.4	-	-
17	12,772	12,773	-12.49	97.4	-	-
18	10,905	10,907	-10.94	97.4	-	-
19	10,964	10,966	-10.99	97.4	-	-
2	5,677	5,681	-4.68	97.4	-	-
20	11,739	11,740	-11.66	97.4	-	-
21	11,871	11,873	-11.77	97.4	-	-
22	10,847	10,849	-10.89	97.4	-	-
23	13,484	13,485	-13.03	97.4	-	-
24	2,808	2,814	1.80	97.4	-	-
25	3,850	3,856	-1.08	97.4	-	-
26	4,426	4,431	-2.36	97.4	-	-
27	3,666	3,672	-0.63	97.4	-	-
28	2,428	2,437	3.11	97.4	-	-
29	1,805	1,815	5.76	97.4	-	-
3	4,263	4,269	-2.02	97.4	-	-
30	3,064	3,069	1.01	97.4	-	-
31	3,575	3,580	-0.40	97.4	-	-
32	2,473	2,480	2.95	97.4	-	-
33	1,277	1,290	8.80	97.4	-	-
34	18,371	18,372	-16.12	97.4	-	-
35	10,249	10,252	-10.33	97.4	-	-
36	11,730	11,732	-11.65	97.4	-	-
37	12,512	12,514	-12.29	97.4	-	-
38	14,630	14,631	-13.84	97.4	-	-
39	14,090	14,091	-13.46	97.4	-	-
4	12,572	12,574	-12.34	97.4	-	-
40	3,240	3,247	0.50	97.4	-	-
5	15,701	15,702	-14.54	97.4	-	-
6	14,117	14,119	-13.48	97.4	-	-
7	13,121	13,122	-12.76	97.4	-	-
8	18,216	18,217	-16.03	97.4	-	-
9	16,672	16,673	-15.14	97.4	-	-
Sum			13.95			

- Data undefined due to calculation with octave data

Noise sensitive area: DC Vecramji 2

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10,942	10,944	-10.97	97.4	-	-
10	15,158	15,159	-14.19	97.4	-	-
11	17,976	17,977	-15.90	97.4	-	-
12	15,401	15,402	-14.35	97.4	-	-
13	17,107	17,108	-15.40	97.4	-	-
14	17,409	17,410	-15.58	97.4	-	-
15	10,580	10,582	-10.64	97.4	-	-
16	10,897	10,899	-10.93	97.4	-	-
17	12,772	12,773	-12.49	97.4	-	-
18	10,905	10,907	-10.94	97.4	-	-
19	10,964	10,966	-10.99	97.4	-	-
2	5,677	5,681	-4.68	97.4	-	-
20	11,739	11,740	-11.66	97.4	-	-
21	11,871	11,873	-11.77	97.4	-	-
22	10,847	10,849	-10.89	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	13,484	13,485	-13.03	97.4	-	-
24	2,808	2,814	1.80	97.4	-	-
25	3,850	3,856	-1.08	97.4	-	-
26	4,426	4,431	-2.36	97.4	-	-
27	3,666	3,672	-0.63	97.4	-	-
28	2,428	2,437	3.11	97.4	-	-
29	1,805	1,815	5.76	97.4	-	-
3	4,263	4,269	-2.02	97.4	-	-
30	3,064	3,069	1.01	97.4	-	-
31	3,575	3,580	-0.40	97.4	-	-
32	2,473	2,480	2.95	97.4	-	-
33	1,277	1,290	8.80	97.4	-	-
34	18,371	18,372	-16.12	97.4	-	-
35	10,249	10,252	-10.33	97.4	-	-
36	11,730	11,732	-11.65	97.4	-	-
37	12,512	12,514	-12.29	97.4	-	-
38	14,630	14,631	-13.84	97.4	-	-
39	14,090	14,091	-13.46	97.4	-	-
4	12,572	12,574	-12.34	97.4	-	-
40	3,240	3,247	0.50	97.4	-	-
5	15,701	15,702	-14.54	97.4	-	-
6	14,117	14,119	-13.48	97.4	-	-
7	13,121	13,122	-12.76	97.4	-	-
8	18,216	18,217	-16.03	97.4	-	-
9	16,672	16,673	-15.14	97.4	-	-
Sum			13.95			

- Data undefined due to calculation with octave data

Noise sensitive area: DD Vecrubeni

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	14,236	14,237	-13.57	97.4	-	-
10	17,444	17,445	-15.60	97.4	-	-
11	20,023	20,024	-16.99	97.4	-	-
12	17,851	17,852	-15.83	97.4	-	-
13	19,363	19,364	-16.65	97.4	-	-
14	19,821	19,821	-16.89	97.4	-	-
15	13,402	13,403	-12.97	97.4	-	-
16	13,525	13,526	-13.06	97.4	-	-
17	15,577	15,578	-14.46	97.4	-	-
18	13,968	13,969	-13.38	97.4	-	-
19	13,900	13,901	-13.33	97.4	-	-
2	6,917	6,920	-6.55	97.4	-	-
20	14,806	14,807	-13.96	97.4	-	-
21	14,778	14,779	-13.94	97.4	-	-
22	13,249	13,251	-12.85	97.4	-	-
23	16,274	16,275	-14.90	97.4	-	-
24	2,338	2,343	3.46	97.4	-	-
25	3,914	3,918	-1.23	97.4	-	-
26	4,158	4,162	-1.78	97.4	-	-
27	6,299	6,301	-5.66	97.4	-	-
28	3,017	3,022	1.15	97.4	-	-
29	3,074	3,078	0.99	97.4	-	-
3	6,474	6,477	-5.92	97.4	-	-
30	1,612	1,619	6.78	97.4	-	-
31	2,014	2,020	4.80	97.4	-	-
32	1,837	1,845	5.61	97.4	-	-
33	3,465	3,469	-0.11	97.4	-	-
34	20,681	20,681	-17.32	97.4	-	-
35	13,645	13,646	-13.15	97.4	-	-
36	14,444	14,445	-13.71	97.4	-	-
37	15,150	15,151	-14.19	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	17,050	17,051	-15.37	97.4	-	-
39	16,810	16,810	-15.23	97.4	-	-
4	14,801	14,802	-13.95	97.4	-	-
40	3,340	3,345	0.23	97.4	-	-
5	18,276	18,277	-16.07	97.4	-	-
6	16,717	16,717	-15.17	97.4	-	-
7	15,827	15,828	-14.62	97.4	-	-
8	20,391	20,391	-17.17	97.4	-	-
9	18,802	18,803	-16.35	97.4	-	-
Sum			13.29			

- Data undefined due to calculation with octave data

Noise sensitive area: DD Vecrubeni

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	14,236	14,237	-13.57	97.4	-	-
10	17,444	17,445	-15.60	97.4	-	-
11	20,023	20,024	-16.99	97.4	-	-
12	17,851	17,852	-15.83	97.4	-	-
13	19,363	19,364	-16.65	97.4	-	-
14	19,821	19,821	-16.89	97.4	-	-
15	13,402	13,403	-12.97	97.4	-	-
16	13,525	13,526	-13.06	97.4	-	-
17	15,577	15,578	-14.46	97.4	-	-
18	13,968	13,969	-13.38	97.4	-	-
19	13,900	13,901	-13.33	97.4	-	-
2	6,917	6,920	-6.55	97.4	-	-
20	14,806	14,807	-13.96	97.4	-	-
21	14,778	14,779	-13.94	97.4	-	-
22	13,249	13,251	-12.85	97.4	-	-
23	16,274	16,275	-14.90	97.4	-	-
24	2,338	2,343	3.46	97.4	-	-
25	3,914	3,918	-1.23	97.4	-	-
26	4,158	4,162	-1.78	97.4	-	-
27	6,299	6,301	-5.66	97.4	-	-
28	3,017	3,022	1.15	97.4	-	-
29	3,074	3,078	0.99	97.4	-	-
3	6,474	6,477	-5.92	97.4	-	-
30	1,612	1,619	6.78	97.4	-	-
31	2,014	2,020	4.80	97.4	-	-
32	1,837	1,845	5.61	97.4	-	-
33	3,465	3,469	-0.11	97.4	-	-
34	20,681	20,681	-17.32	97.4	-	-
35	13,645	13,646	-13.15	97.4	-	-
36	14,444	14,445	-13.71	97.4	-	-
37	15,150	15,151	-14.19	97.4	-	-
38	17,050	17,051	-15.37	97.4	-	-
39	16,810	16,810	-15.23	97.4	-	-
4	14,801	14,802	-13.95	97.4	-	-
40	3,340	3,345	0.23	97.4	-	-
5	18,276	18,277	-16.07	97.4	-	-
6	16,717	16,717	-15.17	97.4	-	-
7	15,827	15,828	-14.62	97.4	-	-
8	20,391	20,391	-17.17	97.4	-	-
9	18,802	18,803	-16.35	97.4	-	-
Sum			13.29			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: DE Veverzemnieki

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13,631	13,633	-13.14	97.4	-	-
10	16,864	16,865	-15.26	97.4	-	-
11	19,458	19,459	-16.70	97.4	-	-
12	17,264	17,265	-15.49	97.4	-	-
13	18,787	18,787	-16.35	97.4	-	-
14	19,237	19,238	-16.59	97.4	-	-
15	12,801	12,802	-12.51	97.4	-	-
16	12,928	12,929	-12.61	97.4	-	-
17	14,978	14,979	-14.07	97.4	-	-
18	13,363	13,365	-12.94	97.4	-	-
19	13,297	13,298	-12.89	97.4	-	-
2	6,353	6,356	-5.74	97.4	-	-
20	14,202	14,203	-13.54	97.4	-	-
21	14,176	14,177	-13.52	97.4	-	-
22	12,659	12,661	-12.40	97.4	-	-
23	15,675	15,676	-14.53	97.4	-	-
24	1,735	1,743	6.12	97.4	-	-
25	3,358	3,363	0.18	97.4	-	-
26	3,640	3,645	-0.56	97.4	-	-
27	5,694	5,697	-4.71	97.4	-	-
28	2,412	2,419	3.17	97.4	-	-
29	2,487	2,493	2.90	97.4	-	-
3	5,873	5,876	-5.00	97.4	-	-
30	1,007	1,021	10.88	97.4	-	-
31	1,474	1,483	7.56	97.4	-	-
32	1,294	1,306	8.70	97.4	-	-
33	2,902	2,907	1.51	97.4	-	-
34	20,103	20,103	-17.03	97.4	-	-
35	13,041	13,043	-12.70	97.4	-	-
36	13,845	13,847	-13.29	97.4	-	-
37	14,554	14,555	-13.79	97.4	-	-
38	16,464	16,465	-15.02	97.4	-	-
39	16,213	16,214	-14.86	97.4	-	-
4	14,220	14,222	-13.56	97.4	-	-
40	2,757	2,764	1.97	97.4	-	-
5	17,685	17,686	-15.74	97.4	-	-
6	16,123	16,124	-14.81	97.4	-	-
7	15,230	15,231	-14.24	97.4	-	-
8	19,819	19,820	-16.89	97.4	-	-
9	18,231	18,232	-16.04	97.4	-	-
Sum			16.05			

- Data undefined due to calculation with octave data

Noise sensitive area: DE Veverzemnieki

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13,631	13,633	-13.14	97.4	-	-
10	16,864	16,865	-15.26	97.4	-	-
11	19,458	19,459	-16.70	97.4	-	-
12	17,264	17,265	-15.49	97.4	-	-
13	18,787	18,787	-16.35	97.4	-	-
14	19,237	19,238	-16.59	97.4	-	-
15	12,801	12,802	-12.51	97.4	-	-
16	12,928	12,929	-12.61	97.4	-	-
17	14,978	14,979	-14.07	97.4	-	-
18	13,363	13,365	-12.94	97.4	-	-
19	13,297	13,298	-12.89	97.4	-	-
2	6,353	6,356	-5.74	97.4	-	-
20	14,202	14,203	-13.54	97.4	-	-
21	14,176	14,177	-13.52	97.4	-	-
22	12,659	12,661	-12.40	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	15,675	15,676	-14.53	97.4	-	-
24	1,735	1,743	6.12	97.4	-	-
25	3,358	3,363	0.18	97.4	-	-
26	3,640	3,645	-0.56	97.4	-	-
27	5,694	5,697	-4.71	97.4	-	-
28	2,412	2,419	3.17	97.4	-	-
29	2,487	2,493	2.90	97.4	-	-
3	5,873	5,876	-5.00	97.4	-	-
30	1,007	1,021	10.88	97.4	-	-
31	1,474	1,483	7.56	97.4	-	-
32	1,294	1,306	8.70	97.4	-	-
33	2,902	2,907	1.51	97.4	-	-
34	20,103	20,103	-17.03	97.4	-	-
35	13,041	13,043	-12.70	97.4	-	-
36	13,845	13,847	-13.29	97.4	-	-
37	14,554	14,555	-13.79	97.4	-	-
38	16,464	16,465	-15.02	97.4	-	-
39	16,213	16,214	-14.86	97.4	-	-
4	14,220	14,222	-13.56	97.4	-	-
40	2,757	2,764	1.97	97.4	-	-
5	17,685	17,686	-15.74	97.4	-	-
6	16,123	16,124	-14.81	97.4	-	-
7	15,230	15,231	-14.24	97.4	-	-
8	19,819	19,820	-16.89	97.4	-	-
9	18,231	18,232	-16.04	97.4	-	-
Sum			16.05			

- Data undefined due to calculation with octave data

Noise sensitive area: DF Zala iela 1

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,547	9,549	-9.64	97.4	-	-
10	3,652	3,657	-0.59	97.4	-	-
11	1,473	1,483	7.56	97.4	-	-
12	4,090	4,094	-1.63	97.4	-	-
13	2,605	2,612	2.48	97.4	-	-
14	3,374	3,379	0.13	97.4	-	-
15	8,332	8,334	-8.33	97.4	-	-
16	7,701	7,704	-7.57	97.4	-	-
17	6,817	6,819	-6.41	97.4	-	-
18	8,751	8,754	-8.80	97.4	-	-
19	8,341	8,344	-8.34	97.4	-	-
2	12,926	12,927	-12.61	97.4	-	-
20	8,298	8,300	-8.29	97.4	-	-
21	7,683	7,685	-7.55	97.4	-	-
22	7,426	7,429	-7.23	97.4	-	-
23	6,367	6,369	-5.76	97.4	-	-
24	17,646	17,647	-15.71	97.4	-	-
25	15,902	15,904	-14.67	97.4	-	-
26	15,661	15,663	-14.52	97.4	-	-
27	14,393	14,395	-13.68	97.4	-	-
28	17,132	17,134	-15.42	97.4	-	-
29	17,469	17,470	-15.61	97.4	-	-
3	13,860	13,862	-13.30	97.4	-	-
30	18,347	18,348	-16.11	97.4	-	-
31	17,795	17,796	-15.80	97.4	-	-
32	18,588	18,589	-16.24	97.4	-	-
33	17,497	17,498	-15.63	97.4	-	-
34	2,945	2,949	1.38	97.4	-	-
35	10,268	10,270	-10.35	97.4	-	-
36	7,236	7,239	-6.98	97.4	-	-
37	6,485	6,488	-5.94	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,418	4,422	-2.35	97.4	-	-
39	5,793	5,796	-4.87	97.4	-	-
4	5,663	5,667	-4.66	97.4	-	-
40	16,538	16,539	-15.06	97.4	-	-
5	4,510	4,514	-2.54	97.4	-	-
6	5,331	5,334	-4.09	97.4	-	-
7	6,281	6,284	-5.63	97.4	-	-
8	2,180	2,186	4.09	97.4	-	-
9	2,192	2,198	4.04	97.4	-	-
Sum			13.36			

- Data undefined due to calculation with octave data

Noise sensitive area: DF Zala iela 1

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,547	9,549	-9.64	97.4	-	-
10	3,652	3,657	-0.59	97.4	-	-
11	1,473	1,483	7.56	97.4	-	-
12	4,090	4,094	-1.63	97.4	-	-
13	2,605	2,612	2.48	97.4	-	-
14	3,374	3,379	0.13	97.4	-	-
15	8,332	8,334	-8.33	97.4	-	-
16	7,701	7,704	-7.57	97.4	-	-
17	6,817	6,819	-6.41	97.4	-	-
18	8,751	8,754	-8.80	97.4	-	-
19	8,341	8,344	-8.34	97.4	-	-
2	12,926	12,927	-12.61	97.4	-	-
20	8,298	8,300	-8.29	97.4	-	-
21	7,683	7,685	-7.55	97.4	-	-
22	7,426	7,429	-7.23	97.4	-	-
23	6,367	6,369	-5.76	97.4	-	-
24	17,646	17,647	-15.71	97.4	-	-
25	15,902	15,904	-14.67	97.4	-	-
26	15,661	15,663	-14.52	97.4	-	-
27	14,393	14,395	-13.68	97.4	-	-
28	17,132	17,134	-15.42	97.4	-	-
29	17,469	17,470	-15.61	97.4	-	-
3	13,860	13,862	-13.30	97.4	-	-
30	18,347	18,348	-16.11	97.4	-	-
31	17,795	17,796	-15.80	97.4	-	-
32	18,588	18,589	-16.24	97.4	-	-
33	17,497	17,498	-15.63	97.4	-	-
34	2,945	2,949	1.38	97.4	-	-
35	10,268	10,270	-10.35	97.4	-	-
36	7,236	7,239	-6.98	97.4	-	-
37	6,485	6,488	-5.94	97.4	-	-
38	4,418	4,422	-2.35	97.4	-	-
39	5,793	5,796	-4.87	97.4	-	-
4	5,663	5,667	-4.66	97.4	-	-
40	16,538	16,539	-15.06	97.4	-	-
5	4,510	4,514	-2.54	97.4	-	-
6	5,331	5,334	-4.09	97.4	-	-
7	6,281	6,284	-5.63	97.4	-	-
8	2,180	2,186	4.09	97.4	-	-
9	2,192	2,198	4.04	97.4	-	-
Sum			13.36			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: DG Zala iela 3

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,549	9,551	-9.64	97.4	-	-
10	3,653	3,658	-0.59	97.4	-	-
11	1,453	1,462	7.69	97.4	-	-
12	4,086	4,090	-1.62	97.4	-	-
13	2,592	2,599	2.53	97.4	-	-
14	3,358	3,363	0.18	97.4	-	-
15	8,340	8,342	-8.34	97.4	-	-
16	7,710	7,713	-7.58	97.4	-	-
17	6,818	6,821	-6.41	97.4	-	-
18	8,755	8,758	-8.81	97.4	-	-
19	8,346	8,349	-8.34	97.4	-	-
2	12,945	12,946	-12.62	97.4	-	-
20	8,300	8,302	-8.29	97.4	-	-
21	7,686	7,689	-7.55	97.4	-	-
22	7,437	7,440	-7.24	97.4	-	-
23	6,366	6,368	-5.76	97.4	-	-
24	17,665	17,666	-15.73	97.4	-	-
25	15,922	15,923	-14.68	97.4	-	-
26	15,681	15,683	-14.53	97.4	-	-
27	14,409	14,411	-13.69	97.4	-	-
28	17,151	17,152	-15.43	97.4	-	-
29	17,487	17,487	-15.62	97.4	-	-
3	13,877	13,879	-13.31	97.4	-	-
30	18,366	18,367	-16.12	97.4	-	-
31	17,814	17,815	-15.81	97.4	-	-
32	18,607	18,607	-16.25	97.4	-	-
33	17,514	17,515	-15.64	97.4	-	-
34	2,922	2,927	1.44	97.4	-	-
35	10,272	10,274	-10.35	97.4	-	-
36	7,242	7,245	-6.99	97.4	-	-
37	6,489	6,493	-5.94	97.4	-	-
38	4,418	4,423	-2.35	97.4	-	-
39	5,791	5,794	-4.87	97.4	-	-
4	5,674	5,678	-4.68	97.4	-	-
40	16,556	16,558	-15.07	97.4	-	-
5	4,502	4,506	-2.52	97.4	-	-
6	5,330	5,334	-4.09	97.4	-	-
7	6,283	6,286	-5.64	97.4	-	-
8	2,158	2,164	4.18	97.4	-	-
9	2,186	2,192	4.06	97.4	-	-
Sum			13.42			

- Data undefined due to calculation with octave data

Noise sensitive area: DG Zala iela 3

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,549	9,551	-9.64	97.4	-	-
10	3,653	3,658	-0.59	97.4	-	-
11	1,453	1,462	7.69	97.4	-	-
12	4,086	4,090	-1.62	97.4	-	-
13	2,592	2,599	2.53	97.4	-	-
14	3,358	3,363	0.18	97.4	-	-
15	8,340	8,342	-8.34	97.4	-	-
16	7,710	7,713	-7.58	97.4	-	-
17	6,818	6,821	-6.41	97.4	-	-
18	8,755	8,758	-8.81	97.4	-	-
19	8,346	8,349	-8.34	97.4	-	-
2	12,945	12,946	-12.62	97.4	-	-
20	8,300	8,302	-8.29	97.4	-	-
21	7,686	7,689	-7.55	97.4	-	-
22	7,437	7,440	-7.24	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,366	6,368	-5.76	97.4	-	-
24	17,665	17,666	-15.73	97.4	-	-
25	15,922	15,923	-14.68	97.4	-	-
26	15,681	15,683	-14.53	97.4	-	-
27	14,409	14,411	-13.69	97.4	-	-
28	17,151	17,152	-15.43	97.4	-	-
29	17,487	17,487	-15.62	97.4	-	-
3	13,877	13,879	-13.31	97.4	-	-
30	18,366	18,367	-16.12	97.4	-	-
31	17,814	17,815	-15.81	97.4	-	-
32	18,607	18,607	-16.25	97.4	-	-
33	17,514	17,515	-15.64	97.4	-	-
34	2,922	2,927	1.44	97.4	-	-
35	10,272	10,274	-10.35	97.4	-	-
36	7,242	7,245	-6.99	97.4	-	-
37	6,489	6,493	-5.94	97.4	-	-
38	4,418	4,423	-2.35	97.4	-	-
39	5,791	5,794	-4.87	97.4	-	-
4	5,674	5,678	-4.68	97.4	-	-
40	16,556	16,558	-15.07	97.4	-	-
5	4,502	4,506	-2.52	97.4	-	-
6	5,330	5,334	-4.09	97.4	-	-
7	6,283	6,286	-5.64	97.4	-	-
8	2,158	2,164	4.18	97.4	-	-
9	2,186	2,192	4.06	97.4	-	-
Sum			13.42			

- Data undefined due to calculation with octave data

Noise sensitive area: DH Zala iela 5

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,584	9,586	-9.68	97.4	-	-
10	3,685	3,690	-0.67	97.4	-	-
11	1,432	1,442	7.81	97.4	-	-
12	4,107	4,112	-1.67	97.4	-	-
13	2,592	2,599	2.52	97.4	-	-
14	3,348	3,353	0.20	97.4	-	-
15	8,384	8,386	-8.39	97.4	-	-
16	7,756	7,759	-7.64	97.4	-	-
17	6,852	6,855	-6.46	97.4	-	-
18	8,794	8,796	-8.85	97.4	-	-
19	8,387	8,389	-8.39	97.4	-	-
2	13,005	13,006	-12.67	97.4	-	-
20	8,335	8,337	-8.33	97.4	-	-
21	7,723	7,725	-7.60	97.4	-	-
22	7,488	7,491	-7.30	97.4	-	-
23	6,395	6,397	-5.80	97.4	-	-
24	17,725	17,726	-15.76	97.4	-	-
25	15,982	15,984	-14.72	97.4	-	-
26	15,743	15,744	-14.57	97.4	-	-
27	14,466	14,467	-13.73	97.4	-	-
28	17,210	17,211	-15.46	97.4	-	-
29	17,545	17,546	-15.66	97.4	-	-
3	13,935	13,936	-13.35	97.4	-	-
30	18,426	18,427	-16.15	97.4	-	-
31	17,875	17,876	-15.84	97.4	-	-
32	18,666	18,667	-16.28	97.4	-	-
33	17,572	17,573	-15.67	97.4	-	-
34	2,894	2,898	1.53	97.4	-	-
35	10,308	10,310	-10.39	97.4	-	-
36	7,283	7,286	-7.04	97.4	-	-
37	6,529	6,532	-6.00	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,450	4,454	-2.41	97.4	-	-
39	5,817	5,820	-4.91	97.4	-	-
4	5,723	5,727	-4.76	97.4	-	-
40	16,617	16,618	-15.11	97.4	-	-
5	4,515	4,520	-2.55	97.4	-	-
6	5,360	5,363	-4.14	97.4	-	-
7	6,317	6,320	-5.69	97.4	-	-
8	2,130	2,136	4.29	97.4	-	-
9	2,204	2,211	3.99	97.4	-	-
Sum			13.45			

- Data undefined due to calculation with octave data

Noise sensitive area: DH Zala iela 5

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,584	9,586	-9.68	97.4	-	-
10	3,685	3,690	-0.67	97.4	-	-
11	1,432	1,442	7.81	97.4	-	-
12	4,107	4,112	-1.67	97.4	-	-
13	2,592	2,599	2.52	97.4	-	-
14	3,348	3,353	0.20	97.4	-	-
15	8,384	8,386	-8.39	97.4	-	-
16	7,756	7,759	-7.64	97.4	-	-
17	6,852	6,855	-6.46	97.4	-	-
18	8,794	8,796	-8.85	97.4	-	-
19	8,387	8,389	-8.39	97.4	-	-
2	13,005	13,006	-12.67	97.4	-	-
20	8,335	8,337	-8.33	97.4	-	-
21	7,723	7,725	-7.60	97.4	-	-
22	7,488	7,491	-7.30	97.4	-	-
23	6,395	6,397	-5.80	97.4	-	-
24	17,725	17,726	-15.76	97.4	-	-
25	15,982	15,984	-14.72	97.4	-	-
26	15,743	15,744	-14.57	97.4	-	-
27	14,466	14,467	-13.73	97.4	-	-
28	17,210	17,211	-15.46	97.4	-	-
29	17,545	17,546	-15.66	97.4	-	-
3	13,935	13,936	-13.35	97.4	-	-
30	18,426	18,427	-16.15	97.4	-	-
31	17,875	17,876	-15.84	97.4	-	-
32	18,666	18,667	-16.28	97.4	-	-
33	17,572	17,573	-15.67	97.4	-	-
34	2,894	2,898	1.53	97.4	-	-
35	10,308	10,310	-10.39	97.4	-	-
36	7,283	7,286	-7.04	97.4	-	-
37	6,529	6,532	-6.00	97.4	-	-
38	4,450	4,454	-2.41	97.4	-	-
39	5,817	5,820	-4.91	97.4	-	-
4	5,723	5,727	-4.76	97.4	-	-
40	16,617	16,618	-15.11	97.4	-	-
5	4,515	4,520	-2.55	97.4	-	-
6	5,360	5,363	-4.14	97.4	-	-
7	6,317	6,320	-5.69	97.4	-	-
8	2,130	2,136	4.29	97.4	-	-
9	2,204	2,211	3.99	97.4	-	-
Sum			13.45			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: DI Zala iela 6

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,625	9,628	-9.72	97.4	-	-
10	3,727	3,732	-0.78	97.4	-	-
11	1,462	1,472	7.63	97.4	-	-
12	4,149	4,153	-1.76	97.4	-	-
13	2,629	2,636	2.39	97.4	-	-
14	3,382	3,387	0.11	97.4	-	-
15	8,423	8,425	-8.43	97.4	-	-
16	7,795	7,798	-7.69	97.4	-	-
17	6,893	6,896	-6.52	97.4	-	-
18	8,835	8,837	-8.89	97.4	-	-
19	8,427	8,430	-8.44	97.4	-	-
2	13,034	13,035	-12.69	97.4	-	-
20	8,376	8,378	-8.38	97.4	-	-
21	7,764	7,767	-7.65	97.4	-	-
22	7,525	7,528	-7.35	97.4	-	-
23	6,437	6,439	-5.87	97.4	-	-
24	17,754	17,755	-15.78	97.4	-	-
25	16,010	16,012	-14.74	97.4	-	-
26	15,770	15,771	-14.59	97.4	-	-
27	14,499	14,500	-13.75	97.4	-	-
28	17,240	17,241	-15.48	97.4	-	-
29	17,576	17,577	-15.67	97.4	-	-
3	13,967	13,968	-13.38	97.4	-	-
30	18,455	18,456	-16.17	97.4	-	-
31	17,903	17,904	-15.86	97.4	-	-
32	18,696	18,697	-16.30	97.4	-	-
33	17,604	17,605	-15.69	97.4	-	-
34	2,919	2,923	1.46	97.4	-	-
35	10,350	10,352	-10.43	97.4	-	-
36	7,324	7,326	-7.09	97.4	-	-
37	6,570	6,573	-6.06	97.4	-	-
38	4,491	4,496	-2.50	97.4	-	-
39	5,859	5,861	-4.98	97.4	-	-
4	5,761	5,765	-4.82	97.4	-	-
40	16,646	16,647	-15.13	97.4	-	-
5	4,556	4,560	-2.63	97.4	-	-
6	5,402	5,405	-4.22	97.4	-	-
7	6,358	6,361	-5.75	97.4	-	-
8	2,156	2,162	4.18	97.4	-	-
9	2,246	2,252	3.82	97.4	-	-
Sum			13.33			

- Data undefined due to calculation with octave data

Noise sensitive area: DI Zala iela 6

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,625	9,628	-9.72	97.4	-	-
10	3,727	3,732	-0.78	97.4	-	-
11	1,462	1,472	7.63	97.4	-	-
12	4,149	4,153	-1.76	97.4	-	-
13	2,629	2,636	2.39	97.4	-	-
14	3,382	3,387	0.11	97.4	-	-
15	8,423	8,425	-8.43	97.4	-	-
16	7,795	7,798	-7.69	97.4	-	-
17	6,893	6,896	-6.52	97.4	-	-
18	8,835	8,837	-8.89	97.4	-	-
19	8,427	8,430	-8.44	97.4	-	-
2	13,034	13,035	-12.69	97.4	-	-
20	8,376	8,378	-8.38	97.4	-	-
21	7,764	7,767	-7.65	97.4	-	-
22	7,525	7,528	-7.35	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,437	6,439	-5.87	97.4	-	-
24	17,754	17,755	-15.78	97.4	-	-
25	16,010	16,012	-14.74	97.4	-	-
26	15,770	15,771	-14.59	97.4	-	-
27	14,499	14,500	-13.75	97.4	-	-
28	17,240	17,241	-15.48	97.4	-	-
29	17,576	17,577	-15.67	97.4	-	-
3	13,967	13,968	-13.38	97.4	-	-
30	18,455	18,456	-16.17	97.4	-	-
31	17,903	17,904	-15.86	97.4	-	-
32	18,696	18,697	-16.30	97.4	-	-
33	17,604	17,605	-15.69	97.4	-	-
34	2,919	2,923	1.46	97.4	-	-
35	10,350	10,352	-10.43	97.4	-	-
36	7,324	7,326	-7.09	97.4	-	-
37	6,570	6,573	-6.06	97.4	-	-
38	4,491	4,496	-2.50	97.4	-	-
39	5,859	5,861	-4.98	97.4	-	-
4	5,761	5,765	-4.82	97.4	-	-
40	16,646	16,647	-15.13	97.4	-	-
5	4,556	4,560	-2.63	97.4	-	-
6	5,402	5,405	-4.22	97.4	-	-
7	6,358	6,361	-5.75	97.4	-	-
8	2,156	2,162	4.18	97.4	-	-
9	2,246	2,252	3.82	97.4	-	-
Sum			13.33			

- Data undefined due to calculation with octave data

Noise sensitive area: DJ Zala iela 7

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,589	9,592	-9.69	97.4	-	-
10	3,689	3,694	-0.68	97.4	-	-
11	1,400	1,410	8.01	97.4	-	-
12	4,102	4,107	-1.66	97.4	-	-
13	2,572	2,579	2.59	97.4	-	-
14	3,321	3,327	0.28	97.4	-	-
15	8,397	8,399	-8.40	97.4	-	-
16	7,772	7,775	-7.66	97.4	-	-
17	6,856	6,859	-6.47	97.4	-	-
18	8,803	8,805	-8.86	97.4	-	-
19	8,397	8,400	-8.40	97.4	-	-
2	13,038	13,039	-12.69	97.4	-	-
20	8,340	8,342	-8.34	97.4	-	-
21	7,730	7,732	-7.61	97.4	-	-
22	7,508	7,511	-7.33	97.4	-	-
23	6,396	6,398	-5.80	97.4	-	-
24	17,758	17,758	-15.78	97.4	-	-
25	16,016	16,017	-14.74	97.4	-	-
26	15,777	15,779	-14.59	97.4	-	-
27	14,494	14,495	-13.75	97.4	-	-
28	17,242	17,243	-15.48	97.4	-	-
29	17,576	17,577	-15.67	97.4	-	-
3	13,964	13,965	-13.37	97.4	-	-
30	18,459	18,460	-16.17	97.4	-	-
31	17,909	17,910	-15.86	97.4	-	-
32	18,698	18,699	-16.30	97.4	-	-
33	17,602	17,603	-15.69	97.4	-	-
34	2,857	2,862	1.65	97.4	-	-
35	10,315	10,317	-10.39	97.4	-	-
36	7,294	7,297	-7.05	97.4	-	-
37	6,538	6,541	-6.01	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,452	4,457	-2.42	97.4	-	-
39	5,816	5,818	-4.91	97.4	-	-
4	5,743	5,747	-4.79	97.4	-	-
40	16,650	16,651	-15.13	97.4	-	-
5	4,504	4,508	-2.52	97.4	-	-
6	5,361	5,364	-4.15	97.4	-	-
7	6,321	6,325	-5.70	97.4	-	-
8	2,095	2,101	4.44	97.4	-	-
9	2,198	2,204	4.01	97.4	-	-
Sum			13.54			

- Data undefined due to calculation with octave data

Noise sensitive area: DJ Zala iela 7

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,589	9,592	-9.69	97.4	-	-
10	3,689	3,694	-0.68	97.4	-	-
11	1,400	1,410	8.01	97.4	-	-
12	4,102	4,107	-1.66	97.4	-	-
13	2,572	2,579	2.59	97.4	-	-
14	3,321	3,327	0.28	97.4	-	-
15	8,397	8,399	-8.40	97.4	-	-
16	7,772	7,775	-7.66	97.4	-	-
17	6,856	6,859	-6.47	97.4	-	-
18	8,803	8,805	-8.86	97.4	-	-
19	8,397	8,400	-8.40	97.4	-	-
2	13,038	13,039	-12.69	97.4	-	-
20	8,340	8,342	-8.34	97.4	-	-
21	7,730	7,732	-7.61	97.4	-	-
22	7,508	7,511	-7.33	97.4	-	-
23	6,396	6,398	-5.80	97.4	-	-
24	17,758	17,758	-15.78	97.4	-	-
25	16,016	16,017	-14.74	97.4	-	-
26	15,777	15,779	-14.59	97.4	-	-
27	14,494	14,495	-13.75	97.4	-	-
28	17,242	17,243	-15.48	97.4	-	-
29	17,576	17,577	-15.67	97.4	-	-
3	13,964	13,965	-13.37	97.4	-	-
30	18,459	18,460	-16.17	97.4	-	-
31	17,909	17,910	-15.86	97.4	-	-
32	18,698	18,699	-16.30	97.4	-	-
33	17,602	17,603	-15.69	97.4	-	-
34	2,857	2,862	1.65	97.4	-	-
35	10,315	10,317	-10.39	97.4	-	-
36	7,294	7,297	-7.05	97.4	-	-
37	6,538	6,541	-6.01	97.4	-	-
38	4,452	4,457	-2.42	97.4	-	-
39	5,816	5,818	-4.91	97.4	-	-
4	5,743	5,747	-4.79	97.4	-	-
40	16,650	16,651	-15.13	97.4	-	-
5	4,504	4,508	-2.52	97.4	-	-
6	5,361	5,364	-4.15	97.4	-	-
7	6,321	6,325	-5.70	97.4	-	-
8	2,095	2,101	4.44	97.4	-	-
9	2,198	2,204	4.01	97.4	-	-
Sum			13.54			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: DK Zala iela 8

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,630	9,632	-9.73	97.4	-	-
10	3,729	3,734	-0.78	97.4	-	-
11	1,430	1,440	7.83	97.4	-	-
12	4,142	4,147	-1.75	97.4	-	-
13	2,609	2,616	2.47	97.4	-	-
14	3,355	3,360	0.19	97.4	-	-
15	8,436	8,438	-8.45	97.4	-	-
16	7,810	7,813	-7.71	97.4	-	-
17	6,897	6,900	-6.52	97.4	-	-
18	8,843	8,845	-8.90	97.4	-	-
19	8,437	8,439	-8.45	97.4	-	-
2	13,066	13,067	-12.72	97.4	-	-
20	8,380	8,382	-8.38	97.4	-	-
21	7,770	7,773	-7.66	97.4	-	-
22	7,544	7,547	-7.38	97.4	-	-
23	6,436	6,439	-5.86	97.4	-	-
24	17,786	17,787	-15.79	97.4	-	-
25	16,043	16,045	-14.76	97.4	-	-
26	15,804	15,805	-14.61	97.4	-	-
27	14,526	14,527	-13.77	97.4	-	-
28	17,271	17,272	-15.50	97.4	-	-
29	17,606	17,607	-15.69	97.4	-	-
3	13,995	13,997	-13.40	97.4	-	-
30	18,487	18,488	-16.18	97.4	-	-
31	17,936	17,937	-15.88	97.4	-	-
32	18,727	18,728	-16.31	97.4	-	-
33	17,633	17,634	-15.71	97.4	-	-
34	2,882	2,886	1.57	97.4	-	-
35	10,355	10,357	-10.43	97.4	-	-
36	7,334	7,337	-7.11	97.4	-	-
37	6,578	6,581	-6.07	97.4	-	-
38	4,493	4,497	-2.50	97.4	-	-
39	5,856	5,859	-4.97	97.4	-	-
4	5,780	5,783	-4.85	97.4	-	-
40	16,678	16,679	-15.15	97.4	-	-
5	4,544	4,548	-2.61	97.4	-	-
6	5,401	5,405	-4.22	97.4	-	-
7	6,362	6,365	-5.76	97.4	-	-
8	2,120	2,126	4.34	97.4	-	-
9	2,238	2,244	3.85	97.4	-	-
Sum			13.42			

- Data undefined due to calculation with octave data

Noise sensitive area: DK Zala iela 8

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,630	9,632	-9.73	97.4	-	-
10	3,729	3,734	-0.78	97.4	-	-
11	1,430	1,440	7.83	97.4	-	-
12	4,142	4,147	-1.75	97.4	-	-
13	2,609	2,616	2.47	97.4	-	-
14	3,355	3,360	0.19	97.4	-	-
15	8,436	8,438	-8.45	97.4	-	-
16	7,810	7,813	-7.71	97.4	-	-
17	6,897	6,900	-6.52	97.4	-	-
18	8,843	8,845	-8.90	97.4	-	-
19	8,437	8,439	-8.45	97.4	-	-
2	13,066	13,067	-12.72	97.4	-	-
20	8,380	8,382	-8.38	97.4	-	-
21	7,770	7,773	-7.66	97.4	-	-
22	7,544	7,547	-7.38	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,436	6,439	-5.86	97.4	-	-
24	17,786	17,787	-15.79	97.4	-	-
25	16,043	16,045	-14.76	97.4	-	-
26	15,804	15,805	-14.61	97.4	-	-
27	14,526	14,527	-13.77	97.4	-	-
28	17,271	17,272	-15.50	97.4	-	-
29	17,606	17,607	-15.69	97.4	-	-
3	13,995	13,997	-13.40	97.4	-	-
30	18,487	18,488	-16.18	97.4	-	-
31	17,936	17,937	-15.88	97.4	-	-
32	18,727	18,728	-16.31	97.4	-	-
33	17,633	17,634	-15.71	97.4	-	-
34	2,882	2,886	1.57	97.4	-	-
35	10,355	10,357	-10.43	97.4	-	-
36	7,334	7,337	-7.11	97.4	-	-
37	6,578	6,581	-6.07	97.4	-	-
38	4,493	4,497	-2.50	97.4	-	-
39	5,856	5,859	-4.97	97.4	-	-
4	5,780	5,783	-4.85	97.4	-	-
40	16,678	16,679	-15.15	97.4	-	-
5	4,544	4,548	-2.61	97.4	-	-
6	5,401	5,405	-4.22	97.4	-	-
7	6,362	6,365	-5.76	97.4	-	-
8	2,120	2,126	4.34	97.4	-	-
9	2,238	2,244	3.85	97.4	-	-
Sum			13.42			

- Data undefined due to calculation with octave data

Noise sensitive area: DL Zala iela 9

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,593	9,595	-9.69	97.4	-	-
10	3,690	3,695	-0.69	97.4	-	-
11	1,365	1,375	8.23	97.4	-	-
12	4,095	4,099	-1.64	97.4	-	-
13	2,549	2,556	2.67	97.4	-	-
14	3,291	3,297	0.36	97.4	-	-
15	8,410	8,412	-8.42	97.4	-	-
16	7,787	7,790	-7.68	97.4	-	-
17	6,859	6,862	-6.47	97.4	-	-
18	8,810	8,812	-8.86	97.4	-	-
19	8,406	8,409	-8.41	97.4	-	-
2	13,071	13,072	-12.72	97.4	-	-
20	8,343	8,345	-8.34	97.4	-	-
21	7,735	7,738	-7.61	97.4	-	-
22	7,527	7,530	-7.35	97.4	-	-
23	6,394	6,397	-5.80	97.4	-	-
24	17,790	17,791	-15.80	97.4	-	-
25	16,050	16,051	-14.76	97.4	-	-
26	15,812	15,814	-14.61	97.4	-	-
27	14,521	14,523	-13.76	97.4	-	-
28	17,274	17,275	-15.50	97.4	-	-
29	17,607	17,608	-15.69	97.4	-	-
3	13,993	13,994	-13.40	97.4	-	-
30	18,492	18,493	-16.19	97.4	-	-
31	17,944	17,944	-15.88	97.4	-	-
32	18,730	18,731	-16.32	97.4	-	-
33	17,631	17,632	-15.71	97.4	-	-
34	2,817	2,822	1.78	97.4	-	-
35	10,320	10,322	-10.40	97.4	-	-
36	7,304	7,307	-7.07	97.4	-	-
37	6,546	6,549	-6.03	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	4,453	4,457	-2.42	97.4	-	-
39	5,812	5,814	-4.90	97.4	-	-
4	5,762	5,765	-4.82	97.4	-	-
40	16,683	16,684	-15.15	97.4	-	-
5	4,490	4,494	-2.50	97.4	-	-
6	5,360	5,363	-4.14	97.4	-	-
7	6,324	6,327	-5.70	97.4	-	-
8	2,055	2,061	4.61	97.4	-	-
9	2,188	2,195	4.05	97.4	-	-
Sum			13.65			

- Data undefined due to calculation with octave data

Noise sensitive area: DL Zala iela 9

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,593	9,595	-9.69	97.4	-	-
10	3,690	3,695	-0.69	97.4	-	-
11	1,365	1,375	8.23	97.4	-	-
12	4,095	4,099	-1.64	97.4	-	-
13	2,549	2,556	2.67	97.4	-	-
14	3,291	3,297	0.36	97.4	-	-
15	8,410	8,412	-8.42	97.4	-	-
16	7,787	7,790	-7.68	97.4	-	-
17	6,859	6,862	-6.47	97.4	-	-
18	8,810	8,812	-8.86	97.4	-	-
19	8,406	8,409	-8.41	97.4	-	-
2	13,071	13,072	-12.72	97.4	-	-
20	8,343	8,345	-8.34	97.4	-	-
21	7,735	7,738	-7.61	97.4	-	-
22	7,527	7,530	-7.35	97.4	-	-
23	6,394	6,397	-5.80	97.4	-	-
24	17,790	17,791	-15.80	97.4	-	-
25	16,050	16,051	-14.76	97.4	-	-
26	15,812	15,814	-14.61	97.4	-	-
27	14,521	14,523	-13.76	97.4	-	-
28	17,274	17,275	-15.50	97.4	-	-
29	17,607	17,608	-15.69	97.4	-	-
3	13,993	13,994	-13.40	97.4	-	-
30	18,492	18,493	-16.19	97.4	-	-
31	17,944	17,944	-15.88	97.4	-	-
32	18,730	18,731	-16.32	97.4	-	-
33	17,631	17,632	-15.71	97.4	-	-
34	2,817	2,822	1.78	97.4	-	-
35	10,320	10,322	-10.40	97.4	-	-
36	7,304	7,307	-7.07	97.4	-	-
37	6,546	6,549	-6.03	97.4	-	-
38	4,453	4,457	-2.42	97.4	-	-
39	5,812	5,814	-4.90	97.4	-	-
4	5,762	5,765	-4.82	97.4	-	-
40	16,683	16,684	-15.15	97.4	-	-
5	4,490	4,494	-2.50	97.4	-	-
6	5,360	5,363	-4.14	97.4	-	-
7	6,324	6,327	-5.70	97.4	-	-
8	2,055	2,061	4.61	97.4	-	-
9	2,188	2,195	4.05	97.4	-	-
Sum			13.65			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: DM Zala iela 10

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,637	9,639	-9.73	97.4	-	-
10	3,735	3,740	-0.80	97.4	-	-
11	1,399	1,409	8.02	97.4	-	-
12	4,139	4,144	-1.74	97.4	-	-
13	2,590	2,597	2.53	97.4	-	-
14	3,329	3,334	0.26	97.4	-	-
15	8,452	8,454	-8.47	97.4	-	-
16	7,829	7,832	-7.73	97.4	-	-
17	6,904	6,906	-6.53	97.4	-	-
18	8,854	8,856	-8.91	97.4	-	-
19	8,450	8,452	-8.46	97.4	-	-
2	13,101	13,103	-12.74	97.4	-	-
20	8,387	8,389	-8.39	97.4	-	-
21	7,779	7,782	-7.67	97.4	-	-
22	7,567	7,570	-7.41	97.4	-	-
23	6,439	6,442	-5.87	97.4	-	-
24	17,821	17,822	-15.81	97.4	-	-
25	16,080	16,081	-14.78	97.4	-	-
26	15,841	15,842	-14.63	97.4	-	-
27	14,557	14,558	-13.79	97.4	-	-
28	17,306	17,307	-15.52	97.4	-	-
29	17,640	17,641	-15.71	97.4	-	-
3	14,027	14,029	-13.42	97.4	-	-
30	18,523	18,524	-16.20	97.4	-	-
31	17,973	17,974	-15.90	97.4	-	-
32	18,762	18,763	-16.33	97.4	-	-
33	17,665	17,666	-15.73	97.4	-	-
34	2,845	2,850	1.69	97.4	-	-
35	10,365	10,367	-10.44	97.4	-	-
36	7,348	7,351	-7.12	97.4	-	-
37	6,590	6,593	-6.09	97.4	-	-
38	4,498	4,502	-2.51	97.4	-	-
39	5,857	5,859	-4.97	97.4	-	-
4	5,802	5,806	-4.89	97.4	-	-
40	16,714	16,715	-15.17	97.4	-	-
5	4,534	4,538	-2.59	97.4	-	-
6	5,405	5,408	-4.22	97.4	-	-
7	6,369	6,372	-5.77	97.4	-	-
8	2,084	2,091	4.49	97.4	-	-
9	2,233	2,239	3.87	97.4	-	-
Sum			13.51			

- Data undefined due to calculation with octave data

Noise sensitive area: DM Zala iela 10

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9,637	9,639	-9.73	97.4	-	-
10	3,735	3,740	-0.80	97.4	-	-
11	1,399	1,409	8.02	97.4	-	-
12	4,139	4,144	-1.74	97.4	-	-
13	2,590	2,597	2.53	97.4	-	-
14	3,329	3,334	0.26	97.4	-	-
15	8,452	8,454	-8.47	97.4	-	-
16	7,829	7,832	-7.73	97.4	-	-
17	6,904	6,906	-6.53	97.4	-	-
18	8,854	8,856	-8.91	97.4	-	-
19	8,450	8,452	-8.46	97.4	-	-
2	13,101	13,103	-12.74	97.4	-	-
20	8,387	8,389	-8.39	97.4	-	-
21	7,779	7,782	-7.67	97.4	-	-
22	7,567	7,570	-7.41	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	6,439	6,442	-5.87	97.4	-	-
24	17,821	17,822	-15.81	97.4	-	-
25	16,080	16,081	-14.78	97.4	-	-
26	15,841	15,842	-14.63	97.4	-	-
27	14,557	14,558	-13.79	97.4	-	-
28	17,306	17,307	-15.52	97.4	-	-
29	17,640	17,641	-15.71	97.4	-	-
3	14,027	14,029	-13.42	97.4	-	-
30	18,523	18,524	-16.20	97.4	-	-
31	17,973	17,974	-15.90	97.4	-	-
32	18,762	18,763	-16.33	97.4	-	-
33	17,665	17,666	-15.73	97.4	-	-
34	2,845	2,850	1.69	97.4	-	-
35	10,365	10,367	-10.44	97.4	-	-
36	7,348	7,351	-7.12	97.4	-	-
37	6,590	6,593	-6.09	97.4	-	-
38	4,498	4,502	-2.51	97.4	-	-
39	5,857	5,859	-4.97	97.4	-	-
4	5,802	5,806	-4.89	97.4	-	-
40	16,714	16,715	-15.17	97.4	-	-
5	4,534	4,538	-2.59	97.4	-	-
6	5,405	5,408	-4.22	97.4	-	-
7	6,369	6,372	-5.77	97.4	-	-
8	2,084	2,091	4.49	97.4	-	-
9	2,233	2,239	3.87	97.4	-	-
Sum			13.51			

- Data undefined due to calculation with octave data

Noise sensitive area: DN Zemgali

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	14,596	14,597	-13.81	97.4	-	-
10	17,865	17,866	-15.84	97.4	-	-
11	20,453	20,454	-17.21	97.4	-	-
12	18,266	18,267	-16.06	97.4	-	-
13	19,787	19,787	-16.87	97.4	-	-
14	20,239	20,239	-17.10	97.4	-	-
15	13,793	13,794	-13.25	97.4	-	-
16	13,927	13,928	-13.35	97.4	-	-
17	15,973	15,974	-14.71	97.4	-	-
18	14,345	14,346	-13.64	97.4	-	-
19	14,285	14,287	-13.60	97.4	-	-
2	7,346	7,349	-7.12	97.4	-	-
20	15,184	15,185	-14.21	97.4	-	-
21	15,167	15,168	-14.20	97.4	-	-
22	13,661	13,662	-13.16	97.4	-	-
23	16,672	16,672	-15.14	97.4	-	-
24	2,728	2,733	2.07	97.4	-	-
25	4,346	4,349	-2.19	97.4	-	-
26	4,598	4,602	-2.72	97.4	-	-
27	6,665	6,668	-6.20	97.4	-	-
28	3,389	3,394	0.09	97.4	-	-
29	3,392	3,396	0.09	97.4	-	-
3	6,866	6,869	-6.48	97.4	-	-
30	1,996	2,002	4.88	97.4	-	-
31	2,448	2,453	3.05	97.4	-	-
32	2,118	2,125	4.34	97.4	-	-
33	3,744	3,748	-0.82	97.4	-	-
34	21,103	21,104	-17.52	97.4	-	-
35	13,995	13,996	-13.40	97.4	-	-
36	14,843	14,844	-13.98	97.4	-	-
37	15,554	15,555	-14.45	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	17,465	17,466	-15.61	97.4	-	-
39	17,211	17,212	-15.46	97.4	-	-
4	15,221	15,223	-14.23	97.4	-	-
40	3,758	3,763	-0.85	97.4	-	-
5	18,687	18,687	-16.29	97.4	-	-
6	17,124	17,125	-15.41	97.4	-	-
7	16,228	16,229	-14.87	97.4	-	-
8	20,817	20,818	-17.38	97.4	-	-
9	19,229	19,230	-16.58	97.4	-	-
Sum			11.98			

- Data undefined due to calculation with octave data

Noise sensitive area: DN Zemgali

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	14,596	14,597	-13.81	97.4	-	-
10	17,865	17,866	-15.84	97.4	-	-
11	20,453	20,454	-17.21	97.4	-	-
12	18,266	18,267	-16.06	97.4	-	-
13	19,787	19,787	-16.87	97.4	-	-
14	20,239	20,239	-17.10	97.4	-	-
15	13,793	13,794	-13.25	97.4	-	-
16	13,927	13,928	-13.35	97.4	-	-
17	15,973	15,974	-14.71	97.4	-	-
18	14,345	14,346	-13.64	97.4	-	-
19	14,285	14,287	-13.60	97.4	-	-
2	7,346	7,349	-7.12	97.4	-	-
20	15,184	15,185	-14.21	97.4	-	-
21	15,167	15,168	-14.20	97.4	-	-
22	13,661	13,662	-13.16	97.4	-	-
23	16,672	16,672	-15.14	97.4	-	-
24	2,728	2,733	2.07	97.4	-	-
25	4,346	4,349	-2.19	97.4	-	-
26	4,598	4,602	-2.72	97.4	-	-
27	6,665	6,668	-6.20	97.4	-	-
28	3,389	3,394	0.09	97.4	-	-
29	3,392	3,396	0.09	97.4	-	-
3	6,866	6,869	-6.48	97.4	-	-
30	1,996	2,002	4.88	97.4	-	-
31	2,448	2,453	3.05	97.4	-	-
32	2,118	2,125	4.34	97.4	-	-
33	3,744	3,748	-0.82	97.4	-	-
34	21,103	21,104	-17.52	97.4	-	-
35	13,995	13,996	-13.40	97.4	-	-
36	14,843	14,844	-13.98	97.4	-	-
37	15,554	15,555	-14.45	97.4	-	-
38	17,465	17,466	-15.61	97.4	-	-
39	17,211	17,212	-15.46	97.4	-	-
4	15,221	15,223	-14.23	97.4	-	-
40	3,758	3,763	-0.85	97.4	-	-
5	18,687	18,687	-16.29	97.4	-	-
6	17,124	17,125	-15.41	97.4	-	-
7	16,228	16,229	-14.87	97.4	-	-
8	20,817	20,818	-17.38	97.4	-	-
9	19,229	19,230	-16.58	97.4	-	-
Sum			11.98			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: DO Zile 1

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11,348	11,350	-11.33	97.4	-	-
10	15,409	15,410	-14.36	97.4	-	-
11	18,198	18,199	-16.02	97.4	-	-
12	15,679	15,680	-14.53	97.4	-	-
13	17,359	17,360	-15.55	97.4	-	-
14	17,686	17,687	-15.74	97.4	-	-
15	10,902	10,903	-10.93	97.4	-	-
16	11,187	11,189	-11.19	97.4	-	-
17	13,100	13,101	-12.74	97.4	-	-
18	11,270	11,272	-11.26	97.4	-	-
19	11,307	11,309	-11.29	97.4	-	-
2	5,661	5,665	-4.66	97.4	-	-
20	12,108	12,109	-11.96	97.4	-	-
21	12,213	12,214	-12.05	97.4	-	-
22	11,098	11,100	-11.11	97.4	-	-
23	13,812	13,813	-13.27	97.4	-	-
24	2,317	2,323	3.54	97.4	-	-
25	3,556	3,561	-0.35	97.4	-	-
26	4,124	4,129	-1.71	97.4	-	-
27	3,848	3,854	-1.07	97.4	-	-
28	2,037	2,046	4.68	97.4	-	-
29	1,395	1,406	8.04	97.4	-	-
3	4,379	4,384	-2.26	97.4	-	-
30	2,507	2,513	2.83	97.4	-	-
31	3,063	3,068	1.02	97.4	-	-
32	1,896	1,904	5.33	97.4	-	-
33	951	968	11.35	97.4	-	-
34	18,635	18,635	-16.26	97.4	-	-
35	10,672	10,674	-10.73	97.4	-	-
36	12,039	12,041	-11.91	97.4	-	-
37	12,811	12,812	-12.52	97.4	-	-
38	14,900	14,902	-14.02	97.4	-	-
39	14,408	14,409	-13.69	97.4	-	-
4	12,804	12,806	-12.52	97.4	-	-
40	2,893	2,899	1.53	97.4	-	-
5	16,000	16,001	-14.73	97.4	-	-
6	14,415	14,417	-13.69	97.4	-	-
7	13,433	13,435	-12.99	97.4	-	-
8	18,458	18,459	-16.17	97.4	-	-
9	16,903	16,904	-15.28	97.4	-	-
Sum			15.79			

- Data undefined due to calculation with octave data

Noise sensitive area: DO Zile 1

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11,348	11,350	-11.33	97.4	-	-
10	15,409	15,410	-14.36	97.4	-	-
11	18,198	18,199	-16.02	97.4	-	-
12	15,679	15,680	-14.53	97.4	-	-
13	17,359	17,360	-15.55	97.4	-	-
14	17,686	17,687	-15.74	97.4	-	-
15	10,902	10,903	-10.93	97.4	-	-
16	11,187	11,189	-11.19	97.4	-	-
17	13,100	13,101	-12.74	97.4	-	-
18	11,270	11,272	-11.26	97.4	-	-
19	11,307	11,309	-11.29	97.4	-	-
2	5,661	5,665	-4.66	97.4	-	-
20	12,108	12,109	-11.96	97.4	-	-
21	12,213	12,214	-12.05	97.4	-	-
22	11,098	11,100	-11.11	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	13,812	13,813	-13.27	97.4	-	-
24	2,317	2,323	3.54	97.4	-	-
25	3,556	3,561	-0.35	97.4	-	-
26	4,124	4,129	-1.71	97.4	-	-
27	3,848	3,854	-1.07	97.4	-	-
28	2,037	2,046	4.68	97.4	-	-
29	1,395	1,406	8.04	97.4	-	-
3	4,379	4,384	-2.26	97.4	-	-
30	2,507	2,513	2.83	97.4	-	-
31	3,063	3,068	1.02	97.4	-	-
32	1,896	1,904	5.33	97.4	-	-
33	951	968	11.35	97.4	-	-
34	18,635	18,635	-16.26	97.4	-	-
35	10,672	10,674	-10.73	97.4	-	-
36	12,039	12,041	-11.91	97.4	-	-
37	12,811	12,812	-12.52	97.4	-	-
38	14,900	14,902	-14.02	97.4	-	-
39	14,408	14,409	-13.69	97.4	-	-
4	12,804	12,806	-12.52	97.4	-	-
40	2,893	2,899	1.53	97.4	-	-
5	16,000	16,001	-14.73	97.4	-	-
6	14,415	14,417	-13.69	97.4	-	-
7	13,433	13,435	-12.99	97.4	-	-
8	18,458	18,459	-16.17	97.4	-	-
9	16,903	16,904	-15.28	97.4	-	-
Sum			15.79			

- Data undefined due to calculation with octave data

Noise sensitive area: DP Zile 2

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11,107	11,109	-11.12	97.4	-	-
10	15,180	15,181	-14.21	97.4	-	-
11	17,973	17,974	-15.90	97.4	-	-
12	15,446	15,447	-14.38	97.4	-	-
13	17,130	17,131	-15.42	97.4	-	-
14	17,454	17,455	-15.60	97.4	-	-
15	10,664	10,666	-10.72	97.4	-	-
16	10,953	10,955	-10.98	97.4	-	-
17	12,862	12,863	-12.56	97.4	-	-
18	11,029	11,031	-11.05	97.4	-	-
19	11,068	11,070	-11.08	97.4	-	-
2	5,487	5,491	-4.36	97.4	-	-
20	11,867	11,869	-11.77	97.4	-	-
21	11,974	11,975	-11.85	97.4	-	-
22	10,869	10,871	-10.91	97.4	-	-
23	13,574	13,575	-13.09	97.4	-	-
24	2,362	2,368	3.36	97.4	-	-
25	3,483	3,489	-0.16	97.4	-	-
26	4,057	4,062	-1.56	97.4	-	-
27	3,626	3,632	-0.53	97.4	-	-
28	2,011	2,022	4.79	97.4	-	-
29	1,378	1,390	8.14	97.4	-	-
3	4,170	4,176	-1.81	97.4	-	-
30	2,617	2,623	2.44	97.4	-	-
31	3,127	3,131	0.83	97.4	-	-
32	2,040	2,048	4.67	97.4	-	-
33	876	894	12.05	97.4	-	-
34	18,404	18,405	-16.14	97.4	-	-
35	10,431	10,433	-10.50	97.4	-	-
36	11,802	11,804	-11.71	97.4	-	-
37	12,576	12,577	-12.34	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	14,669	14,670	-13.86	97.4	-	-
39	14,171	14,172	-13.52	97.4	-	-
4	12,577	12,579	-12.34	97.4	-	-
40	2,845	2,853	1.68	97.4	-	-
5	15,765	15,766	-14.58	97.4	-	-
6	14,180	14,182	-13.53	97.4	-	-
7	13,197	13,198	-12.81	97.4	-	-
8	18,231	18,231	-16.04	97.4	-	-
9	16,677	16,678	-15.15	97.4	-	-
Sum			16.03			

- Data undefined due to calculation with octave data

Noise sensitive area: DP Zile 2

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11,107	11,109	-11.12	97.4	-	-
10	15,180	15,181	-14.21	97.4	-	-
11	17,973	17,974	-15.90	97.4	-	-
12	15,446	15,447	-14.38	97.4	-	-
13	17,130	17,131	-15.42	97.4	-	-
14	17,454	17,455	-15.60	97.4	-	-
15	10,664	10,666	-10.72	97.4	-	-
16	10,953	10,955	-10.98	97.4	-	-
17	12,862	12,863	-12.56	97.4	-	-
18	11,029	11,031	-11.05	97.4	-	-
19	11,068	11,070	-11.08	97.4	-	-
2	5,487	5,491	-4.36	97.4	-	-
20	11,867	11,869	-11.77	97.4	-	-
21	11,974	11,975	-11.85	97.4	-	-
22	10,869	10,871	-10.91	97.4	-	-
23	13,574	13,575	-13.09	97.4	-	-
24	2,362	2,368	3.36	97.4	-	-
25	3,483	3,489	-0.16	97.4	-	-
26	4,057	4,062	-1.56	97.4	-	-
27	3,626	3,632	-0.53	97.4	-	-
28	2,011	2,022	4.79	97.4	-	-
29	1,378	1,390	8.14	97.4	-	-
3	4,170	4,176	-1.81	97.4	-	-
30	2,617	2,623	2.44	97.4	-	-
31	3,127	3,131	0.83	97.4	-	-
32	2,040	2,048	4.67	97.4	-	-
33	876	894	12.05	97.4	-	-
34	18,404	18,405	-16.14	97.4	-	-
35	10,431	10,433	-10.50	97.4	-	-
36	11,802	11,804	-11.71	97.4	-	-
37	12,576	12,577	-12.34	97.4	-	-
38	14,669	14,670	-13.86	97.4	-	-
39	14,171	14,172	-13.52	97.4	-	-
4	12,577	12,579	-12.34	97.4	-	-
40	2,845	2,853	1.68	97.4	-	-
5	15,765	15,766	-14.58	97.4	-	-
6	14,180	14,182	-13.53	97.4	-	-
7	13,197	13,198	-12.81	97.4	-	-
8	18,231	18,231	-16.04	97.4	-	-
9	16,677	16,678	-15.15	97.4	-	-
Sum			16.03			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: DQ Zile 3

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11,276	11,278	-11.27	97.4	-	-
10	15,347	15,348	-14.31	97.4	-	-
11	18,138	18,139	-15.99	97.4	-	-
12	15,614	15,616	-14.49	97.4	-	-
13	17,296	17,298	-15.51	97.4	-	-
14	17,622	17,623	-15.70	97.4	-	-
15	10,834	10,836	-10.87	97.4	-	-
16	11,122	11,124	-11.13	97.4	-	-
17	13,032	13,033	-12.69	97.4	-	-
18	11,200	11,202	-11.20	97.4	-	-
19	11,239	11,241	-11.23	97.4	-	-
2	5,622	5,626	-4.59	97.4	-	-
20	12,038	12,039	-11.91	97.4	-	-
21	12,144	12,146	-11.99	97.4	-	-
22	11,036	11,038	-11.05	97.4	-	-
23	13,744	13,745	-13.22	97.4	-	-
24	2,347	2,353	3.42	97.4	-	-
25	3,551	3,557	-0.34	97.4	-	-
26	4,121	4,126	-1.70	97.4	-	-
27	3,789	3,795	-0.93	97.4	-	-
28	2,045	2,055	4.64	97.4	-	-
29	1,405	1,416	7.97	97.4	-	-
3	4,326	4,331	-2.15	97.4	-	-
30	2,555	2,561	2.66	97.4	-	-
31	3,099	3,104	0.91	97.4	-	-
32	1,953	1,961	5.06	97.4	-	-
33	941	958	11.44	97.4	-	-
34	18,571	18,572	-16.23	97.4	-	-
35	10,599	10,601	-10.66	97.4	-	-
36	11,972	11,974	-11.85	97.4	-	-
37	12,745	12,746	-12.47	97.4	-	-
38	14,837	14,838	-13.98	97.4	-	-
39	14,341	14,342	-13.64	97.4	-	-
4	12,743	12,745	-12.47	97.4	-	-
40	2,895	2,902	1.52	97.4	-	-
5	15,934	15,935	-14.69	97.4	-	-
6	14,350	14,351	-13.65	97.4	-	-
7	13,366	13,368	-12.94	97.4	-	-
8	18,397	18,397	-16.13	97.4	-	-
9	16,843	16,843	-15.25	97.4	-	-
Sum			15.77			

- Data undefined due to calculation with octave data

Noise sensitive area: DQ Zile 3

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11,276	11,278	-11.27	97.4	-	-
10	15,347	15,348	-14.31	97.4	-	-
11	18,138	18,139	-15.99	97.4	-	-
12	15,614	15,616	-14.49	97.4	-	-
13	17,296	17,298	-15.51	97.4	-	-
14	17,622	17,623	-15.70	97.4	-	-
15	10,834	10,836	-10.87	97.4	-	-
16	11,122	11,124	-11.13	97.4	-	-
17	13,032	13,033	-12.69	97.4	-	-
18	11,200	11,202	-11.20	97.4	-	-
19	11,239	11,241	-11.23	97.4	-	-
2	5,622	5,626	-4.59	97.4	-	-
20	12,038	12,039	-11.91	97.4	-	-
21	12,144	12,146	-11.99	97.4	-	-
22	11,036	11,038	-11.05	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	13,744	13,745	-13.22	97.4	-	-
24	2,347	2,353	3.42	97.4	-	-
25	3,551	3,557	-0.34	97.4	-	-
26	4,121	4,126	-1.70	97.4	-	-
27	3,789	3,795	-0.93	97.4	-	-
28	2,045	2,055	4.64	97.4	-	-
29	1,405	1,416	7.97	97.4	-	-
3	4,326	4,331	-2.15	97.4	-	-
30	2,555	2,561	2.66	97.4	-	-
31	3,099	3,104	0.91	97.4	-	-
32	1,953	1,961	5.06	97.4	-	-
33	941	958	11.44	97.4	-	-
34	18,571	18,572	-16.23	97.4	-	-
35	10,599	10,601	-10.66	97.4	-	-
36	11,972	11,974	-11.85	97.4	-	-
37	12,745	12,746	-12.47	97.4	-	-
38	14,837	14,838	-13.98	97.4	-	-
39	14,341	14,342	-13.64	97.4	-	-
4	12,743	12,745	-12.47	97.4	-	-
40	2,895	2,902	1.52	97.4	-	-
5	15,934	15,935	-14.69	97.4	-	-
6	14,350	14,351	-13.65	97.4	-	-
7	13,366	13,368	-12.94	97.4	-	-
8	18,397	18,397	-16.13	97.4	-	-
9	16,843	16,843	-15.25	97.4	-	-
Sum			15.77			

- Data undefined due to calculation with octave data

Noise sensitive area: DR Zile 4

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11,315	11,316	-11.30	97.4	-	-
10	15,373	15,375	-14.33	97.4	-	-
11	18,162	18,163	-16.00	97.4	-	-
12	15,643	15,644	-14.51	97.4	-	-
13	17,323	17,324	-15.53	97.4	-	-
14	17,651	17,652	-15.72	97.4	-	-
15	10,866	10,868	-10.90	97.4	-	-
16	11,152	11,153	-11.16	97.4	-	-
17	13,064	13,066	-12.71	97.4	-	-
18	11,235	11,237	-11.23	97.4	-	-
19	11,272	11,274	-11.26	97.4	-	-
2	5,629	5,633	-4.60	97.4	-	-
20	12,073	12,074	-11.94	97.4	-	-
21	12,178	12,179	-12.02	97.4	-	-
22	11,063	11,065	-11.08	97.4	-	-
23	13,777	13,778	-13.24	97.4	-	-
24	2,311	2,318	3.56	97.4	-	-
25	3,535	3,540	-0.29	97.4	-	-
26	4,104	4,108	-1.66	97.4	-	-
27	3,813	3,818	-0.99	97.4	-	-
28	2,021	2,031	4.75	97.4	-	-
29	1,380	1,391	8.13	97.4	-	-
3	4,344	4,349	-2.19	97.4	-	-
30	2,512	2,518	2.81	97.4	-	-
31	3,061	3,066	1.02	97.4	-	-
32	1,906	1,915	5.28	97.4	-	-
33	928	944	11.56	97.4	-	-
34	18,599	18,600	-16.24	97.4	-	-
35	10,638	10,640	-10.70	97.4	-	-
36	12,003	12,005	-11.88	97.4	-	-
37	12,775	12,777	-12.49	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	14,865	14,866	-14.00	97.4	-	-
39	14,373	14,373	-13.66	97.4	-	-
4	12,768	12,770	-12.49	97.4	-	-
40	2,874	2,882	1.59	97.4	-	-
5	15,964	15,965	-14.71	97.4	-	-
6	14,380	14,381	-13.67	97.4	-	-
7	13,398	13,399	-12.96	97.4	-	-
8	18,423	18,423	-16.15	97.4	-	-
9	16,868	16,869	-15.26	97.4	-	-
Sum			15.89			

- Data undefined due to calculation with octave data

Noise sensitive area: DR Zile 4

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11,315	11,316	-11.30	97.4	-	-
10	15,373	15,375	-14.33	97.4	-	-
11	18,162	18,163	-16.00	97.4	-	-
12	15,643	15,644	-14.51	97.4	-	-
13	17,323	17,324	-15.53	97.4	-	-
14	17,651	17,652	-15.72	97.4	-	-
15	10,866	10,868	-10.90	97.4	-	-
16	11,152	11,153	-11.16	97.4	-	-
17	13,064	13,066	-12.71	97.4	-	-
18	11,235	11,237	-11.23	97.4	-	-
19	11,272	11,274	-11.26	97.4	-	-
2	5,629	5,633	-4.60	97.4	-	-
20	12,073	12,074	-11.94	97.4	-	-
21	12,178	12,179	-12.02	97.4	-	-
22	11,063	11,065	-11.08	97.4	-	-
23	13,777	13,778	-13.24	97.4	-	-
24	2,311	2,318	3.56	97.4	-	-
25	3,535	3,540	-0.29	97.4	-	-
26	4,104	4,108	-1.66	97.4	-	-
27	3,813	3,818	-0.99	97.4	-	-
28	2,021	2,031	4.75	97.4	-	-
29	1,380	1,391	8.13	97.4	-	-
3	4,344	4,349	-2.19	97.4	-	-
30	2,512	2,518	2.81	97.4	-	-
31	3,061	3,066	1.02	97.4	-	-
32	1,906	1,915	5.28	97.4	-	-
33	928	944	11.56	97.4	-	-
34	18,599	18,600	-16.24	97.4	-	-
35	10,638	10,640	-10.70	97.4	-	-
36	12,003	12,005	-11.88	97.4	-	-
37	12,775	12,777	-12.49	97.4	-	-
38	14,865	14,866	-14.00	97.4	-	-
39	14,373	14,373	-13.66	97.4	-	-
4	12,768	12,770	-12.49	97.4	-	-
40	2,874	2,882	1.59	97.4	-	-
5	15,964	15,965	-14.71	97.4	-	-
6	14,380	14,381	-13.67	97.4	-	-
7	13,398	13,399	-12.96	97.4	-	-
8	18,423	18,423	-16.15	97.4	-	-
9	16,868	16,869	-15.26	97.4	-	-
Sum			15.89			

- Data undefined due to calculation with octave data

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: DS Zveru Ferma

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13,873	13,874	-13.31	97.4	-	-
10	17,285	17,286	-15.51	97.4	-	-
11	19,915	19,916	-16.94	97.4	-	-
12	17,663	17,664	-15.72	97.4	-	-
13	19,215	19,216	-16.57	97.4	-	-
14	19,645	19,646	-16.80	97.4	-	-
15	13,127	13,128	-12.76	97.4	-	-
16	13,286	13,287	-12.88	97.4	-	-
17	15,315	15,316	-14.29	97.4	-	-
18	13,649	13,650	-13.15	97.4	-	-
19	13,606	13,607	-13.12	97.4	-	-
2	6,826	6,828	-6.42	97.4	-	-
20	14,490	14,491	-13.74	97.4	-	-
21	14,493	14,494	-13.74	97.4	-	-
22	13,049	13,051	-12.70	97.4	-	-
23	16,017	16,018	-14.74	97.4	-	-
24	2,117	2,123	4.35	97.4	-	-
25	3,865	3,869	-1.11	97.4	-	-
26	4,196	4,201	-1.87	97.4	-	-
27	5,963	5,966	-5.15	97.4	-	-
28	2,721	2,727	2.09	97.4	-	-
29	2,644	2,649	2.35	97.4	-	-
3	6,211	6,214	-5.53	97.4	-	-
30	1,403	1,412	8.00	97.4	-	-
31	2,040	2,046	4.68	97.4	-	-
32	1,354	1,364	8.30	97.4	-	-
33	2,962	2,967	1.32	97.4	-	-
34	20,527	20,527	-17.24	97.4	-	-
35	13,259	13,260	-12.86	97.4	-	-
36	14,194	14,195	-13.54	97.4	-	-
37	14,917	14,918	-14.03	97.4	-	-
38	16,864	16,865	-15.26	97.4	-	-
39	16,568	16,568	-15.08	97.4	-	-
4	14,641	14,642	-13.85	97.4	-	-
40	3,213	3,218	0.58	97.4	-	-
5	18,066	18,067	-15.95	97.4	-	-
6	16,497	16,498	-15.04	97.4	-	-
7	15,584	15,585	-14.47	97.4	-	-
8	20,260	20,261	-17.11	97.4	-	-
9	18,675	18,676	-16.29	97.4	-	-
Sum			14.44			

- Data undefined due to calculation with octave data

Noise sensitive area: DS Zveru Ferma

Wind speed: 8.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13,873	13,874	-13.31	97.4	-	-
10	17,285	17,286	-15.51	97.4	-	-
11	19,915	19,916	-16.94	97.4	-	-
12	17,663	17,664	-15.72	97.4	-	-
13	19,215	19,216	-16.57	97.4	-	-
14	19,645	19,646	-16.80	97.4	-	-
15	13,127	13,128	-12.76	97.4	-	-
16	13,286	13,287	-12.88	97.4	-	-
17	15,315	15,316	-14.29	97.4	-	-
18	13,649	13,650	-13.15	97.4	-	-
19	13,606	13,607	-13.12	97.4	-	-
2	6,826	6,828	-6.42	97.4	-	-
20	14,490	14,491	-13.74	97.4	-	-
21	14,493	14,494	-13.74	97.4	-	-
22	13,049	13,051	-12.70	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
23	16,017	16,018	-14.74	97.4	-	-
24	2,117	2,123	4.35	97.4	-	-
25	3,865	3,869	-1.11	97.4	-	-
26	4,196	4,201	-1.87	97.4	-	-
27	5,963	5,966	-5.15	97.4	-	-
28	2,721	2,727	2.09	97.4	-	-
29	2,644	2,649	2.35	97.4	-	-
3	6,211	6,214	-5.53	97.4	-	-
30	1,403	1,412	8.00	97.4	-	-
31	2,040	2,046	4.68	97.4	-	-
32	1,354	1,364	8.30	97.4	-	-
33	2,962	2,967	1.32	97.4	-	-
34	20,527	20,527	-17.24	97.4	-	-
35	13,259	13,260	-12.86	97.4	-	-
36	14,194	14,195	-13.54	97.4	-	-
37	14,917	14,918	-14.03	97.4	-	-
38	16,864	16,865	-15.26	97.4	-	-
39	16,568	16,568	-15.08	97.4	-	-
4	14,641	14,642	-13.85	97.4	-	-
40	3,213	3,218	0.58	97.4	-	-
5	18,066	18,067	-15.95	97.4	-	-
6	16,497	16,498	-15.04	97.4	-	-
7	15,584	15,585	-14.47	97.4	-	-
8	20,260	20,261	-17.11	97.4	-	-
9	18,675	18,676	-16.29	97.4	-	-
Sum			14.44			

- Data undefined due to calculation with octave data

Noise sensitive area: DT Bai ž as

Wind speed: 6.0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2,134	2,144	4.26	97.4	-	-
10	3,883	3,888	-1.16	97.4	-	-
11	6,671	6,674	-6.20	97.4	-	-
12	3,558	3,564	-0.36	97.4	-	-
13	5,424	5,427	-4.25	97.4	-	-
14	5,325	5,328	-4.08	97.4	-	-
15	2,291	2,298	3.63	97.4	-	-
16	2,465	2,474	2.97	97.4	-	-
17	835	859	12.40	97.4	-	-
18	1,764	1,776	5.95	97.4	-	-
19	1,751	1,764	6.01	97.4	-	-
2	9,193	9,195	-9.28	97.4	-	-
20	963	980	11.24	97.4	-	-
21	913	937	11.63	97.4	-	-
22	3,165	3,172	0.71	97.4	-	-
23	1,179	1,192	9.51	97.4	-	-
24	13,313	13,314	-12.90	97.4	-	-
25	11,966	11,968	-11.85	97.4	-	-
26	11,993	11,994	-11.87	97.4	-	-
27	9,395	9,397	-9.49	97.4	-	-
28	12,648	12,649	-12.39	97.4	-	-
29	12,742	12,743	-12.47	97.4	-	-
3	9,179	9,182	-9.26	97.4	-	-
30	14,042	14,043	-13.43	97.4	-	-
31	13,754	13,756	-13.22	97.4	-	-
32	14,020	14,022	-13.41	97.4	-	-
33	12,558	12,559	-12.32	97.4	-	-
34	6,393	6,395	-5.80	97.4	-	-
35	2,929	2,936	1.42	97.4	-	-
36	1,608	1,621	6.77	97.4	-	-
37	1,583	1,597	6.90	97.4	-	-

To be continued on next page...

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
38	3,117	3,123	0.85	97.4	-	-
39	1,817	1,825	5.71	97.4	-	-
4	3,214	3,221	0.57	97.4	-	-
40	12,373	12,375	-12.18	97.4	-	-
5	3,482	3,488	-0.16	97.4	-	-
6	2,207	2,216	3.97	97.4	-	-
7	1,325	1,341	8.46	97.4	-	-
8	6,556	6,558	-6.04	97.4	-	-
9	5,421	5,423	-4.25	97.4	-	-
Sum			20.10			

- Data undefined due to calculation with octave data

Noise sensitive area: DT Bai ž as

Wind speed: 8.0 m/s


WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2,134	2,144	4.26	97.4	-	-
10	3,883	3,888	-1.16	97.4	-	-
11	6,671	6,674	-6.20	97.4	-	-
12	3,558	3,564	-0.36	97.4	-	-
13	5,424	5,427	-4.25	97.4	-	-
14	5,325	5,328	-4.08	97.4	-	-
15	2,291	2,298	3.63	97.4	-	-
16	2,465	2,474	2.97	97.4	-	-
17	835	859	12.40	97.4	-	-
18	1,764	1,776	5.95	97.4	-	-
19	1,751	1,764	6.01	97.4	-	-
2	9,193	9,195	-9.28	97.4	-	-
20	963	980	11.24	97.4	-	-
21	913	937	11.63	97.4	-	-
22	3,165	3,172	0.71	97.4	-	-
23	1,179	1,192	9.51	97.4	-	-
24	13,313	13,314	-12.90	97.4	-	-
25	11,966	11,968	-11.85	97.4	-	-
26	11,993	11,994	-11.87	97.4	-	-
27	9,395	9,397	-9.49	97.4	-	-
28	12,648	12,649	-12.39	97.4	-	-
29	12,742	12,743	-12.47	97.4	-	-
3	9,179	9,182	-9.26	97.4	-	-
30	14,042	14,043	-13.43	97.4	-	-
31	13,754	13,756	-13.22	97.4	-	-
32	14,020	14,022	-13.41	97.4	-	-
33	12,558	12,559	-12.32	97.4	-	-
34	6,393	6,395	-5.80	97.4	-	-
35	2,929	2,936	1.42	97.4	-	-
36	1,608	1,621	6.77	97.4	-	-
37	1,583	1,597	6.90	97.4	-	-
38	3,117	3,123	0.85	97.4	-	-
39	1,817	1,825	5.71	97.4	-	-
4	3,214	3,221	0.57	97.4	-	-
40	12,373	12,375	-12.18	97.4	-	-
5	3,482	3,488	-0.16	97.4	-	-
6	2,207	2,216	3.97	97.4	-	-
7	1,325	1,341	8.46	97.4	-	-
8	6,556	6,558	-6.04	97.4	-	-
9	5,421	5,423	-4.25	97.4	-	-
Sum			20.10			

- Data undefined due to calculation with octave data

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	15.6
8.0	15.6

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	12.4
8.0	12.4

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

C Berzi




Sound level			
Wind speed	Demands	WTG noise	Demands fulfilled ?
[m/s]	[dB(A)]	[dB(A)]	
6.0	20.0	20.0	No
8.0	20.0	20.0	No

Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	20.0
8.0	20.0

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.3
8.0	13.3

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.2
8.0	13.2

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.0
8.0	13.0

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	12.9
8.0	12.9

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	12.7
8.0	12.7

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	17.0
8.0	17.0

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.5
8.0	13.5

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.4
8.0	13.4

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	12.4
8.0	12.4

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.0
8.0	13.0

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.1
8.0	13.1

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.2
8.0	13.2

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.0
8.0	13.0

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.2
8.0	13.2

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.1
8.0	13.1

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.2
8.0	13.2

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.0
8.0	13.0

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.7
8.0	13.7

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.5
8.0	13.5

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.6
8.0	13.6

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.9
8.0	13.9

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.7
8.0	13.7

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.0
8.0	14.0

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AA Darza iela 21




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.8
8.0	13.8

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.1
8.0	14.1

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AC Darza iela 23



Sound level			
Wind speed	Demands	WTG noise	Demands fulfilled ?
[m/s]	[dB(A)]	[dB(A)]	
6.0	20.0	13.9	Yes
8.0	20.0	13.9	Yes


Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.9
8.0	13.9

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AD Darza iela 24



Sound level			
Wind speed	Demands	WTG noise	Demands fulfilled ?
[m/s]	[dB(A)]	[dB(A)]	
6.0	20.0	14.2	Yes
8.0	20.0	14.2	Yes


Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.2
8.0	14.2

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AE Darza iela 25




Sound level			
Wind speed	Demands	WTG noise	Demands fulfilled ?
[m/s]	[dB(A)]	[dB(A)]	
6.0	20.0	14.0	Yes
8.0	20.0	14.0	Yes

Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.0
8.0	14.0

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.1
8.0	14.1

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AG Dreimani




Sound level			
Wind speed	Demands	WTG noise	Demands fulfilled ?
[m/s]	[dB(A)]	[dB(A)]	
6.0	20.0	16.0	Yes
8.0	20.0	16.0	Yes

Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	16.0
8.0	16.0

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	12.5
8.0	12.5

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	12.0
8.0	12.0

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AJ Dzivojama maja 145. km




Sound level			
Wind speed	Demands	WTG noise	Demands fulfilled ?
[m/s]	[dB(A)]	[dB(A)]	
6.0	20.0	16.2	Yes
8.0	20.0	16.2	Yes

Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	16.2
8.0	16.2

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	17.7
8.0	17.7

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.9
8.0	13.9

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	15.7
8.0	15.7

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.5
8.0	14.5

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.2
8.0	13.2

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AP Kudras iela 3




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.8
8.0	13.8

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AQ Kudras iela 5




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.9
8.0	13.9

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	18.5
8.0	18.5

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AS Lejas Gerki




Sound level			
Wind speed	Demands	WTG noise	Demands fulfilled ?
[m/s]	[dB(A)]	[dB(A)]	
6.0	20.0	11.8	Yes
8.0	20.0	11.8	Yes

Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	11.8
8.0	11.8

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	12.7
8.0	12.7

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	12.8
8.0	12.8

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.3
8.0	13.3

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.6
8.0	14.6

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	19.0
8.0	19.0

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	18.6
8.0	18.6

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	12.9
8.0	12.9

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.0
8.0	14.0

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.9
8.0	13.9

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.2
8.0	14.2

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.1
8.0	14.1

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.5
8.0	14.5

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.4
8.0	14.4

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.7
8.0	14.7

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.6
8.0	14.6

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	17.9
8.0	17.9

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.9
8.0	13.9

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.7
8.0	13.7

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.7
8.0	13.7

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.8
8.0	13.8

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.0
8.0	14.0

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.5
8.0	14.5

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.7
8.0	14.7

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.8
8.0	14.8

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	15.2
8.0	15.2

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	15.0
8.0	15.0

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.6
8.0	13.6

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	17.4
8.0	17.4

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	15.2
8.0	15.2

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.0
8.0	13.0

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	12.6
8.0	12.6

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	12.5
8.0	12.5

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	12.7
8.0	12.7

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	12.7
8.0	12.7

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	12.8
8.0	12.8

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	12.7
8.0	12.7

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	12.8
8.0	12.8

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	17.5
8.0	17.5

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.3
8.0	13.3

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.2
8.0	14.2

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.0
8.0	14.0

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.1
8.0	14.1

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.9
8.0	13.9

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.7
8.0	13.7

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CL Saules iela 11




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.5
8.0	13.5

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	15.6
8.0	15.6

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.8
8.0	13.8

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.1
8.0	14.1

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.0
8.0	14.0

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.7
8.0	13.7

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.6
8.0	13.6

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.2
8.0	13.2

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.1
8.0	13.1

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.0
8.0	13.0

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	12.9
8.0	12.9

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	12.8
8.0	12.8

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	12.9
8.0	12.9

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.5
8.0	13.5

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	12.9
8.0	12.9

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	12.8
8.0	12.8

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.9
8.0	13.9

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.0
8.0	14.0

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.3
8.0	13.3

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	16.1
8.0	16.1

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.4
8.0	13.4

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.4
8.0	13.4

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.5
8.0	13.5

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.3
8.0	13.3

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.5
8.0	13.5

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.4
8.0	13.4

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.6
8.0	13.6

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.5
8.0	13.5

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	12.0
8.0	12.0

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	15.8
8.0	15.8

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	16.0
8.0	16.0

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	15.8
8.0	15.8

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	15.9
8.0	15.9

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.4
8.0	14.4

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024



Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	20.1
8.0	20.1

DECIBEL - Assumptions for noise calculation

Noise calculation model:

Danish low frequency 2024

Wind speed (at 10 m height):

6.0 m/s - 8.0 m/s, step 2.0 m/s

Terrain reduction:

-1.5 dB(A) Onshore

-3 dB(A) Offshore

Meteorological coefficient, C0:

Selected option: Fixed value: 0.0 dB

Type of demand in calculation:

1: WTG noise is compared to demand (DK, DE, SE, NL etc.)

Noise values in calculation:

All noise values are mean values (Lwa) (Normal)

Pure tones:

Pure tones penalty is added to total noise impact at receptors

Noise sensitive area

Height above ground level, when no value in NSA object:

1.5 m; Don't allow override of model height with height from NSA object

Uncertainty margin:

0.0 dB; Uncertainty margin in NSA has priority

Deviation from "official" noise demands. Negative is more restrictive, positive is less restrictive.:

0.0 dB(A)

Low frequency calculation

All coordinates are in

Latvian TM LKS92-LKS92 (LV)

WTG: NORDEX N175/6.X 8000 200.0 !O!

Noise: Noise (17)

Source Source/Date Creator Edited

4/23/2025 USER 9/15/2025 12:32 PM

Low frequency data

Status	Hub height [m]	Wind speed [m/s]	LwA,ref [dB(A)]	10.0 Hz [dB]	12.5 Hz [dB]	16.0 Hz [dB]	20.0 Hz [dB]	25.0 Hz [dB]	31.5 Hz [dB]	40.0 Hz [dB]	50.0 Hz [dB]	63.0 Hz [dB]	80.0 Hz [dB]	100.0 Hz [dB]	125.0 Hz [dB]	160.0 Hz [dB]
From Windcat	175.0	6.0	97.4	59.1	63.9	68.5	71.8	75.2	77.1	78.3	80.3	84.6	87.3	88.9	91.5	93.5
From Windcat	200.0	6.0	97.4	59.1	63.9	68.5	71.8	75.2	77.1	78.3	80.3	84.6	87.3	88.9	91.5	93.5
From Windcat	175.0	8.0	97.4	59.1	63.9	68.5	71.8	75.2	77.1	78.3	80.3	84.6	87.3	88.9	91.5	93.5
From Windcat	200.0	8.0	97.4	59.1	63.9	68.5	71.8	75.2	77.1	78.3	80.3	84.6	87.3	88.9	91.5	93.5

Noise sensitive area: A Astras

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]

20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz [dB]	12.5 Hz [dB]	16.0 Hz [dB]	20.0 Hz [dB]	25.0 Hz [dB]	31.5 Hz [dB]	40.0 Hz [dB]	50.0 Hz [dB]	63.0 Hz [dB]	80.0 Hz [dB]	100.0 Hz [dB]	125.0 Hz [dB]	160.0 Hz [dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: B Banki

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: C Berzi

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: D Brivibas iela 2

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: E Brivibas iela 3

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: F Brivibas iela 5

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: G Brivibas iela 7

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: H Brivibas iela 10

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: I Cekuli

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: J Celtnieku iela 2

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: K Celtnieku iela 6

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: L Celtnieku iela 10

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: M Darza iela 3

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: N Darza iela 5

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: O Darza iela 7

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: P Darza iela 8

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: Q Darza iela 9

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: R Darza iela 10

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: S Darza iela 12

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: T Darza iela 14

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: U Darza iela 16

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: V Darza iela 16A

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: W Darza iela 17

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: X Darza iela 18

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: Y Darza iela 19

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: Z Darza iela 20

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AA Darza iela 21

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AB Darza iela 22

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AC Darza iela 23

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AD Darza iela 24

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AE Darza iela 25

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AF Darza iela 27

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AG Dreimani

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AH Dumini

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AI Dzelzcela eka 162. km

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AJ Dzivojama maja 145. km

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AK Ezernieki

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AL Gaujaskalni

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AM Jaunziles

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AN Kauci

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AO Kocini

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AP Kudras iela 3

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AQ Kudras iela 5

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AR Kuminas

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AS Lejas Gerki

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AT Liepkalni

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AU Maizeni

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AV Maza Celtnieku iela 3

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AW Medni

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AX Melderi

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AY Me ž uli

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AZ Me ž vidi

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BA Miera iela 1

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BB Miera iela 2

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BC Miera iela 3

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BD Miera iela 4

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BE Miera iela 5

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BF Miera iela 6

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BG Miera iela 7

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BH Miera iela 8

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BI Olinas

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BJ Parka iela 4

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BK Parka iela 6

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BL Parka iela 8

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BM Parka iela 10

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BN Parka iela 12

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BO Parka iela 18

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BP Parka iela 20

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BQ Parka iela 22

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BR Parka iela 23

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BS Parka iela 24

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BT Parka iela 2A

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BU Parceltuves

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BV Priedulaji

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BW Pulkas

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BX Purva iela 8

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BY Purva iela 8A

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BZ Purva iela 9

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CA Purva iela 10

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CB Purva iela 11

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CC Purva iela 12

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CD Purva iela 13

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CE Rozites

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CF Rubeni

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CG Saules iela 1

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CH Saules iela 2

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CI Saules iela 3

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CJ Saules iela 4

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CK Saules iela 9

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CL Saules iela 11

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CM Sili

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CN Sporta iela 1

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CO Sporta iela 1A

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CP Sporta iela 2

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CQ Sporta iela 3

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CR Sporta iela 4

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CS Sporta iela 9

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CT Sporta iela 11

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CU Sporta iela 12

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CV Sporta iela 13

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CW Sporta iela 14

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CX Stacijas iela 1

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CY Tirgus iela 3

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CZ Tirgus iela 5

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DA Tirgus iela 7

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DB Vecramji 1

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DC Vecramji 2

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DD Vecrubeni

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DE Veverzemnieki

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DF Zala iela 1

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DG Zala iela 3

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DH Zala iela 5

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DI Zala iela 6

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DJ Zala iela 7

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DK Zala iela 8

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DL Zala iela 9

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DM Zala iela 10

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DN Zemgali

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DO Zile 1

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DP Zile 2

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DQ Zile 3

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand

dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DR Zile 4

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DS Zveru Ferma

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DT Bai ž as

Predefined calculation standard: Regular dwellings

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:


6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

DECIBEL - Map 6.0 m/s Regular dwellings




Map: EMD OpenStreetMap , Print scale 1:200,000, Map center Latvian TM LKS92-LKS92 (LV) East: 613,344 North: 394,292

New WTG Noise sensitive area

Noise calculation model: Danish low frequency 2024. Wind speed: 6.0 m/s Regular dwellings

Height above sea level from active line object

DECIBEL - Map 6.0 m/s Cottage zones



0 2.5 5 7.5 10km

Map: EMD OpenStreetMap , Print scale 1:200,000, Map center Latvian TM LKS92-LKS92 (LV) East: 613,344 North: 394,292


New WTG

Noise sensitive area

Noise calculation model: Danish low frequency 2024. Wind speed: 6.0 m/s Cottage zones

Height above sea level from active line object


DECIBEL - Map 8.0 m/s Regular dwellings



0 2.5 5 7.5 10km

Map: EMD OpenStreetMap , Print scale 1:200,000, Map center Latvian TM LKS92-LKS92 (LV) East: 613,344 North: 394,292
 New WTG Noise sensitive area
 Noise calculation model: Danish low frequency 2024. Wind speed: 8.0 m/s Regular dwellings
 Height above sea level from active line object

DECIBEL - Map 8.0 m/s Cottage zones



0 2.5 5 7.5 10km

Map: EMD OpenStreetMap , Print scale 1:200,000, Map center Latvian TM LKS92-LKS92 (LV) East: 613,344 North: 394,292

New WTG

Noise sensitive area

Noise calculation model: Danish low frequency 2024. Wind speed: 8.0 m/s Cottage zones

Height above sea level from active line object