Project:
Ventspils2


Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

Calculated:
11.10.2026 23:02/4.3.250

DECIBEL - Main Result

Noise calculation model:
Danish low frequency 2024
The calculation is based on "BEK nr. 995 af 26/08/2024" from the Danish Environmental Agency.

All coordinates are in
Latvian TM LKS92-LKS92 (LV)



WTGs

	Y	X	Z	Row data/Description	WTG type Valid	Manufact.	Type-generator	Power, rated	Rotor diameter	Hub height	Noise data Creator	Name	First wind speed	LwaRef	Last wind speed	LwaRef
			[m]					[kW]	[m]	[m]			[m/s]	[dB(A)]	[m/s]	[dB(A)]
1	356 701	339 077	9.5	V-2_1 (Ventspils-2)	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
2	355 537	338 516	8.4	V-2_3 (Ventspils-2)	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
3	354 834	337 091	12.0	V-2_6 (Ventspils-2)	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
4	355 315	337 686	11.6	V-2_7 (Ventspils-2)	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
5	356 078	337 808	12.7	V-2_8 (Ventspils-2)	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
6	356 773	337 912	13.0	V-2_9 (Ventspils-2)	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
7	357 025	338 624	11.9	V-2_10 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
8	357 422	338 106	14.2	V-2_11 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
9	358 128	338 197	13.2	V-2_12 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
10	358 787	337 647	12.3	V-2_13 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
11	358 318	337 151	14.8	V-2_14 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
12	357 303	337 459	15.7	V-2_15 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
13	357 236	336 872	15.5	V-2_17 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
14	355 764	336 829	14.3	V-2_19 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
15	354 956	336 553	12.4	V-2_20 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
16	354 605	335 513	12.9	V-2_21 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
17	355 391	335 665	14.7	V-2_22 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
18	356 035	335 522	15.1	V-2_24 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
19	356 554	334 892	16.1	V-2_25 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
20	354 970	335 047	13.8	V-2_27 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
21	354 780	334 358	13.7	V-2_30 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
22	356 211	334 226	14.7	V-2_32 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
23	357 096	334 294	15.9	V-2_33 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
24	357 423	333 693	14.5	V-2_34 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
25	356 527	333 657	14.5	V-2_35 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
26	355 882	333 621	14.9	V-2_36 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
27	355 322	333 845	15.1	V-2_37 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
28	354 488	332 712	13.1	V-2_40 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
29	354 092	332 249	12.1	V-2_41 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
30	354 780	332 196	12.9	V-2_42 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
31	355 434	332 125	13.2	V-2_43 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
32	356 466	332 869	12.2	V-2_45 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
33	360 651	336 837	12.5	V-2_84 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
34	360 051	337 132	12.4	V-2_85 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
35	360 572	338 004	12.6	V-2_86 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
36	361 157	337 531	13.6	V-2_87 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	200.0	USER	Noise (17)	6.0	97.4	8.0	97.4
37	361 687	337 212	14.3	V-2_88 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	159.0	USER	Noise (17)	6.0	97.4	8.0	97.4
38	363 353	336 692	19.5	V-2_91 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	159.0	USER	Noise (17)	6.0	97.4	8.0	97.4
39	362 906	336 483	18.1	V-2_92 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	159.0	USER	Noise (17)	6.0	97.4	8.0	97.4
40	362 419	336 540	16.5	V-2_93 (Ventspils...	Yes	NORDEX	N175/6.X-8 000	8 000	200.0	159.0	USER	Noise (17)	6.0	97.4	8.0	97.4

Calculation Results

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

Calculated:
11.10.2026 23:02/4.3.250

DECIBEL - Main Result

Sound level

Noise sensitive area							Demands	Sound level		Demands fulfilled ?
No.	Name	Y	X	Z	Immission height	Wind speed	Noise	From WTGs	Distance to noise demand	Noise
				[m]	[m]	[m/s]	[dB(A)]	[dB(A)]	[m]	
A	Alksnini	354 051	338 303	9.4	1.5	6.0	20.0	16.7	716	Yes
A						8.0	20.0	16.7	716	Yes
B	Aug š dzikli	365 095	336 782	13.0	1.5	6.0	20.0	11.9	1 324	Yes
B						8.0	20.0	11.9	1 324	Yes
C	Austrumi	352 609	333 103	11.1	1.5	6.0	20.0	14.6	1 210	Yes
C						8.0	20.0	14.6	1 210	Yes
D	Balo ž i	353 985	330 776	12.4	1.5	6.0	20.0	14.6	969	Yes
D						8.0	20.0	14.6	969	Yes
E	Bambali	364 700	337 721	9.2	1.5	6.0	20.0	12.3	1 274	Yes
E						8.0	20.0	12.3	1 274	Yes
F	Berznieki	354 690	339 391	10.0	1.5	6.0	20.0	16.1	716	Yes
F						8.0	20.0	16.1	716	Yes
G	Birznieki	353 105	333 115	13.4	1.5	6.0	20.0	16.1	775	Yes
G						8.0	20.0	16.1	775	Yes
H	Bolderkrogs	361 821	339 228	13.3	1.5	6.0	20.0	14.4	1 227	Yes
H						8.0	20.0	14.4	1 227	Yes
I	Bru ž i	357 512	340 414	9.9	1.5	6.0	20.0	15.2	1 027	Yes
I						8.0	20.0	15.2	1 027	Yes
J	Bruveri	353 563	330 402	10.8	1.5	6.0	20.0	13.0	1 443	Yes
J						8.0	20.0	13.0	1 443	Yes
K	Buras	358 673	339 124	9.4	1.5	6.0	20.0	17.7	477	Yes
K						8.0	20.0	17.7	477	Yes
L	Celaraji	353 439	338 133	8.9	1.5	6.0	20.0	15.3	1 134	Yes
L						8.0	20.0	15.3	1 134	Yes
M	Ceplabelnieki	360 581	339 585	7.5	1.5	6.0	20.0	14.7	1 121	Yes
M						8.0	20.0	14.7	1 121	Yes
N	Cepli	360 175	339 340	9.2	1.5	6.0	20.0	15.6	928	Yes
N						8.0	20.0	15.6	928	Yes
O	Ciruli	361 800	338 657	14.6	1.5	6.0	20.0	16.2	720	Yes
O						8.0	20.0	16.2	720	Yes
P	Dangas	355 046	340 164	11.3	1.5	6.0	20.0	14.7	1 209	Yes
P						8.0	20.0	14.7	1 209	Yes
Q	Darznieki	355 657	340 244	10.0	1.5	6.0	20.0	15.2	1 043	Yes
Q						8.0	20.0	15.2	1 043	Yes
R	Di ž abelnieki	360 196	339 768	7.6	1.5	6.0	20.0	14.5	1 342	Yes
R						8.0	20.0	14.5	1 342	Yes
S	Doni	359 379	338 321	9.3	1.5	6.0	20.0	18.8	283	Yes
S						8.0	20.0	18.8	283	Yes
T	Dzintari A	353 161	333 052	13.9	1.5	6.0	20.0	16.4	695	Yes
T						8.0	20.0	16.4	695	Yes
U	Dzintari B	353 241	333 107	13.9	1.5	6.0	20.0	16.6	654	Yes
U						8.0	20.0	16.6	654	Yes
V	Dzikli	364 970	336 825	9.8	1.5	6.0	20.0	12.3	1 204	Yes
V						8.0	20.0	12.3	1 204	Yes
W	Elki	357 940	340 312	8.0	1.5	6.0	20.0	15.1	1 163	Yes
W						8.0	20.0	15.1	1 163	Yes
X	Ezeri	359 296	338 340	9.8	1.5	6.0	20.0	18.9	245	Yes
X						8.0	20.0	18.9	245	Yes
Y	Ezerkrogs	359 687	338 148	10.3	1.5	6.0	20.0	19.1	297	Yes
Y						8.0	20.0	19.1	297	Yes
Z	Ezermali	359 359	338 406	9.9	1.5	6.0	20.0	18.6	335	Yes
Z						8.0	20.0	18.6	335	Yes
AA	Franci	353 193	334 147	10.5	1.5	6.0	20.0	16.2	972	Yes
AA						8.0	20.0	16.2	972	Yes
AB	Gailkalni	354 247	339 858	11.1	1.5	6.0	20.0	14.1	1 359	Yes
AB						8.0	20.0	14.1	1 359	Yes
AC	Grantkalni	353 893	338 230	9.6	1.5	6.0	20.0	16.4	811	Yes
AC						8.0	20.0	16.4	811	Yes
AD	Gra š i	353 752	333 323	13.7	1.5	6.0	20.0	18.3	353	Yes
AD						8.0	20.0	18.3	353	Yes
AE	Jansoni	353 384	333 525	12.9	1.5	6.0	20.0	16.8	766	Yes
AE						8.0	20.0	16.8	766	Yes

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Main Result

...continued from previous page

Noise sensitive area							Demands	Sound level		Demands fulfilled ?
No.	Name	Y	X	Z	Immission height	Wind speed	Noise	From WTGs	Distance to noise demand	Noise
				[m]	[m]	[m/s]	[dB(A)]	[dB(A)]	[m]	
AF	Jaunandzmani	364 177	335 273	8.0	1.5	6.0	20.0	13.0	1 159	Yes
AF						8.0	20.0	13.0	1 159	Yes
AG	Jaunaraji	353 988	336 199	11.6	1.5	6.0	20.0	19.0	205	Yes
AG						8.0	20.0	19.0	205	Yes
AH	Jaunbirznieki A	354 514	339 817	10.9	1.5	6.0	20.0	14.7	1 156	Yes
AH						8.0	20.0	14.7	1 156	Yes
AI	Jaunbirznieki B	354 533	339 790	11.0	1.5	6.0	20.0	14.8	1 123	Yes
AI						8.0	20.0	14.8	1 123	Yes
AJ	Jaunbrie ž i	352 267	331 627	11.7	1.5	6.0	20.0	12.7	1 480	Yes
AJ						8.0	20.0	12.7	1 480	Yes
AK	Jaunventas	359 248	339 835	7.3	1.5	6.0	20.0	15.0	1 384	Yes
AK						8.0	20.0	15.0	1 384	Yes
AL	Jaunzemji	353 129	336 641	7.5	1.5	6.0	20.0	15.7	1 081	Yes
AL						8.0	20.0	15.7	1 081	Yes
AM	Jorgi	365 310	336 883	18.5	1.5	6.0	20.0	11.3	1 548	Yes
AM						8.0	20.0	11.3	1 548	Yes
AN	Jostnieki A	361 305	339 080	12.5	1.5	6.0	20.0	15.6	817	Yes
AN						8.0	20.0	15.6	817	Yes
AO	Jostnieki B	361 308	338 956	14.0	1.5	6.0	20.0	16.0	713	Yes
AO						8.0	20.0	16.0	713	Yes
AP	Jostnieki C	361 420	338 984	14.1	1.5	6.0	20.0	15.7	796	Yes
AP						8.0	20.0	15.7	796	Yes
AQ	Jostnieki D	361 497	338 988	14.1	1.5	6.0	20.0	15.6	843	Yes
AQ						8.0	20.0	15.6	843	Yes
AR	Jostnieki E	361 460	338 979	14.0	1.5	6.0	20.0	15.7	815	Yes
AR						8.0	20.0	15.7	815	Yes
AS	Jostnieki F	361 422	339 009	14.2	1.5	6.0	20.0	15.6	819	Yes
AS						8.0	20.0	15.6	819	Yes
AT	Jostnieki G	361 463	339 006	14.4	1.5	6.0	20.0	15.6	839	Yes
AT						8.0	20.0	15.6	839	Yes
AU	Jostnieki H	361 274	338 963	14.5	1.5	6.0	20.0	16.0	700	Yes
AU						8.0	20.0	16.0	700	Yes
AV	Jostnieki I	361 300	338 929	13.8	1.5	6.0	20.0	16.1	686	Yes
AV						8.0	20.0	16.1	686	Yes
AW	Jostnieki J	361 299	338 913	14.3	1.5	6.0	20.0	16.2	672	Yes
AW						8.0	20.0	16.2	672	Yes
AX	Jostnieki K	361 284	338 934	13.7	1.5	6.0	20.0	16.1	681	Yes
AX						8.0	20.0	16.1	681	Yes
AY	Jostnieki L	361 283	338 917	14.4	1.5	6.0	20.0	16.2	667	Yes
AY						8.0	20.0	16.2	667	Yes
AZ	Jostnieki M	361 261	338 899	13.9	1.5	6.0	20.0	16.3	640	Yes
AZ						8.0	20.0	16.3	640	Yes
BA	Jostnieki N	361 243	338 912	13.8	1.5	6.0	20.0	16.3	642	Yes
BA						8.0	20.0	16.3	642	Yes
BB	Jostnieki O	361 242	338 928	14.2	1.5	6.0	20.0	16.2	654	Yes
BB						8.0	20.0	16.2	654	Yes
BC	Jostnieki P	361 230	338 931	14.0	1.5	6.0	20.0	16.2	650	Yes
BC						8.0	20.0	16.2	650	Yes
BD	Jostnieki R	361 227	338 915	13.6	1.5	6.0	20.0	16.3	635	Yes
BD						8.0	20.0	16.3	635	Yes
BE	Jostnieki S	361 208	338 919	13.2	1.5	6.0	20.0	16.3	629	Yes
BE						8.0	20.0	16.3	629	Yes
BF	Jostnieki T	361 214	338 934	14.0	1.5	6.0	20.0	16.2	645	Yes
BF						8.0	20.0	16.2	645	Yes
BG	Kaleji A	364 272	336 466	8.1	1.5	6.0	20.0	15.3	528	Yes
BG						8.0	20.0	15.3	528	Yes
BH	Kaleji B	364 253	336 439	7.7	1.5	6.0	20.0	15.4	515	Yes
BH						8.0	20.0	15.4	515	Yes
BI	Kalnieki	354 125	338 766	10.4	1.5	6.0	20.0	16.1	868	Yes
BI						8.0	20.0	16.1	868	Yes
BJ	Kapsetnieki	353 669	338 242	9.2	1.5	6.0	20.0	15.7	1 003	Yes
BJ						8.0	20.0	15.7	1 003	Yes

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

Calculated:
11.10.2026 23:02/4.3.250

DECIBEL - Main Result

...continued from previous page

Noise sensitive area							Demands	Sound level		Demands fulfilled ?
No.	Name	Y	X	Z	Immission height	Wind speed	Noise	From WTGs	Distance to noise demand	Noise
				[m]	[m]	[m/s]	[dB(A)]	[dB(A)]	[m]	
BK	Kliedini	352 984	333 118	12.8	1.5	6.0	20.0	15.7	882	Yes
BK						8.0	20.0	15.7	882	Yes
BL	Kniplokkalni	353 077	333 036	13.8	1.5	6.0	20.0	16.1	761	Yes
BL						8.0	20.0	16.1	761	Yes
BM	Kraujas	361 899	339 177	11.9	1.5	6.0	20.0	14.5	1 223	Yes
BM						8.0	20.0	14.5	1 223	Yes
BN	Krumini	353 169	336 095	8.2	1.5	6.0	20.0	16.1	942	Yes
BN						8.0	20.0	16.1	942	Yes
BO	Lagzdini	353 329	330 949	13.2	1.5	6.0	20.0	14.0	1 047	Yes
BO						8.0	20.0	14.0	1 047	Yes
BP	Laucinieki	354 148	330 325	11.1	1.5	6.0	20.0	13.4	1 382	Yes
BP						8.0	20.0	13.4	1 382	Yes
BQ	Lielbrie ž i	352 244	331 600	11.9	1.5	6.0	20.0	12.7	1 510	Yes
BQ						8.0	20.0	12.7	1 510	Yes
BR	Liepnieki	357 368	340 669	9.6	1.5	6.0	20.0	14.5	1 205	Yes
BR						8.0	20.0	14.5	1 205	Yes
BS	Mazabelnieki	361 060	339 627	8.4	1.5	6.0	20.0	14.2	1 228	Yes
BS						8.0	20.0	14.2	1 228	Yes
BT	Mazabelnieki	354 239	339 701	11.5	1.5	6.0	20.0	14.4	1 254	Yes
BT						8.0	20.0	14.4	1 254	Yes
BU	Mazbruveri	353 557	330 498	11.4	1.5	6.0	20.0	13.2	1 354	Yes
BU						8.0	20.0	13.2	1 354	Yes
BV	Mazdunkuri	353 667	333 277	13.9	1.5	6.0	20.0	18.0	390	Yes
BV						8.0	20.0	18.0	390	Yes
BW	Mednieki	353 623	333 244	14.1	1.5	6.0	20.0	17.9	407	Yes
BW						8.0	20.0	17.9	407	Yes
BX	Melki	353 931	338 711	10.5	1.5	6.0	20.0	15.6	1 027	Yes
BX						8.0	20.0	15.6	1 027	Yes
BY	Mendeli	353 453	333 551	12.9	1.5	6.0	20.0	17.1	729	Yes
BY						8.0	20.0	17.1	729	Yes
BZ	Me ž araji	353 915	331 394	13.4	1.5	6.0	20.0	17.1	391	Yes
BZ						8.0	20.0	17.1	391	Yes
CA	Me ž gali	353 361	337 372	6.9	1.5	6.0	20.0	15.9	905	Yes
CA						8.0	20.0	15.9	905	Yes
CB	Nikas	357 781	339 126	13.4	1.5	6.0	20.0	19.4	109	Yes
CB						8.0	20.0	19.4	109	Yes
CC	Novadlauki	364 877	337 625	10.1	1.5	6.0	20.0	12.0	1 367	Yes
CC						8.0	20.0	12.0	1 367	Yes
CD	Olkalni	354 448	330 874	12.1	1.5	6.0	20.0	15.5	786	Yes
CD						8.0	20.0	15.5	786	Yes
CE	O š enieki	356 752	340 765	9.9	1.5	6.0	20.0	14.4	1 190	Yes
CE						8.0	20.0	14.4	1 190	Yes
CF	Ozoli	353 005	335 970	7.9	1.5	6.0	20.0	15.7	1 066	Yes
CF						8.0	20.0	15.7	1 066	Yes
CG	Ozolkalni	364 709	337 628	9.4	1.5	6.0	20.0	12.4	1 227	Yes
CG						8.0	20.0	12.4	1 227	Yes
CH	Ozolnieki	354 620	340 166	11.3	1.5	6.0	20.0	14.0	1 386	Yes
CH						8.0	20.0	14.0	1 386	Yes
CI	Pauni	352 980	333 653	11.0	1.5	6.0	20.0	15.6	1 168	Yes
CI						8.0	20.0	15.6	1 168	Yes
CJ	Plavnieki	363 945	338 439	9.6	1.5	6.0	20.0	12.8	1 400	Yes
CJ						8.0	20.0	12.8	1 400	Yes
CK	Priednieki A	358 193	339 874	8.6	1.5	6.0	20.0	16.1	959	Yes
CK						8.0	20.0	16.1	959	Yes
CL	Priednieki B	358 156	339 886	9.1	1.5	6.0	20.0	16.1	948	Yes
CL						8.0	20.0	16.1	948	Yes
CM	Priedulaji	361 495	336 096	13.1	1.5	6.0	20.0	18.1	454	Yes
CM						8.0	20.0	18.1	454	Yes
CN	Priedulaji 2	361 490	336 166	13.5	1.5	6.0	20.0	18.4	387	Yes
CN						8.0	20.0	18.4	387	Yes
CO	Prie ž gali	353 748	333 354	13.9	1.5	6.0	20.0	18.2	376	Yes
CO						8.0	20.0	18.2	376	Yes

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

Calculated:
11.10.2026 23:02/4.3.250

DECIBEL - Main Result

...continued from previous page

Noise sensitive area							Demands	Sound level		Demands fulfilled ?
No.	Name	Y	X	Z	Immission height	Wind speed	Noise	From WTGs	Distance to noise demand	Noise
				[m]	[m]	[m/s]	[dB(A)]	[dB(A)]	[m]	
CP	Pumpuri	359 215	339 457	8.0	1.5	6.0	20.0	16.0	1 059	Yes
CP						8.0	20.0	16.0	1 059	Yes
CQ	Punaki	353 737	333 560	13.3	1.5	6.0	20.0	18.0	520	Yes
CQ						8.0	20.0	18.0	520	Yes
CR	Rasas	359 299	339 826	7.6	1.5	6.0	20.0	15.0	1 406	Yes
CR						8.0	20.0	15.0	1 406	Yes
CS	Remesi	365 123	336 556	9.5	1.5	6.0	20.0	11.8	1 358	Yes
CS						8.0	20.0	11.8	1 358	Yes
CT	Rijnieki	353 324	338 038	8.3	1.5	6.0	20.0	15.1	1 185	Yes
CT						8.0	20.0	15.1	1 185	Yes
CU	Rolli	352 877	332 994	13.8	1.5	6.0	20.0	15.4	920	Yes
CU						8.0	20.0	15.4	920	Yes
CV	Ro ž kalni	355 592	339 979	8.9	1.5	6.0	20.0	16.0	886	Yes
CV						8.0	20.0	16.0	886	Yes
CW	Rudevici	353 471	338 540	10.1	1.5	6.0	20.0	14.8	1 335	Yes
CW						8.0	20.0	14.8	1 335	Yes
CX	Saulstari	352 831	333 037	13.1	1.5	6.0	20.0	15.3	980	Yes
CX						8.0	20.0	15.3	980	Yes
CY	Silaraji	353 501	335 757	11.3	1.5	6.0	20.0	17.4	535	Yes
CY						8.0	20.0	17.4	535	Yes
CZ	Silnieki	353 753	335 749	12.2	1.5	6.0	20.0	18.4	286	Yes
CZ						8.0	20.0	18.4	286	Yes
DA	Strautini	359 345	338 597	10.2	1.5	6.0	20.0	18.1	477	Yes
DA						8.0	20.0	18.1	477	Yes
DB	Svires	353 110	336 797	7.3	1.5	6.0	20.0	15.6	1 097	Yes
DB						8.0	20.0	15.6	1 097	Yes
DC	Terandes mui ž a	353 424	330 402	11.8	1.5	6.0	20.0	12.8	1 491	Yes
DC						8.0	20.0	12.8	1 491	Yes
DD	Terandnieki A	353 633	330 641	11.7	1.5	6.0	20.0	13.7	1 195	Yes
DD						8.0	20.0	13.7	1 195	Yes
DE	Terandnieki B	353 654	330 637	11.8	1.5	6.0	20.0	13.7	1 191	Yes
DE						8.0	20.0	13.7	1 191	Yes
DF	Uplejas A	358 520	339 349	8.1	1.5	6.0	20.0	17.2	605	Yes
DF						8.0	20.0	17.2	605	Yes
DG	Uplejas B	358 497	339 289	9.5	1.5	6.0	20.0	17.4	541	Yes
DG						8.0	20.0	17.4	541	Yes
DH	Valcenieki	355 231	340 050	10.4	1.5	6.0	20.0	15.2	1 047	Yes
DH						8.0	20.0	15.2	1 047	Yes
DI	Valkaraji	352 099	332 150	11.1	1.5	6.0	20.0	12.8	1 540	Yes
DI						8.0	20.0	12.8	1 540	Yes
DJ	Vanagi	359 131	338 631	9.5	1.5	6.0	20.0	18.3	377	Yes
DJ						8.0	20.0	18.3	377	Yes
DK	Veckrastnieki	361 447	339 449	11.3	1.5	6.0	20.0	14.3	1 208	Yes
DK						8.0	20.0	14.3	1 208	Yes
DL	Vecpriednieki	354 577	331 096	12.6	1.5	6.0	20.0	16.6	546	Yes
DL						8.0	20.0	16.6	546	Yes
DM	Vendzavas	359 504	339 684	7.4	1.5	6.0	20.0	15.2	1 418	Yes
DM						8.0	20.0	15.2	1 418	Yes
DN	Vetiecirknis	356 758	340 810	9.6	1.5	6.0	20.0	14.2	1 235	Yes
DN						8.0	20.0	14.2	1 235	Yes
DO	Vizuli	356 838	340 153	8.9	1.5	6.0	20.0	16.5	581	Yes
DO						8.0	20.0	16.5	581	Yes
DP	Zeltini	359 293	339 420	8.6	1.5	6.0	20.0	16.0	1 079	Yes
DP						8.0	20.0	16.0	1 079	Yes
DQ	Ziemelbrie ž i	352 221	331 572	11.7	1.5	6.0	20.0	12.6	1 541	Yes
DQ						8.0	20.0	12.6	1 541	Yes
DR	Zu š i	364 143	337 841	12.4	1.5	6.0	20.0	13.7	964	Yes
DR						8.0	20.0	13.7	964	Yes

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Main Result

Distances (m)

	WTG																					
NSA	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
A	2760	1500	1443	1406	2086	2749	2990	3375	4077	4780	4419	3359	3491	2260	1970	2844	2958	3415	4230	3382	4011	4613
B	8699	9712	10262	9819	9073	8397	8276	7785	7107	6365	6785	7819	7857	9328	10139	10564	9765	9145	8745	10270	10593	9243
C	7240	6153	4566	5321	5845	6360	7068	6941	7509	7667	6997	6403	5967	4881	4171	3128	3782	4193	4331	3058	2508	3772
D	8732	7892	6371	7035	7335	7660	8414	8094	8497	8380	7707	7460	6907	6307	5856	4776	5086	5169	4851	4382	3669	4104
E	8111	9196	9883	9383	8620	7928	7726	7287	6587	5912	6406	7400	7510	8978	9812	10331	9531	8938	8621	10088	10472	9179
F	2036	1217	2304	1816	2105	2554	2457	3018	3639	4452	4263	3249	3581	2778	2850	3878	3790	4095	4869	4352	5032	5383
G	6961	5922	4335	5075	5554	6037	6759	6597	7143	7266	6591	6039	5582	4566	3903	2827	3424	3791	3879	2685	2085	3297
H	5120	6323	7304	6685	5914	5216	4833	4539	3833	3421	4071	4850	5153	6513	7366	8114	7349	6869	6820	8024	8558	7515
I	1563	2739	4266	3502	2974	2608	1855	2309	2301	3046	3360	2962	3552	3988	4630	5697	5199	5109	5603	5937	6642	6322
J	9223	8348	6807	7489	7819	8165	8918	8614	9031	8929	8254	7985	7438	6791	6305	5214	5570	5684	5393	4852	4138	4649
K	1972	3194	4343	3653	2909	2254	1723	1613	1076	1482	2004	2156	2671	3705	4519	5439	4767	4464	4732	5507	6153	5482
L	3396	2132	1741	1928	2659	3340	3618	3982	4689	5369	4976	3922	4000	2665	2190	2867	3146	3681	4494	3443	4005	4789
M	3912	5155	6263	5597	4840	4159	3683	3487	2818	2641	3323	3906	4306	5548	6389	7230	6502	6096	6183	7215	7806	6914
N	3483	4710	5793	5133	4373	3689	3230	3016	2344	2189	2869	3432	3837	5074	5916	6757	6031	5630	5734	6745	7341	6469
O	5114	6263	7137	6556	5783	5081	4774	4412	3699	3177	3792	4652	4899	6305	7159	7850	7071	6561	6456	7723	8229	7131
P	1980	1719	3079	2492	2571	2837	2507	3142	3656	4508	4447	3522	3954	3411	3612	4671	4511	4745	5483	5116	5810	6050
Q	1566	1732	3258	2581	2472	2584	2120	2771	3208	4066	4079	3234	3723	3416	3757	4846	4585	4736	5426	5241	5949	6042
R	3561	4823	5991	5305	4559	3893	3370	3233	2596	2546	3220	3700	4140	5316	6146	7024	6316	5943	6084	7041	7653	6825
S	2782	3847	4707	4113	3340	2638	2374	1969	1257	897	1579	2247	2586	3910	4763	5538	4790	4360	4442	5490	6069	5177
T	6986	5957	4371	5109	5578	6054	6779	6609	7150	7262	6586	6047	5584	4586	3933	2852	3435	3789	3859	2693	2080	3267
U	6899	5875	4290	5025	5490	5962	6688	6516	7055	7165	6490	5952	5489	4496	3848	2765	3341	3692	3763	2598	1984	3173
V	8568	9582	10137	9692	8945	8268	8145	7655	6977	6237	6659	7692	7733	9204	10016	10446	9647	9028	8633	10155	10482	9135
W	1749	3000	4473	3713	3120	2668	1920	2265	2123	2795	3182	2922	3511	4106	4799	5843	5298	5154	5593	6043	6739	6326
X	2696	3762	4632	4034	3261	2559	2288	1888	1176	860	1539	2178	2529	3840	4693	5476	4732	4309	4405	5435	6019	5142
Y	3126	4166	4966	4396	3624	2924	2704	2266	1560	1031	1693	2481	2763	4138	4992	5724	4961	4498	4518	5644	6199	5240
Z	2740	3823	4710	4107	3334	2632	2344	1960	1248	950	1629	2263	2618	3924	4776	5564	4821	4399	4495	5525	6110	5232
AA	6049	4957	3370	4125	4660	5194	5891	5791	6382	6596	5939	5277	4874	3714	2981	1964	2671	3156	3442	1991	1601	3018
AB	2575	1860	2827	2419	2748	3187	3038	3625	4220	5048	4887	3884	4224	3387	3379	4359	4345	4689	5474	4863	5524	5963
AC	2933	1668	1477	1522	2225	2897	3156	3530	4235	4928	4554	3496	3608	2337	1985	2808	2970	3452	4268	3359	3971	4626
AD	6464	5490	3920	4633	5051	5493	6228	6027	6549	6635	5957	5450	4972	4041	3446	2349	2858	3169	3211	2110	1459	2619
AE	6466	5434	3849	4586	5059	5542	6264	6105	6657	6794	6122	5552	5102	4071	3410	2332	2934	3318	3452	2198	1626	2912
AF	8386	9227	9515	9183	8484	7859	7896	7324	6717	5888	6151	7211	7120	8553	9307	9573	8792	8144	7630	9207	9439	8033
AG	3954	2786	1230	1992	2637	3269	3885	3927	4596	5012	4433	3546	3317	1885	1030	923	1502	2156	2880	1514	2004	2972
AH	2309	1654	2744	2276	2545	2954	2779	3373	3960	4791	4644	3652	4010	3239	3294	4305	4243	4555	5330	4790	5464	5842
AI	2282	1622	2715	2244	2513	2922	2751	3343	3932	4762	4613	3620	3977	3207	3264	4277	4212	4524	5298	4762	5436	5811
AJ	8668	7624	6036	6781	7260	7732	8459	8278	8803	8872	8192	7704	7224	6267	5611	4534	5105	5418	5388	4359	3711	4722
AK	2656	3938	5196	4481	3762	3134	2531	2514	1984	2236	2840	3070	3581	4600	5402	6342	5678	5377	5628	6419	7066	6377
AL	4322	3050	1763	2421	3170	3858	4370	4534	5234	5745	5212	4252	4112	2641	1828	1857	2463	3113	3845	2434	2816	3914
AM	8882	9907	10475	10026	9276	8598	8465	7981	7300	6567	6996	8026	8072	9544	10357	10790	9991	9372	8978	10500	10826	9478
AN	4603	5795	6768	6149	5378	4680	4304	4003	3297	2897	3555	4317	4629	5980	6833	7589	6828	6358	6332	7508	8053	7036
AO	4607	5787	6736	6125	5353	4653	4296	3978	3269	2841	3492	4275	4574	5937	6791	7535	6769	6292	6253	7445	7983	6953
AP	4719	5901	6851	6241	5469	4768	4409	4093	3384	2953	3602	4389	4686	6051	6905	7647	6880	6400	6356	7555	8090	7054
AQ	4796	5978	6926	6317	5545	4844	4486	4169	3460	3024	3671	4463	4757	6125	6979	7717	6950	6468	6418	7623	8156	7114
AR	4759	5940	6888	6279	5507	4807	4449	4131	3422	2987	3634	4425	4720	6087	6941	7680	6913	6432	6384	7587	8121	7081
AS	4721	5905	6860	6248	5476	4776	4414	4101	3392	2966	3617	4400	4699	6062	6916	7660	6894	6416	6374	7570	8107	7073
AT	4761	5945	6898	6287	5515	4815	4454	4139	3431	3001	3650	4437	4734	6099	6953	7695	6928	6448	6403	7603	8138	7100
AU	4573	5753	6704	6093	5321	4621	4262	3945	3237	2813	3466	4245	4546	5907	6761	7507	6742	6266	6231	7419	7958	6932
AV	4600	5777	6720	6112	5340	4639	4285	3964	3255	2821	3471	4258	4554	5920	6773	7515	6749	6270	6229	7424	7961	6928
AW	4600	5775	6715	6108	5335	4635	4283	3960	3250	2813	3462	4251	4546	5913	6767	7507	6740	6260	6218	7415	7950	6917
AX	4584	5761	6706	6097	5325	4625	4270	3949	3240	2809	3460	4244	4542	5906	6760	7503	6737	6259	6220	7413	7950	6920
AY	4583	5759	6700	6092	5320	4620	4267	3944	3235	2800	3450	4237	4533	5899	6753	7494	6728	6249	6209	7403	7940	6908
AZ	4562	5736	6674	6067	5295	4594	4244	3919	3210	2773	3422	4211	4505	5872	6726	7466	6700	6221	6180	7375	7911	6879
BA	4544	5719	6661	6053	5281	4580	4228	3905	3195	2763	3414	4199	4496	5860	6714	7457	6691	6213	6175	7367	7905	6875
BB	4542	5719	6664	6055	5283	4583	4228	3907	3198	2769	3421	4203	4502	5865	6719	7463	6698	6221	6185	7374	7913	6885
BC	4530	5707	6653	6043	5271	4571	4215	3895	3186	2759	3412	4192	4492	5854	6708	7453	6688	6212	6177	7365	7904	6878
BD	4528	5703	6646	6038	5265	4565	4212	3890	3180	2750	3401	4184	4482	5846	6700	7444	6678	6201	6165	7354	7893	6865
BE	4509	5685	6629	6020	5248	4547	4193	3872	3163	2735	3387	4168	4467	5830	6684	7429	6663	6187	6153	7340	7880	6854
BF	4513	5691	6639	6028	5256	4556	4200	3880	3172	2747	3400	4179	4479	5841	6694	7440	6676	6200	6167	7353	7893	6869
BG	8006	8971	9456	9038	8301	7636	7560	7042	6382	5610	5992	7038	7046	8514	9315	9712	8915	8289	7875	9408	9721	8365
BH	7997	8958	9439	9023	8286	7622	7549	7030	6370	5597	5976	7022	7028	8495	9296	9690	8893	8267	7851	9384	9696	8339
BI	2594	1433	1818	1606	2175	2781	2902	3361	4042	4793	4492	3435	3642	2537	2363	3288	3348	3763	4572	3812	4455	4995
BJ	3144	1887	1637	1736	2447	3120	3376	3754	4458	5151	4774	3717	3820	2527	2123	2884	3098	3604	4420	3448	4038	4752
BK	7022	5970	4382	5127	5618	6109	6828	6675	7227	7359	6686	6122	5671	4636	3959	2891	3504	3884	3986	2768	2183	3411
BL	7043	6005	4418	5159	5636	6117	6840	6675	7219	7337	6662	6116	5656	4647	3986	2909	3502	3863	3940	2761	2156	3351
BM	5198	6396	7365	6750	5979	5279	4905	4603	3896	3468	4114	4906	5201	6568	7421	8161	7393	6909	6849	8065	8595	7540
BN	4621	3385	1940	2670	3375	4035	4610	4703	5385	5827	5255	4352	4140	2696	1844	1549	2263	2922	3592	2083	2368	3569

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Main Result

...continued from previous page

	WTG																					
NSA	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
BO	8797	7880	6322	7021	7387	7766	8516	8242	8690	8637	7958	7625	7093	6362	5833	4737	5146	5312	5092	4413	3704	4362
BP	9115	8306	6800	7451	7726	8027	8781	8440	8819	8666	7998	7799	7237	6700	6278	5206	5482	5528	5161	4792	4082	4412
BQ	8702	7658	6070	6815	7295	7767	8494	8313	8837	8907	8227	7739	7259	6302	5645	4568	5140	5453	5422	4394	3746	4756
BR	1726	2826	4383	3621	3138	2820	2074	2563	2586	3338	3643	3210	3799	4161	4770	5849	5379	5316	5833	6110	6819	6545
BS	4392	5632	6720	6063	5302	4616	4157	3942	3261	3014	3693	4336	4712	5988	6833	7653	6914	6487	6535	7618	8195	7257
BT	2540	1757	2677	2284	2639	3101	2986	3559	4169	4989	4810	3796	4121	3252	3229	4204	4196	4548	5337	4710	5369	5819
BU	9134	8256	6714	7397	7730	8079	8832	8531	8951	8855	8179	7903	7357	6702	6212	5121	5481	5600	5317	4762	4048	4574
BV	6544	5562	3988	4706	5132	5578	6312	6116	6640	6730	6052	5541	5065	4124	3519	2424	2945	3263	3308	2198	1552	2714
BW	6594	5607	4033	4752	5181	5630	6363	6168	6694	6784	6107	5594	5119	4174	3566	2471	2997	3317	3362	2250	1606	2767
BX	2794	1617	1854	1722	2329	2951	3094	3542	4228	4970	4655	3597	3782	2627	2389	3268	3377	3820	4632	3807	4434	5030
BY	6408	5383	3799	4533	5000	5480	6203	6040	6589	6723	6051	5485	5033	4010	3356	2274	2868	3248	3378	2130	1553	2838
BZ	8170	7302	5769	6444	6767	7115	7868	7571	8000	7925	7246	6945	6404	5739	5261	4175	4518	4639	4381	3801	3087	3644
CA	3749	2457	1499	1978	2751	3453	3870	4125	4837	5431	4961	3942	3906	2463	1792	2236	2651	3250	4042	2826	3330	4244
CB	1081	2325	3580	2856	2153	1578	908	1081	992	1789	2046	1734	2319	3056	3821	4810	4205	4004	4408	4953	5632	5145
CC	8302	9381	10055	9561	8799	8108	7914	7470	6772	6090	6575	7574	7676	9146	9977	10485	9684	9087	8759	10235	10610	9308
CD	8505	7718	6228	6865	7122	7411	8165	7818	8194	8042	7373	7176	6613	6097	5700	4640	4882	4910	4535	4205	3500	3786
CE	1689	2556	4143	3398	3032	2852	2158	2742	2913	3723	3938	3351	3923	4058	4579	5673	5277	5291	5876	5988	6702	6560
CF	4827	3589	2145	2876	3580	4238	4815	4905	5585	6018	5442	4548	4325	2889	2035	1664	2405	3062	3709	2171	2398	3649
CG	8135	9213	9887	9392	8630	7939	7747	7301	6604	5921	6407	7406	7509	8978	9810	10321	9520	8924	8599	10073	10451	9152
CH	2348	1887	3082	2575	2772	3116	2856	3476	4022	4868	4770	3811	4206	3527	3628	4653	4565	4854	5617	5130	5809	6148
CI	6576	5493	3906	4659	5182	5702	6407	6288	6865	7046	6381	5758	5335	4222	3508	2469	3140	3580	3782	2429	1933	3280
CJ	7270	8407	9208	8662	7891	7190	6922	6531	5821	5218	5771	6712	6888	8336	9183	9786	8990	8429	8196	9593	10030	8806
CK	1691	2982	4360	3615	2955	2421	1710	1928	1678	2305	2725	2573	3150	3894	4637	5646	5054	4856	5243	5802	6484	5985
CL	1664	2955	4340	3593	2938	2410	1695	1925	1689	2326	2739	2572	3151	3881	4620	5632	5044	4851	5244	5792	6475	5984
CM	5644	6430	6733	6380	5680	5059	5135	4541	3968	3120	3347	4407	4328	5776	6554	6913	6117	5489	5084	6607	6934	5604
CN	5602	6398	6717	6358	5654	5029	5095	4506	3926	3081	3320	4380	4310	5762	6544	6914	6117	5491	5096	6613	6947	5623
CO	6438	5462	3891	4605	5026	5469	6204	6005	6528	6618	5941	5429	4953	4016	3418	2322	2835	3151	3199	2088	1440	2612
CP	2542	3796	4977	4283	3543	2889	2343	2245	1664	1860	2473	2765	3255	4336	5154	6066	5384	5058	5283	6119	6756	6031
CQ	6262	5272	3697	4416	4850	5305	6036	5851	6385	6495	5820	5283	4817	3846	3231	2137	2677	3021	3116	1932	1314	2561
CR	2703	3983	5234	4522	3800	3168	2572	2545	2006	2238	2848	3095	3602	4633	5437	6373	5706	5400	5645	6446	7091	6394
CS	8788	9782	10300	9871	9129	8458	8356	7854	7183	6428	6829	7870	7891	9360	10165	10567	9770	9144	8727	10262	10571	9210
CT	3533	2263	1782	2021	2763	3450	3746	4098	4806	5476	5071	4020	4082	2723	2206	2831	3146	3698	4508	3413	3956	4781
CU	7183	6127	4539	5285	5779	6272	6990	6838	7390	7519	6845	6285	5832	4799	4120	3053	3667	4044	4137	2931	2341	3553
CV	1429	1464	2985	2310	2224	2380	1971	2618	3099	3954	3927	3045	3515	3154	3484	4573	4318	4478	5176	4970	5678	5785
CW	3274	2066	1989	2032	2708	3360	3554	3974	4669	5389	5041	3981	4118	2861	2481	3232	3457	3960	4776	3800	4381	5110
CX	7171	6109	4521	5269	5770	6268	6984	6837	7393	7529	6856	6287	5839	4792	4106	3044	3668	4053	4158	2934	2354	3581
CY	4610	3428	1886	2647	3293	3916	4541	4569	5229	5612	5013	4164	3897	2503	1657	1130	1892	2544	3172	1631	1895	3111
CZ	4445	3291	1723	2487	3105	3714	4354	4360	5012	5378	4775	3940	3659	2282	1446	884	1640	2293	2929	1404	1728	2891
DA	2687	3809	4754	4131	3360	2662	2320	1985	1281	1102	1773	2337	2724	3993	4841	5654	4921	4517	4638	5633	6228	5378
DB	4253	2973	1749	2376	3135	3828	4319	4505	5208	5738	5219	4244	4126	2654	1861	1970	2546	3190	3935	2553	2955	4027
DC	9271	8383	6835	7524	7866	8221	8974	8678	9102	9012	8335	8051	7508	6838	6337	5244	5618	5746	5472	4895	4182	4730
DD	8974	8100	6560	7241	7571	7918	8671	8370	8790	8695	8019	7741	7196	6543	6056	4967	5322	5439	5157	4604	3889	4414
DE	8971	8099	6560	7240	7568	7913	8667	8363	8782	8686	8010	7735	7189	6540	6055	4966	5318	5433	5148	4601	3887	4405
DF	1838	3097	4321	3610	2887	2262	1662	1658	1217	1723	2207	2247	2790	3734	4529	5480	4832	4562	4871	5576	6235	5619
DG	1807	3059	4270	3562	2835	2206	1615	1598	1152	1667	2145	2184	2726	3676	4474	5422	4771	4499	4806	5515	6173	5554
DH	1763	1564	2984	2365	2396	2635	2291	2928	3438	4291	4234	3317	3757	3264	3508	4579	4387	4598	5324	5008	5708	5905
DI	8314	7233	5646	6400	6915	7417	8132	7986	8537	8654	7979	7432	6976	5942	5247	4192	4815	5181	5230	4078	3473	4605
DJ	2469	3595	4563	3931	3161	2465	2106	1787	1092	1042	1688	2170	2585	3818	4663	5495	4771	4386	4540	5490	6096	5284
DK	4759	5982	7018	6379	5613	4919	4497	4242	3546	3213	3881	4596	4936	6256	7106	7892	7139	6685	6685	7829	8386	7394
DL	8257	7480	6000	6629	6876	7160	7914	7564	7937	7785	7116	6921	6357	5853	5468	4416	4640	4659	4279	3970	3268	3529
DM	2867	4135	5340	4641	3905	3255	2696	2612	2026	2160	2796	3129	3612	4704	5521	6433	5749	5417	5626	6484	7117	6374
DN	1734	2599	4186	3441	3078	2897	2202	2784	2950	3757	3977	3395	3967	4103	4623	5717	5322	5336	5921	6033	6747	6606
DO	1084	2091	3658	2899	2464	2241	1540	2128	2343	3174	3346	2733	3305	3492	4062	5148	4714	4699	5268	5435	6148	5959
DP	2614	3863	5029	4339	3595	2936	2404	2286	1689	1843	2468	2793	3274	4377	5198	6102	5414	5079	5291	6147	6780	6038
DQ	8738	7693	6105	6850	7331	7803	8530	8349	8874	8943	8263	7775	7295	6338	5681	4604	5176	5489	5457	4430	3782	4790
DR	7542	8631	9337	8828	8063	7369	7160	6725	6024	5359	5864	6849	6973	8438	9275	9816	9016	8431	8140	9587	9987	8716

	WTG																	
NSA	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
A	5033	5710	5263	5027	4635	5607	6052	6149	6329	5945	6759	6111	6526	7146	7712	9438	9038	8549
B	8375	8269	9118	9738	10202	11358	11898	11286	10723	9472	4443	5055	4684	4007	3434	1744	2209	2686
C	4641	4849	3956	3313	2812	1919	1710	2353	2989	3864	8865	8461	9349	9625	9963	11325	10835	10392
D	4695	4508	3841	3419	3347	2000	1477	1627	1979	3245	9008	8784	9777	9850	10035	11077	10588	10213
E	8339	8315	9126	9722	10145	11371	11934	11352	10822	9555	4143	4685	4137	3547	3054	1695	2179	2568
F	5635	6318	6019	5891	5581	6680	7165	7194	7302	6758	6484	5816	6042	6728	7327	9072	8714	8236
G	4160	4355	3463	2822	2333	1440	1312	1910	2530	3369	8412	8021	8923	9181	9508	10851	10361	9921

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Main Result

...continued from previous page

	WTG																	
NSA	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
H	6830	7067	7683	8165	8437	9807	10411	9948	9550	8311	2661	2743	1748	1822	2019	2962	2951	2752
I	6132	6720	6827	6984	6923	8272	8850	8658	8544	7615	4757	4148	3894	4646	5260	6924	6673	6250
J	5255	5071	4401	3966	3865	2488	1921	2167	2542	3809	9571	9345	10338	10413	10598	11633	11145	10772
K	5080	5572	5872	6170	6252	7655	8260	7945	7711	6632	3023	2421	2204	2950	3569	5273	4988	4549
L	5300	5963	5436	5130	4682	5520	5918	6085	6329	6071	7326	6685	7133	7740	8298	10016	9607	9118
M	6334	6683	7180	7591	7784	9183	9792	9392	9062	7875	2748	2509	1581	2133	2618	4006	3876	3556
N	5909	6280	6751	7149	7330	8731	9340	8950	8631	7456	2546	2211	1393	2057	2609	4135	3951	3587
O	6414	6616	7265	7769	8068	9421	10021	9538	9119	7869	2152	2320	1390	1296	1449	2504	2439	2205
P	6216	6892	6672	6595	6324	7471	7970	7971	8046	7430	6516	5850	5932	6653	7266	9001	8677	8213
Q	6120	6783	6643	6626	6407	7620	8145	8094	8120	7418	6044	5383	5400	6131	6748	8474	8164	7708
R	6289	6676	7126	7508	7669	9073	9682	9307	9003	7841	2965	2639	1803	2434	2958	4407	4258	3918
S	4628	5023	5466	5857	6040	7440	8049	7657	7344	6180	1953	1365	1234	1945	2560	4293	3976	3522
T	4125	4309	3419	2779	2301	1370	1229	1831	2454	3309	8390	8005	8911	9163	9485	10820	10329	9891
U	4033	4222	3331	2690	2207	1308	1208	1788	2402	3233	8294	7909	8814	9066	9389	10726	10236	9797
V	8269	8170	9016	9634	10096	11258	11799	11190	10630	9377	4319	4928	4553	3878	3305	1623	2092	2567
W	6075	6637	6802	6999	6975	8345	8932	8707	8560	7585	4405	3815	3499	4251	4862	6510	6269	5853
X	4604	5009	5440	5823	5999	7400	8010	7623	7316	6158	2023	1424	1320	2029	2644	4378	4059	3604
Y	4643	4996	5491	5913	6129	7520	8129	7712	7372	6183	1626	1079	896	1593	2208	3943	3623	3169
Z	4692	5093	5528	5913	6089	7491	8100	7713	7405	6245	2032	1449	1278	1999	2616	4345	4034	3583
AA	3904	4253	3368	2739	2149	1932	2099	2514	3017	3513	7926	7477	8324	8651	9028	10471	9987	9529
AB	6249	6932	6605	6446	6107	7148	7608	7678	7821	7331	7079	6410	6589	7289	7895	9638	9291	8817
AC	5073	5747	5276	5019	4611	5548	5982	6097	6295	5945	6899	6254	6682	7296	7859	9582	9179	8690
AD	3481	3689	2794	2151	1654	957	1126	1526	2065	2752	7741	7359	8270	8515	8835	10172	9682	9243
AE	3790	4042	3145	2500	1964	1371	1459	1928	2482	3151	7985	7578	8468	8743	9083	10458	9969	9523
AF	7147	6935	7817	8456	8967	10019	10526	9885	9290	8075	3857	4525	4522	3770	3155	1641	1754	2167
AG	3645	4251	3592	3199	2705	3522	3950	4080	4322	4150	6692	6133	6826	7290	7764	9376	8921	8436
AH	6095	6778	6479	6344	6025	7103	7578	7624	7745	7215	6820	6152	6322	7023	7630	9373	9028	8555
AI	6063	6745	6448	6314	5996	7076	7552	7597	7716	7184	6792	6123	6296	6997	7603	9346	9000	8527
AJ	5516	5553	4718	4128	3775	2472	1928	2577	3205	4378	9869	9532	10469	10670	10949	12185	11693	11276
AK	5943	6406	6749	7066	7160	8565	9170	8848	8600	7499	3309	2819	2259	2991	3581	5169	4960	4572
AL	4607	5206	4520	4086	3552	4156	4495	4741	5069	5035	7522	6937	7565	8075	8575	10221	9776	9288
AM	8611	8506	9355	9974	10438	11596	12135	11523	10961	9710	4659	5264	4868	4203	3637	1967	2437	2911
AN	6372	6639	7227	7694	7949	9327	9933	9483	9100	7872	2336	2317	1302	1556	1906	3145	3050	2773
AO	6282	6540	7136	7608	7870	9245	9850	9396	9008	7777	2218	2215	1203	1433	1785	3050	2944	2658
AP	6377	6629	7232	7707	7973	9346	9950	9493	9102	7868	2279	2302	1295	1476	1791	2997	2908	2639
AQ	6433	6680	7287	7766	8035	9406	10011	9551	9156	7920	2311	2353	1350	1496	1786	2952	2874	2615
AR	6402	6650	7256	7733	8001	9373	9977	9518	9125	7890	2289	2323	1319	1480	1781	2968	2884	2620
AS	6398	6651	7252	7727	7991	9365	9969	9513	9122	7889	2304	2324	1316	1501	1816	3015	2929	2661
AT	6423	6673	7277	7753	8020	9392	9997	9539	9147	7912	2315	2346	1340	1506	1807	2987	2906	2644
AU	6263	6525	7118	7588	7848	9224	9829	9376	8990	7760	2214	2201	1188	1436	1798	3078	2968	2678
AV	6256	6514	7110	7583	7846	9220	9825	9370	8982	7750	2190	2188	1177	1405	1760	3035	2925	2637
AW	6243	6500	7098	7571	7835	9209	9814	9358	8969	7737	2174	2174	1163	1389	1744	3024	2912	2623
AX	6249	6508	7103	7575	7837	9212	9817	9363	8975	7744	2189	2183	1171	1408	1768	3050	2938	2648
AY	6236	6494	7090	7563	7825	9200	9805	9350	8962	7730	2173	2169	1157	1392	1752	3039	2925	2634
AZ	6208	6466	7062	7534	7797	9171	9776	9322	8934	7702	2150	2141	1129	1372	1740	3040	2922	2627
BA	6206	6466	7060	7531	7792	9167	9772	9319	8932	7702	2157	2142	1129	1384	1757	3062	2943	2647
BB	6217	6479	7071	7541	7802	9177	9782	9330	8944	7714	2172	2155	1141	1400	1773	3074	2957	2661
BC	6211	6474	7065	7534	7794	9170	9775	9323	8938	7708	2172	2150	1136	1402	1778	3085	2966	2669
BD	6197	6459	7051	7521	7782	9157	9762	9310	8924	7694	2156	2136	1122	1386	1764	3075	2955	2656
BE	6187	6451	7042	7511	7770	9146	9751	9299	8914	7685	2154	2129	1114	1389	1772	3091	2969	2668
BF	6202	6467	7057	7525	7784	9160	9766	9314	8930	7701	2171	2144	1130	1404	1786	3098	2978	2679
BG	7496	7388	8237	8857	9324	10477	11017	10406	9845	8593	3639	4273	4006	3291	2690	947	1366	1855
BH	7470	7359	8210	8830	9298	10449	10988	10377	9815	8564	3623	4258	3999	3282	2679	935	1347	1836
BI	5367	6048	5644	5436	5063	6063	6515	6601	6767	6343	6803	6145	6490	7138	7718	9455	9071	8585
BJ	5226	5896	5401	5123	4696	5589	6006	6146	6365	6056	7120	6476	6905	7520	8082	9804	9401	8911
BK	4276	4475	3583	2941	2448	1558	1408	2019	2643	3491	8520	8126	9023	9286	9616	10965	10475	10034
BL	4210	4394	3504	2865	2385	1447	1283	1899	2526	3392	8472	8085	8990	9244	9567	10904	10413	9975
BM	6848	7077	7701	8188	8466	9833	10436	9969	9565	8323	2651	2756	1771	1805	1976	2878	2875	2687
BN	4319	4883	4148	3671	3113	3630	3954	4218	4569	4612	7517	6958	7643	8114	8589	10199	9742	9258
BO	5036	4927	4189	3694	3514	2109	1507	1912	2410	3677	9393	9130	10108	10224	10442	11549	11058	10669
BP	4943	4697	4093	3723	3710	2411	1925	1975	2212	3441	9201	9008	10010	10050	10210	11190	10704	10344
BQ	5548	5584	4750	4161	3808	2504	1958	2605	3232	4408	9902	9566	10503	10703	10982	12217	11724	11308
BR	6379	6974	7061	7202	7123	8460	9033	8857	8758	7850	5045	4438	4167	4919	5531	7184	6941	6522
BS	6643	6958	7494	7928	8144	9537	10146	9727	9375	8169	2819	2691	1694	2098	2494	3724	3645	3372

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Main Result

...continued from previous page

	WTG																	
NSA	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
BT	6114	6798	6461	6297	5954	6992	7452	7523	7668	7185	7021	6353	6555	7249	7852	9596	9243	8767
BU	5188	5014	4334	3892	3782	2401	1830	2092	2483	3752	9511	9281	10271	10352	10542	11587	11098	10723
BV	3576	3778	2884	2241	1749	996	1111	1551	2109	2828	7837	7456	8366	8612	8932	10268	9777	9338
BW	3627	3825	2932	2290	1801	1015	1099	1561	2128	2867	7891	7510	8421	8666	8985	10320	9829	9391
BX	5432	6111	5680	5450	5060	6023	6462	6568	6754	6367	6975	6319	6677	7320	7898	9634	9245	8759
BY	3717	3972	3075	2430	1892	1332	1450	1897	2440	3089	7911	7505	8395	8669	9010	10384	9895	9449
BZ	4304	4193	3455	2971	2825	1437	873	1180	1685	2946	8658	8399	9379	9490	9707	10821	10329	9938
CA	4838	5478	4879	4518	4034	4793	5173	5366	5640	5468	7307	6692	7237	7795	8326	10012	9584	9093
CB	4879	5443	5610	5823	5825	7208	7802	7550	7383	6392	3670	3020	3007	3733	4349	6079	5765	5309
CC	8463	8426	9244	9844	10274	11490	12049	11462	10926	9661	4298	4851	4321	3721	3216	1787	2278	2687
CD	4325	4098	3473	3098	3096	1838	1421	1363	1592	2837	8603	8398	9397	9449	9620	10634	10147	9778
CE	6479	7102	7110	7196	7065	8363	8920	8791	8738	7900	5533	4906	4713	5464	6080	7755	7496	7067
CF	4420	4969	4213	3714	3143	3579	3876	4170	4547	4646	7693	7139	7834	8298	8769	10370	9912	9429
CG	8309	8279	9093	9691	10118	11339	11899	11315	10782	9516	4133	4683	4153	3552	3049	1647	2135	2535
CH	6371	7052	6781	6665	6359	7454	7933	7970	8081	7525	6887	6219	6331	7046	7658	9396	9065	8598
CI	4164	4441	3545	2901	2349	1776	1789	2315	2889	3572	8303	7878	8748	9047	9404	10806	10319	9868
CJ	8004	8064	8824	9391	9769	11054	11634	11087	10596	9323	3662	4107	3400	2932	2569	1845	2214	2436
CK	5685	6227	6435	6665	6676	8061	8655	8400	8224	7213	3906	3311	3025	3778	4392	6061	5805	5381
CL	5690	6234	6437	6664	6671	8055	8649	8396	8223	7216	3938	3342	3062	3814	4428	6098	5842	5417
CM	4753	4727	5533	6133	6569	7779	8341	7763	7245	5974	1123	1777	2119	1474	1133	1950	1463	1025
CN	4775	4759	5560	6157	6589	7805	8369	7794	7279	6007	1074	1733	2054	1404	1064	1935	1451	1001
CO	3477	3690	2795	2151	1648	980	1157	1551	2086	2761	7730	7347	8256	8503	8825	10166	9676	9236
CP	5579	6034	6391	6719	6829	8234	8841	8506	8248	7137	2987	2470	1988	2734	3339	4975	4739	4331
CQ	3437	3687	2791	2146	1610	1132	1357	1717	2222	2815	7650	7253	8151	8414	8747	10111	9622	9177
CR	5953	6411	6761	7082	7181	8586	9191	8865	8614	7510	3279	2796	2222	2952	3540	5123	4917	4529
CS	8338	8213	9070	9693	10167	11306	11839	11221	10652	9407	4480	5104	4775	4083	3497	1775	2217	2704
CT	5313	5972	5425	5104	4644	5450	5838	6019	6277	6048	7423	6786	7247	7848	8402	10116	9705	9215
CU	4413	4598	3708	3069	2588	1635	1424	2063	2699	3590	8670	8279	9180	9439	9765	11106	10616	10177
CV	5879	6545	6389	6364	6139	7349	7872	7824	7854	7162	5953	5289	5356	6078	6692	8426	8104	7642
CW	5582	6252	5759	5478	5046	5915	6320	6477	6707	6412	7378	6727	7120	7750	8321	10051	9655	9167
CX	4445	4637	3746	3105	2617	1688	1486	2122	2757	3638	8692	8298	9195	9459	9788	11135	10645	10205
CY	3880	4430	3682	3198	2639	3200	3556	3783	4113	4138	7229	6690	7417	7856	8312	9893	9430	8950
CZ	3645	4205	3473	3010	2466	3124	3515	3698	3994	3956	6982	6446	7181	7613	8066	9644	9180	8700
DA	4854	5265	5686	6061	6225	7628	8238	7860	7560	6409	2190	1625	1362	2101	2720	4436	4140	3697
DB	4705	5312	4639	4215	3688	4310	4651	4893	5216	5165	7539	6947	7557	8078	8585	10241	9798	9310
DC	5350	5178	4496	4049	3931	2543	1964	2249	2647	3916	9675	9443	10433	10515	10706	11751	11262	10887
DD	5032	4865	4179	3732	3621	2240	1672	1932	2333	3603	9360	9126	10115	10200	10392	11447	10957	10580
DE	5021	4851	4167	3723	3614	2236	1670	1922	2319	3589	9346	9114	10103	10186	10378	11431	10941	10565
DF	5250	5760	6030	6305	6364	7764	8366	8070	7854	6796	3293	2693	2453	3202	3820	5514	5238	4804
DG	5186	5696	5965	6241	6301	7700	8302	8006	7790	6732	3263	2658	2440	3188	3806	5506	5225	4788
DH	6049	6722	6521	6461	6204	7374	7882	7865	7926	7285	6299	5633	5718	6437	7051	8786	8461	7997
DI	5436	5541	4676	4058	3640	2453	1994	2681	3334	4425	9750	9381	10296	10533	10840	12133	11640	11212
DJ	4789	5223	5613	5970	6115	7520	8129	7766	7481	6347	2350	1758	1571	2305	2923	4645	4342	3895
DK	6744	7021	7598	8056	8300	9683	10290	9849	9474	8251	2730	2705	1689	1940	2249	3351	3305	3066
DL	4070	3852	3218	2841	2847	1618	1251	1118	1338	2590	8356	8146	9145	9201	9377	10405	9917	9544
DM	5902	6341	6721	7061	7181	8587	9194	8852	8584	7460	3068	2609	1990	2713	3297	4874	4670	4286
DN	6523	7146	7155	7241	7110	8408	8965	8837	8784	7945	5561	4935	4734	5485	6101	7773	7516	7089
DO	5863	6484	6502	6600	6486	7801	8365	8217	8148	7292	5052	4409	4307	5051	5670	7375	7090	6646
DP	5575	6023	6391	6726	6843	8249	8856	8516	8251	7133	2917	2409	1907	2653	3256	4890	4655	4249
DQ	5582	5616	4783	4194	3844	2537	1989	2633	3259	4438	9937	9601	10538	10738	11017	12250	11757	11341
DR	7888	7895	8688	9274	9682	10930	11499	10930	10415	9144	3633	4152	3574	3002	2534	1394	1836	2159

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Assumptions

Cmet: Meteorological correction

Calculation Results

Noise sensitive area: A Alksnini

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 760	2 767	1.95	97.4	-	0.00
2	1 500	1 513	7.38	97.4	-	0.00
3	1 443	1 456	7.72	97.4	-	0.00
4	1 406	1 420	7.95	97.4	-	0.00
5	2 086	2 096	4.47	97.4	-	0.00
6	2 749	2 756	1.99	97.4	-	0.00
7	2 990	2 997	1.23	97.4	-	0.00
8	3 375	3 382	0.13	97.4	-	0.00
9	4 077	4 082	-1.61	97.4	-	0.00
10	4 780	4 784	-3.08	97.4	-	0.00
11	4 419	4 423	-2.35	97.4	-	0.00
12	3 359	3 365	0.17	97.4	-	0.00
13	3 491	3 497	-0.18	97.4	-	0.00
14	2 260	2 269	3.75	97.4	-	0.00
15	1 970	1 980	4.98	97.4	-	0.00
16	2 844	2 851	1.68	97.4	-	0.00
17	2 958	2 965	1.33	97.4	-	0.00
18	3 415	3 421	0.02	97.4	-	0.00
19	4 230	4 235	-1.95	97.4	-	0.00
20	3 382	3 388	0.11	97.4	-	0.00
21	4 011	4 016	-1.45	97.4	-	0.00
22	4 613	4 617	-2.75	97.4	-	0.00
23	5 033	5 037	-3.56	97.4	-	0.00
24	5 710	5 713	-4.74	97.4	-	0.00
25	5 263	5 267	-3.97	97.4	-	0.00
26	5 027	5 031	-3.54	97.4	-	0.00
27	4 635	4 639	-2.79	97.4	-	0.00
28	5 607	5 610	-4.57	97.4	-	0.00
29	6 052	6 056	-5.29	97.4	-	0.00
30	6 149	6 152	-5.43	97.4	-	0.00
31	6 329	6 333	-5.71	97.4	-	0.00
32	5 945	5 949	-5.12	97.4	-	0.00
33	6 759	6 762	-6.33	97.4	-	0.00
34	6 111	6 115	-5.38	97.4	-	0.00
35	6 526	6 529	-6.00	97.4	-	0.00
36	7 146	7 149	-6.86	97.4	-	0.00
37	7 712	7 714	-7.58	97.4	-	0.00
38	9 438	9 439	-9.53	97.4	-	0.00
39	9 038	9 039	-9.11	97.4	-	0.00
40	8 549	8 551	-8.57	97.4	-	0.00
Sum			16.73			

- Data undefined due to calculation with octave data

Noise sensitive area: A Alksnini

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 760	2 767	1.95	97.4	-	0.00
2	1 500	1 513	7.38	97.4	-	0.00
3	1 443	1 456	7.72	97.4	-	0.00
4	1 406	1 420	7.95	97.4	-	0.00
5	2 086	2 096	4.47	97.4	-	0.00
6	2 749	2 756	1.99	97.4	-	0.00
7	2 990	2 997	1.23	97.4	-	0.00
8	3 375	3 382	0.13	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
9	4 077	4 082	-1.61	97.4	-	0.00
10	4 780	4 784	-3.08	97.4	-	0.00
11	4 419	4 423	-2.35	97.4	-	0.00
12	3 359	3 365	0.17	97.4	-	0.00
13	3 491	3 497	-0.18	97.4	-	0.00
14	2 260	2 269	3.75	97.4	-	0.00
15	1 970	1 980	4.98	97.4	-	0.00
16	2 844	2 851	1.68	97.4	-	0.00
17	2 958	2 965	1.33	97.4	-	0.00
18	3 415	3 421	0.02	97.4	-	0.00
19	4 230	4 235	-1.95	97.4	-	0.00
20	3 382	3 388	0.11	97.4	-	0.00
21	4 011	4 016	-1.45	97.4	-	0.00
22	4 613	4 617	-2.75	97.4	-	0.00
23	5 033	5 037	-3.56	97.4	-	0.00
24	5 710	5 713	-4.74	97.4	-	0.00
25	5 263	5 267	-3.97	97.4	-	0.00
26	5 027	5 031	-3.54	97.4	-	0.00
27	4 635	4 639	-2.79	97.4	-	0.00
28	5 607	5 610	-4.57	97.4	-	0.00
29	6 052	6 056	-5.29	97.4	-	0.00
30	6 149	6 152	-5.43	97.4	-	0.00
31	6 329	6 333	-5.71	97.4	-	0.00
32	5 945	5 949	-5.12	97.4	-	0.00
33	6 759	6 762	-6.33	97.4	-	0.00
34	6 111	6 115	-5.38	97.4	-	0.00
35	6 526	6 529	-6.00	97.4	-	0.00
36	7 146	7 149	-6.86	97.4	-	0.00
37	7 712	7 714	-7.58	97.4	-	0.00
38	9 438	9 439	-9.53	97.4	-	0.00
39	9 038	9 039	-9.11	97.4	-	0.00
40	8 549	8 551	-8.57	97.4	-	0.00
Sum			16.73			

- Data undefined due to calculation with octave data

Noise sensitive area: B Aug š dzikli

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 699	8 701	-8.74	97.4	-	0.00
2	9 712	9 714	-9.81	97.4	-	0.00
3	10 262	10 264	-10.34	97.4	-	0.00
4	9 819	9 821	-9.92	97.4	-	0.00
5	9 073	9 075	-9.15	97.4	-	0.00
6	8 397	8 399	-8.40	97.4	-	0.00
7	8 276	8 278	-8.26	97.4	-	0.00
8	7 785	7 787	-7.68	97.4	-	0.00
9	7 107	7 110	-6.81	97.4	-	0.00
10	6 365	6 369	-5.76	97.4	-	0.00
11	6 785	6 788	-6.37	97.4	-	0.00
12	7 819	7 822	-7.72	97.4	-	0.00
13	7 857	7 860	-7.76	97.4	-	0.00
14	9 328	9 330	-9.42	97.4	-	0.00
15	10 139	10 141	-10.23	97.4	-	0.00
16	10 564	10 566	-10.63	97.4	-	0.00
17	9 765	9 767	-9.86	97.4	-	0.00
18	9 145	9 147	-9.23	97.4	-	0.00
19	8 745	8 748	-8.79	97.4	-	0.00
20	10 270	10 272	-10.35	97.4	-	0.00
21	10 593	10 595	-10.65	97.4	-	0.00
22	9 243	9 245	-9.33	97.4	-	0.00
23	8 375	8 377	-8.38	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
24	8 269	8 271	-8.25	97.4	-	0.00
25	9 118	9 120	-9.20	97.4	-	0.00
26	9 738	9 740	-9.83	97.4	-	0.00
27	10 202	10 204	-10.29	97.4	-	0.00
28	11 358	11 360	-11.34	97.4	-	0.00
29	11 898	11 899	-11.79	97.4	-	0.00
30	11 286	11 287	-11.27	97.4	-	0.00
31	10 723	10 724	-10.77	97.4	-	0.00
32	9 472	9 474	-9.57	97.4	-	0.00
33	4 443	4 448	-2.40	97.4	-	0.00
34	5 055	5 059	-3.60	97.4	-	0.00
35	4 684	4 688	-2.89	97.4	-	0.00
36	4 007	4 012	-1.45	97.4	-	0.00
37	3 434	3 437	-0.02	97.4	-	0.00
38	1 744	1 752	6.08	97.4	-	0.00
39	2 209	2 214	3.97	97.4	-	0.00
40	2 686	2 691	2.21	97.4	-	0.00
Sum			11.90			

- Data undefined due to calculation with octave data

Noise sensitive area: B Aug š dzikli

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 699	8 701	-8.74	97.4	-	0.00
2	9 712	9 714	-9.81	97.4	-	0.00
3	10 262	10 264	-10.34	97.4	-	0.00
4	9 819	9 821	-9.92	97.4	-	0.00
5	9 073	9 075	-9.15	97.4	-	0.00
6	8 397	8 399	-8.40	97.4	-	0.00
7	8 276	8 278	-8.26	97.4	-	0.00
8	7 785	7 787	-7.68	97.4	-	0.00
9	7 107	7 110	-6.81	97.4	-	0.00
10	6 365	6 369	-5.76	97.4	-	0.00
11	6 785	6 788	-6.37	97.4	-	0.00
12	7 819	7 822	-7.72	97.4	-	0.00
13	7 857	7 860	-7.76	97.4	-	0.00
14	9 328	9 330	-9.42	97.4	-	0.00
15	10 139	10 141	-10.23	97.4	-	0.00
16	10 564	10 566	-10.63	97.4	-	0.00
17	9 765	9 767	-9.86	97.4	-	0.00
18	9 145	9 147	-9.23	97.4	-	0.00
19	8 745	8 748	-8.79	97.4	-	0.00
20	10 270	10 272	-10.35	97.4	-	0.00
21	10 593	10 595	-10.65	97.4	-	0.00
22	9 243	9 245	-9.33	97.4	-	0.00
23	8 375	8 377	-8.38	97.4	-	0.00
24	8 269	8 271	-8.25	97.4	-	0.00
25	9 118	9 120	-9.20	97.4	-	0.00
26	9 738	9 740	-9.83	97.4	-	0.00
27	10 202	10 204	-10.29	97.4	-	0.00
28	11 358	11 360	-11.34	97.4	-	0.00
29	11 898	11 899	-11.79	97.4	-	0.00
30	11 286	11 287	-11.27	97.4	-	0.00
31	10 723	10 724	-10.77	97.4	-	0.00
32	9 472	9 474	-9.57	97.4	-	0.00
33	4 443	4 448	-2.40	97.4	-	0.00
34	5 055	5 059	-3.60	97.4	-	0.00
35	4 684	4 688	-2.89	97.4	-	0.00
36	4 007	4 012	-1.45	97.4	-	0.00
37	3 434	3 437	-0.02	97.4	-	0.00
38	1 744	1 752	6.08	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
39	2 209	2 214	3.97	97.4	-	0.00
40	2 686	2 691	2.21	97.4	-	0.00
Sum			11.90			

- Data undefined due to calculation with octave data

Noise sensitive area: C Austrumi

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 240	7 242	-6.98	97.4	-	0.00
2	6 153	6 156	-5.44	97.4	-	0.00
3	4 566	4 571	-2.65	97.4	-	0.00
4	5 321	5 325	-4.08	97.4	-	0.00
5	5 845	5 848	-4.96	97.4	-	0.00
6	6 360	6 363	-5.75	97.4	-	0.00
7	7 068	7 071	-6.75	97.4	-	0.00
8	6 941	6 944	-6.58	97.4	-	0.00
9	7 509	7 512	-7.33	97.4	-	0.00
10	7 667	7 670	-7.53	97.4	-	0.00
11	6 997	7 000	-6.66	97.4	-	0.00
12	6 403	6 406	-5.82	97.4	-	0.00
13	5 967	5 970	-5.15	97.4	-	0.00
14	4 881	4 886	-3.27	97.4	-	0.00
15	4 171	4 176	-1.82	97.4	-	0.00
16	3 128	3 135	0.82	97.4	-	0.00
17	3 782	3 787	-0.91	97.4	-	0.00
18	4 193	4 198	-1.86	97.4	-	0.00
19	4 331	4 336	-2.16	97.4	-	0.00
20	3 058	3 065	1.03	97.4	-	0.00
21	2 508	2 516	2.82	97.4	-	0.00
22	3 772	3 777	-0.89	97.4	-	0.00
23	4 641	4 646	-2.80	97.4	-	0.00
24	4 849	4 853	-3.21	97.4	-	0.00
25	3 956	3 961	-1.33	97.4	-	0.00
26	3 313	3 320	0.30	97.4	-	0.00
27	2 812	2 819	1.79	97.4	-	0.00
28	1 919	1 929	5.21	97.4	-	0.00
29	1 710	1 722	6.23	97.4	-	0.00
30	2 353	2 361	3.39	97.4	-	0.00
31	2 989	2 995	1.23	97.4	-	0.00
32	3 864	3 869	-1.11	97.4	-	0.00
33	8 865	8 867	-8.92	97.4	-	0.00
34	8 461	8 463	-8.48	97.4	-	0.00
35	9 349	9 351	-9.44	97.4	-	0.00
36	9 625	9 627	-9.72	97.4	-	0.00
37	9 963	9 964	-10.06	97.4	-	0.00
38	11 325	11 326	-11.31	97.4	-	0.00
39	10 835	10 837	-10.87	97.4	-	0.00
40	10 392	10 394	-10.47	97.4	-	0.00
Sum			14.61			

- Data undefined due to calculation with octave data

Noise sensitive area: C Austrumi

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 240	7 242	-6.98	97.4	-	0.00
2	6 153	6 156	-5.44	97.4	-	0.00
3	4 566	4 571	-2.65	97.4	-	0.00
4	5 321	5 325	-4.08	97.4	-	0.00
5	5 845	5 848	-4.96	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
6	6 360	6 363	-5.75	97.4	-	0.00
7	7 068	7 071	-6.75	97.4	-	0.00
8	6 941	6 944	-6.58	97.4	-	0.00
9	7 509	7 512	-7.33	97.4	-	0.00
10	7 667	7 670	-7.53	97.4	-	0.00
11	6 997	7 000	-6.66	97.4	-	0.00
12	6 403	6 406	-5.82	97.4	-	0.00
13	5 967	5 970	-5.15	97.4	-	0.00
14	4 881	4 886	-3.27	97.4	-	0.00
15	4 171	4 176	-1.82	97.4	-	0.00
16	3 128	3 135	0.82	97.4	-	0.00
17	3 782	3 787	-0.91	97.4	-	0.00
18	4 193	4 198	-1.86	97.4	-	0.00
19	4 331	4 336	-2.16	97.4	-	0.00
20	3 058	3 065	1.03	97.4	-	0.00
21	2 508	2 516	2.82	97.4	-	0.00
22	3 772	3 777	-0.89	97.4	-	0.00
23	4 641	4 646	-2.80	97.4	-	0.00
24	4 849	4 853	-3.21	97.4	-	0.00
25	3 956	3 961	-1.33	97.4	-	0.00
26	3 313	3 320	0.30	97.4	-	0.00
27	2 812	2 819	1.79	97.4	-	0.00
28	1 919	1 929	5.21	97.4	-	0.00
29	1 710	1 722	6.23	97.4	-	0.00
30	2 353	2 361	3.39	97.4	-	0.00
31	2 989	2 995	1.23	97.4	-	0.00
32	3 864	3 869	-1.11	97.4	-	0.00
33	8 865	8 867	-8.92	97.4	-	0.00
34	8 461	8 463	-8.48	97.4	-	0.00
35	9 349	9 351	-9.44	97.4	-	0.00
36	9 625	9 627	-9.72	97.4	-	0.00
37	9 963	9 964	-10.06	97.4	-	0.00
38	11 325	11 326	-11.31	97.4	-	0.00
39	10 835	10 837	-10.87	97.4	-	0.00
40	10 392	10 394	-10.47	97.4	-	0.00
Sum			14.61			

- Data undefined due to calculation with octave data

Noise sensitive area: D Balo ž i

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 732	8 734	-8.78	97.4	-	0.00
2	7 892	7 895	-7.81	97.4	-	0.00
3	6 371	6 374	-5.77	97.4	-	0.00
4	7 035	7 038	-6.71	97.4	-	0.00
5	7 335	7 338	-7.11	97.4	-	0.00
6	7 660	7 662	-7.52	97.4	-	0.00
7	8 414	8 416	-8.42	97.4	-	0.00
8	8 094	8 096	-8.05	97.4	-	0.00
9	8 497	8 499	-8.52	97.4	-	0.00
10	8 380	8 383	-8.38	97.4	-	0.00
11	7 707	7 709	-7.58	97.4	-	0.00
12	7 460	7 462	-7.27	97.4	-	0.00
13	6 907	6 910	-6.53	97.4	-	0.00
14	6 307	6 311	-5.67	97.4	-	0.00
15	5 856	5 860	-4.97	97.4	-	0.00
16	4 776	4 780	-3.07	97.4	-	0.00
17	5 086	5 090	-3.65	97.4	-	0.00
18	5 169	5 172	-3.80	97.4	-	0.00
19	4 851	4 855	-3.21	97.4	-	0.00
20	4 382	4 387	-2.27	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
21	3 669	3 674	-0.63	97.4	-	0.00
22	4 104	4 109	-1.67	97.4	-	0.00
23	4 695	4 700	-2.91	97.4	-	0.00
24	4 508	4 512	-2.53	97.4	-	0.00
25	3 841	3 846	-1.06	97.4	-	0.00
26	3 419	3 424	0.01	97.4	-	0.00
27	3 347	3 353	0.21	97.4	-	0.00
28	2 000	2 010	4.84	97.4	-	0.00
29	1 477	1 490	7.52	97.4	-	0.00
30	1 627	1 639	6.67	97.4	-	0.00
31	1 979	1 989	4.94	97.4	-	0.00
32	3 245	3 251	0.49	97.4	-	0.00
33	9 008	9 010	-9.08	97.4	-	0.00
34	8 784	8 786	-8.84	97.4	-	0.00
35	9 777	9 779	-9.87	97.4	-	0.00
36	9 850	9 852	-9.95	97.4	-	0.00
37	10 035	10 036	-10.13	97.4	-	0.00
38	11 077	11 078	-11.09	97.4	-	0.00
39	10 588	10 589	-10.65	97.4	-	0.00
40	10 213	10 214	-10.30	97.4	-	0.00
Sum			14.65			

- Data undefined due to calculation with octave data

Noise sensitive area: D Balo ž i

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 732	8 734	-8.78	97.4	-	0.00
2	7 892	7 895	-7.81	97.4	-	0.00
3	6 371	6 374	-5.77	97.4	-	0.00
4	7 035	7 038	-6.71	97.4	-	0.00
5	7 335	7 338	-7.11	97.4	-	0.00
6	7 660	7 662	-7.52	97.4	-	0.00
7	8 414	8 416	-8.42	97.4	-	0.00
8	8 094	8 096	-8.05	97.4	-	0.00
9	8 497	8 499	-8.52	97.4	-	0.00
10	8 380	8 383	-8.38	97.4	-	0.00
11	7 707	7 709	-7.58	97.4	-	0.00
12	7 460	7 462	-7.27	97.4	-	0.00
13	6 907	6 910	-6.53	97.4	-	0.00
14	6 307	6 311	-5.67	97.4	-	0.00
15	5 856	5 860	-4.97	97.4	-	0.00
16	4 776	4 780	-3.07	97.4	-	0.00
17	5 086	5 090	-3.65	97.4	-	0.00
18	5 169	5 172	-3.80	97.4	-	0.00
19	4 851	4 855	-3.21	97.4	-	0.00
20	4 382	4 387	-2.27	97.4	-	0.00
21	3 669	3 674	-0.63	97.4	-	0.00
22	4 104	4 109	-1.67	97.4	-	0.00
23	4 695	4 700	-2.91	97.4	-	0.00
24	4 508	4 512	-2.53	97.4	-	0.00
25	3 841	3 846	-1.06	97.4	-	0.00
26	3 419	3 424	0.01	97.4	-	0.00
27	3 347	3 353	0.21	97.4	-	0.00
28	2 000	2 010	4.84	97.4	-	0.00
29	1 477	1 490	7.52	97.4	-	0.00
30	1 627	1 639	6.67	97.4	-	0.00
31	1 979	1 989	4.94	97.4	-	0.00
32	3 245	3 251	0.49	97.4	-	0.00
33	9 008	9 010	-9.08	97.4	-	0.00
34	8 784	8 786	-8.84	97.4	-	0.00
35	9 777	9 779	-9.87	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 850	9 852	-9.95	97.4	-	0.00
37	10 035	10 036	-10.13	97.4	-	0.00
38	11 077	11 078	-11.09	97.4	-	0.00
39	10 588	10 589	-10.65	97.4	-	0.00
40	10 213	10 214	-10.30	97.4	-	0.00
Sum			14.65			

- Data undefined due to calculation with octave data

Noise sensitive area: E Bambali

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 111	8 113	-8.07	97.4	-	0.00
2	9 196	9 198	-9.28	97.4	-	0.00
3	9 883	9 885	-9.98	97.4	-	0.00
4	9 383	9 385	-9.47	97.4	-	0.00
5	8 620	8 623	-8.65	97.4	-	0.00
6	7 928	7 930	-7.85	97.4	-	0.00
7	7 726	7 729	-7.60	97.4	-	0.00
8	7 287	7 290	-7.04	97.4	-	0.00
9	6 587	6 590	-6.09	97.4	-	0.00
10	5 912	5 916	-5.06	97.4	-	0.00
11	6 406	6 409	-5.82	97.4	-	0.00
12	7 400	7 402	-7.19	97.4	-	0.00
13	7 510	7 513	-7.33	97.4	-	0.00
14	8 978	8 980	-9.05	97.4	-	0.00
15	9 812	9 814	-9.91	97.4	-	0.00
16	10 331	10 333	-10.41	97.4	-	0.00
17	9 531	9 533	-9.63	97.4	-	0.00
18	8 938	8 940	-9.00	97.4	-	0.00
19	8 621	8 623	-8.66	97.4	-	0.00
20	10 088	10 090	-10.18	97.4	-	0.00
21	10 472	10 474	-10.54	97.4	-	0.00
22	9 179	9 181	-9.26	97.4	-	0.00
23	8 339	8 341	-8.34	97.4	-	0.00
24	8 315	8 318	-8.31	97.4	-	0.00
25	9 126	9 128	-9.21	97.4	-	0.00
26	9 722	9 724	-9.82	97.4	-	0.00
27	10 145	10 147	-10.23	97.4	-	0.00
28	11 371	11 373	-11.35	97.4	-	0.00
29	11 934	11 935	-11.82	97.4	-	0.00
30	11 352	11 354	-11.33	97.4	-	0.00
31	10 822	10 824	-10.86	97.4	-	0.00
32	9 555	9 557	-9.65	97.4	-	0.00
33	4 143	4 148	-1.75	97.4	-	0.00
34	4 685	4 690	-2.89	97.4	-	0.00
35	4 137	4 142	-1.74	97.4	-	0.00
36	3 547	3 553	-0.33	97.4	-	0.00
37	3 054	3 059	1.04	97.4	-	0.00
38	1 695	1 703	6.33	97.4	-	0.00
39	2 179	2 185	4.09	97.4	-	0.00
40	2 568	2 573	2.61	97.4	-	0.00
Sum			12.33			

- Data undefined due to calculation with octave data

Noise sensitive area: E Bambali

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 111	8 113	-8.07	97.4	-	0.00
2	9 196	9 198	-9.28	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
3	9 883	9 885	-9.98	97.4	-	0.00
4	9 383	9 385	-9.47	97.4	-	0.00
5	8 620	8 623	-8.65	97.4	-	0.00
6	7 928	7 930	-7.85	97.4	-	0.00
7	7 726	7 729	-7.60	97.4	-	0.00
8	7 287	7 290	-7.04	97.4	-	0.00
9	6 587	6 590	-6.09	97.4	-	0.00
10	5 912	5 916	-5.06	97.4	-	0.00
11	6 406	6 409	-5.82	97.4	-	0.00
12	7 400	7 402	-7.19	97.4	-	0.00
13	7 510	7 513	-7.33	97.4	-	0.00
14	8 978	8 980	-9.05	97.4	-	0.00
15	9 812	9 814	-9.91	97.4	-	0.00
16	10 331	10 333	-10.41	97.4	-	0.00
17	9 531	9 533	-9.63	97.4	-	0.00
18	8 938	8 940	-9.00	97.4	-	0.00
19	8 621	8 623	-8.66	97.4	-	0.00
20	10 088	10 090	-10.18	97.4	-	0.00
21	10 472	10 474	-10.54	97.4	-	0.00
22	9 179	9 181	-9.26	97.4	-	0.00
23	8 339	8 341	-8.34	97.4	-	0.00
24	8 315	8 318	-8.31	97.4	-	0.00
25	9 126	9 128	-9.21	97.4	-	0.00
26	9 722	9 724	-9.82	97.4	-	0.00
27	10 145	10 147	-10.23	97.4	-	0.00
28	11 371	11 373	-11.35	97.4	-	0.00
29	11 934	11 935	-11.82	97.4	-	0.00
30	11 352	11 354	-11.33	97.4	-	0.00
31	10 822	10 824	-10.86	97.4	-	0.00
32	9 555	9 557	-9.65	97.4	-	0.00
33	4 143	4 148	-1.75	97.4	-	0.00
34	4 685	4 690	-2.89	97.4	-	0.00
35	4 137	4 142	-1.74	97.4	-	0.00
36	3 547	3 553	-0.33	97.4	-	0.00
37	3 054	3 059	1.04	97.4	-	0.00
38	1 695	1 703	6.33	97.4	-	0.00
39	2 179	2 185	4.09	97.4	-	0.00
40	2 568	2 573	2.61	97.4	-	0.00
Sum			12.33			

- Data undefined due to calculation with octave data

Noise sensitive area: F Berznieki

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 036	2 045	4.69	97.4	-	0.00
2	1 217	1 233	9.20	97.4	-	0.00
3	2 304	2 312	3.58	97.4	-	0.00
4	1 816	1 827	5.70	97.4	-	0.00
5	2 105	2 115	4.39	97.4	-	0.00
6	2 554	2 562	2.65	97.4	-	0.00
7	2 457	2 465	3.00	97.4	-	0.00
8	3 018	3 025	1.14	97.4	-	0.00
9	3 639	3 645	-0.56	97.4	-	0.00
10	4 452	4 456	-2.42	97.4	-	0.00
11	4 263	4 268	-2.02	97.4	-	0.00
12	3 249	3 256	0.47	97.4	-	0.00
13	3 581	3 587	-0.41	97.4	-	0.00
14	2 778	2 785	1.90	97.4	-	0.00
15	2 850	2 857	1.66	97.4	-	0.00
16	3 878	3 884	-1.14	97.4	-	0.00
17	3 790	3 796	-0.93	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
18	4 095	4 100	-1.65	97.4	-	0.00
19	4 869	4 873	-3.25	97.4	-	0.00
20	4 352	4 356	-2.21	97.4	-	0.00
21	5 032	5 036	-3.56	97.4	-	0.00
22	5 383	5 387	-4.19	97.4	-	0.00
23	5 635	5 638	-4.61	97.4	-	0.00
24	6 318	6 321	-5.69	97.4	-	0.00
25	6 019	6 023	-5.23	97.4	-	0.00
26	5 891	5 894	-5.03	97.4	-	0.00
27	5 581	5 584	-4.52	97.4	-	0.00
28	6 680	6 683	-6.22	97.4	-	0.00
29	7 165	7 168	-6.88	97.4	-	0.00
30	7 194	7 197	-6.92	97.4	-	0.00
31	7 302	7 305	-7.06	97.4	-	0.00
32	6 758	6 761	-6.33	97.4	-	0.00
33	6 483	6 487	-5.94	97.4	-	0.00
34	5 816	5 819	-4.91	97.4	-	0.00
35	6 042	6 045	-5.27	97.4	-	0.00
36	6 728	6 731	-6.29	97.4	-	0.00
37	7 327	7 329	-7.10	97.4	-	0.00
38	9 072	9 073	-9.15	97.4	-	0.00
39	8 714	8 715	-8.76	97.4	-	0.00
40	8 236	8 238	-8.22	97.4	-	0.00
Sum			16.11			

- Data undefined due to calculation with octave data

Noise sensitive area: F Berznieki

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 036	2 045	4.69	97.4	-	0.00
2	1 217	1 233	9.20	97.4	-	0.00
3	2 304	2 312	3.58	97.4	-	0.00
4	1 816	1 827	5.70	97.4	-	0.00
5	2 105	2 115	4.39	97.4	-	0.00
6	2 554	2 562	2.65	97.4	-	0.00
7	2 457	2 465	3.00	97.4	-	0.00
8	3 018	3 025	1.14	97.4	-	0.00
9	3 639	3 645	-0.56	97.4	-	0.00
10	4 452	4 456	-2.42	97.4	-	0.00
11	4 263	4 268	-2.02	97.4	-	0.00
12	3 249	3 256	0.47	97.4	-	0.00
13	3 581	3 587	-0.41	97.4	-	0.00
14	2 778	2 785	1.90	97.4	-	0.00
15	2 850	2 857	1.66	97.4	-	0.00
16	3 878	3 884	-1.14	97.4	-	0.00
17	3 790	3 796	-0.93	97.4	-	0.00
18	4 095	4 100	-1.65	97.4	-	0.00
19	4 869	4 873	-3.25	97.4	-	0.00
20	4 352	4 356	-2.21	97.4	-	0.00
21	5 032	5 036	-3.56	97.4	-	0.00
22	5 383	5 387	-4.19	97.4	-	0.00
23	5 635	5 638	-4.61	97.4	-	0.00
24	6 318	6 321	-5.69	97.4	-	0.00
25	6 019	6 023	-5.23	97.4	-	0.00
26	5 891	5 894	-5.03	97.4	-	0.00
27	5 581	5 584	-4.52	97.4	-	0.00
28	6 680	6 683	-6.22	97.4	-	0.00
29	7 165	7 168	-6.88	97.4	-	0.00
30	7 194	7 197	-6.92	97.4	-	0.00
31	7 302	7 305	-7.06	97.4	-	0.00
32	6 758	6 761	-6.33	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
33	6 483	6 487	-5.94	97.4	-	0.00
34	5 816	5 819	-4.91	97.4	-	0.00
35	6 042	6 045	-5.27	97.4	-	0.00
36	6 728	6 731	-6.29	97.4	-	0.00
37	7 327	7 329	-7.10	97.4	-	0.00
38	9 072	9 073	-9.15	97.4	-	0.00
39	8 714	8 715	-8.76	97.4	-	0.00
40	8 236	8 238	-8.22	97.4	-	0.00
Sum			16.11			

- Data undefined due to calculation with octave data

Noise sensitive area: G Birznieki

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 961	6 963	-6.61	97.4	-	0.00
2	5 922	5 925	-5.08	97.4	-	0.00
3	4 335	4 340	-2.17	97.4	-	0.00
4	5 075	5 079	-3.63	97.4	-	0.00
5	5 554	5 558	-4.48	97.4	-	0.00
6	6 037	6 040	-5.26	97.4	-	0.00
7	6 759	6 762	-6.33	97.4	-	0.00
8	6 597	6 600	-6.10	97.4	-	0.00
9	7 143	7 146	-6.86	97.4	-	0.00
10	7 266	7 268	-7.02	97.4	-	0.00
11	6 591	6 594	-6.09	97.4	-	0.00
12	6 039	6 043	-5.27	97.4	-	0.00
13	5 582	5 586	-4.53	97.4	-	0.00
14	4 566	4 571	-2.65	97.4	-	0.00
15	3 903	3 908	-1.20	97.4	-	0.00
16	2 827	2 834	1.74	97.4	-	0.00
17	3 424	3 430	0.00	97.4	-	0.00
18	3 791	3 796	-0.93	97.4	-	0.00
19	3 879	3 884	-1.15	97.4	-	0.00
20	2 685	2 692	2.20	97.4	-	0.00
21	2 085	2 095	4.47	97.4	-	0.00
22	3 297	3 303	0.34	97.4	-	0.00
23	4 160	4 165	-1.79	97.4	-	0.00
24	4 355	4 359	-2.21	97.4	-	0.00
25	3 463	3 469	-0.11	97.4	-	0.00
26	2 822	2 829	1.75	97.4	-	0.00
27	2 333	2 342	3.47	97.4	-	0.00
28	1 440	1 453	7.74	97.4	-	0.00
29	1 312	1 327	8.55	97.4	-	0.00
30	1 910	1 920	5.25	97.4	-	0.00
31	2 530	2 537	2.74	97.4	-	0.00
32	3 369	3 375	0.14	97.4	-	0.00
33	8 412	8 414	-8.42	97.4	-	0.00
34	8 021	8 024	-7.96	97.4	-	0.00
35	8 923	8 925	-8.99	97.4	-	0.00
36	9 181	9 183	-9.26	97.4	-	0.00
37	9 508	9 509	-9.60	97.4	-	0.00
38	10 851	10 852	-10.89	97.4	-	0.00
39	10 361	10 362	-10.44	97.4	-	0.00
40	9 921	9 922	-10.01	97.4	-	0.00
Sum			16.15			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: G Birznieki

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 961	6 963	-6.61	97.4	-	0.00
2	5 922	5 925	-5.08	97.4	-	0.00
3	4 335	4 340	-2.17	97.4	-	0.00
4	5 075	5 079	-3.63	97.4	-	0.00
5	5 554	5 558	-4.48	97.4	-	0.00
6	6 037	6 040	-5.26	97.4	-	0.00
7	6 759	6 762	-6.33	97.4	-	0.00
8	6 597	6 600	-6.10	97.4	-	0.00
9	7 143	7 146	-6.86	97.4	-	0.00
10	7 266	7 268	-7.02	97.4	-	0.00
11	6 591	6 594	-6.09	97.4	-	0.00
12	6 039	6 043	-5.27	97.4	-	0.00
13	5 582	5 586	-4.53	97.4	-	0.00
14	4 566	4 571	-2.65	97.4	-	0.00
15	3 903	3 908	-1.20	97.4	-	0.00
16	2 827	2 834	1.74	97.4	-	0.00
17	3 424	3 430	0.00	97.4	-	0.00
18	3 791	3 796	-0.93	97.4	-	0.00
19	3 879	3 884	-1.15	97.4	-	0.00
20	2 685	2 692	2.20	97.4	-	0.00
21	2 085	2 095	4.47	97.4	-	0.00
22	3 297	3 303	0.34	97.4	-	0.00
23	4 160	4 165	-1.79	97.4	-	0.00
24	4 355	4 359	-2.21	97.4	-	0.00
25	3 463	3 469	-0.11	97.4	-	0.00
26	2 822	2 829	1.75	97.4	-	0.00
27	2 333	2 342	3.47	97.4	-	0.00
28	1 440	1 453	7.74	97.4	-	0.00
29	1 312	1 327	8.55	97.4	-	0.00
30	1 910	1 920	5.25	97.4	-	0.00
31	2 530	2 537	2.74	97.4	-	0.00
32	3 369	3 375	0.14	97.4	-	0.00
33	8 412	8 414	-8.42	97.4	-	0.00
34	8 021	8 024	-7.96	97.4	-	0.00
35	8 923	8 925	-8.99	97.4	-	0.00
36	9 181	9 183	-9.26	97.4	-	0.00
37	9 508	9 509	-9.60	97.4	-	0.00
38	10 851	10 852	-10.89	97.4	-	0.00
39	10 361	10 362	-10.44	97.4	-	0.00
40	9 921	9 922	-10.01	97.4	-	0.00
Sum			16.15			

- Data undefined due to calculation with octave data

Noise sensitive area: H Bolderkrogs

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 120	5 124	-3.72	97.4	-	0.00
2	6 323	6 326	-5.70	97.4	-	0.00
3	7 304	7 307	-7.07	97.4	-	0.00
4	6 685	6 688	-6.22	97.4	-	0.00
5	5 914	5 917	-5.07	97.4	-	0.00
6	5 216	5 219	-3.89	97.4	-	0.00
7	4 833	4 837	-3.18	97.4	-	0.00
8	4 539	4 543	-2.60	97.4	-	0.00
9	3 833	3 838	-1.04	97.4	-	0.00
10	3 421	3 426	0.01	97.4	-	0.00
11	4 071	4 076	-1.59	97.4	-	0.00
12	4 850	4 855	-3.21	97.4	-	0.00
13	5 153	5 157	-3.78	97.4	-	0.00
14	6 513	6 516	-5.98	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	7 366	7 369	-7.15	97.4	-	0.00
16	8 114	8 117	-8.07	97.4	-	0.00
17	7 349	7 351	-7.13	97.4	-	0.00
18	6 869	6 872	-6.48	97.4	-	0.00
19	6 820	6 823	-6.42	97.4	-	0.00
20	8 024	8 026	-7.97	97.4	-	0.00
21	8 558	8 561	-8.59	97.4	-	0.00
22	7 515	7 517	-7.34	97.4	-	0.00
23	6 830	6 833	-6.43	97.4	-	0.00
24	7 067	7 070	-6.75	97.4	-	0.00
25	7 683	7 686	-7.55	97.4	-	0.00
26	8 165	8 168	-8.13	97.4	-	0.00
27	8 437	8 439	-8.45	97.4	-	0.00
28	9 807	9 809	-9.90	97.4	-	0.00
29	10 411	10 413	-10.48	97.4	-	0.00
30	9 948	9 950	-10.04	97.4	-	0.00
31	9 550	9 552	-9.65	97.4	-	0.00
32	8 311	8 313	-8.30	97.4	-	0.00
33	2 661	2 668	2.29	97.4	-	0.00
34	2 743	2 750	2.01	97.4	-	0.00
35	1 748	1 759	6.04	97.4	-	0.00
36	1 822	1 832	5.67	97.4	-	0.00
37	2 019	2 026	4.77	97.4	-	0.00
38	2 962	2 966	1.32	97.4	-	0.00
39	2 951	2 955	1.36	97.4	-	0.00
40	2 752	2 757	1.99	97.4	-	0.00
Sum			14.43			

- Data undefined due to calculation with octave data

Noise sensitive area: H Bolderkrogs

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 120	5 124	-3.72	97.4	-	0.00
2	6 323	6 326	-5.70	97.4	-	0.00
3	7 304	7 307	-7.07	97.4	-	0.00
4	6 685	6 688	-6.22	97.4	-	0.00
5	5 914	5 917	-5.07	97.4	-	0.00
6	5 216	5 219	-3.89	97.4	-	0.00
7	4 833	4 837	-3.18	97.4	-	0.00
8	4 539	4 543	-2.60	97.4	-	0.00
9	3 833	3 838	-1.04	97.4	-	0.00
10	3 421	3 426	0.01	97.4	-	0.00
11	4 071	4 076	-1.59	97.4	-	0.00
12	4 850	4 855	-3.21	97.4	-	0.00
13	5 153	5 157	-3.78	97.4	-	0.00
14	6 513	6 516	-5.98	97.4	-	0.00
15	7 366	7 369	-7.15	97.4	-	0.00
16	8 114	8 117	-8.07	97.4	-	0.00
17	7 349	7 351	-7.13	97.4	-	0.00
18	6 869	6 872	-6.48	97.4	-	0.00
19	6 820	6 823	-6.42	97.4	-	0.00
20	8 024	8 026	-7.97	97.4	-	0.00
21	8 558	8 561	-8.59	97.4	-	0.00
22	7 515	7 517	-7.34	97.4	-	0.00
23	6 830	6 833	-6.43	97.4	-	0.00
24	7 067	7 070	-6.75	97.4	-	0.00
25	7 683	7 686	-7.55	97.4	-	0.00
26	8 165	8 168	-8.13	97.4	-	0.00
27	8 437	8 439	-8.45	97.4	-	0.00
28	9 807	9 809	-9.90	97.4	-	0.00
29	10 411	10 413	-10.48	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	9 948	9 950	-10.04	97.4	-	0.00
31	9 550	9 552	-9.65	97.4	-	0.00
32	8 311	8 313	-8.30	97.4	-	0.00
33	2 661	2 668	2.29	97.4	-	0.00
34	2 743	2 750	2.01	97.4	-	0.00
35	1 748	1 759	6.04	97.4	-	0.00
36	1 822	1 832	5.67	97.4	-	0.00
37	2 019	2 026	4.77	97.4	-	0.00
38	2 962	2 966	1.32	97.4	-	0.00
39	2 951	2 955	1.36	97.4	-	0.00
40	2 752	2 757	1.99	97.4	-	0.00
Sum			14.43			

- Data undefined due to calculation with octave data

Noise sensitive area: I Bru ž i

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 563	1 576	7.02	97.4	-	0.00
2	2 739	2 746	2.03	97.4	-	0.00
3	4 266	4 271	-2.02	97.4	-	0.00
4	3 502	3 508	-0.21	97.4	-	0.00
5	2 974	2 980	1.28	97.4	-	0.00
6	2 608	2 616	2.47	97.4	-	0.00
7	1 855	1 866	5.51	97.4	-	0.00
8	2 309	2 318	3.56	97.4	-	0.00
9	2 301	2 310	3.59	97.4	-	0.00
10	3 046	3 053	1.06	97.4	-	0.00
11	3 360	3 366	0.17	97.4	-	0.00
12	2 962	2 969	1.32	97.4	-	0.00
13	3 552	3 558	-0.34	97.4	-	0.00
14	3 988	3 993	-1.40	97.4	-	0.00
15	4 630	4 634	-2.78	97.4	-	0.00
16	5 697	5 701	-4.72	97.4	-	0.00
17	5 199	5 203	-3.86	97.4	-	0.00
18	5 109	5 113	-3.70	97.4	-	0.00
19	5 603	5 607	-4.56	97.4	-	0.00
20	5 937	5 940	-5.10	97.4	-	0.00
21	6 642	6 645	-6.16	97.4	-	0.00
22	6 322	6 325	-5.70	97.4	-	0.00
23	6 132	6 136	-5.41	97.4	-	0.00
24	6 720	6 723	-6.27	97.4	-	0.00
25	6 827	6 830	-6.42	97.4	-	0.00
26	6 984	6 987	-6.64	97.4	-	0.00
27	6 923	6 926	-6.56	97.4	-	0.00
28	8 272	8 275	-8.26	97.4	-	0.00
29	8 850	8 852	-8.91	97.4	-	0.00
30	8 658	8 660	-8.70	97.4	-	0.00
31	8 544	8 546	-8.57	97.4	-	0.00
32	7 615	7 618	-7.47	97.4	-	0.00
33	4 757	4 762	-3.03	97.4	-	0.00
34	4 148	4 153	-1.76	97.4	-	0.00
35	3 894	3 899	-1.18	97.4	-	0.00
36	4 646	4 651	-2.81	97.4	-	0.00
37	5 260	5 263	-3.97	97.4	-	0.00
38	6 924	6 926	-6.56	97.4	-	0.00
39	6 673	6 675	-6.21	97.4	-	0.00
40	6 250	6 252	-5.59	97.4	-	0.00
Sum			15.20			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: I Bru ž i

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 563	1 576	7.02	97.4	-	0.00
2	2 739	2 746	2.03	97.4	-	0.00
3	4 266	4 271	-2.02	97.4	-	0.00
4	3 502	3 508	-0.21	97.4	-	0.00
5	2 974	2 980	1.28	97.4	-	0.00
6	2 608	2 616	2.47	97.4	-	0.00
7	1 855	1 866	5.51	97.4	-	0.00
8	2 309	2 318	3.56	97.4	-	0.00
9	2 301	2 310	3.59	97.4	-	0.00
10	3 046	3 053	1.06	97.4	-	0.00
11	3 360	3 366	0.17	97.4	-	0.00
12	2 962	2 969	1.32	97.4	-	0.00
13	3 552	3 558	-0.34	97.4	-	0.00
14	3 988	3 993	-1.40	97.4	-	0.00
15	4 630	4 634	-2.78	97.4	-	0.00
16	5 697	5 701	-4.72	97.4	-	0.00
17	5 199	5 203	-3.86	97.4	-	0.00
18	5 109	5 113	-3.70	97.4	-	0.00
19	5 603	5 607	-4.56	97.4	-	0.00
20	5 937	5 940	-5.10	97.4	-	0.00
21	6 642	6 645	-6.16	97.4	-	0.00
22	6 322	6 325	-5.70	97.4	-	0.00
23	6 132	6 136	-5.41	97.4	-	0.00
24	6 720	6 723	-6.27	97.4	-	0.00
25	6 827	6 830	-6.42	97.4	-	0.00
26	6 984	6 987	-6.64	97.4	-	0.00
27	6 923	6 926	-6.56	97.4	-	0.00
28	8 272	8 275	-8.26	97.4	-	0.00
29	8 850	8 852	-8.91	97.4	-	0.00
30	8 658	8 660	-8.70	97.4	-	0.00
31	8 544	8 546	-8.57	97.4	-	0.00
32	7 615	7 618	-7.47	97.4	-	0.00
33	4 757	4 762	-3.03	97.4	-	0.00
34	4 148	4 153	-1.76	97.4	-	0.00
35	3 894	3 899	-1.18	97.4	-	0.00
36	4 646	4 651	-2.81	97.4	-	0.00
37	5 260	5 263	-3.97	97.4	-	0.00
38	6 924	6 926	-6.56	97.4	-	0.00
39	6 673	6 675	-6.21	97.4	-	0.00
40	6 250	6 252	-5.59	97.4	-	0.00
Sum			15.20			

- Data undefined due to calculation with octave data

Noise sensitive area: J Bruveri

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 223	9 225	-9.31	97.4	-	0.00
2	8 348	8 351	-8.35	97.4	-	0.00
3	6 807	6 810	-6.40	97.4	-	0.00
4	7 489	7 492	-7.31	97.4	-	0.00
5	7 819	7 822	-7.72	97.4	-	0.00
6	8 165	8 168	-8.13	97.4	-	0.00
7	8 918	8 921	-8.98	97.4	-	0.00
8	8 614	8 617	-8.65	97.4	-	0.00
9	9 031	9 033	-9.10	97.4	-	0.00
10	8 929	8 931	-8.99	97.4	-	0.00
11	8 254	8 256	-8.24	97.4	-	0.00
12	7 985	7 987	-7.92	97.4	-	0.00
13	7 438	7 441	-7.24	97.4	-	0.00
14	6 791	6 794	-6.37	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	6 305	6 308	-5.67	97.4	-	0.00
16	5 214	5 218	-3.89	97.4	-	0.00
17	5 570	5 574	-4.50	97.4	-	0.00
18	5 684	5 688	-4.69	97.4	-	0.00
19	5 393	5 397	-4.20	97.4	-	0.00
20	4 852	4 856	-3.22	97.4	-	0.00
21	4 138	4 143	-1.74	97.4	-	0.00
22	4 649	4 654	-2.82	97.4	-	0.00
23	5 255	5 259	-3.96	97.4	-	0.00
24	5 071	5 075	-3.63	97.4	-	0.00
25	4 401	4 405	-2.31	97.4	-	0.00
26	3 966	3 971	-1.35	97.4	-	0.00
27	3 865	3 870	-1.11	97.4	-	0.00
28	2 488	2 496	2.89	97.4	-	0.00
29	1 921	1 931	5.20	97.4	-	0.00
30	2 167	2 176	4.13	97.4	-	0.00
31	2 542	2 550	2.69	97.4	-	0.00
32	3 809	3 814	-0.98	97.4	-	0.00
33	9 571	9 573	-9.67	97.4	-	0.00
34	9 345	9 348	-9.44	97.4	-	0.00
35	10 338	10 339	-10.42	97.4	-	0.00
36	10 413	10 415	-10.49	97.4	-	0.00
37	10 598	10 600	-10.66	97.4	-	0.00
38	11 633	11 634	-11.57	97.4	-	0.00
39	11 145	11 146	-11.15	97.4	-	0.00
40	10 772	10 774	-10.82	97.4	-	0.00
Sum			12.97			

- Data undefined due to calculation with octave data

Noise sensitive area: J Bruveri

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 223	9 225	-9.31	97.4	-	0.00
2	8 348	8 351	-8.35	97.4	-	0.00
3	6 807	6 810	-6.40	97.4	-	0.00
4	7 489	7 492	-7.31	97.4	-	0.00
5	7 819	7 822	-7.72	97.4	-	0.00
6	8 165	8 168	-8.13	97.4	-	0.00
7	8 918	8 921	-8.98	97.4	-	0.00
8	8 614	8 617	-8.65	97.4	-	0.00
9	9 031	9 033	-9.10	97.4	-	0.00
10	8 929	8 931	-8.99	97.4	-	0.00
11	8 254	8 256	-8.24	97.4	-	0.00
12	7 985	7 987	-7.92	97.4	-	0.00
13	7 438	7 441	-7.24	97.4	-	0.00
14	6 791	6 794	-6.37	97.4	-	0.00
15	6 305	6 308	-5.67	97.4	-	0.00
16	5 214	5 218	-3.89	97.4	-	0.00
17	5 570	5 574	-4.50	97.4	-	0.00
18	5 684	5 688	-4.69	97.4	-	0.00
19	5 393	5 397	-4.20	97.4	-	0.00
20	4 852	4 856	-3.22	97.4	-	0.00
21	4 138	4 143	-1.74	97.4	-	0.00
22	4 649	4 654	-2.82	97.4	-	0.00
23	5 255	5 259	-3.96	97.4	-	0.00
24	5 071	5 075	-3.63	97.4	-	0.00
25	4 401	4 405	-2.31	97.4	-	0.00
26	3 966	3 971	-1.35	97.4	-	0.00
27	3 865	3 870	-1.11	97.4	-	0.00
28	2 488	2 496	2.89	97.4	-	0.00
29	1 921	1 931	5.20	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	2 167	2 176	4.13	97.4	-	0.00
31	2 542	2 550	2.69	97.4	-	0.00
32	3 809	3 814	-0.98	97.4	-	0.00
33	9 571	9 573	-9.67	97.4	-	0.00
34	9 345	9 348	-9.44	97.4	-	0.00
35	10 338	10 339	-10.42	97.4	-	0.00
36	10 413	10 415	-10.49	97.4	-	0.00
37	10 598	10 600	-10.66	97.4	-	0.00
38	11 633	11 634	-11.57	97.4	-	0.00
39	11 145	11 146	-11.15	97.4	-	0.00
40	10 772	10 774	-10.82	97.4	-	0.00
Sum			12.97			

- Data undefined due to calculation with octave data

Noise sensitive area: K Buras

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 972	1 982	4.97	97.4	-	0.00
2	3 194	3 200	0.63	97.4	-	0.00
3	4 343	4 348	-2.19	97.4	-	0.00
4	3 653	3 659	-0.60	97.4	-	0.00
5	2 909	2 916	1.48	97.4	-	0.00
6	2 254	2 263	3.78	97.4	-	0.00
7	1 723	1 734	6.16	97.4	-	0.00
8	1 613	1 626	6.74	97.4	-	0.00
9	1 076	1 095	10.26	97.4	-	0.00
10	1 482	1 495	7.49	97.4	-	0.00
11	2 004	2 015	4.82	97.4	-	0.00
12	2 156	2 166	4.17	97.4	-	0.00
13	2 671	2 679	2.25	97.4	-	0.00
14	3 705	3 710	-0.73	97.4	-	0.00
15	4 519	4 524	-2.56	97.4	-	0.00
16	5 439	5 443	-4.28	97.4	-	0.00
17	4 767	4 772	-3.05	97.4	-	0.00
18	4 464	4 469	-2.44	97.4	-	0.00
19	4 732	4 737	-2.98	97.4	-	0.00
20	5 507	5 510	-4.40	97.4	-	0.00
21	6 153	6 156	-5.44	97.4	-	0.00
22	5 482	5 485	-4.35	97.4	-	0.00
23	5 080	5 084	-3.64	97.4	-	0.00
24	5 572	5 575	-4.51	97.4	-	0.00
25	5 872	5 876	-5.00	97.4	-	0.00
26	6 170	6 173	-5.47	97.4	-	0.00
27	6 252	6 255	-5.59	97.4	-	0.00
28	7 655	7 658	-7.52	97.4	-	0.00
29	8 260	8 262	-8.24	97.4	-	0.00
30	7 945	7 948	-7.87	97.4	-	0.00
31	7 711	7 714	-7.58	97.4	-	0.00
32	6 632	6 635	-6.15	97.4	-	0.00
33	3 023	3 029	1.13	97.4	-	0.00
34	2 421	2 430	3.13	97.4	-	0.00
35	2 204	2 213	3.98	97.4	-	0.00
36	2 950	2 957	1.35	97.4	-	0.00
37	3 569	3 572	-0.38	97.4	-	0.00
38	5 273	5 275	-3.99	97.4	-	0.00
39	4 988	4 991	-3.47	97.4	-	0.00
40	4 549	4 552	-2.61	97.4	-	0.00
Sum			17.67			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: K Buras

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 972	1 982	4.97	97.4	-	0.00
2	3 194	3 200	0.63	97.4	-	0.00
3	4 343	4 348	-2.19	97.4	-	0.00
4	3 653	3 659	-0.60	97.4	-	0.00
5	2 909	2 916	1.48	97.4	-	0.00
6	2 254	2 263	3.78	97.4	-	0.00
7	1 723	1 734	6.16	97.4	-	0.00
8	1 613	1 626	6.74	97.4	-	0.00
9	1 076	1 095	10.26	97.4	-	0.00
10	1 482	1 495	7.49	97.4	-	0.00
11	2 004	2 015	4.82	97.4	-	0.00
12	2 156	2 166	4.17	97.4	-	0.00
13	2 671	2 679	2.25	97.4	-	0.00
14	3 705	3 710	-0.73	97.4	-	0.00
15	4 519	4 524	-2.56	97.4	-	0.00
16	5 439	5 443	-4.28	97.4	-	0.00
17	4 767	4 772	-3.05	97.4	-	0.00
18	4 464	4 469	-2.44	97.4	-	0.00
19	4 732	4 737	-2.98	97.4	-	0.00
20	5 507	5 510	-4.40	97.4	-	0.00
21	6 153	6 156	-5.44	97.4	-	0.00
22	5 482	5 485	-4.35	97.4	-	0.00
23	5 080	5 084	-3.64	97.4	-	0.00
24	5 572	5 575	-4.51	97.4	-	0.00
25	5 872	5 876	-5.00	97.4	-	0.00
26	6 170	6 173	-5.47	97.4	-	0.00
27	6 252	6 255	-5.59	97.4	-	0.00
28	7 655	7 658	-7.52	97.4	-	0.00
29	8 260	8 262	-8.24	97.4	-	0.00
30	7 945	7 948	-7.87	97.4	-	0.00
31	7 711	7 714	-7.58	97.4	-	0.00
32	6 632	6 635	-6.15	97.4	-	0.00
33	3 023	3 029	1.13	97.4	-	0.00
34	2 421	2 430	3.13	97.4	-	0.00
35	2 204	2 213	3.98	97.4	-	0.00
36	2 950	2 957	1.35	97.4	-	0.00
37	3 569	3 572	-0.38	97.4	-	0.00
38	5 273	5 275	-3.99	97.4	-	0.00
39	4 988	4 991	-3.47	97.4	-	0.00
40	4 549	4 552	-2.61	97.4	-	0.00
Sum			17.67			

- Data undefined due to calculation with octave data

Noise sensitive area: L Celaraji

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 396	3 401	0.07	97.4	-	0.00
2	2 132	2 141	4.27	97.4	-	0.00
3	1 741	1 752	6.07	97.4	-	0.00
4	1 928	1 938	5.17	97.4	-	0.00
5	2 659	2 666	2.29	97.4	-	0.00
6	3 340	3 346	0.22	97.4	-	0.00
7	3 618	3 624	-0.51	97.4	-	0.00
8	3 982	3 987	-1.39	97.4	-	0.00
9	4 689	4 693	-2.90	97.4	-	0.00
10	5 369	5 372	-4.16	97.4	-	0.00
11	4 976	4 980	-3.45	97.4	-	0.00
12	3 922	3 927	-1.25	97.4	-	0.00
13	4 000	4 006	-1.43	97.4	-	0.00
14	2 665	2 673	2.27	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	2 190	2 199	4.03	97.4	-	0.00
16	2 867	2 874	1.61	97.4	-	0.00
17	3 146	3 152	0.77	97.4	-	0.00
18	3 681	3 687	-0.67	97.4	-	0.00
19	4 494	4 499	-2.51	97.4	-	0.00
20	3 443	3 449	-0.06	97.4	-	0.00
21	4 005	4 010	-1.44	97.4	-	0.00
22	4 789	4 794	-3.09	97.4	-	0.00
23	5 300	5 304	-4.04	97.4	-	0.00
24	5 963	5 967	-5.15	97.4	-	0.00
25	5 436	5 440	-4.28	97.4	-	0.00
26	5 130	5 134	-3.73	97.4	-	0.00
27	4 682	4 686	-2.88	97.4	-	0.00
28	5 520	5 523	-4.42	97.4	-	0.00
29	5 918	5 921	-5.07	97.4	-	0.00
30	6 085	6 088	-5.34	97.4	-	0.00
31	6 329	6 332	-5.71	97.4	-	0.00
32	6 071	6 074	-5.31	97.4	-	0.00
33	7 326	7 328	-7.10	97.4	-	0.00
34	6 685	6 688	-6.23	97.4	-	0.00
35	7 133	7 135	-6.84	97.4	-	0.00
36	7 740	7 742	-7.62	97.4	-	0.00
37	8 298	8 299	-8.29	97.4	-	0.00
38	10 016	10 017	-10.11	97.4	-	0.00
39	9 607	9 609	-9.70	97.4	-	0.00
40	9 118	9 119	-9.20	97.4	-	0.00
Sum			15.25			

- Data undefined due to calculation with octave data

Noise sensitive area: L Celaraji

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 396	3 401	0.07	97.4	-	0.00
2	2 132	2 141	4.27	97.4	-	0.00
3	1 741	1 752	6.07	97.4	-	0.00
4	1 928	1 938	5.17	97.4	-	0.00
5	2 659	2 666	2.29	97.4	-	0.00
6	3 340	3 346	0.22	97.4	-	0.00
7	3 618	3 624	-0.51	97.4	-	0.00
8	3 982	3 987	-1.39	97.4	-	0.00
9	4 689	4 693	-2.90	97.4	-	0.00
10	5 369	5 372	-4.16	97.4	-	0.00
11	4 976	4 980	-3.45	97.4	-	0.00
12	3 922	3 927	-1.25	97.4	-	0.00
13	4 000	4 006	-1.43	97.4	-	0.00
14	2 665	2 673	2.27	97.4	-	0.00
15	2 190	2 199	4.03	97.4	-	0.00
16	2 867	2 874	1.61	97.4	-	0.00
17	3 146	3 152	0.77	97.4	-	0.00
18	3 681	3 687	-0.67	97.4	-	0.00
19	4 494	4 499	-2.51	97.4	-	0.00
20	3 443	3 449	-0.06	97.4	-	0.00
21	4 005	4 010	-1.44	97.4	-	0.00
22	4 789	4 794	-3.09	97.4	-	0.00
23	5 300	5 304	-4.04	97.4	-	0.00
24	5 963	5 967	-5.15	97.4	-	0.00
25	5 436	5 440	-4.28	97.4	-	0.00
26	5 130	5 134	-3.73	97.4	-	0.00
27	4 682	4 686	-2.88	97.4	-	0.00
28	5 520	5 523	-4.42	97.4	-	0.00
29	5 918	5 921	-5.07	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	6 085	6 088	-5.34	97.4	-	0.00
31	6 329	6 332	-5.71	97.4	-	0.00
32	6 071	6 074	-5.31	97.4	-	0.00
33	7 326	7 328	-7.10	97.4	-	0.00
34	6 685	6 688	-6.23	97.4	-	0.00
35	7 133	7 135	-6.84	97.4	-	0.00
36	7 740	7 742	-7.62	97.4	-	0.00
37	8 298	8 299	-8.29	97.4	-	0.00
38	10 016	10 017	-10.11	97.4	-	0.00
39	9 607	9 609	-9.70	97.4	-	0.00
40	9 118	9 119	-9.20	97.4	-	0.00
Sum			15.25			

- Data undefined due to calculation with octave data

Noise sensitive area: M Ceplabelnieki

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 912	3 917	-1.22	97.4	-	0.00
2	5 155	5 159	-3.78	97.4	-	0.00
3	6 263	6 266	-5.61	97.4	-	0.00
4	5 597	5 601	-4.55	97.4	-	0.00
5	4 840	4 844	-3.19	97.4	-	0.00
6	4 159	4 164	-1.79	97.4	-	0.00
7	3 683	3 689	-0.67	97.4	-	0.00
8	3 487	3 494	-0.17	97.4	-	0.00
9	2 818	2 825	1.77	97.4	-	0.00
10	2 641	2 649	2.35	97.4	-	0.00
11	3 323	3 329	0.27	97.4	-	0.00
12	3 906	3 911	-1.21	97.4	-	0.00
13	4 306	4 311	-2.11	97.4	-	0.00
14	5 548	5 552	-4.47	97.4	-	0.00
15	6 389	6 392	-5.80	97.4	-	0.00
16	7 230	7 233	-6.97	97.4	-	0.00
17	6 502	6 505	-5.96	97.4	-	0.00
18	6 096	6 099	-5.35	97.4	-	0.00
19	6 183	6 186	-5.49	97.4	-	0.00
20	7 215	7 218	-6.95	97.4	-	0.00
21	7 806	7 809	-7.70	97.4	-	0.00
22	6 914	6 917	-6.54	97.4	-	0.00
23	6 334	6 338	-5.72	97.4	-	0.00
24	6 683	6 687	-6.22	97.4	-	0.00
25	7 180	7 183	-6.90	97.4	-	0.00
26	7 591	7 594	-7.44	97.4	-	0.00
27	7 784	7 786	-7.67	97.4	-	0.00
28	9 183	9 185	-9.27	97.4	-	0.00
29	9 792	9 794	-9.89	97.4	-	0.00
30	9 392	9 394	-9.48	97.4	-	0.00
31	9 062	9 064	-9.14	97.4	-	0.00
32	7 875	7 877	-7.79	97.4	-	0.00
33	2 748	2 756	1.99	97.4	-	0.00
34	2 509	2 518	2.81	97.4	-	0.00
35	1 581	1 594	6.92	97.4	-	0.00
36	2 133	2 143	4.27	97.4	-	0.00
37	2 618	2 623	2.44	97.4	-	0.00
38	4 006	4 010	-1.44	97.4	-	0.00
39	3 876	3 880	-1.14	97.4	-	0.00
40	3 556	3 560	-0.34	97.4	-	0.00
Sum			14.71			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: M Ceplabelnieki

Wind speed: 8.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 912	3 917	-1.22	97.4	-	0.00
2	5 155	5 159	-3.78	97.4	-	0.00
3	6 263	6 266	-5.61	97.4	-	0.00
4	5 597	5 601	-4.55	97.4	-	0.00
5	4 840	4 844	-3.19	97.4	-	0.00
6	4 159	4 164	-1.79	97.4	-	0.00
7	3 683	3 689	-0.67	97.4	-	0.00
8	3 487	3 494	-0.17	97.4	-	0.00
9	2 818	2 825	1.77	97.4	-	0.00
10	2 641	2 649	2.35	97.4	-	0.00
11	3 323	3 329	0.27	97.4	-	0.00
12	3 906	3 911	-1.21	97.4	-	0.00
13	4 306	4 311	-2.11	97.4	-	0.00
14	5 548	5 552	-4.47	97.4	-	0.00
15	6 389	6 392	-5.80	97.4	-	0.00
16	7 230	7 233	-6.97	97.4	-	0.00
17	6 502	6 505	-5.96	97.4	-	0.00
18	6 096	6 099	-5.35	97.4	-	0.00
19	6 183	6 186	-5.49	97.4	-	0.00
20	7 215	7 218	-6.95	97.4	-	0.00
21	7 806	7 809	-7.70	97.4	-	0.00
22	6 914	6 917	-6.54	97.4	-	0.00
23	6 334	6 338	-5.72	97.4	-	0.00
24	6 683	6 687	-6.22	97.4	-	0.00
25	7 180	7 183	-6.90	97.4	-	0.00
26	7 591	7 594	-7.44	97.4	-	0.00
27	7 784	7 786	-7.67	97.4	-	0.00
28	9 183	9 185	-9.27	97.4	-	0.00
29	9 792	9 794	-9.89	97.4	-	0.00
30	9 392	9 394	-9.48	97.4	-	0.00
31	9 062	9 064	-9.14	97.4	-	0.00
32	7 875	7 877	-7.79	97.4	-	0.00
33	2 748	2 756	1.99	97.4	-	0.00
34	2 509	2 518	2.81	97.4	-	0.00
35	1 581	1 594	6.92	97.4	-	0.00
36	2 133	2 143	4.27	97.4	-	0.00
37	2 618	2 623	2.44	97.4	-	0.00
38	4 006	4 010	-1.44	97.4	-	0.00
39	3 876	3 880	-1.14	97.4	-	0.00
40	3 556	3 560	-0.34	97.4	-	0.00
Sum			14.71			

- Data undefined due to calculation with octave data

Noise sensitive area: N Cepli

Wind speed: 6.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 483	3 489	-0.16	97.4	-	0.00
2	4 710	4 714	-2.94	97.4	-	0.00
3	5 793	5 797	-4.87	97.4	-	0.00
4	5 133	5 137	-3.74	97.4	-	0.00
5	4 373	4 377	-2.25	97.4	-	0.00
6	3 689	3 694	-0.69	97.4	-	0.00
7	3 230	3 236	0.53	97.4	-	0.00
8	3 016	3 023	1.15	97.4	-	0.00
9	2 344	2 353	3.42	97.4	-	0.00
10	2 189	2 198	4.04	97.4	-	0.00
11	2 869	2 877	1.60	97.4	-	0.00
12	3 432	3 438	-0.03	97.4	-	0.00
13	3 837	3 842	-1.05	97.4	-	0.00
14	5 074	5 078	-3.63	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	5 916	5 919	-5.07	97.4	-	0.00
16	6 757	6 760	-6.33	97.4	-	0.00
17	6 031	6 034	-5.25	97.4	-	0.00
18	5 630	5 634	-4.61	97.4	-	0.00
19	5 734	5 738	-4.78	97.4	-	0.00
20	6 745	6 748	-6.31	97.4	-	0.00
21	7 341	7 344	-7.12	97.4	-	0.00
22	6 469	6 472	-5.91	97.4	-	0.00
23	5 909	5 913	-5.06	97.4	-	0.00
24	6 280	6 283	-5.63	97.4	-	0.00
25	6 751	6 755	-6.32	97.4	-	0.00
26	7 149	7 152	-6.86	97.4	-	0.00
27	7 330	7 332	-7.10	97.4	-	0.00
28	8 731	8 733	-8.78	97.4	-	0.00
29	9 340	9 342	-9.43	97.4	-	0.00
30	8 950	8 952	-9.02	97.4	-	0.00
31	8 631	8 634	-8.67	97.4	-	0.00
32	7 456	7 459	-7.26	97.4	-	0.00
33	2 546	2 554	2.68	97.4	-	0.00
34	2 211	2 220	3.95	97.4	-	0.00
35	1 393	1 407	8.03	97.4	-	0.00
36	2 057	2 067	4.59	97.4	-	0.00
37	2 609	2 615	2.47	97.4	-	0.00
38	4 135	4 139	-1.73	97.4	-	0.00
39	3 951	3 954	-1.31	97.4	-	0.00
40	3 587	3 590	-0.42	97.4	-	0.00
Sum			15.59			

- Data undefined due to calculation with octave data

Noise sensitive area: N Cepli

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 483	3 489	-0.16	97.4	-	0.00
2	4 710	4 714	-2.94	97.4	-	0.00
3	5 793	5 797	-4.87	97.4	-	0.00
4	5 133	5 137	-3.74	97.4	-	0.00
5	4 373	4 377	-2.25	97.4	-	0.00
6	3 689	3 694	-0.69	97.4	-	0.00
7	3 230	3 236	0.53	97.4	-	0.00
8	3 016	3 023	1.15	97.4	-	0.00
9	2 344	2 353	3.42	97.4	-	0.00
10	2 189	2 198	4.04	97.4	-	0.00
11	2 869	2 877	1.60	97.4	-	0.00
12	3 432	3 438	-0.03	97.4	-	0.00
13	3 837	3 842	-1.05	97.4	-	0.00
14	5 074	5 078	-3.63	97.4	-	0.00
15	5 916	5 919	-5.07	97.4	-	0.00
16	6 757	6 760	-6.33	97.4	-	0.00
17	6 031	6 034	-5.25	97.4	-	0.00
18	5 630	5 634	-4.61	97.4	-	0.00
19	5 734	5 738	-4.78	97.4	-	0.00
20	6 745	6 748	-6.31	97.4	-	0.00
21	7 341	7 344	-7.12	97.4	-	0.00
22	6 469	6 472	-5.91	97.4	-	0.00
23	5 909	5 913	-5.06	97.4	-	0.00
24	6 280	6 283	-5.63	97.4	-	0.00
25	6 751	6 755	-6.32	97.4	-	0.00
26	7 149	7 152	-6.86	97.4	-	0.00
27	7 330	7 332	-7.10	97.4	-	0.00
28	8 731	8 733	-8.78	97.4	-	0.00
29	9 340	9 342	-9.43	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	8 950	8 952	-9.02	97.4	-	0.00
31	8 631	8 634	-8.67	97.4	-	0.00
32	7 456	7 459	-7.26	97.4	-	0.00
33	2 546	2 554	2.68	97.4	-	0.00
34	2 211	2 220	3.95	97.4	-	0.00
35	1 393	1 407	8.03	97.4	-	0.00
36	2 057	2 067	4.59	97.4	-	0.00
37	2 609	2 615	2.47	97.4	-	0.00
38	4 135	4 139	-1.73	97.4	-	0.00
39	3 951	3 954	-1.31	97.4	-	0.00
40	3 587	3 590	-0.42	97.4	-	0.00
Sum			15.59			

- Data undefined due to calculation with octave data

Noise sensitive area: O Ciruli

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 114	5 118	-3.71	97.4	-	0.00
2	6 263	6 266	-5.61	97.4	-	0.00
3	7 137	7 140	-6.85	97.4	-	0.00
4	6 556	6 559	-6.04	97.4	-	0.00
5	5 783	5 786	-4.86	97.4	-	0.00
6	5 081	5 085	-3.64	97.4	-	0.00
7	4 774	4 778	-3.06	97.4	-	0.00
8	4 412	4 416	-2.33	97.4	-	0.00
9	3 699	3 705	-0.71	97.4	-	0.00
10	3 177	3 183	0.68	97.4	-	0.00
11	3 792	3 798	-0.94	97.4	-	0.00
12	4 652	4 657	-2.82	97.4	-	0.00
13	4 899	4 903	-3.31	97.4	-	0.00
14	6 305	6 308	-5.67	97.4	-	0.00
15	7 159	7 161	-6.88	97.4	-	0.00
16	7 850	7 853	-7.76	97.4	-	0.00
17	7 071	7 074	-6.76	97.4	-	0.00
18	6 561	6 564	-6.05	97.4	-	0.00
19	6 456	6 459	-5.89	97.4	-	0.00
20	7 723	7 726	-7.60	97.4	-	0.00
21	8 229	8 232	-8.21	97.4	-	0.00
22	7 131	7 134	-6.84	97.4	-	0.00
23	6 414	6 417	-5.83	97.4	-	0.00
24	6 616	6 619	-6.13	97.4	-	0.00
25	7 265	7 268	-7.02	97.4	-	0.00
26	7 769	7 771	-7.66	97.4	-	0.00
27	8 068	8 070	-8.02	97.4	-	0.00
28	9 421	9 423	-9.51	97.4	-	0.00
29	10 021	10 023	-10.11	97.4	-	0.00
30	9 538	9 540	-9.63	97.4	-	0.00
31	9 119	9 121	-9.20	97.4	-	0.00
32	7 869	7 871	-7.78	97.4	-	0.00
33	2 152	2 160	4.19	97.4	-	0.00
34	2 320	2 328	3.52	97.4	-	0.00
35	1 390	1 404	8.05	97.4	-	0.00
36	1 296	1 311	8.66	97.4	-	0.00
37	1 449	1 457	7.72	97.4	-	0.00
38	2 504	2 509	2.84	97.4	-	0.00
39	2 439	2 444	3.08	97.4	-	0.00
40	2 205	2 211	3.99	97.4	-	0.00
Sum			16.16			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: O Ciruli

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 114	5 118	-3.71	97.4	-	0.00
2	6 263	6 266	-5.61	97.4	-	0.00
3	7 137	7 140	-6.85	97.4	-	0.00
4	6 556	6 559	-6.04	97.4	-	0.00
5	5 783	5 786	-4.86	97.4	-	0.00
6	5 081	5 085	-3.64	97.4	-	0.00
7	4 774	4 778	-3.06	97.4	-	0.00
8	4 412	4 416	-2.33	97.4	-	0.00
9	3 699	3 705	-0.71	97.4	-	0.00
10	3 177	3 183	0.68	97.4	-	0.00
11	3 792	3 798	-0.94	97.4	-	0.00
12	4 652	4 657	-2.82	97.4	-	0.00
13	4 899	4 903	-3.31	97.4	-	0.00
14	6 305	6 308	-5.67	97.4	-	0.00
15	7 159	7 161	-6.88	97.4	-	0.00
16	7 850	7 853	-7.76	97.4	-	0.00
17	7 071	7 074	-6.76	97.4	-	0.00
18	6 561	6 564	-6.05	97.4	-	0.00
19	6 456	6 459	-5.89	97.4	-	0.00
20	7 723	7 726	-7.60	97.4	-	0.00
21	8 229	8 232	-8.21	97.4	-	0.00
22	7 131	7 134	-6.84	97.4	-	0.00
23	6 414	6 417	-5.83	97.4	-	0.00
24	6 616	6 619	-6.13	97.4	-	0.00
25	7 265	7 268	-7.02	97.4	-	0.00
26	7 769	7 771	-7.66	97.4	-	0.00
27	8 068	8 070	-8.02	97.4	-	0.00
28	9 421	9 423	-9.51	97.4	-	0.00
29	10 021	10 023	-10.11	97.4	-	0.00
30	9 538	9 540	-9.63	97.4	-	0.00
31	9 119	9 121	-9.20	97.4	-	0.00
32	7 869	7 871	-7.78	97.4	-	0.00
33	2 152	2 160	4.19	97.4	-	0.00
34	2 320	2 328	3.52	97.4	-	0.00
35	1 390	1 404	8.05	97.4	-	0.00
36	1 296	1 311	8.66	97.4	-	0.00
37	1 449	1 457	7.72	97.4	-	0.00
38	2 504	2 509	2.84	97.4	-	0.00
39	2 439	2 444	3.08	97.4	-	0.00
40	2 205	2 211	3.99	97.4	-	0.00
Sum			16.16			

- Data undefined due to calculation with octave data

Noise sensitive area: P Dangas

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 980	1 990	4.93	97.4	-	0.00
2	1 719	1 730	6.19	97.4	-	0.00
3	3 079	3 086	0.96	97.4	-	0.00
4	2 492	2 500	2.88	97.4	-	0.00
5	2 571	2 579	2.59	97.4	-	0.00
6	2 837	2 844	1.71	97.4	-	0.00
7	2 507	2 515	2.82	97.4	-	0.00
8	3 142	3 149	0.78	97.4	-	0.00
9	3 656	3 661	-0.60	97.4	-	0.00
10	4 508	4 512	-2.53	97.4	-	0.00
11	4 447	4 451	-2.41	97.4	-	0.00
12	3 522	3 528	-0.26	97.4	-	0.00
13	3 954	3 959	-1.32	97.4	-	0.00
14	3 411	3 417	0.03	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	3 612	3 617	-0.49	97.4	-	0.00
16	4 671	4 675	-2.86	97.4	-	0.00
17	4 511	4 515	-2.54	97.4	-	0.00
18	4 745	4 749	-3.01	97.4	-	0.00
19	5 483	5 486	-4.36	97.4	-	0.00
20	5 116	5 120	-3.71	97.4	-	0.00
21	5 810	5 814	-4.90	97.4	-	0.00
22	6 050	6 053	-5.28	97.4	-	0.00
23	6 216	6 219	-5.54	97.4	-	0.00
24	6 892	6 895	-6.51	97.4	-	0.00
25	6 672	6 675	-6.21	97.4	-	0.00
26	6 595	6 598	-6.10	97.4	-	0.00
27	6 324	6 327	-5.70	97.4	-	0.00
28	7 471	7 473	-7.28	97.4	-	0.00
29	7 970	7 972	-7.90	97.4	-	0.00
30	7 971	7 973	-7.90	97.4	-	0.00
31	8 046	8 049	-7.99	97.4	-	0.00
32	7 430	7 433	-7.23	97.4	-	0.00
33	6 516	6 519	-5.98	97.4	-	0.00
34	5 850	5 853	-4.97	97.4	-	0.00
35	5 932	5 935	-5.10	97.4	-	0.00
36	6 653	6 656	-6.18	97.4	-	0.00
37	7 266	7 268	-7.02	97.4	-	0.00
38	9 001	9 003	-9.07	97.4	-	0.00
39	8 677	8 679	-8.72	97.4	-	0.00
40	8 213	8 215	-8.19	97.4	-	0.00
Sum			14.67			

- Data undefined due to calculation with octave data

Noise sensitive area: P Dangas

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 980	1 990	4.93	97.4	-	0.00
2	1 719	1 730	6.19	97.4	-	0.00
3	3 079	3 086	0.96	97.4	-	0.00
4	2 492	2 500	2.88	97.4	-	0.00
5	2 571	2 579	2.59	97.4	-	0.00
6	2 837	2 844	1.71	97.4	-	0.00
7	2 507	2 515	2.82	97.4	-	0.00
8	3 142	3 149	0.78	97.4	-	0.00
9	3 656	3 661	-0.60	97.4	-	0.00
10	4 508	4 512	-2.53	97.4	-	0.00
11	4 447	4 451	-2.41	97.4	-	0.00
12	3 522	3 528	-0.26	97.4	-	0.00
13	3 954	3 959	-1.32	97.4	-	0.00
14	3 411	3 417	0.03	97.4	-	0.00
15	3 612	3 617	-0.49	97.4	-	0.00
16	4 671	4 675	-2.86	97.4	-	0.00
17	4 511	4 515	-2.54	97.4	-	0.00
18	4 745	4 749	-3.01	97.4	-	0.00
19	5 483	5 486	-4.36	97.4	-	0.00
20	5 116	5 120	-3.71	97.4	-	0.00
21	5 810	5 814	-4.90	97.4	-	0.00
22	6 050	6 053	-5.28	97.4	-	0.00
23	6 216	6 219	-5.54	97.4	-	0.00
24	6 892	6 895	-6.51	97.4	-	0.00
25	6 672	6 675	-6.21	97.4	-	0.00
26	6 595	6 598	-6.10	97.4	-	0.00
27	6 324	6 327	-5.70	97.4	-	0.00
28	7 471	7 473	-7.28	97.4	-	0.00
29	7 970	7 972	-7.90	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	7 971	7 973	-7.90	97.4	-	0.00
31	8 046	8 049	-7.99	97.4	-	0.00
32	7 430	7 433	-7.23	97.4	-	0.00
33	6 516	6 519	-5.98	97.4	-	0.00
34	5 850	5 853	-4.97	97.4	-	0.00
35	5 932	5 935	-5.10	97.4	-	0.00
36	6 653	6 656	-6.18	97.4	-	0.00
37	7 266	7 268	-7.02	97.4	-	0.00
38	9 001	9 003	-9.07	97.4	-	0.00
39	8 677	8 679	-8.72	97.4	-	0.00
40	8 213	8 215	-8.19	97.4	-	0.00
Sum			14.67			

- Data undefined due to calculation with octave data

Noise sensitive area: Q Darznieki

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 566	1 578	7.01	97.4	-	0.00
2	1 732	1 743	6.12	97.4	-	0.00
3	3 258	3 264	0.45	97.4	-	0.00
4	2 581	2 588	2.56	97.4	-	0.00
5	2 472	2 480	2.95	97.4	-	0.00
6	2 584	2 592	2.55	97.4	-	0.00
7	2 120	2 129	4.32	97.4	-	0.00
8	2 771	2 779	1.92	97.4	-	0.00
9	3 208	3 215	0.59	97.4	-	0.00
10	4 066	4 071	-1.58	97.4	-	0.00
11	4 079	4 084	-1.61	97.4	-	0.00
12	3 234	3 241	0.52	97.4	-	0.00
13	3 723	3 729	-0.77	97.4	-	0.00
14	3 416	3 422	0.02	97.4	-	0.00
15	3 757	3 762	-0.85	97.4	-	0.00
16	4 846	4 850	-3.20	97.4	-	0.00
17	4 585	4 590	-2.69	97.4	-	0.00
18	4 736	4 741	-2.99	97.4	-	0.00
19	5 426	5 430	-4.26	97.4	-	0.00
20	5 241	5 245	-3.93	97.4	-	0.00
21	5 949	5 953	-5.12	97.4	-	0.00
22	6 042	6 046	-5.27	97.4	-	0.00
23	6 120	6 123	-5.39	97.4	-	0.00
24	6 783	6 786	-6.36	97.4	-	0.00
25	6 643	6 646	-6.16	97.4	-	0.00
26	6 626	6 629	-6.14	97.4	-	0.00
27	6 407	6 410	-5.82	97.4	-	0.00
28	7 620	7 623	-7.47	97.4	-	0.00
29	8 145	8 147	-8.11	97.4	-	0.00
30	8 094	8 096	-8.05	97.4	-	0.00
31	8 120	8 123	-8.08	97.4	-	0.00
32	7 418	7 420	-7.21	97.4	-	0.00
33	6 044	6 047	-5.27	97.4	-	0.00
34	5 383	5 386	-4.18	97.4	-	0.00
35	5 400	5 404	-4.21	97.4	-	0.00
36	6 131	6 134	-5.41	97.4	-	0.00
37	6 748	6 750	-6.31	97.4	-	0.00
38	8 474	8 475	-8.49	97.4	-	0.00
39	8 164	8 166	-8.13	97.4	-	0.00
40	7 708	7 709	-7.58	97.4	-	0.00
Sum			15.24			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: Q Darznieki

Wind speed: 8.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 566	1 578	7.01	97.4	-	0.00
2	1 732	1 743	6.12	97.4	-	0.00
3	3 258	3 264	0.45	97.4	-	0.00
4	2 581	2 588	2.56	97.4	-	0.00
5	2 472	2 480	2.95	97.4	-	0.00
6	2 584	2 592	2.55	97.4	-	0.00
7	2 120	2 129	4.32	97.4	-	0.00
8	2 771	2 779	1.92	97.4	-	0.00
9	3 208	3 215	0.59	97.4	-	0.00
10	4 066	4 071	-1.58	97.4	-	0.00
11	4 079	4 084	-1.61	97.4	-	0.00
12	3 234	3 241	0.52	97.4	-	0.00
13	3 723	3 729	-0.77	97.4	-	0.00
14	3 416	3 422	0.02	97.4	-	0.00
15	3 757	3 762	-0.85	97.4	-	0.00
16	4 846	4 850	-3.20	97.4	-	0.00
17	4 585	4 590	-2.69	97.4	-	0.00
18	4 736	4 741	-2.99	97.4	-	0.00
19	5 426	5 430	-4.26	97.4	-	0.00
20	5 241	5 245	-3.93	97.4	-	0.00
21	5 949	5 953	-5.12	97.4	-	0.00
22	6 042	6 046	-5.27	97.4	-	0.00
23	6 120	6 123	-5.39	97.4	-	0.00
24	6 783	6 786	-6.36	97.4	-	0.00
25	6 643	6 646	-6.16	97.4	-	0.00
26	6 626	6 629	-6.14	97.4	-	0.00
27	6 407	6 410	-5.82	97.4	-	0.00
28	7 620	7 623	-7.47	97.4	-	0.00
29	8 145	8 147	-8.11	97.4	-	0.00
30	8 094	8 096	-8.05	97.4	-	0.00
31	8 120	8 123	-8.08	97.4	-	0.00
32	7 418	7 420	-7.21	97.4	-	0.00
33	6 044	6 047	-5.27	97.4	-	0.00
34	5 383	5 386	-4.18	97.4	-	0.00
35	5 400	5 404	-4.21	97.4	-	0.00
36	6 131	6 134	-5.41	97.4	-	0.00
37	6 748	6 750	-6.31	97.4	-	0.00
38	8 474	8 475	-8.49	97.4	-	0.00
39	8 164	8 166	-8.13	97.4	-	0.00
40	7 708	7 709	-7.58	97.4	-	0.00
Sum			15.24			

- Data undefined due to calculation with octave data

Noise sensitive area: R Di ž abelnieki

Wind speed: 6.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 561	3 567	-0.36	97.4	-	0.00
2	4 823	4 827	-3.16	97.4	-	0.00
3	5 991	5 994	-5.19	97.4	-	0.00
4	5 305	5 309	-4.05	97.4	-	0.00
5	4 559	4 564	-2.64	97.4	-	0.00
6	3 893	3 898	-1.18	97.4	-	0.00
7	3 370	3 376	0.14	97.4	-	0.00
8	3 233	3 239	0.52	97.4	-	0.00
9	2 596	2 604	2.51	97.4	-	0.00
10	2 546	2 554	2.68	97.4	-	0.00
11	3 220	3 226	0.56	97.4	-	0.00
12	3 700	3 706	-0.71	97.4	-	0.00
13	4 140	4 145	-1.75	97.4	-	0.00
14	5 316	5 320	-4.07	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	6 146	6 150	-5.43	97.4	-	0.00
16	7 024	7 027	-6.70	97.4	-	0.00
17	6 316	6 320	-5.69	97.4	-	0.00
18	5 943	5 947	-5.11	97.4	-	0.00
19	6 084	6 088	-5.34	97.4	-	0.00
20	7 041	7 044	-6.72	97.4	-	0.00
21	7 653	7 655	-7.51	97.4	-	0.00
22	6 825	6 828	-6.42	97.4	-	0.00
23	6 289	6 292	-5.65	97.4	-	0.00
24	6 676	6 679	-6.21	97.4	-	0.00
25	7 126	7 129	-6.83	97.4	-	0.00
26	7 508	7 511	-7.33	97.4	-	0.00
27	7 669	7 672	-7.53	97.4	-	0.00
28	9 073	9 075	-9.15	97.4	-	0.00
29	9 682	9 684	-9.78	97.4	-	0.00
30	9 307	9 309	-9.40	97.4	-	0.00
31	9 003	9 005	-9.07	97.4	-	0.00
32	7 841	7 843	-7.74	97.4	-	0.00
33	2 965	2 972	1.31	97.4	-	0.00
34	2 639	2 647	2.36	97.4	-	0.00
35	1 803	1 814	5.76	97.4	-	0.00
36	2 434	2 443	3.08	97.4	-	0.00
37	2 958	2 963	1.33	97.4	-	0.00
38	4 407	4 410	-2.32	97.4	-	0.00
39	4 258	4 261	-2.00	97.4	-	0.00
40	3 918	3 922	-1.23	97.4	-	0.00
Sum			14.50			

- Data undefined due to calculation with octave data

Noise sensitive area: R Di ž abelnieki

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 561	3 567	-0.36	97.4	-	0.00
2	4 823	4 827	-3.16	97.4	-	0.00
3	5 991	5 994	-5.19	97.4	-	0.00
4	5 305	5 309	-4.05	97.4	-	0.00
5	4 559	4 564	-2.64	97.4	-	0.00
6	3 893	3 898	-1.18	97.4	-	0.00
7	3 370	3 376	0.14	97.4	-	0.00
8	3 233	3 239	0.52	97.4	-	0.00
9	2 596	2 604	2.51	97.4	-	0.00
10	2 546	2 554	2.68	97.4	-	0.00
11	3 220	3 226	0.56	97.4	-	0.00
12	3 700	3 706	-0.71	97.4	-	0.00
13	4 140	4 145	-1.75	97.4	-	0.00
14	5 316	5 320	-4.07	97.4	-	0.00
15	6 146	6 150	-5.43	97.4	-	0.00
16	7 024	7 027	-6.70	97.4	-	0.00
17	6 316	6 320	-5.69	97.4	-	0.00
18	5 943	5 947	-5.11	97.4	-	0.00
19	6 084	6 088	-5.34	97.4	-	0.00
20	7 041	7 044	-6.72	97.4	-	0.00
21	7 653	7 655	-7.51	97.4	-	0.00
22	6 825	6 828	-6.42	97.4	-	0.00
23	6 289	6 292	-5.65	97.4	-	0.00
24	6 676	6 679	-6.21	97.4	-	0.00
25	7 126	7 129	-6.83	97.4	-	0.00
26	7 508	7 511	-7.33	97.4	-	0.00
27	7 669	7 672	-7.53	97.4	-	0.00
28	9 073	9 075	-9.15	97.4	-	0.00
29	9 682	9 684	-9.78	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	9 307	9 309	-9.40	97.4	-	0.00
31	9 003	9 005	-9.07	97.4	-	0.00
32	7 841	7 843	-7.74	97.4	-	0.00
33	2 965	2 972	1.31	97.4	-	0.00
34	2 639	2 647	2.36	97.4	-	0.00
35	1 803	1 814	5.76	97.4	-	0.00
36	2 434	2 443	3.08	97.4	-	0.00
37	2 958	2 963	1.33	97.4	-	0.00
38	4 407	4 410	-2.32	97.4	-	0.00
39	4 258	4 261	-2.00	97.4	-	0.00
40	3 918	3 922	-1.23	97.4	-	0.00
Sum			14.50			

- Data undefined due to calculation with octave data

Noise sensitive area: S Doni

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 782	2 789	1.88	97.4	-	0.00
2	3 847	3 852	-1.07	97.4	-	0.00
3	4 707	4 711	-2.93	97.4	-	0.00
4	4 113	4 118	-1.69	97.4	-	0.00
5	3 340	3 346	0.22	97.4	-	0.00
6	2 638	2 646	2.36	97.4	-	0.00
7	2 374	2 382	3.31	97.4	-	0.00
8	1 969	1 979	4.98	97.4	-	0.00
9	1 257	1 273	8.92	97.4	-	0.00
10	897	920	11.80	97.4	-	0.00
11	1 579	1 592	6.93	97.4	-	0.00
12	2 247	2 257	3.80	97.4	-	0.00
13	2 586	2 594	2.54	97.4	-	0.00
14	3 910	3 915	-1.22	97.4	-	0.00
15	4 763	4 767	-3.04	97.4	-	0.00
16	5 538	5 541	-4.45	97.4	-	0.00
17	4 790	4 794	-3.10	97.4	-	0.00
18	4 360	4 365	-2.22	97.4	-	0.00
19	4 442	4 446	-2.40	97.4	-	0.00
20	5 490	5 494	-4.37	97.4	-	0.00
21	6 069	6 072	-5.31	97.4	-	0.00
22	5 177	5 181	-3.82	97.4	-	0.00
23	4 628	4 632	-2.78	97.4	-	0.00
24	5 023	5 027	-3.54	97.4	-	0.00
25	5 466	5 469	-4.33	97.4	-	0.00
26	5 857	5 860	-4.98	97.4	-	0.00
27	6 040	6 043	-5.27	97.4	-	0.00
28	7 440	7 443	-7.24	97.4	-	0.00
29	8 049	8 052	-8.00	97.4	-	0.00
30	7 657	7 660	-7.52	97.4	-	0.00
31	7 344	7 346	-7.12	97.4	-	0.00
32	6 180	6 183	-5.48	97.4	-	0.00
33	1 953	1 964	5.05	97.4	-	0.00
34	1 365	1 379	8.21	97.4	-	0.00
35	1 234	1 250	9.08	97.4	-	0.00
36	1 945	1 955	5.09	97.4	-	0.00
37	2 560	2 565	2.64	97.4	-	0.00
38	4 293	4 296	-2.08	97.4	-	0.00
39	3 976	3 979	-1.37	97.4	-	0.00
40	3 522	3 525	-0.26	97.4	-	0.00
Sum			18.82			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: S Doni

Wind speed: 8.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 782	2 789	1.88	97.4	-	0.00
2	3 847	3 852	-1.07	97.4	-	0.00
3	4 707	4 711	-2.93	97.4	-	0.00
4	4 113	4 118	-1.69	97.4	-	0.00
5	3 340	3 346	0.22	97.4	-	0.00
6	2 638	2 646	2.36	97.4	-	0.00
7	2 374	2 382	3.31	97.4	-	0.00
8	1 969	1 979	4.98	97.4	-	0.00
9	1 257	1 273	8.92	97.4	-	0.00
10	897	920	11.80	97.4	-	0.00
11	1 579	1 592	6.93	97.4	-	0.00
12	2 247	2 257	3.80	97.4	-	0.00
13	2 586	2 594	2.54	97.4	-	0.00
14	3 910	3 915	-1.22	97.4	-	0.00
15	4 763	4 767	-3.04	97.4	-	0.00
16	5 538	5 541	-4.45	97.4	-	0.00
17	4 790	4 794	-3.10	97.4	-	0.00
18	4 360	4 365	-2.22	97.4	-	0.00
19	4 442	4 446	-2.40	97.4	-	0.00
20	5 490	5 494	-4.37	97.4	-	0.00
21	6 069	6 072	-5.31	97.4	-	0.00
22	5 177	5 181	-3.82	97.4	-	0.00
23	4 628	4 632	-2.78	97.4	-	0.00
24	5 023	5 027	-3.54	97.4	-	0.00
25	5 466	5 469	-4.33	97.4	-	0.00
26	5 857	5 860	-4.98	97.4	-	0.00
27	6 040	6 043	-5.27	97.4	-	0.00
28	7 440	7 443	-7.24	97.4	-	0.00
29	8 049	8 052	-8.00	97.4	-	0.00
30	7 657	7 660	-7.52	97.4	-	0.00
31	7 344	7 346	-7.12	97.4	-	0.00
32	6 180	6 183	-5.48	97.4	-	0.00
33	1 953	1 964	5.05	97.4	-	0.00
34	1 365	1 379	8.21	97.4	-	0.00
35	1 234	1 250	9.08	97.4	-	0.00
36	1 945	1 955	5.09	97.4	-	0.00
37	2 560	2 565	2.64	97.4	-	0.00
38	4 293	4 296	-2.08	97.4	-	0.00
39	3 976	3 979	-1.37	97.4	-	0.00
40	3 522	3 525	-0.26	97.4	-	0.00
Sum			18.82			

- Data undefined due to calculation with octave data

Noise sensitive area: T Dzintari A

Wind speed: 6.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 986	6 989	-6.64	97.4	-	0.00
2	5 957	5 960	-5.13	97.4	-	0.00
3	4 371	4 376	-2.25	97.4	-	0.00
4	5 109	5 112	-3.70	97.4	-	0.00
5	5 578	5 582	-4.52	97.4	-	0.00
6	6 054	6 057	-5.29	97.4	-	0.00
7	6 779	6 781	-6.36	97.4	-	0.00
8	6 609	6 612	-6.12	97.4	-	0.00
9	7 150	7 152	-6.86	97.4	-	0.00
10	7 262	7 265	-7.01	97.4	-	0.00
11	6 586	6 589	-6.08	97.4	-	0.00
12	6 047	6 050	-5.28	97.4	-	0.00
13	5 584	5 588	-4.53	97.4	-	0.00
14	4 586	4 590	-2.69	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	3 933	3 938	-1.27	97.4	-	0.00
16	2 852	2 859	1.66	97.4	-	0.00
17	3 435	3 441	-0.03	97.4	-	0.00
18	3 789	3 794	-0.93	97.4	-	0.00
19	3 859	3 864	-1.10	97.4	-	0.00
20	2 693	2 700	2.18	97.4	-	0.00
21	2 080	2 089	4.49	97.4	-	0.00
22	3 267	3 273	0.43	97.4	-	0.00
23	4 125	4 130	-1.71	97.4	-	0.00
24	4 309	4 313	-2.11	97.4	-	0.00
25	3 419	3 425	0.01	97.4	-	0.00
26	2 779	2 787	1.89	97.4	-	0.00
27	2 301	2 310	3.59	97.4	-	0.00
28	1 370	1 384	8.18	97.4	-	0.00
29	1 229	1 244	9.12	97.4	-	0.00
30	1 831	1 842	5.63	97.4	-	0.00
31	2 454	2 462	3.01	97.4	-	0.00
32	3 309	3 315	0.31	97.4	-	0.00
33	8 390	8 392	-8.39	97.4	-	0.00
34	8 005	8 008	-7.94	97.4	-	0.00
35	8 911	8 913	-8.98	97.4	-	0.00
36	9 163	9 165	-9.24	97.4	-	0.00
37	9 485	9 486	-9.58	97.4	-	0.00
38	10 820	10 821	-10.86	97.4	-	0.00
39	10 329	10 330	-10.41	97.4	-	0.00
40	9 891	9 892	-9.99	97.4	-	0.00
Sum			16.37			

- Data undefined due to calculation with octave data

Noise sensitive area: T Dzintari A

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 986	6 989	-6.64	97.4	-	0.00
2	5 957	5 960	-5.13	97.4	-	0.00
3	4 371	4 376	-2.25	97.4	-	0.00
4	5 109	5 112	-3.70	97.4	-	0.00
5	5 578	5 582	-4.52	97.4	-	0.00
6	6 054	6 057	-5.29	97.4	-	0.00
7	6 779	6 781	-6.36	97.4	-	0.00
8	6 609	6 612	-6.12	97.4	-	0.00
9	7 150	7 152	-6.86	97.4	-	0.00
10	7 262	7 265	-7.01	97.4	-	0.00
11	6 586	6 589	-6.08	97.4	-	0.00
12	6 047	6 050	-5.28	97.4	-	0.00
13	5 584	5 588	-4.53	97.4	-	0.00
14	4 586	4 590	-2.69	97.4	-	0.00
15	3 933	3 938	-1.27	97.4	-	0.00
16	2 852	2 859	1.66	97.4	-	0.00
17	3 435	3 441	-0.03	97.4	-	0.00
18	3 789	3 794	-0.93	97.4	-	0.00
19	3 859	3 864	-1.10	97.4	-	0.00
20	2 693	2 700	2.18	97.4	-	0.00
21	2 080	2 089	4.49	97.4	-	0.00
22	3 267	3 273	0.43	97.4	-	0.00
23	4 125	4 130	-1.71	97.4	-	0.00
24	4 309	4 313	-2.11	97.4	-	0.00
25	3 419	3 425	0.01	97.4	-	0.00
26	2 779	2 787	1.89	97.4	-	0.00
27	2 301	2 310	3.59	97.4	-	0.00
28	1 370	1 384	8.18	97.4	-	0.00
29	1 229	1 244	9.12	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	1 831	1 842	5.63	97.4	-	0.00
31	2 454	2 462	3.01	97.4	-	0.00
32	3 309	3 315	0.31	97.4	-	0.00
33	8 390	8 392	-8.39	97.4	-	0.00
34	8 005	8 008	-7.94	97.4	-	0.00
35	8 911	8 913	-8.98	97.4	-	0.00
36	9 163	9 165	-9.24	97.4	-	0.00
37	9 485	9 486	-9.58	97.4	-	0.00
38	10 820	10 821	-10.86	97.4	-	0.00
39	10 329	10 330	-10.41	97.4	-	0.00
40	9 891	9 892	-9.99	97.4	-	0.00
Sum			16.37			

- Data undefined due to calculation with octave data

Noise sensitive area: U Dzintari B

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 899	6 901	-6.52	97.4	-	0.00
2	5 875	5 878	-5.00	97.4	-	0.00
3	4 290	4 295	-2.07	97.4	-	0.00
4	5 025	5 029	-3.54	97.4	-	0.00
5	5 490	5 493	-4.37	97.4	-	0.00
6	5 962	5 966	-5.14	97.4	-	0.00
7	6 688	6 691	-6.23	97.4	-	0.00
8	6 516	6 519	-5.98	97.4	-	0.00
9	7 055	7 058	-6.74	97.4	-	0.00
10	7 165	7 168	-6.88	97.4	-	0.00
11	6 490	6 493	-5.94	97.4	-	0.00
12	5 952	5 955	-5.13	97.4	-	0.00
13	5 489	5 492	-4.37	97.4	-	0.00
14	4 496	4 500	-2.51	97.4	-	0.00
15	3 848	3 853	-1.07	97.4	-	0.00
16	2 765	2 772	1.94	97.4	-	0.00
17	3 341	3 347	0.22	97.4	-	0.00
18	3 692	3 698	-0.69	97.4	-	0.00
19	3 763	3 768	-0.87	97.4	-	0.00
20	2 598	2 606	2.50	97.4	-	0.00
21	1 984	1 993	4.92	97.4	-	0.00
22	3 173	3 179	0.69	97.4	-	0.00
23	4 033	4 038	-1.50	97.4	-	0.00
24	4 222	4 227	-1.93	97.4	-	0.00
25	3 331	3 337	0.25	97.4	-	0.00
26	2 690	2 698	2.19	97.4	-	0.00
27	2 207	2 217	3.96	97.4	-	0.00
28	1 308	1 323	8.58	97.4	-	0.00
29	1 208	1 224	9.27	97.4	-	0.00
30	1 788	1 799	5.84	97.4	-	0.00
31	2 402	2 410	3.21	97.4	-	0.00
32	3 233	3 239	0.52	97.4	-	0.00
33	8 294	8 297	-8.28	97.4	-	0.00
34	7 909	7 911	-7.83	97.4	-	0.00
35	8 814	8 817	-8.87	97.4	-	0.00
36	9 066	9 069	-9.14	97.4	-	0.00
37	9 389	9 391	-9.48	97.4	-	0.00
38	10 726	10 727	-10.78	97.4	-	0.00
39	10 236	10 237	-10.32	97.4	-	0.00
40	9 797	9 798	-9.89	97.4	-	0.00
Sum			16.63			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: U Dzintari B

Wind speed: 8.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 899	6 901	-6.52	97.4	-	0.00
2	5 875	5 878	-5.00	97.4	-	0.00
3	4 290	4 295	-2.07	97.4	-	0.00
4	5 025	5 029	-3.54	97.4	-	0.00
5	5 490	5 493	-4.37	97.4	-	0.00
6	5 962	5 966	-5.14	97.4	-	0.00
7	6 688	6 691	-6.23	97.4	-	0.00
8	6 516	6 519	-5.98	97.4	-	0.00
9	7 055	7 058	-6.74	97.4	-	0.00
10	7 165	7 168	-6.88	97.4	-	0.00
11	6 490	6 493	-5.94	97.4	-	0.00
12	5 952	5 955	-5.13	97.4	-	0.00
13	5 489	5 492	-4.37	97.4	-	0.00
14	4 496	4 500	-2.51	97.4	-	0.00
15	3 848	3 853	-1.07	97.4	-	0.00
16	2 765	2 772	1.94	97.4	-	0.00
17	3 341	3 347	0.22	97.4	-	0.00
18	3 692	3 698	-0.69	97.4	-	0.00
19	3 763	3 768	-0.87	97.4	-	0.00
20	2 598	2 606	2.50	97.4	-	0.00
21	1 984	1 993	4.92	97.4	-	0.00
22	3 173	3 179	0.69	97.4	-	0.00
23	4 033	4 038	-1.50	97.4	-	0.00
24	4 222	4 227	-1.93	97.4	-	0.00
25	3 331	3 337	0.25	97.4	-	0.00
26	2 690	2 698	2.19	97.4	-	0.00
27	2 207	2 217	3.96	97.4	-	0.00
28	1 308	1 323	8.58	97.4	-	0.00
29	1 208	1 224	9.27	97.4	-	0.00
30	1 788	1 799	5.84	97.4	-	0.00
31	2 402	2 410	3.21	97.4	-	0.00
32	3 233	3 239	0.52	97.4	-	0.00
33	8 294	8 297	-8.28	97.4	-	0.00
34	7 909	7 911	-7.83	97.4	-	0.00
35	8 814	8 817	-8.87	97.4	-	0.00
36	9 066	9 069	-9.14	97.4	-	0.00
37	9 389	9 391	-9.48	97.4	-	0.00
38	10 726	10 727	-10.78	97.4	-	0.00
39	10 236	10 237	-10.32	97.4	-	0.00
40	9 797	9 798	-9.89	97.4	-	0.00
Sum			16.63			

- Data undefined due to calculation with octave data

Noise sensitive area: V Dzikli

Wind speed: 6.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 568	8 571	-8.60	97.4	-	0.00
2	9 582	9 584	-9.68	97.4	-	0.00
3	10 137	10 139	-10.23	97.4	-	0.00
4	9 692	9 694	-9.79	97.4	-	0.00
5	8 945	8 947	-9.01	97.4	-	0.00
6	8 268	8 270	-8.25	97.4	-	0.00
7	8 145	8 148	-8.11	97.4	-	0.00
8	7 655	7 658	-7.52	97.4	-	0.00
9	6 977	6 980	-6.63	97.4	-	0.00
10	6 237	6 240	-5.57	97.4	-	0.00
11	6 659	6 662	-6.19	97.4	-	0.00
12	7 692	7 694	-7.56	97.4	-	0.00
13	7 733	7 735	-7.61	97.4	-	0.00
14	9 204	9 206	-9.29	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	10 016	10 018	-10.11	97.4	-	0.00
16	10 446	10 448	-10.52	97.4	-	0.00
17	9 647	9 649	-9.74	97.4	-	0.00
18	9 028	9 030	-9.10	97.4	-	0.00
19	8 633	8 636	-8.67	97.4	-	0.00
20	10 155	10 157	-10.24	97.4	-	0.00
21	10 482	10 484	-10.55	97.4	-	0.00
22	9 135	9 138	-9.22	97.4	-	0.00
23	8 269	8 272	-8.26	97.4	-	0.00
24	8 170	8 172	-8.14	97.4	-	0.00
25	9 016	9 019	-9.09	97.4	-	0.00
26	9 634	9 636	-9.73	97.4	-	0.00
27	10 096	10 098	-10.19	97.4	-	0.00
28	11 258	11 260	-11.25	97.4	-	0.00
29	11 799	11 801	-11.71	97.4	-	0.00
30	11 190	11 192	-11.19	97.4	-	0.00
31	10 630	10 631	-10.69	97.4	-	0.00
32	9 377	9 379	-9.47	97.4	-	0.00
33	4 319	4 323	-2.14	97.4	-	0.00
34	4 928	4 933	-3.36	97.4	-	0.00
35	4 553	4 557	-2.62	97.4	-	0.00
36	3 878	3 883	-1.14	97.4	-	0.00
37	3 305	3 309	0.32	97.4	-	0.00
38	1 623	1 632	6.71	97.4	-	0.00
39	2 092	2 099	4.45	97.4	-	0.00
40	2 567	2 572	2.62	97.4	-	0.00
Sum			12.28			

- Data undefined due to calculation with octave data

Noise sensitive area: V Dzikli

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 568	8 571	-8.60	97.4	-	0.00
2	9 582	9 584	-9.68	97.4	-	0.00
3	10 137	10 139	-10.23	97.4	-	0.00
4	9 692	9 694	-9.79	97.4	-	0.00
5	8 945	8 947	-9.01	97.4	-	0.00
6	8 268	8 270	-8.25	97.4	-	0.00
7	8 145	8 148	-8.11	97.4	-	0.00
8	7 655	7 658	-7.52	97.4	-	0.00
9	6 977	6 980	-6.63	97.4	-	0.00
10	6 237	6 240	-5.57	97.4	-	0.00
11	6 659	6 662	-6.19	97.4	-	0.00
12	7 692	7 694	-7.56	97.4	-	0.00
13	7 733	7 735	-7.61	97.4	-	0.00
14	9 204	9 206	-9.29	97.4	-	0.00
15	10 016	10 018	-10.11	97.4	-	0.00
16	10 446	10 448	-10.52	97.4	-	0.00
17	9 647	9 649	-9.74	97.4	-	0.00
18	9 028	9 030	-9.10	97.4	-	0.00
19	8 633	8 636	-8.67	97.4	-	0.00
20	10 155	10 157	-10.24	97.4	-	0.00
21	10 482	10 484	-10.55	97.4	-	0.00
22	9 135	9 138	-9.22	97.4	-	0.00
23	8 269	8 272	-8.26	97.4	-	0.00
24	8 170	8 172	-8.14	97.4	-	0.00
25	9 016	9 019	-9.09	97.4	-	0.00
26	9 634	9 636	-9.73	97.4	-	0.00
27	10 096	10 098	-10.19	97.4	-	0.00
28	11 258	11 260	-11.25	97.4	-	0.00
29	11 799	11 801	-11.71	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	11 190	11 192	-11.19	97.4	-	0.00
31	10 630	10 631	-10.69	97.4	-	0.00
32	9 377	9 379	-9.47	97.4	-	0.00
33	4 319	4 323	-2.14	97.4	-	0.00
34	4 928	4 933	-3.36	97.4	-	0.00
35	4 553	4 557	-2.62	97.4	-	0.00
36	3 878	3 883	-1.14	97.4	-	0.00
37	3 305	3 309	0.32	97.4	-	0.00
38	1 623	1 632	6.71	97.4	-	0.00
39	2 092	2 099	4.45	97.4	-	0.00
40	2 567	2 572	2.62	97.4	-	0.00
Sum			12.28			

- Data undefined due to calculation with octave data

Noise sensitive area: W Elki

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 749	1 760	6.03	97.4	-	0.00
2	3 000	3 006	1.20	97.4	-	0.00
3	4 473	4 478	-2.46	97.4	-	0.00
4	3 713	3 718	-0.74	97.4	-	0.00
5	3 120	3 126	0.84	97.4	-	0.00
6	2 668	2 676	2.26	97.4	-	0.00
7	1 920	1 931	5.20	97.4	-	0.00
8	2 265	2 274	3.73	97.4	-	0.00
9	2 123	2 132	4.31	97.4	-	0.00
10	2 795	2 803	1.84	97.4	-	0.00
11	3 182	3 189	0.66	97.4	-	0.00
12	2 922	2 930	1.44	97.4	-	0.00
13	3 511	3 517	-0.23	97.4	-	0.00
14	4 106	4 111	-1.67	97.4	-	0.00
15	4 799	4 803	-3.11	97.4	-	0.00
16	5 843	5 847	-4.95	97.4	-	0.00
17	5 298	5 302	-4.04	97.4	-	0.00
18	5 154	5 158	-3.78	97.4	-	0.00
19	5 593	5 597	-4.54	97.4	-	0.00
20	6 043	6 047	-5.27	97.4	-	0.00
21	6 739	6 742	-6.30	97.4	-	0.00
22	6 326	6 329	-5.70	97.4	-	0.00
23	6 075	6 078	-5.32	97.4	-	0.00
24	6 637	6 640	-6.16	97.4	-	0.00
25	6 802	6 805	-6.39	97.4	-	0.00
26	6 999	7 002	-6.66	97.4	-	0.00
27	6 975	6 978	-6.63	97.4	-	0.00
28	8 345	8 347	-8.34	97.4	-	0.00
29	8 932	8 934	-9.00	97.4	-	0.00
30	8 707	8 710	-8.75	97.4	-	0.00
31	8 560	8 562	-8.59	97.4	-	0.00
32	7 585	7 588	-7.43	97.4	-	0.00
33	4 405	4 410	-2.32	97.4	-	0.00
34	3 815	3 821	-0.99	97.4	-	0.00
35	3 499	3 505	-0.20	97.4	-	0.00
36	4 251	4 256	-1.99	97.4	-	0.00
37	4 862	4 864	-3.23	97.4	-	0.00
38	6 510	6 512	-5.97	97.4	-	0.00
39	6 269	6 271	-5.61	97.4	-	0.00
40	5 853	5 856	-4.97	97.4	-	0.00
Sum			15.15			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: W Elki

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 749	1 760	6.03	97.4	-	0.00
2	3 000	3 006	1.20	97.4	-	0.00
3	4 473	4 478	-2.46	97.4	-	0.00
4	3 713	3 718	-0.74	97.4	-	0.00
5	3 120	3 126	0.84	97.4	-	0.00
6	2 668	2 676	2.26	97.4	-	0.00
7	1 920	1 931	5.20	97.4	-	0.00
8	2 265	2 274	3.73	97.4	-	0.00
9	2 123	2 132	4.31	97.4	-	0.00
10	2 795	2 803	1.84	97.4	-	0.00
11	3 182	3 189	0.66	97.4	-	0.00
12	2 922	2 930	1.44	97.4	-	0.00
13	3 511	3 517	-0.23	97.4	-	0.00
14	4 106	4 111	-1.67	97.4	-	0.00
15	4 799	4 803	-3.11	97.4	-	0.00
16	5 843	5 847	-4.95	97.4	-	0.00
17	5 298	5 302	-4.04	97.4	-	0.00
18	5 154	5 158	-3.78	97.4	-	0.00
19	5 593	5 597	-4.54	97.4	-	0.00
20	6 043	6 047	-5.27	97.4	-	0.00
21	6 739	6 742	-6.30	97.4	-	0.00
22	6 326	6 329	-5.70	97.4	-	0.00
23	6 075	6 078	-5.32	97.4	-	0.00
24	6 637	6 640	-6.16	97.4	-	0.00
25	6 802	6 805	-6.39	97.4	-	0.00
26	6 999	7 002	-6.66	97.4	-	0.00
27	6 975	6 978	-6.63	97.4	-	0.00
28	8 345	8 347	-8.34	97.4	-	0.00
29	8 932	8 934	-9.00	97.4	-	0.00
30	8 707	8 710	-8.75	97.4	-	0.00
31	8 560	8 562	-8.59	97.4	-	0.00
32	7 585	7 588	-7.43	97.4	-	0.00
33	4 405	4 410	-2.32	97.4	-	0.00
34	3 815	3 821	-0.99	97.4	-	0.00
35	3 499	3 505	-0.20	97.4	-	0.00
36	4 251	4 256	-1.99	97.4	-	0.00
37	4 862	4 864	-3.23	97.4	-	0.00
38	6 510	6 512	-5.97	97.4	-	0.00
39	6 269	6 271	-5.61	97.4	-	0.00
40	5 853	5 856	-4.97	97.4	-	0.00
Sum			15.15			

- Data undefined due to calculation with octave data

Noise sensitive area: X Ezeri

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 696	2 703	2.17	97.4	-	0.00
2	3 762	3 767	-0.87	97.4	-	0.00
3	4 632	4 636	-2.78	97.4	-	0.00
4	4 034	4 039	-1.51	97.4	-	0.00
5	3 261	3 267	0.44	97.4	-	0.00
6	2 559	2 567	2.64	97.4	-	0.00
7	2 288	2 297	3.64	97.4	-	0.00
8	1 888	1 899	5.35	97.4	-	0.00
9	1 176	1 193	9.49	97.4	-	0.00
10	860	883	12.15	97.4	-	0.00
11	1 539	1 552	7.15	97.4	-	0.00
12	2 178	2 188	4.08	97.4	-	0.00
13	2 529	2 537	2.74	97.4	-	0.00
14	3 840	3 846	-1.05	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	4 693	4 697	-2.91	97.4	-	0.00
16	5 476	5 480	-4.35	97.4	-	0.00
17	4 732	4 736	-2.98	97.4	-	0.00
18	4 309	4 314	-2.12	97.4	-	0.00
19	4 405	4 409	-2.32	97.4	-	0.00
20	5 435	5 439	-4.28	97.4	-	0.00
21	6 019	6 023	-5.23	97.4	-	0.00
22	5 142	5 146	-3.76	97.4	-	0.00
23	4 604	4 609	-2.73	97.4	-	0.00
24	5 009	5 013	-3.51	97.4	-	0.00
25	5 440	5 443	-4.28	97.4	-	0.00
26	5 823	5 827	-4.92	97.4	-	0.00
27	5 999	6 002	-5.20	97.4	-	0.00
28	7 400	7 403	-7.19	97.4	-	0.00
29	8 010	8 012	-7.95	97.4	-	0.00
30	7 623	7 626	-7.48	97.4	-	0.00
31	7 316	7 319	-7.08	97.4	-	0.00
32	6 158	6 162	-5.45	97.4	-	0.00
33	2 023	2 033	4.74	97.4	-	0.00
34	1 424	1 439	7.83	97.4	-	0.00
35	1 320	1 335	8.50	97.4	-	0.00
36	2 029	2 039	4.71	97.4	-	0.00
37	2 644	2 649	2.35	97.4	-	0.00
38	4 378	4 381	-2.26	97.4	-	0.00
39	4 059	4 062	-1.56	97.4	-	0.00
40	3 604	3 608	-0.47	97.4	-	0.00
Sum			18.91			

- Data undefined due to calculation with octave data

Noise sensitive area: X Ezeri

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 696	2 703	2.17	97.4	-	0.00
2	3 762	3 767	-0.87	97.4	-	0.00
3	4 632	4 636	-2.78	97.4	-	0.00
4	4 034	4 039	-1.51	97.4	-	0.00
5	3 261	3 267	0.44	97.4	-	0.00
6	2 559	2 567	2.64	97.4	-	0.00
7	2 288	2 297	3.64	97.4	-	0.00
8	1 888	1 899	5.35	97.4	-	0.00
9	1 176	1 193	9.49	97.4	-	0.00
10	860	883	12.15	97.4	-	0.00
11	1 539	1 552	7.15	97.4	-	0.00
12	2 178	2 188	4.08	97.4	-	0.00
13	2 529	2 537	2.74	97.4	-	0.00
14	3 840	3 846	-1.05	97.4	-	0.00
15	4 693	4 697	-2.91	97.4	-	0.00
16	5 476	5 480	-4.35	97.4	-	0.00
17	4 732	4 736	-2.98	97.4	-	0.00
18	4 309	4 314	-2.12	97.4	-	0.00
19	4 405	4 409	-2.32	97.4	-	0.00
20	5 435	5 439	-4.28	97.4	-	0.00
21	6 019	6 023	-5.23	97.4	-	0.00
22	5 142	5 146	-3.76	97.4	-	0.00
23	4 604	4 609	-2.73	97.4	-	0.00
24	5 009	5 013	-3.51	97.4	-	0.00
25	5 440	5 443	-4.28	97.4	-	0.00
26	5 823	5 827	-4.92	97.4	-	0.00
27	5 999	6 002	-5.20	97.4	-	0.00
28	7 400	7 403	-7.19	97.4	-	0.00
29	8 010	8 012	-7.95	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	7 623	7 626	-7.48	97.4	-	0.00
31	7 316	7 319	-7.08	97.4	-	0.00
32	6 158	6 162	-5.45	97.4	-	0.00
33	2 023	2 033	4.74	97.4	-	0.00
34	1 424	1 439	7.83	97.4	-	0.00
35	1 320	1 335	8.50	97.4	-	0.00
36	2 029	2 039	4.71	97.4	-	0.00
37	2 644	2 649	2.35	97.4	-	0.00
38	4 378	4 381	-2.26	97.4	-	0.00
39	4 059	4 062	-1.56	97.4	-	0.00
40	3 604	3 608	-0.47	97.4	-	0.00
Sum			18.91			

- Data undefined due to calculation with octave data

Noise sensitive area: Y Ezerkrogs

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 126	3 133	0.83	97.4	-	0.00
2	4 166	4 171	-1.80	97.4	-	0.00
3	4 966	4 970	-3.43	97.4	-	0.00
4	4 396	4 401	-2.30	97.4	-	0.00
5	3 624	3 630	-0.52	97.4	-	0.00
6	2 924	2 931	1.43	97.4	-	0.00
7	2 704	2 712	2.14	97.4	-	0.00
8	2 266	2 275	3.73	97.4	-	0.00
9	1 560	1 573	7.04	97.4	-	0.00
10	1 031	1 050	10.63	97.4	-	0.00
11	1 693	1 706	6.31	97.4	-	0.00
12	2 481	2 490	2.91	97.4	-	0.00
13	2 763	2 770	1.94	97.4	-	0.00
14	4 138	4 143	-1.74	97.4	-	0.00
15	4 992	4 996	-3.48	97.4	-	0.00
16	5 724	5 728	-4.76	97.4	-	0.00
17	4 961	4 965	-3.42	97.4	-	0.00
18	4 498	4 502	-2.51	97.4	-	0.00
19	4 518	4 523	-2.55	97.4	-	0.00
20	5 644	5 648	-4.63	97.4	-	0.00
21	6 199	6 202	-5.51	97.4	-	0.00
22	5 240	5 244	-3.93	97.4	-	0.00
23	4 643	4 648	-2.81	97.4	-	0.00
24	4 996	5 000	-3.49	97.4	-	0.00
25	5 491	5 494	-4.37	97.4	-	0.00
26	5 913	5 916	-5.07	97.4	-	0.00
27	6 129	6 132	-5.40	97.4	-	0.00
28	7 520	7 523	-7.35	97.4	-	0.00
29	8 129	8 131	-8.09	97.4	-	0.00
30	7 712	7 715	-7.59	97.4	-	0.00
31	7 372	7 375	-7.16	97.4	-	0.00
32	6 183	6 186	-5.49	97.4	-	0.00
33	1 626	1 639	6.67	97.4	-	0.00
34	1 079	1 097	10.24	97.4	-	0.00
35	896	918	11.81	97.4	-	0.00
36	1 593	1 606	6.85	97.4	-	0.00
37	2 208	2 213	3.97	97.4	-	0.00
38	3 943	3 946	-1.29	97.4	-	0.00
39	3 623	3 627	-0.52	97.4	-	0.00
40	3 169	3 173	0.71	97.4	-	0.00
Sum			19.09			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: Y Ezerkrogs

Wind speed: 8.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 126	3 133	0.83	97.4	-	0.00
2	4 166	4 171	-1.80	97.4	-	0.00
3	4 966	4 970	-3.43	97.4	-	0.00
4	4 396	4 401	-2.30	97.4	-	0.00
5	3 624	3 630	-0.52	97.4	-	0.00
6	2 924	2 931	1.43	97.4	-	0.00
7	2 704	2 712	2.14	97.4	-	0.00
8	2 266	2 275	3.73	97.4	-	0.00
9	1 560	1 573	7.04	97.4	-	0.00
10	1 031	1 050	10.63	97.4	-	0.00
11	1 693	1 706	6.31	97.4	-	0.00
12	2 481	2 490	2.91	97.4	-	0.00
13	2 763	2 770	1.94	97.4	-	0.00
14	4 138	4 143	-1.74	97.4	-	0.00
15	4 992	4 996	-3.48	97.4	-	0.00
16	5 724	5 728	-4.76	97.4	-	0.00
17	4 961	4 965	-3.42	97.4	-	0.00
18	4 498	4 502	-2.51	97.4	-	0.00
19	4 518	4 523	-2.55	97.4	-	0.00
20	5 644	5 648	-4.63	97.4	-	0.00
21	6 199	6 202	-5.51	97.4	-	0.00
22	5 240	5 244	-3.93	97.4	-	0.00
23	4 643	4 648	-2.81	97.4	-	0.00
24	4 996	5 000	-3.49	97.4	-	0.00
25	5 491	5 494	-4.37	97.4	-	0.00
26	5 913	5 916	-5.07	97.4	-	0.00
27	6 129	6 132	-5.40	97.4	-	0.00
28	7 520	7 523	-7.35	97.4	-	0.00
29	8 129	8 131	-8.09	97.4	-	0.00
30	7 712	7 715	-7.59	97.4	-	0.00
31	7 372	7 375	-7.16	97.4	-	0.00
32	6 183	6 186	-5.49	97.4	-	0.00
33	1 626	1 639	6.67	97.4	-	0.00
34	1 079	1 097	10.24	97.4	-	0.00
35	896	918	11.81	97.4	-	0.00
36	1 593	1 606	6.85	97.4	-	0.00
37	2 208	2 213	3.97	97.4	-	0.00
38	3 943	3 946	-1.29	97.4	-	0.00
39	3 623	3 627	-0.52	97.4	-	0.00
40	3 169	3 173	0.71	97.4	-	0.00
Sum			19.09			

- Data undefined due to calculation with octave data

Noise sensitive area: Z Ezermali

Wind speed: 6.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 740	2 747	2.02	97.4	-	0.00
2	3 823	3 828	-1.01	97.4	-	0.00
3	4 710	4 714	-2.94	97.4	-	0.00
4	4 107	4 112	-1.67	97.4	-	0.00
5	3 334	3 340	0.24	97.4	-	0.00
6	2 632	2 640	2.38	97.4	-	0.00
7	2 344	2 352	3.43	97.4	-	0.00
8	1 960	1 970	5.02	97.4	-	0.00
9	1 248	1 264	8.98	97.4	-	0.00
10	950	971	11.32	97.4	-	0.00
11	1 629	1 642	6.65	97.4	-	0.00
12	2 263	2 272	3.74	97.4	-	0.00
13	2 618	2 626	2.43	97.4	-	0.00
14	3 924	3 929	-1.25	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	4 776	4 780	-3.07	97.4	-	0.00
16	5 564	5 567	-4.49	97.4	-	0.00
17	4 821	4 825	-3.16	97.4	-	0.00
18	4 399	4 404	-2.31	97.4	-	0.00
19	4 495	4 500	-2.51	97.4	-	0.00
20	5 525	5 529	-4.43	97.4	-	0.00
21	6 110	6 113	-5.37	97.4	-	0.00
22	5 232	5 236	-3.92	97.4	-	0.00
23	4 692	4 696	-2.90	97.4	-	0.00
24	5 093	5 097	-3.67	97.4	-	0.00
25	5 528	5 532	-4.43	97.4	-	0.00
26	5 913	5 917	-5.07	97.4	-	0.00
27	6 089	6 093	-5.34	97.4	-	0.00
28	7 491	7 494	-7.31	97.4	-	0.00
29	8 100	8 103	-8.06	97.4	-	0.00
30	7 713	7 716	-7.59	97.4	-	0.00
31	7 405	7 407	-7.20	97.4	-	0.00
32	6 245	6 249	-5.58	97.4	-	0.00
33	2 032	2 042	4.70	97.4	-	0.00
34	1 449	1 463	7.68	97.4	-	0.00
35	1 278	1 293	8.78	97.4	-	0.00
36	1 999	2 009	4.84	97.4	-	0.00
37	2 616	2 621	2.45	97.4	-	0.00
38	4 345	4 348	-2.19	97.4	-	0.00
39	4 034	4 037	-1.50	97.4	-	0.00
40	3 583	3 587	-0.41	97.4	-	0.00
Sum			18.60			

- Data undefined due to calculation with octave data

Noise sensitive area: Z Ezermali

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 740	2 747	2.02	97.4	-	0.00
2	3 823	3 828	-1.01	97.4	-	0.00
3	4 710	4 714	-2.94	97.4	-	0.00
4	4 107	4 112	-1.67	97.4	-	0.00
5	3 334	3 340	0.24	97.4	-	0.00
6	2 632	2 640	2.38	97.4	-	0.00
7	2 344	2 352	3.43	97.4	-	0.00
8	1 960	1 970	5.02	97.4	-	0.00
9	1 248	1 264	8.98	97.4	-	0.00
10	950	971	11.32	97.4	-	0.00
11	1 629	1 642	6.65	97.4	-	0.00
12	2 263	2 272	3.74	97.4	-	0.00
13	2 618	2 626	2.43	97.4	-	0.00
14	3 924	3 929	-1.25	97.4	-	0.00
15	4 776	4 780	-3.07	97.4	-	0.00
16	5 564	5 567	-4.49	97.4	-	0.00
17	4 821	4 825	-3.16	97.4	-	0.00
18	4 399	4 404	-2.31	97.4	-	0.00
19	4 495	4 500	-2.51	97.4	-	0.00
20	5 525	5 529	-4.43	97.4	-	0.00
21	6 110	6 113	-5.37	97.4	-	0.00
22	5 232	5 236	-3.92	97.4	-	0.00
23	4 692	4 696	-2.90	97.4	-	0.00
24	5 093	5 097	-3.67	97.4	-	0.00
25	5 528	5 532	-4.43	97.4	-	0.00
26	5 913	5 917	-5.07	97.4	-	0.00
27	6 089	6 093	-5.34	97.4	-	0.00
28	7 491	7 494	-7.31	97.4	-	0.00
29	8 100	8 103	-8.06	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	7 713	7 716	-7.59	97.4	-	0.00
31	7 405	7 407	-7.20	97.4	-	0.00
32	6 245	6 249	-5.58	97.4	-	0.00
33	2 032	2 042	4.70	97.4	-	0.00
34	1 449	1 463	7.68	97.4	-	0.00
35	1 278	1 293	8.78	97.4	-	0.00
36	1 999	2 009	4.84	97.4	-	0.00
37	2 616	2 621	2.45	97.4	-	0.00
38	4 345	4 348	-2.19	97.4	-	0.00
39	4 034	4 037	-1.50	97.4	-	0.00
40	3 583	3 587	-0.41	97.4	-	0.00
Sum			18.60			

- Data undefined due to calculation with octave data

Noise sensitive area: AA Franci

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 049	6 052	-5.28	97.4	-	0.00
2	4 957	4 961	-3.41	97.4	-	0.00
3	3 370	3 376	0.14	97.4	-	0.00
4	4 125	4 130	-1.71	97.4	-	0.00
5	4 660	4 664	-2.84	97.4	-	0.00
6	5 194	5 198	-3.85	97.4	-	0.00
7	5 891	5 894	-5.03	97.4	-	0.00
8	5 791	5 795	-4.87	97.4	-	0.00
9	6 382	6 386	-5.79	97.4	-	0.00
10	6 596	6 600	-6.10	97.4	-	0.00
11	5 939	5 943	-5.11	97.4	-	0.00
12	5 277	5 281	-4.00	97.4	-	0.00
13	4 874	4 879	-3.26	97.4	-	0.00
14	3 714	3 720	-0.75	97.4	-	0.00
15	2 981	2 988	1.26	97.4	-	0.00
16	1 964	1 974	5.00	97.4	-	0.00
17	2 671	2 679	2.25	97.4	-	0.00
18	3 156	3 163	0.74	97.4	-	0.00
19	3 442	3 448	-0.05	97.4	-	0.00
20	1 991	2 001	4.88	97.4	-	0.00
21	1 601	1 613	6.81	97.4	-	0.00
22	3 018	3 024	1.15	97.4	-	0.00
23	3 904	3 910	-1.21	97.4	-	0.00
24	4 253	4 257	-1.99	97.4	-	0.00
25	3 368	3 374	0.15	97.4	-	0.00
26	2 739	2 747	2.02	97.4	-	0.00
27	2 149	2 159	4.20	97.4	-	0.00
28	1 932	1 942	5.15	97.4	-	0.00
29	2 099	2 108	4.41	97.4	-	0.00
30	2 514	2 522	2.80	97.4	-	0.00
31	3 017	3 024	1.15	97.4	-	0.00
32	3 513	3 518	-0.24	97.4	-	0.00
33	7 926	7 929	-7.85	97.4	-	0.00
34	7 477	7 480	-7.29	97.4	-	0.00
35	8 324	8 327	-8.32	97.4	-	0.00
36	8 651	8 653	-8.69	97.4	-	0.00
37	9 028	9 030	-9.10	97.4	-	0.00
38	10 471	10 472	-10.54	97.4	-	0.00
39	9 987	9 989	-10.08	97.4	-	0.00
40	9 529	9 530	-9.62	97.4	-	0.00
Sum			16.23			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: AA Franci

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 049	6 052	-5.28	97.4	-	0.00
2	4 957	4 961	-3.41	97.4	-	0.00
3	3 370	3 376	0.14	97.4	-	0.00
4	4 125	4 130	-1.71	97.4	-	0.00
5	4 660	4 664	-2.84	97.4	-	0.00
6	5 194	5 198	-3.85	97.4	-	0.00
7	5 891	5 894	-5.03	97.4	-	0.00
8	5 791	5 795	-4.87	97.4	-	0.00
9	6 382	6 386	-5.79	97.4	-	0.00
10	6 596	6 600	-6.10	97.4	-	0.00
11	5 939	5 943	-5.11	97.4	-	0.00
12	5 277	5 281	-4.00	97.4	-	0.00
13	4 874	4 879	-3.26	97.4	-	0.00
14	3 714	3 720	-0.75	97.4	-	0.00
15	2 981	2 988	1.26	97.4	-	0.00
16	1 964	1 974	5.00	97.4	-	0.00
17	2 671	2 679	2.25	97.4	-	0.00
18	3 156	3 163	0.74	97.4	-	0.00
19	3 442	3 448	-0.05	97.4	-	0.00
20	1 991	2 001	4.88	97.4	-	0.00
21	1 601	1 613	6.81	97.4	-	0.00
22	3 018	3 024	1.15	97.4	-	0.00
23	3 904	3 910	-1.21	97.4	-	0.00
24	4 253	4 257	-1.99	97.4	-	0.00
25	3 368	3 374	0.15	97.4	-	0.00
26	2 739	2 747	2.02	97.4	-	0.00
27	2 149	2 159	4.20	97.4	-	0.00
28	1 932	1 942	5.15	97.4	-	0.00
29	2 099	2 108	4.41	97.4	-	0.00
30	2 514	2 522	2.80	97.4	-	0.00
31	3 017	3 024	1.15	97.4	-	0.00
32	3 513	3 518	-0.24	97.4	-	0.00
33	7 926	7 929	-7.85	97.4	-	0.00
34	7 477	7 480	-7.29	97.4	-	0.00
35	8 324	8 327	-8.32	97.4	-	0.00
36	8 651	8 653	-8.69	97.4	-	0.00
37	9 028	9 030	-9.10	97.4	-	0.00
38	10 471	10 472	-10.54	97.4	-	0.00
39	9 987	9 989	-10.08	97.4	-	0.00
40	9 529	9 530	-9.62	97.4	-	0.00
Sum			16.23			

- Data undefined due to calculation with octave data

Noise sensitive area: AB Gailkalni

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 575	2 582	2.58	97.4	-	0.00
2	1 860	1 871	5.49	97.4	-	0.00
3	2 827	2 834	1.74	97.4	-	0.00
4	2 419	2 428	3.14	97.4	-	0.00
5	2 748	2 755	2.00	97.4	-	0.00
6	3 187	3 193	0.65	97.4	-	0.00
7	3 038	3 045	1.08	97.4	-	0.00
8	3 625	3 630	-0.52	97.4	-	0.00
9	4 220	4 225	-1.92	97.4	-	0.00
10	5 048	5 052	-3.58	97.4	-	0.00
11	4 887	4 891	-3.28	97.4	-	0.00
12	3 884	3 889	-1.16	97.4	-	0.00
13	4 224	4 229	-1.93	97.4	-	0.00
14	3 387	3 393	0.10	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	3 379	3 385	0.12	97.4	-	0.00
16	4 359	4 363	-2.22	97.4	-	0.00
17	4 345	4 349	-2.19	97.4	-	0.00
18	4 689	4 693	-2.90	97.4	-	0.00
19	5 474	5 478	-4.34	97.4	-	0.00
20	4 863	4 867	-3.24	97.4	-	0.00
21	5 524	5 527	-4.43	97.4	-	0.00
22	5 963	5 966	-5.15	97.4	-	0.00
23	6 249	6 252	-5.59	97.4	-	0.00
24	6 932	6 935	-6.57	97.4	-	0.00
25	6 605	6 608	-6.11	97.4	-	0.00
26	6 446	6 449	-5.88	97.4	-	0.00
27	6 107	6 110	-5.37	97.4	-	0.00
28	7 148	7 151	-6.86	97.4	-	0.00
29	7 608	7 611	-7.46	97.4	-	0.00
30	7 678	7 681	-7.54	97.4	-	0.00
31	7 821	7 824	-7.72	97.4	-	0.00
32	7 331	7 333	-7.10	97.4	-	0.00
33	7 079	7 081	-6.77	97.4	-	0.00
34	6 410	6 413	-5.83	97.4	-	0.00
35	6 589	6 592	-6.09	97.4	-	0.00
36	7 289	7 292	-7.05	97.4	-	0.00
37	7 895	7 896	-7.81	97.4	-	0.00
38	9 638	9 639	-9.73	97.4	-	0.00
39	9 291	9 292	-9.38	97.4	-	0.00
40	8 817	8 819	-8.87	97.4	-	0.00
Sum			14.10			

- Data undefined due to calculation with octave data

Noise sensitive area: AB Gailkalni

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 575	2 582	2.58	97.4	-	0.00
2	1 860	1 871	5.49	97.4	-	0.00
3	2 827	2 834	1.74	97.4	-	0.00
4	2 419	2 428	3.14	97.4	-	0.00
5	2 748	2 755	2.00	97.4	-	0.00
6	3 187	3 193	0.65	97.4	-	0.00
7	3 038	3 045	1.08	97.4	-	0.00
8	3 625	3 630	-0.52	97.4	-	0.00
9	4 220	4 225	-1.92	97.4	-	0.00
10	5 048	5 052	-3.58	97.4	-	0.00
11	4 887	4 891	-3.28	97.4	-	0.00
12	3 884	3 889	-1.16	97.4	-	0.00
13	4 224	4 229	-1.93	97.4	-	0.00
14	3 387	3 393	0.10	97.4	-	0.00
15	3 379	3 385	0.12	97.4	-	0.00
16	4 359	4 363	-2.22	97.4	-	0.00
17	4 345	4 349	-2.19	97.4	-	0.00
18	4 689	4 693	-2.90	97.4	-	0.00
19	5 474	5 478	-4.34	97.4	-	0.00
20	4 863	4 867	-3.24	97.4	-	0.00
21	5 524	5 527	-4.43	97.4	-	0.00
22	5 963	5 966	-5.15	97.4	-	0.00
23	6 249	6 252	-5.59	97.4	-	0.00
24	6 932	6 935	-6.57	97.4	-	0.00
25	6 605	6 608	-6.11	97.4	-	0.00
26	6 446	6 449	-5.88	97.4	-	0.00
27	6 107	6 110	-5.37	97.4	-	0.00
28	7 148	7 151	-6.86	97.4	-	0.00
29	7 608	7 611	-7.46	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	7 678	7 681	-7.54	97.4	-	0.00
31	7 821	7 824	-7.72	97.4	-	0.00
32	7 331	7 333	-7.10	97.4	-	0.00
33	7 079	7 081	-6.77	97.4	-	0.00
34	6 410	6 413	-5.83	97.4	-	0.00
35	6 589	6 592	-6.09	97.4	-	0.00
36	7 289	7 292	-7.05	97.4	-	0.00
37	7 895	7 896	-7.81	97.4	-	0.00
38	9 638	9 639	-9.73	97.4	-	0.00
39	9 291	9 292	-9.38	97.4	-	0.00
40	8 817	8 819	-8.87	97.4	-	0.00
Sum			14.10			

- Data undefined due to calculation with octave data

Noise sensitive area: AC Grantkalni

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 933	2 940	1.41	97.4	-	0.00
2	1 668	1 680	6.45	97.4	-	0.00
3	1 477	1 491	7.51	97.4	-	0.00
4	1 522	1 535	7.25	97.4	-	0.00
5	2 225	2 234	3.89	97.4	-	0.00
6	2 897	2 904	1.52	97.4	-	0.00
7	3 156	3 162	0.74	97.4	-	0.00
8	3 530	3 536	-0.28	97.4	-	0.00
9	4 235	4 239	-1.95	97.4	-	0.00
10	4 928	4 932	-3.36	97.4	-	0.00
11	4 554	4 559	-2.63	97.4	-	0.00
12	3 496	3 502	-0.19	97.4	-	0.00
13	3 608	3 614	-0.48	97.4	-	0.00
14	2 337	2 346	3.45	97.4	-	0.00
15	1 985	1 996	4.91	97.4	-	0.00
16	2 808	2 816	1.80	97.4	-	0.00
17	2 970	2 977	1.29	97.4	-	0.00
18	3 452	3 458	-0.08	97.4	-	0.00
19	4 268	4 273	-2.03	97.4	-	0.00
20	3 359	3 365	0.17	97.4	-	0.00
21	3 971	3 976	-1.36	97.4	-	0.00
22	4 626	4 630	-2.77	97.4	-	0.00
23	5 073	5 077	-3.63	97.4	-	0.00
24	5 747	5 750	-4.80	97.4	-	0.00
25	5 276	5 280	-4.00	97.4	-	0.00
26	5 019	5 023	-3.53	97.4	-	0.00
27	4 611	4 615	-2.74	97.4	-	0.00
28	5 548	5 552	-4.47	97.4	-	0.00
29	5 982	5 986	-5.18	97.4	-	0.00
30	6 097	6 101	-5.36	97.4	-	0.00
31	6 295	6 298	-5.66	97.4	-	0.00
32	5 945	5 949	-5.12	97.4	-	0.00
33	6 899	6 902	-6.52	97.4	-	0.00
34	6 254	6 257	-5.59	97.4	-	0.00
35	6 682	6 685	-6.22	97.4	-	0.00
36	7 296	7 299	-7.06	97.4	-	0.00
37	7 859	7 861	-7.77	97.4	-	0.00
38	9 582	9 583	-9.68	97.4	-	0.00
39	9 179	9 180	-9.26	97.4	-	0.00
40	8 690	8 691	-8.73	97.4	-	0.00
Sum			16.38			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: AC Grantkalni

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 933	2 940	1.41	97.4	-	0.00
2	1 668	1 680	6.45	97.4	-	0.00
3	1 477	1 491	7.51	97.4	-	0.00
4	1 522	1 535	7.25	97.4	-	0.00
5	2 225	2 234	3.89	97.4	-	0.00
6	2 897	2 904	1.52	97.4	-	0.00
7	3 156	3 162	0.74	97.4	-	0.00
8	3 530	3 536	-0.28	97.4	-	0.00
9	4 235	4 239	-1.95	97.4	-	0.00
10	4 928	4 932	-3.36	97.4	-	0.00
11	4 554	4 559	-2.63	97.4	-	0.00
12	3 496	3 502	-0.19	97.4	-	0.00
13	3 608	3 614	-0.48	97.4	-	0.00
14	2 337	2 346	3.45	97.4	-	0.00
15	1 985	1 996	4.91	97.4	-	0.00
16	2 808	2 816	1.80	97.4	-	0.00
17	2 970	2 977	1.29	97.4	-	0.00
18	3 452	3 458	-0.08	97.4	-	0.00
19	4 268	4 273	-2.03	97.4	-	0.00
20	3 359	3 365	0.17	97.4	-	0.00
21	3 971	3 976	-1.36	97.4	-	0.00
22	4 626	4 630	-2.77	97.4	-	0.00
23	5 073	5 077	-3.63	97.4	-	0.00
24	5 747	5 750	-4.80	97.4	-	0.00
25	5 276	5 280	-4.00	97.4	-	0.00
26	5 019	5 023	-3.53	97.4	-	0.00
27	4 611	4 615	-2.74	97.4	-	0.00
28	5 548	5 552	-4.47	97.4	-	0.00
29	5 982	5 986	-5.18	97.4	-	0.00
30	6 097	6 101	-5.36	97.4	-	0.00
31	6 295	6 298	-5.66	97.4	-	0.00
32	5 945	5 949	-5.12	97.4	-	0.00
33	6 899	6 902	-6.52	97.4	-	0.00
34	6 254	6 257	-5.59	97.4	-	0.00
35	6 682	6 685	-6.22	97.4	-	0.00
36	7 296	7 299	-7.06	97.4	-	0.00
37	7 859	7 861	-7.77	97.4	-	0.00
38	9 582	9 583	-9.68	97.4	-	0.00
39	9 179	9 180	-9.26	97.4	-	0.00
40	8 690	8 691	-8.73	97.4	-	0.00
Sum			16.38			

- Data undefined due to calculation with octave data

Noise sensitive area: AD Graši

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 464	6 467	-5.91	97.4	-	0.00
2	5 490	5 493	-4.37	97.4	-	0.00
3	3 920	3 925	-1.24	97.4	-	0.00
4	4 633	4 637	-2.79	97.4	-	0.00
5	5 051	5 055	-3.59	97.4	-	0.00
6	5 493	5 496	-4.37	97.4	-	0.00
7	6 228	6 231	-5.55	97.4	-	0.00
8	6 027	6 030	-5.25	97.4	-	0.00
9	6 549	6 552	-6.03	97.4	-	0.00
10	6 635	6 638	-6.15	97.4	-	0.00
11	5 957	5 961	-5.14	97.4	-	0.00
12	5 450	5 454	-4.30	97.4	-	0.00
13	4 972	4 976	-3.44	97.4	-	0.00
14	4 041	4 046	-1.52	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	3 446	3 451	-0.06	97.4	-	0.00
16	2 349	2 357	3.41	97.4	-	0.00
17	2 858	2 865	1.64	97.4	-	0.00
18	3 169	3 175	0.70	97.4	-	0.00
19	3 211	3 217	0.58	97.4	-	0.00
20	2 110	2 120	4.36	97.4	-	0.00
21	1 459	1 472	7.63	97.4	-	0.00
22	2 619	2 626	2.43	97.4	-	0.00
23	3 481	3 487	-0.16	97.4	-	0.00
24	3 689	3 694	-0.68	97.4	-	0.00
25	2 794	2 801	1.84	97.4	-	0.00
26	2 151	2 160	4.19	97.4	-	0.00
27	1 654	1 666	6.52	97.4	-	0.00
28	957	977	11.26	97.4	-	0.00
29	1 126	1 143	9.87	97.4	-	0.00
30	1 526	1 538	7.23	97.4	-	0.00
31	2 065	2 074	4.56	97.4	-	0.00
32	2 752	2 759	1.98	97.4	-	0.00
33	7 741	7 743	-7.62	97.4	-	0.00
34	7 359	7 362	-7.14	97.4	-	0.00
35	8 270	8 273	-8.26	97.4	-	0.00
36	8 515	8 517	-8.54	97.4	-	0.00
37	8 835	8 837	-8.89	97.4	-	0.00
38	10 172	10 174	-10.26	97.4	-	0.00
39	9 682	9 683	-9.78	97.4	-	0.00
40	9 243	9 244	-9.33	97.4	-	0.00
Sum			18.27			

- Data undefined due to calculation with octave data

Noise sensitive area: AD Graši

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 464	6 467	-5.91	97.4	-	0.00
2	5 490	5 493	-4.37	97.4	-	0.00
3	3 920	3 925	-1.24	97.4	-	0.00
4	4 633	4 637	-2.79	97.4	-	0.00
5	5 051	5 055	-3.59	97.4	-	0.00
6	5 493	5 496	-4.37	97.4	-	0.00
7	6 228	6 231	-5.55	97.4	-	0.00
8	6 027	6 030	-5.25	97.4	-	0.00
9	6 549	6 552	-6.03	97.4	-	0.00
10	6 635	6 638	-6.15	97.4	-	0.00
11	5 957	5 961	-5.14	97.4	-	0.00
12	5 450	5 454	-4.30	97.4	-	0.00
13	4 972	4 976	-3.44	97.4	-	0.00
14	4 041	4 046	-1.52	97.4	-	0.00
15	3 446	3 451	-0.06	97.4	-	0.00
16	2 349	2 357	3.41	97.4	-	0.00
17	2 858	2 865	1.64	97.4	-	0.00
18	3 169	3 175	0.70	97.4	-	0.00
19	3 211	3 217	0.58	97.4	-	0.00
20	2 110	2 120	4.36	97.4	-	0.00
21	1 459	1 472	7.63	97.4	-	0.00
22	2 619	2 626	2.43	97.4	-	0.00
23	3 481	3 487	-0.16	97.4	-	0.00
24	3 689	3 694	-0.68	97.4	-	0.00
25	2 794	2 801	1.84	97.4	-	0.00
26	2 151	2 160	4.19	97.4	-	0.00
27	1 654	1 666	6.52	97.4	-	0.00
28	957	977	11.26	97.4	-	0.00
29	1 126	1 143	9.87	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	1 526	1 538	7.23	97.4	-	0.00
31	2 065	2 074	4.56	97.4	-	0.00
32	2 752	2 759	1.98	97.4	-	0.00
33	7 741	7 743	-7.62	97.4	-	0.00
34	7 359	7 362	-7.14	97.4	-	0.00
35	8 270	8 273	-8.26	97.4	-	0.00
36	8 515	8 517	-8.54	97.4	-	0.00
37	8 835	8 837	-8.89	97.4	-	0.00
38	10 172	10 174	-10.26	97.4	-	0.00
39	9 682	9 683	-9.78	97.4	-	0.00
40	9 243	9 244	-9.33	97.4	-	0.00
Sum			18.27			

- Data undefined due to calculation with octave data

Noise sensitive area: AE Jansoni

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 466	6 469	-5.91	97.4	-	0.00
2	5 434	5 437	-4.27	97.4	-	0.00
3	3 849	3 854	-1.07	97.4	-	0.00
4	4 586	4 590	-2.69	97.4	-	0.00
5	5 059	5 063	-3.60	97.4	-	0.00
6	5 542	5 546	-4.46	97.4	-	0.00
7	6 264	6 267	-5.61	97.4	-	0.00
8	6 105	6 108	-5.37	97.4	-	0.00
9	6 657	6 660	-6.18	97.4	-	0.00
10	6 794	6 797	-6.38	97.4	-	0.00
11	6 122	6 125	-5.39	97.4	-	0.00
12	5 552	5 555	-4.47	97.4	-	0.00
13	5 102	5 106	-3.68	97.4	-	0.00
14	4 071	4 076	-1.59	97.4	-	0.00
15	3 410	3 416	0.03	97.4	-	0.00
16	2 332	2 340	3.47	97.4	-	0.00
17	2 934	2 941	1.40	97.4	-	0.00
18	3 318	3 324	0.28	97.4	-	0.00
19	3 452	3 458	-0.08	97.4	-	0.00
20	2 198	2 207	4.00	97.4	-	0.00
21	1 626	1 638	6.67	97.4	-	0.00
22	2 912	2 919	1.47	97.4	-	0.00
23	3 790	3 795	-0.93	97.4	-	0.00
24	4 042	4 047	-1.52	97.4	-	0.00
25	3 145	3 151	0.77	97.4	-	0.00
26	2 500	2 508	2.85	97.4	-	0.00
27	1 964	1 974	5.00	97.4	-	0.00
28	1 371	1 385	8.17	97.4	-	0.00
29	1 459	1 472	7.63	97.4	-	0.00
30	1 928	1 938	5.17	97.4	-	0.00
31	2 482	2 490	2.91	97.4	-	0.00
32	3 151	3 157	0.75	97.4	-	0.00
33	7 985	7 987	-7.92	97.4	-	0.00
34	7 578	7 581	-7.42	97.4	-	0.00
35	8 468	8 470	-8.48	97.4	-	0.00
36	8 743	8 745	-8.79	97.4	-	0.00
37	9 083	9 085	-9.16	97.4	-	0.00
38	10 458	10 459	-10.53	97.4	-	0.00
39	9 969	9 970	-10.06	97.4	-	0.00
40	9 523	9 524	-9.62	97.4	-	0.00
Sum			16.85			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: AE Jansoni

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 466	6 469	-5.91	97.4	-	0.00
2	5 434	5 437	-4.27	97.4	-	0.00
3	3 849	3 854	-1.07	97.4	-	0.00
4	4 586	4 590	-2.69	97.4	-	0.00
5	5 059	5 063	-3.60	97.4	-	0.00
6	5 542	5 546	-4.46	97.4	-	0.00
7	6 264	6 267	-5.61	97.4	-	0.00
8	6 105	6 108	-5.37	97.4	-	0.00
9	6 657	6 660	-6.18	97.4	-	0.00
10	6 794	6 797	-6.38	97.4	-	0.00
11	6 122	6 125	-5.39	97.4	-	0.00
12	5 552	5 555	-4.47	97.4	-	0.00
13	5 102	5 106	-3.68	97.4	-	0.00
14	4 071	4 076	-1.59	97.4	-	0.00
15	3 410	3 416	0.03	97.4	-	0.00
16	2 332	2 340	3.47	97.4	-	0.00
17	2 934	2 941	1.40	97.4	-	0.00
18	3 318	3 324	0.28	97.4	-	0.00
19	3 452	3 458	-0.08	97.4	-	0.00
20	2 198	2 207	4.00	97.4	-	0.00
21	1 626	1 638	6.67	97.4	-	0.00
22	2 912	2 919	1.47	97.4	-	0.00
23	3 790	3 795	-0.93	97.4	-	0.00
24	4 042	4 047	-1.52	97.4	-	0.00
25	3 145	3 151	0.77	97.4	-	0.00
26	2 500	2 508	2.85	97.4	-	0.00
27	1 964	1 974	5.00	97.4	-	0.00
28	1 371	1 385	8.17	97.4	-	0.00
29	1 459	1 472	7.63	97.4	-	0.00
30	1 928	1 938	5.17	97.4	-	0.00
31	2 482	2 490	2.91	97.4	-	0.00
32	3 151	3 157	0.75	97.4	-	0.00
33	7 985	7 987	-7.92	97.4	-	0.00
34	7 578	7 581	-7.42	97.4	-	0.00
35	8 468	8 470	-8.48	97.4	-	0.00
36	8 743	8 745	-8.79	97.4	-	0.00
37	9 083	9 085	-9.16	97.4	-	0.00
38	10 458	10 459	-10.53	97.4	-	0.00
39	9 969	9 970	-10.06	97.4	-	0.00
40	9 523	9 524	-9.62	97.4	-	0.00
Sum			16.85			

- Data undefined due to calculation with octave data

Noise sensitive area: AF Jaunandzmani

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 386	8 388	-8.39	97.4	-	0.00
2	9 227	9 229	-9.31	97.4	-	0.00
3	9 515	9 518	-9.61	97.4	-	0.00
4	9 183	9 185	-9.27	97.4	-	0.00
5	8 484	8 487	-8.50	97.4	-	0.00
6	7 859	7 861	-7.77	97.4	-	0.00
7	7 896	7 899	-7.81	97.4	-	0.00
8	7 324	7 326	-7.09	97.4	-	0.00
9	6 717	6 720	-6.27	97.4	-	0.00
10	5 888	5 892	-5.03	97.4	-	0.00
11	6 151	6 154	-5.44	97.4	-	0.00
12	7 211	7 214	-6.95	97.4	-	0.00
13	7 120	7 123	-6.82	97.4	-	0.00
14	8 553	8 556	-8.58	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	9 307	9 310	-9.40	97.4	-	0.00
16	9 573	9 575	-9.67	97.4	-	0.00
17	8 792	8 795	-8.85	97.4	-	0.00
18	8 144	8 146	-8.11	97.4	-	0.00
19	7 630	7 633	-7.48	97.4	-	0.00
20	9 207	9 210	-9.29	97.4	-	0.00
21	9 439	9 441	-9.53	97.4	-	0.00
22	8 033	8 035	-7.98	97.4	-	0.00
23	7 147	7 150	-6.86	97.4	-	0.00
24	6 935	6 938	-6.57	97.4	-	0.00
25	7 817	7 820	-7.72	97.4	-	0.00
26	8 456	8 458	-8.47	97.4	-	0.00
27	8 967	8 970	-9.04	97.4	-	0.00
28	10 019	10 021	-10.11	97.4	-	0.00
29	10 526	10 528	-10.59	97.4	-	0.00
30	9 885	9 887	-9.98	97.4	-	0.00
31	9 290	9 293	-9.38	97.4	-	0.00
32	8 075	8 077	-8.03	97.4	-	0.00
33	3 857	3 862	-1.09	97.4	-	0.00
34	4 525	4 529	-2.57	97.4	-	0.00
35	4 522	4 526	-2.56	97.4	-	0.00
36	3 770	3 775	-0.88	97.4	-	0.00
37	3 155	3 159	0.75	97.4	-	0.00
38	1 641	1 649	6.61	97.4	-	0.00
39	1 754	1 762	6.02	97.4	-	0.00
40	2 167	2 173	4.14	97.4	-	0.00
Sum			13.03			

- Data undefined due to calculation with octave data

Noise sensitive area: AF Jaunandzmani

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 386	8 388	-8.39	97.4	-	0.00
2	9 227	9 229	-9.31	97.4	-	0.00
3	9 515	9 518	-9.61	97.4	-	0.00
4	9 183	9 185	-9.27	97.4	-	0.00
5	8 484	8 487	-8.50	97.4	-	0.00
6	7 859	7 861	-7.77	97.4	-	0.00
7	7 896	7 899	-7.81	97.4	-	0.00
8	7 324	7 326	-7.09	97.4	-	0.00
9	6 717	6 720	-6.27	97.4	-	0.00
10	5 888	5 892	-5.03	97.4	-	0.00
11	6 151	6 154	-5.44	97.4	-	0.00
12	7 211	7 214	-6.95	97.4	-	0.00
13	7 120	7 123	-6.82	97.4	-	0.00
14	8 553	8 556	-8.58	97.4	-	0.00
15	9 307	9 310	-9.40	97.4	-	0.00
16	9 573	9 575	-9.67	97.4	-	0.00
17	8 792	8 795	-8.85	97.4	-	0.00
18	8 144	8 146	-8.11	97.4	-	0.00
19	7 630	7 633	-7.48	97.4	-	0.00
20	9 207	9 210	-9.29	97.4	-	0.00
21	9 439	9 441	-9.53	97.4	-	0.00
22	8 033	8 035	-7.98	97.4	-	0.00
23	7 147	7 150	-6.86	97.4	-	0.00
24	6 935	6 938	-6.57	97.4	-	0.00
25	7 817	7 820	-7.72	97.4	-	0.00
26	8 456	8 458	-8.47	97.4	-	0.00
27	8 967	8 970	-9.04	97.4	-	0.00
28	10 019	10 021	-10.11	97.4	-	0.00
29	10 526	10 528	-10.59	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	9 885	9 887	-9.98	97.4	-	0.00
31	9 290	9 293	-9.38	97.4	-	0.00
32	8 075	8 077	-8.03	97.4	-	0.00
33	3 857	3 862	-1.09	97.4	-	0.00
34	4 525	4 529	-2.57	97.4	-	0.00
35	4 522	4 526	-2.56	97.4	-	0.00
36	3 770	3 775	-0.88	97.4	-	0.00
37	3 155	3 159	0.75	97.4	-	0.00
38	1 641	1 649	6.61	97.4	-	0.00
39	1 754	1 762	6.02	97.4	-	0.00
40	2 167	2 173	4.14	97.4	-	0.00
Sum			13.03			

- Data undefined due to calculation with octave data

Noise sensitive area: AG Jaunaraji

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 954	3 959	-1.32	97.4	-	0.00
2	2 786	2 793	1.87	97.4	-	0.00
3	1 230	1 246	9.11	97.4	-	0.00
4	1 992	2 002	4.88	97.4	-	0.00
5	2 637	2 645	2.36	97.4	-	0.00
6	3 269	3 275	0.42	97.4	-	0.00
7	3 885	3 890	-1.16	97.4	-	0.00
8	3 927	3 932	-1.26	97.4	-	0.00
9	4 596	4 601	-2.71	97.4	-	0.00
10	5 012	5 015	-3.52	97.4	-	0.00
11	4 433	4 438	-2.38	97.4	-	0.00
12	3 546	3 552	-0.32	97.4	-	0.00
13	3 317	3 323	0.29	97.4	-	0.00
14	1 885	1 895	5.37	97.4	-	0.00
15	1 030	1 049	10.63	97.4	-	0.00
16	923	944	11.56	97.4	-	0.00
17	1 502	1 515	7.37	97.4	-	0.00
18	2 156	2 165	4.17	97.4	-	0.00
19	2 880	2 887	1.57	97.4	-	0.00
20	1 514	1 527	7.30	97.4	-	0.00
21	2 004	2 014	4.82	97.4	-	0.00
22	2 972	2 979	1.28	97.4	-	0.00
23	3 645	3 650	-0.57	97.4	-	0.00
24	4 251	4 256	-1.99	97.4	-	0.00
25	3 592	3 598	-0.44	97.4	-	0.00
26	3 199	3 205	0.62	97.4	-	0.00
27	2 705	2 713	2.13	97.4	-	0.00
28	3 522	3 528	-0.26	97.4	-	0.00
29	3 950	3 955	-1.31	97.4	-	0.00
30	4 080	4 085	-1.61	97.4	-	0.00
31	4 322	4 327	-2.14	97.4	-	0.00
32	4 150	4 155	-1.77	97.4	-	0.00
33	6 692	6 695	-6.24	97.4	-	0.00
34	6 133	6 136	-5.41	97.4	-	0.00
35	6 826	6 829	-6.42	97.4	-	0.00
36	7 290	7 293	-7.05	97.4	-	0.00
37	7 764	7 766	-7.65	97.4	-	0.00
38	9 376	9 377	-9.47	97.4	-	0.00
39	8 921	8 922	-8.98	97.4	-	0.00
40	8 436	8 438	-8.45	97.4	-	0.00
Sum			19.05			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: AG Jaunaraji

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 954	3 959	-1.32	97.4	-	0.00
2	2 786	2 793	1.87	97.4	-	0.00
3	1 230	1 246	9.11	97.4	-	0.00
4	1 992	2 002	4.88	97.4	-	0.00
5	2 637	2 645	2.36	97.4	-	0.00
6	3 269	3 275	0.42	97.4	-	0.00
7	3 885	3 890	-1.16	97.4	-	0.00
8	3 927	3 932	-1.26	97.4	-	0.00
9	4 596	4 601	-2.71	97.4	-	0.00
10	5 012	5 015	-3.52	97.4	-	0.00
11	4 433	4 438	-2.38	97.4	-	0.00
12	3 546	3 552	-0.32	97.4	-	0.00
13	3 317	3 323	0.29	97.4	-	0.00
14	1 885	1 895	5.37	97.4	-	0.00
15	1 030	1 049	10.63	97.4	-	0.00
16	923	944	11.56	97.4	-	0.00
17	1 502	1 515	7.37	97.4	-	0.00
18	2 156	2 165	4.17	97.4	-	0.00
19	2 880	2 887	1.57	97.4	-	0.00
20	1 514	1 527	7.30	97.4	-	0.00
21	2 004	2 014	4.82	97.4	-	0.00
22	2 972	2 979	1.28	97.4	-	0.00
23	3 645	3 650	-0.57	97.4	-	0.00
24	4 251	4 256	-1.99	97.4	-	0.00
25	3 592	3 598	-0.44	97.4	-	0.00
26	3 199	3 205	0.62	97.4	-	0.00
27	2 705	2 713	2.13	97.4	-	0.00
28	3 522	3 528	-0.26	97.4	-	0.00
29	3 950	3 955	-1.31	97.4	-	0.00
30	4 080	4 085	-1.61	97.4	-	0.00
31	4 322	4 327	-2.14	97.4	-	0.00
32	4 150	4 155	-1.77	97.4	-	0.00
33	6 692	6 695	-6.24	97.4	-	0.00
34	6 133	6 136	-5.41	97.4	-	0.00
35	6 826	6 829	-6.42	97.4	-	0.00
36	7 290	7 293	-7.05	97.4	-	0.00
37	7 764	7 766	-7.65	97.4	-	0.00
38	9 376	9 377	-9.47	97.4	-	0.00
39	8 921	8 922	-8.98	97.4	-	0.00
40	8 436	8 438	-8.45	97.4	-	0.00
Sum			19.05			

- Data undefined due to calculation with octave data

Noise sensitive area: AH Jaunbirznieki A

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 309	2 317	3.56	97.4	-	0.00
2	1 654	1 666	6.52	97.4	-	0.00
3	2 744	2 751	2.01	97.4	-	0.00
4	2 276	2 285	3.69	97.4	-	0.00
5	2 545	2 553	2.68	97.4	-	0.00
6	2 954	2 961	1.34	97.4	-	0.00
7	2 779	2 786	1.89	97.4	-	0.00
8	3 373	3 379	0.13	97.4	-	0.00
9	3 960	3 965	-1.34	97.4	-	0.00
10	4 791	4 795	-3.10	97.4	-	0.00
11	4 644	4 648	-2.81	97.4	-	0.00
12	3 652	3 657	-0.59	97.4	-	0.00
13	4 010	4 015	-1.45	97.4	-	0.00
14	3 239	3 245	0.50	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	3 294	3 300	0.35	97.4	-	0.00
16	4 305	4 309	-2.11	97.4	-	0.00
17	4 243	4 247	-1.97	97.4	-	0.00
18	4 555	4 560	-2.63	97.4	-	0.00
19	5 330	5 334	-4.09	97.4	-	0.00
20	4 790	4 795	-3.10	97.4	-	0.00
21	5 464	5 468	-4.32	97.4	-	0.00
22	5 842	5 845	-4.95	97.4	-	0.00
23	6 095	6 098	-5.35	97.4	-	0.00
24	6 778	6 781	-6.36	97.4	-	0.00
25	6 479	6 482	-5.93	97.4	-	0.00
26	6 344	6 347	-5.73	97.4	-	0.00
27	6 025	6 029	-5.24	97.4	-	0.00
28	7 103	7 106	-6.80	97.4	-	0.00
29	7 578	7 580	-7.42	97.4	-	0.00
30	7 624	7 627	-7.48	97.4	-	0.00
31	7 745	7 748	-7.63	97.4	-	0.00
32	7 215	7 218	-6.95	97.4	-	0.00
33	6 820	6 823	-6.41	97.4	-	0.00
34	6 152	6 155	-5.44	97.4	-	0.00
35	6 322	6 325	-5.70	97.4	-	0.00
36	7 023	7 026	-6.69	97.4	-	0.00
37	7 630	7 631	-7.48	97.4	-	0.00
38	9 373	9 374	-9.46	97.4	-	0.00
39	9 028	9 029	-9.10	97.4	-	0.00
40	8 555	8 556	-8.58	97.4	-	0.00
Sum			14.66			

- Data undefined due to calculation with octave data

Noise sensitive area: AH Jaunbirznieki A

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 309	2 317	3.56	97.4	-	0.00
2	1 654	1 666	6.52	97.4	-	0.00
3	2 744	2 751	2.01	97.4	-	0.00
4	2 276	2 285	3.69	97.4	-	0.00
5	2 545	2 553	2.68	97.4	-	0.00
6	2 954	2 961	1.34	97.4	-	0.00
7	2 779	2 786	1.89	97.4	-	0.00
8	3 373	3 379	0.13	97.4	-	0.00
9	3 960	3 965	-1.34	97.4	-	0.00
10	4 791	4 795	-3.10	97.4	-	0.00
11	4 644	4 648	-2.81	97.4	-	0.00
12	3 652	3 657	-0.59	97.4	-	0.00
13	4 010	4 015	-1.45	97.4	-	0.00
14	3 239	3 245	0.50	97.4	-	0.00
15	3 294	3 300	0.35	97.4	-	0.00
16	4 305	4 309	-2.11	97.4	-	0.00
17	4 243	4 247	-1.97	97.4	-	0.00
18	4 555	4 560	-2.63	97.4	-	0.00
19	5 330	5 334	-4.09	97.4	-	0.00
20	4 790	4 795	-3.10	97.4	-	0.00
21	5 464	5 468	-4.32	97.4	-	0.00
22	5 842	5 845	-4.95	97.4	-	0.00
23	6 095	6 098	-5.35	97.4	-	0.00
24	6 778	6 781	-6.36	97.4	-	0.00
25	6 479	6 482	-5.93	97.4	-	0.00
26	6 344	6 347	-5.73	97.4	-	0.00
27	6 025	6 029	-5.24	97.4	-	0.00
28	7 103	7 106	-6.80	97.4	-	0.00
29	7 578	7 580	-7.42	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	7 624	7 627	-7.48	97.4	-	0.00
31	7 745	7 748	-7.63	97.4	-	0.00
32	7 215	7 218	-6.95	97.4	-	0.00
33	6 820	6 823	-6.41	97.4	-	0.00
34	6 152	6 155	-5.44	97.4	-	0.00
35	6 322	6 325	-5.70	97.4	-	0.00
36	7 023	7 026	-6.69	97.4	-	0.00
37	7 630	7 631	-7.48	97.4	-	0.00
38	9 373	9 374	-9.46	97.4	-	0.00
39	9 028	9 029	-9.10	97.4	-	0.00
40	8 555	8 556	-8.58	97.4	-	0.00
Sum			14.66			

- Data undefined due to calculation with octave data

Noise sensitive area: AI Jaunbirznieki B

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 282	2 291	3.66	97.4	-	0.00
2	1 622	1 634	6.70	97.4	-	0.00
3	2 715	2 722	2.10	97.4	-	0.00
4	2 244	2 253	3.81	97.4	-	0.00
5	2 513	2 521	2.80	97.4	-	0.00
6	2 922	2 929	1.44	97.4	-	0.00
7	2 751	2 758	1.99	97.4	-	0.00
8	3 343	3 349	0.21	97.4	-	0.00
9	3 932	3 937	-1.27	97.4	-	0.00
10	4 762	4 766	-3.04	97.4	-	0.00
11	4 613	4 618	-2.75	97.4	-	0.00
12	3 620	3 626	-0.51	97.4	-	0.00
13	3 977	3 983	-1.38	97.4	-	0.00
14	3 207	3 213	0.59	97.4	-	0.00
15	3 264	3 270	0.43	97.4	-	0.00
16	4 277	4 282	-2.05	97.4	-	0.00
17	4 212	4 217	-1.91	97.4	-	0.00
18	4 524	4 528	-2.57	97.4	-	0.00
19	5 298	5 302	-4.04	97.4	-	0.00
20	4 762	4 766	-3.04	97.4	-	0.00
21	5 436	5 440	-4.28	97.4	-	0.00
22	5 811	5 814	-4.90	97.4	-	0.00
23	6 063	6 066	-5.30	97.4	-	0.00
24	6 745	6 748	-6.31	97.4	-	0.00
25	6 448	6 451	-5.88	97.4	-	0.00
26	6 314	6 317	-5.68	97.4	-	0.00
27	5 996	5 999	-5.20	97.4	-	0.00
28	7 076	7 079	-6.77	97.4	-	0.00
29	7 552	7 555	-7.39	97.4	-	0.00
30	7 597	7 599	-7.44	97.4	-	0.00
31	7 716	7 719	-7.59	97.4	-	0.00
32	7 184	7 187	-6.91	97.4	-	0.00
33	6 792	6 795	-6.38	97.4	-	0.00
34	6 123	6 126	-5.39	97.4	-	0.00
35	6 296	6 299	-5.66	97.4	-	0.00
36	6 997	7 000	-6.66	97.4	-	0.00
37	7 603	7 605	-7.45	97.4	-	0.00
38	9 346	9 347	-9.44	97.4	-	0.00
39	9 000	9 002	-9.07	97.4	-	0.00
40	8 527	8 529	-8.55	97.4	-	0.00
Sum			14.75			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: AI Jaunbirznieki B

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 282	2 291	3.66	97.4	-	0.00
2	1 622	1 634	6.70	97.4	-	0.00
3	2 715	2 722	2.10	97.4	-	0.00
4	2 244	2 253	3.81	97.4	-	0.00
5	2 513	2 521	2.80	97.4	-	0.00
6	2 922	2 929	1.44	97.4	-	0.00
7	2 751	2 758	1.99	97.4	-	0.00
8	3 343	3 349	0.21	97.4	-	0.00
9	3 932	3 937	-1.27	97.4	-	0.00
10	4 762	4 766	-3.04	97.4	-	0.00
11	4 613	4 618	-2.75	97.4	-	0.00
12	3 620	3 626	-0.51	97.4	-	0.00
13	3 977	3 983	-1.38	97.4	-	0.00
14	3 207	3 213	0.59	97.4	-	0.00
15	3 264	3 270	0.43	97.4	-	0.00
16	4 277	4 282	-2.05	97.4	-	0.00
17	4 212	4 217	-1.91	97.4	-	0.00
18	4 524	4 528	-2.57	97.4	-	0.00
19	5 298	5 302	-4.04	97.4	-	0.00
20	4 762	4 766	-3.04	97.4	-	0.00
21	5 436	5 440	-4.28	97.4	-	0.00
22	5 811	5 814	-4.90	97.4	-	0.00
23	6 063	6 066	-5.30	97.4	-	0.00
24	6 745	6 748	-6.31	97.4	-	0.00
25	6 448	6 451	-5.88	97.4	-	0.00
26	6 314	6 317	-5.68	97.4	-	0.00
27	5 996	5 999	-5.20	97.4	-	0.00
28	7 076	7 079	-6.77	97.4	-	0.00
29	7 552	7 555	-7.39	97.4	-	0.00
30	7 597	7 599	-7.44	97.4	-	0.00
31	7 716	7 719	-7.59	97.4	-	0.00
32	7 184	7 187	-6.91	97.4	-	0.00
33	6 792	6 795	-6.38	97.4	-	0.00
34	6 123	6 126	-5.39	97.4	-	0.00
35	6 296	6 299	-5.66	97.4	-	0.00
36	6 997	7 000	-6.66	97.4	-	0.00
37	7 603	7 605	-7.45	97.4	-	0.00
38	9 346	9 347	-9.44	97.4	-	0.00
39	9 000	9 002	-9.07	97.4	-	0.00
40	8 527	8 529	-8.55	97.4	-	0.00
Sum			14.75			

- Data undefined due to calculation with octave data

Noise sensitive area: AJ Jaunbrie ž i

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 668	8 670	-8.71	97.4	-	0.00
2	7 624	7 627	-7.48	97.4	-	0.00
3	6 036	6 040	-5.26	97.4	-	0.00
4	6 781	6 784	-6.36	97.4	-	0.00
5	7 260	7 263	-7.01	97.4	-	0.00
6	7 732	7 735	-7.61	97.4	-	0.00
7	8 459	8 462	-8.47	97.4	-	0.00
8	8 278	8 280	-8.27	97.4	-	0.00
9	8 803	8 805	-8.86	97.4	-	0.00
10	8 872	8 874	-8.93	97.4	-	0.00
11	8 192	8 195	-8.16	97.4	-	0.00
12	7 704	7 707	-7.58	97.4	-	0.00
13	7 224	7 227	-6.96	97.4	-	0.00
14	6 267	6 270	-5.61	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	5 611	5 614	-4.57	97.4	-	0.00
16	4 534	4 538	-2.59	97.4	-	0.00
17	5 105	5 109	-3.69	97.4	-	0.00
18	5 418	5 422	-4.25	97.4	-	0.00
19	5 388	5 392	-4.19	97.4	-	0.00
20	4 359	4 363	-2.22	97.4	-	0.00
21	3 711	3 717	-0.74	97.4	-	0.00
22	4 722	4 726	-2.96	97.4	-	0.00
23	5 516	5 519	-4.41	97.4	-	0.00
24	5 553	5 557	-4.48	97.4	-	0.00
25	4 718	4 722	-2.95	97.4	-	0.00
26	4 128	4 133	-1.72	97.4	-	0.00
27	3 775	3 780	-0.90	97.4	-	0.00
28	2 472	2 480	2.95	97.4	-	0.00
29	1 928	1 938	5.17	97.4	-	0.00
30	2 577	2 584	2.57	97.4	-	0.00
31	3 205	3 211	0.60	97.4	-	0.00
32	4 378	4 383	-2.26	97.4	-	0.00
33	9 869	9 871	-9.96	97.4	-	0.00
34	9 532	9 534	-9.63	97.4	-	0.00
35	10 469	10 471	-10.54	97.4	-	0.00
36	10 670	10 672	-10.72	97.4	-	0.00
37	10 949	10 951	-10.98	97.4	-	0.00
38	12 185	12 187	-12.03	97.4	-	0.00
39	11 693	11 694	-11.62	97.4	-	0.00
40	11 276	11 277	-11.26	97.4	-	0.00
Sum			12.74			

- Data undefined due to calculation with octave data

Noise sensitive area: AJ Jaunbrie ž i

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 668	8 670	-8.71	97.4	-	0.00
2	7 624	7 627	-7.48	97.4	-	0.00
3	6 036	6 040	-5.26	97.4	-	0.00
4	6 781	6 784	-6.36	97.4	-	0.00
5	7 260	7 263	-7.01	97.4	-	0.00
6	7 732	7 735	-7.61	97.4	-	0.00
7	8 459	8 462	-8.47	97.4	-	0.00
8	8 278	8 280	-8.27	97.4	-	0.00
9	8 803	8 805	-8.86	97.4	-	0.00
10	8 872	8 874	-8.93	97.4	-	0.00
11	8 192	8 195	-8.16	97.4	-	0.00
12	7 704	7 707	-7.58	97.4	-	0.00
13	7 224	7 227	-6.96	97.4	-	0.00
14	6 267	6 270	-5.61	97.4	-	0.00
15	5 611	5 614	-4.57	97.4	-	0.00
16	4 534	4 538	-2.59	97.4	-	0.00
17	5 105	5 109	-3.69	97.4	-	0.00
18	5 418	5 422	-4.25	97.4	-	0.00
19	5 388	5 392	-4.19	97.4	-	0.00
20	4 359	4 363	-2.22	97.4	-	0.00
21	3 711	3 717	-0.74	97.4	-	0.00
22	4 722	4 726	-2.96	97.4	-	0.00
23	5 516	5 519	-4.41	97.4	-	0.00
24	5 553	5 557	-4.48	97.4	-	0.00
25	4 718	4 722	-2.95	97.4	-	0.00
26	4 128	4 133	-1.72	97.4	-	0.00
27	3 775	3 780	-0.90	97.4	-	0.00
28	2 472	2 480	2.95	97.4	-	0.00
29	1 928	1 938	5.17	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	2 577	2 584	2.57	97.4	-	0.00
31	3 205	3 211	0.60	97.4	-	0.00
32	4 378	4 383	-2.26	97.4	-	0.00
33	9 869	9 871	-9.96	97.4	-	0.00
34	9 532	9 534	-9.63	97.4	-	0.00
35	10 469	10 471	-10.54	97.4	-	0.00
36	10 670	10 672	-10.72	97.4	-	0.00
37	10 949	10 951	-10.98	97.4	-	0.00
38	12 185	12 187	-12.03	97.4	-	0.00
39	11 693	11 694	-11.62	97.4	-	0.00
40	11 276	11 277	-11.26	97.4	-	0.00
Sum			12.74			

- Data undefined due to calculation with octave data

Noise sensitive area: AK Jaunventas

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 656	2 664	2.30	97.4	-	0.00
2	3 938	3 943	-1.28	97.4	-	0.00
3	5 196	5 199	-3.85	97.4	-	0.00
4	4 481	4 486	-2.48	97.4	-	0.00
5	3 762	3 767	-0.86	97.4	-	0.00
6	3 134	3 140	0.80	97.4	-	0.00
7	2 531	2 539	2.73	97.4	-	0.00
8	2 514	2 523	2.79	97.4	-	0.00
9	1 984	1 994	4.91	97.4	-	0.00
10	2 236	2 245	3.85	97.4	-	0.00
11	2 840	2 847	1.70	97.4	-	0.00
12	3 070	3 077	0.99	97.4	-	0.00
13	3 581	3 587	-0.41	97.4	-	0.00
14	4 600	4 605	-2.72	97.4	-	0.00
15	5 402	5 406	-4.22	97.4	-	0.00
16	6 342	6 345	-5.73	97.4	-	0.00
17	5 678	5 682	-4.69	97.4	-	0.00
18	5 377	5 381	-4.17	97.4	-	0.00
19	5 628	5 632	-4.60	97.4	-	0.00
20	6 419	6 422	-5.84	97.4	-	0.00
21	7 066	7 069	-6.75	97.4	-	0.00
22	6 377	6 381	-5.78	97.4	-	0.00
23	5 943	5 946	-5.11	97.4	-	0.00
24	6 406	6 409	-5.82	97.4	-	0.00
25	6 749	6 752	-6.32	97.4	-	0.00
26	7 066	7 069	-6.75	97.4	-	0.00
27	7 160	7 163	-6.88	97.4	-	0.00
28	8 565	8 567	-8.59	97.4	-	0.00
29	9 170	9 172	-9.25	97.4	-	0.00
30	8 848	8 850	-8.91	97.4	-	0.00
31	8 600	8 602	-8.63	97.4	-	0.00
32	7 499	7 502	-7.32	97.4	-	0.00
33	3 309	3 315	0.31	97.4	-	0.00
34	2 819	2 826	1.76	97.4	-	0.00
35	2 259	2 268	3.75	97.4	-	0.00
36	2 991	2 998	1.22	97.4	-	0.00
37	3 581	3 585	-0.41	97.4	-	0.00
38	5 169	5 172	-3.80	97.4	-	0.00
39	4 960	4 963	-3.42	97.4	-	0.00
40	4 572	4 575	-2.66	97.4	-	0.00
Sum			15.04			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: AK Jaunventas

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 656	2 664	2.30	97.4	-	0.00
2	3 938	3 943	-1.28	97.4	-	0.00
3	5 196	5 199	-3.85	97.4	-	0.00
4	4 481	4 486	-2.48	97.4	-	0.00
5	3 762	3 767	-0.86	97.4	-	0.00
6	3 134	3 140	0.80	97.4	-	0.00
7	2 531	2 539	2.73	97.4	-	0.00
8	2 514	2 523	2.79	97.4	-	0.00
9	1 984	1 994	4.91	97.4	-	0.00
10	2 236	2 245	3.85	97.4	-	0.00
11	2 840	2 847	1.70	97.4	-	0.00
12	3 070	3 077	0.99	97.4	-	0.00
13	3 581	3 587	-0.41	97.4	-	0.00
14	4 600	4 605	-2.72	97.4	-	0.00
15	5 402	5 406	-4.22	97.4	-	0.00
16	6 342	6 345	-5.73	97.4	-	0.00
17	5 678	5 682	-4.69	97.4	-	0.00
18	5 377	5 381	-4.17	97.4	-	0.00
19	5 628	5 632	-4.60	97.4	-	0.00
20	6 419	6 422	-5.84	97.4	-	0.00
21	7 066	7 069	-6.75	97.4	-	0.00
22	6 377	6 381	-5.78	97.4	-	0.00
23	5 943	5 946	-5.11	97.4	-	0.00
24	6 406	6 409	-5.82	97.4	-	0.00
25	6 749	6 752	-6.32	97.4	-	0.00
26	7 066	7 069	-6.75	97.4	-	0.00
27	7 160	7 163	-6.88	97.4	-	0.00
28	8 565	8 567	-8.59	97.4	-	0.00
29	9 170	9 172	-9.25	97.4	-	0.00
30	8 848	8 850	-8.91	97.4	-	0.00
31	8 600	8 602	-8.63	97.4	-	0.00
32	7 499	7 502	-7.32	97.4	-	0.00
33	3 309	3 315	0.31	97.4	-	0.00
34	2 819	2 826	1.76	97.4	-	0.00
35	2 259	2 268	3.75	97.4	-	0.00
36	2 991	2 998	1.22	97.4	-	0.00
37	3 581	3 585	-0.41	97.4	-	0.00
38	5 169	5 172	-3.80	97.4	-	0.00
39	4 960	4 963	-3.42	97.4	-	0.00
40	4 572	4 575	-2.66	97.4	-	0.00
Sum			15.04			

- Data undefined due to calculation with octave data

Noise sensitive area: AL Jaunzemji

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 322	4 327	-2.14	97.4	-	0.00
2	3 050	3 057	1.05	97.4	-	0.00
3	1 763	1 775	5.96	97.4	-	0.00
4	2 421	2 430	3.13	97.4	-	0.00
5	3 170	3 177	0.70	97.4	-	0.00
6	3 858	3 863	-1.10	97.4	-	0.00
7	4 370	4 374	-2.24	97.4	-	0.00
8	4 534	4 539	-2.59	97.4	-	0.00
9	5 234	5 238	-3.92	97.4	-	0.00
10	5 745	5 748	-4.79	97.4	-	0.00
11	5 212	5 217	-3.88	97.4	-	0.00
12	4 252	4 257	-1.99	97.4	-	0.00
13	4 112	4 118	-1.68	97.4	-	0.00
14	2 641	2 649	2.35	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	1 828	1 839	5.64	97.4	-	0.00
16	1 857	1 868	5.50	97.4	-	0.00
17	2 463	2 471	2.98	97.4	-	0.00
18	3 113	3 120	0.86	97.4	-	0.00
19	3 845	3 850	-1.07	97.4	-	0.00
20	2 434	2 443	3.09	97.4	-	0.00
21	2 816	2 824	1.77	97.4	-	0.00
22	3 914	3 920	-1.23	97.4	-	0.00
23	4 607	4 612	-2.74	97.4	-	0.00
24	5 206	5 210	-3.87	97.4	-	0.00
25	4 520	4 525	-2.56	97.4	-	0.00
26	4 086	4 091	-1.62	97.4	-	0.00
27	3 552	3 558	-0.34	97.4	-	0.00
28	4 156	4 161	-1.78	97.4	-	0.00
29	4 495	4 499	-2.51	97.4	-	0.00
30	4 741	4 745	-3.00	97.4	-	0.00
31	5 069	5 073	-3.62	97.4	-	0.00
32	5 035	5 039	-3.56	97.4	-	0.00
33	7 522	7 525	-7.35	97.4	-	0.00
34	6 937	6 940	-6.58	97.4	-	0.00
35	7 565	7 567	-7.40	97.4	-	0.00
36	8 075	8 077	-8.03	97.4	-	0.00
37	8 575	8 576	-8.60	97.4	-	0.00
38	10 221	10 222	-10.30	97.4	-	0.00
39	9 776	9 777	-9.87	97.4	-	0.00
40	9 288	9 289	-9.37	97.4	-	0.00
Sum			15.75			

- Data undefined due to calculation with octave data

Noise sensitive area: AL Jaunzemji

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 322	4 327	-2.14	97.4	-	0.00
2	3 050	3 057	1.05	97.4	-	0.00
3	1 763	1 775	5.96	97.4	-	0.00
4	2 421	2 430	3.13	97.4	-	0.00
5	3 170	3 177	0.70	97.4	-	0.00
6	3 858	3 863	-1.10	97.4	-	0.00
7	4 370	4 374	-2.24	97.4	-	0.00
8	4 534	4 539	-2.59	97.4	-	0.00
9	5 234	5 238	-3.92	97.4	-	0.00
10	5 745	5 748	-4.79	97.4	-	0.00
11	5 212	5 217	-3.88	97.4	-	0.00
12	4 252	4 257	-1.99	97.4	-	0.00
13	4 112	4 118	-1.68	97.4	-	0.00
14	2 641	2 649	2.35	97.4	-	0.00
15	1 828	1 839	5.64	97.4	-	0.00
16	1 857	1 868	5.50	97.4	-	0.00
17	2 463	2 471	2.98	97.4	-	0.00
18	3 113	3 120	0.86	97.4	-	0.00
19	3 845	3 850	-1.07	97.4	-	0.00
20	2 434	2 443	3.09	97.4	-	0.00
21	2 816	2 824	1.77	97.4	-	0.00
22	3 914	3 920	-1.23	97.4	-	0.00
23	4 607	4 612	-2.74	97.4	-	0.00
24	5 206	5 210	-3.87	97.4	-	0.00
25	4 520	4 525	-2.56	97.4	-	0.00
26	4 086	4 091	-1.62	97.4	-	0.00
27	3 552	3 558	-0.34	97.4	-	0.00
28	4 156	4 161	-1.78	97.4	-	0.00
29	4 495	4 499	-2.51	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	4 741	4 745	-3.00	97.4	-	0.00
31	5 069	5 073	-3.62	97.4	-	0.00
32	5 035	5 039	-3.56	97.4	-	0.00
33	7 522	7 525	-7.35	97.4	-	0.00
34	6 937	6 940	-6.58	97.4	-	0.00
35	7 565	7 567	-7.40	97.4	-	0.00
36	8 075	8 077	-8.03	97.4	-	0.00
37	8 575	8 576	-8.60	97.4	-	0.00
38	10 221	10 222	-10.30	97.4	-	0.00
39	9 776	9 777	-9.87	97.4	-	0.00
40	9 288	9 289	-9.37	97.4	-	0.00
Sum			15.75			

- Data undefined due to calculation with octave data

Noise sensitive area: AM Jorgi

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 882	8 884	-8.94	97.4	-	0.00
2	9 907	9 909	-10.00	97.4	-	0.00
3	10 475	10 477	-10.54	97.4	-	0.00
4	10 026	10 027	-10.12	97.4	-	0.00
5	9 276	9 278	-9.36	97.4	-	0.00
6	8 598	8 600	-8.63	97.4	-	0.00
7	8 465	8 467	-8.48	97.4	-	0.00
8	7 981	7 983	-7.91	97.4	-	0.00
9	7 300	7 302	-7.06	97.4	-	0.00
10	6 567	6 569	-6.06	97.4	-	0.00
11	6 996	6 998	-6.66	97.4	-	0.00
12	8 026	8 028	-7.97	97.4	-	0.00
13	8 072	8 074	-8.02	97.4	-	0.00
14	9 544	9 546	-9.64	97.4	-	0.00
15	10 357	10 359	-10.43	97.4	-	0.00
16	10 790	10 792	-10.83	97.4	-	0.00
17	9 991	9 993	-10.08	97.4	-	0.00
18	9 372	9 375	-9.46	97.4	-	0.00
19	8 978	8 980	-9.05	97.4	-	0.00
20	10 500	10 501	-10.57	97.4	-	0.00
21	10 826	10 828	-10.87	97.4	-	0.00
22	9 478	9 480	-9.57	97.4	-	0.00
23	8 611	8 613	-8.64	97.4	-	0.00
24	8 506	8 508	-8.53	97.4	-	0.00
25	9 355	9 357	-9.45	97.4	-	0.00
26	9 974	9 976	-10.07	97.4	-	0.00
27	10 438	10 440	-10.51	97.4	-	0.00
28	11 596	11 597	-11.54	97.4	-	0.00
29	12 135	12 137	-11.99	97.4	-	0.00
30	11 523	11 525	-11.48	97.4	-	0.00
31	10 961	10 962	-10.99	97.4	-	0.00
32	9 710	9 712	-9.81	97.4	-	0.00
33	4 659	4 663	-2.84	97.4	-	0.00
34	5 264	5 268	-3.98	97.4	-	0.00
35	4 868	4 872	-3.25	97.4	-	0.00
36	4 203	4 207	-1.88	97.4	-	0.00
37	3 637	3 640	-0.55	97.4	-	0.00
38	1 967	1 973	5.01	97.4	-	0.00
39	2 437	2 442	3.09	97.4	-	0.00
40	2 911	2 915	1.48	97.4	-	0.00
Sum			11.25			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: AM Jorgi

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 882	8 884	-8.94	97.4	-	0.00
2	9 907	9 909	-10.00	97.4	-	0.00
3	10 475	10 477	-10.54	97.4	-	0.00
4	10 026	10 027	-10.12	97.4	-	0.00
5	9 276	9 278	-9.36	97.4	-	0.00
6	8 598	8 600	-8.63	97.4	-	0.00
7	8 465	8 467	-8.48	97.4	-	0.00
8	7 981	7 983	-7.91	97.4	-	0.00
9	7 300	7 302	-7.06	97.4	-	0.00
10	6 567	6 569	-6.06	97.4	-	0.00
11	6 996	6 998	-6.66	97.4	-	0.00
12	8 026	8 028	-7.97	97.4	-	0.00
13	8 072	8 074	-8.02	97.4	-	0.00
14	9 544	9 546	-9.64	97.4	-	0.00
15	10 357	10 359	-10.43	97.4	-	0.00
16	10 790	10 792	-10.83	97.4	-	0.00
17	9 991	9 993	-10.08	97.4	-	0.00
18	9 372	9 375	-9.46	97.4	-	0.00
19	8 978	8 980	-9.05	97.4	-	0.00
20	10 500	10 501	-10.57	97.4	-	0.00
21	10 826	10 828	-10.87	97.4	-	0.00
22	9 478	9 480	-9.57	97.4	-	0.00
23	8 611	8 613	-8.64	97.4	-	0.00
24	8 506	8 508	-8.53	97.4	-	0.00
25	9 355	9 357	-9.45	97.4	-	0.00
26	9 974	9 976	-10.07	97.4	-	0.00
27	10 438	10 440	-10.51	97.4	-	0.00
28	11 596	11 597	-11.54	97.4	-	0.00
29	12 135	12 137	-11.99	97.4	-	0.00
30	11 523	11 525	-11.48	97.4	-	0.00
31	10 961	10 962	-10.99	97.4	-	0.00
32	9 710	9 712	-9.81	97.4	-	0.00
33	4 659	4 663	-2.84	97.4	-	0.00
34	5 264	5 268	-3.98	97.4	-	0.00
35	4 868	4 872	-3.25	97.4	-	0.00
36	4 203	4 207	-1.88	97.4	-	0.00
37	3 637	3 640	-0.55	97.4	-	0.00
38	1 967	1 973	5.01	97.4	-	0.00
39	2 437	2 442	3.09	97.4	-	0.00
40	2 911	2 915	1.48	97.4	-	0.00
Sum			11.25			

- Data undefined due to calculation with octave data

Noise sensitive area: AN Jostnieki A

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 603	4 607	-2.73	97.4	-	0.00
2	5 795	5 798	-4.88	97.4	-	0.00
3	6 768	6 771	-6.34	97.4	-	0.00
4	6 149	6 153	-5.44	97.4	-	0.00
5	5 378	5 382	-4.18	97.4	-	0.00
6	4 680	4 684	-2.88	97.4	-	0.00
7	4 304	4 308	-2.10	97.4	-	0.00
8	4 003	4 008	-1.44	97.4	-	0.00
9	3 297	3 303	0.34	97.4	-	0.00
10	2 897	2 904	1.52	97.4	-	0.00
11	3 555	3 561	-0.35	97.4	-	0.00
12	4 317	4 322	-2.13	97.4	-	0.00
13	4 629	4 633	-2.78	97.4	-	0.00
14	5 980	5 983	-5.17	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	6 833	6 836	-6.43	97.4	-	0.00
16	7 589	7 592	-7.43	97.4	-	0.00
17	6 828	6 831	-6.43	97.4	-	0.00
18	6 358	6 361	-5.75	97.4	-	0.00
19	6 332	6 336	-5.71	97.4	-	0.00
20	7 508	7 511	-7.33	97.4	-	0.00
21	8 053	8 055	-8.00	97.4	-	0.00
22	7 036	7 039	-6.71	97.4	-	0.00
23	6 372	6 376	-5.77	97.4	-	0.00
24	6 639	6 642	-6.16	97.4	-	0.00
25	7 227	7 229	-6.97	97.4	-	0.00
26	7 694	7 696	-7.56	97.4	-	0.00
27	7 949	7 951	-7.88	97.4	-	0.00
28	9 327	9 329	-9.42	97.4	-	0.00
29	9 933	9 934	-10.03	97.4	-	0.00
30	9 483	9 485	-9.58	97.4	-	0.00
31	9 100	9 103	-9.18	97.4	-	0.00
32	7 872	7 875	-7.78	97.4	-	0.00
33	2 336	2 344	3.46	97.4	-	0.00
34	2 317	2 325	3.53	97.4	-	0.00
35	1 302	1 317	8.62	97.4	-	0.00
36	1 556	1 569	7.06	97.4	-	0.00
37	1 906	1 913	5.29	97.4	-	0.00
38	3 145	3 150	0.78	97.4	-	0.00
39	3 050	3 055	1.06	97.4	-	0.00
40	2 773	2 777	1.92	97.4	-	0.00
Sum			15.57			

- Data undefined due to calculation with octave data

Noise sensitive area: AN Jostnieki A

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 603	4 607	-2.73	97.4	-	0.00
2	5 795	5 798	-4.88	97.4	-	0.00
3	6 768	6 771	-6.34	97.4	-	0.00
4	6 149	6 153	-5.44	97.4	-	0.00
5	5 378	5 382	-4.18	97.4	-	0.00
6	4 680	4 684	-2.88	97.4	-	0.00
7	4 304	4 308	-2.10	97.4	-	0.00
8	4 003	4 008	-1.44	97.4	-	0.00
9	3 297	3 303	0.34	97.4	-	0.00
10	2 897	2 904	1.52	97.4	-	0.00
11	3 555	3 561	-0.35	97.4	-	0.00
12	4 317	4 322	-2.13	97.4	-	0.00
13	4 629	4 633	-2.78	97.4	-	0.00
14	5 980	5 983	-5.17	97.4	-	0.00
15	6 833	6 836	-6.43	97.4	-	0.00
16	7 589	7 592	-7.43	97.4	-	0.00
17	6 828	6 831	-6.43	97.4	-	0.00
18	6 358	6 361	-5.75	97.4	-	0.00
19	6 332	6 336	-5.71	97.4	-	0.00
20	7 508	7 511	-7.33	97.4	-	0.00
21	8 053	8 055	-8.00	97.4	-	0.00
22	7 036	7 039	-6.71	97.4	-	0.00
23	6 372	6 376	-5.77	97.4	-	0.00
24	6 639	6 642	-6.16	97.4	-	0.00
25	7 227	7 229	-6.97	97.4	-	0.00
26	7 694	7 696	-7.56	97.4	-	0.00
27	7 949	7 951	-7.88	97.4	-	0.00
28	9 327	9 329	-9.42	97.4	-	0.00
29	9 933	9 934	-10.03	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	9 483	9 485	-9.58	97.4	-	0.00
31	9 100	9 103	-9.18	97.4	-	0.00
32	7 872	7 875	-7.78	97.4	-	0.00
33	2 336	2 344	3.46	97.4	-	0.00
34	2 317	2 325	3.53	97.4	-	0.00
35	1 302	1 317	8.62	97.4	-	0.00
36	1 556	1 569	7.06	97.4	-	0.00
37	1 906	1 913	5.29	97.4	-	0.00
38	3 145	3 150	0.78	97.4	-	0.00
39	3 050	3 055	1.06	97.4	-	0.00
40	2 773	2 777	1.92	97.4	-	0.00
Sum			15.57			

- Data undefined due to calculation with octave data

Noise sensitive area: AO Jostnieki B

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 607	4 611	-2.73	97.4	-	0.00
2	5 787	5 790	-4.86	97.4	-	0.00
3	6 736	6 738	-6.30	97.4	-	0.00
4	6 125	6 129	-5.40	97.4	-	0.00
5	5 353	5 357	-4.13	97.4	-	0.00
6	4 653	4 657	-2.83	97.4	-	0.00
7	4 296	4 300	-2.09	97.4	-	0.00
8	3 978	3 983	-1.38	97.4	-	0.00
9	3 269	3 275	0.42	97.4	-	0.00
10	2 841	2 848	1.69	97.4	-	0.00
11	3 492	3 498	-0.18	97.4	-	0.00
12	4 275	4 280	-2.04	97.4	-	0.00
13	4 574	4 578	-2.67	97.4	-	0.00
14	5 937	5 940	-5.10	97.4	-	0.00
15	6 791	6 793	-6.37	97.4	-	0.00
16	7 535	7 537	-7.36	97.4	-	0.00
17	6 769	6 772	-6.34	97.4	-	0.00
18	6 292	6 295	-5.65	97.4	-	0.00
19	6 253	6 257	-5.59	97.4	-	0.00
20	7 445	7 448	-7.25	97.4	-	0.00
21	7 983	7 985	-7.92	97.4	-	0.00
22	6 953	6 956	-6.60	97.4	-	0.00
23	6 282	6 285	-5.64	97.4	-	0.00
24	6 540	6 543	-6.02	97.4	-	0.00
25	7 136	7 139	-6.85	97.4	-	0.00
26	7 608	7 611	-7.46	97.4	-	0.00
27	7 870	7 873	-7.78	97.4	-	0.00
28	9 245	9 247	-9.33	97.4	-	0.00
29	9 850	9 852	-9.95	97.4	-	0.00
30	9 396	9 398	-9.49	97.4	-	0.00
31	9 008	9 010	-9.08	97.4	-	0.00
32	7 777	7 779	-7.67	97.4	-	0.00
33	2 218	2 227	3.92	97.4	-	0.00
34	2 215	2 224	3.93	97.4	-	0.00
35	1 203	1 219	9.30	97.4	-	0.00
36	1 433	1 447	7.78	97.4	-	0.00
37	1 785	1 791	5.87	97.4	-	0.00
38	3 050	3 055	1.06	97.4	-	0.00
39	2 944	2 948	1.38	97.4	-	0.00
40	2 658	2 663	2.30	97.4	-	0.00
Sum			16.00			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: AO Jostnieki B

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 607	4 611	-2.73	97.4	-	0.00
2	5 787	5 790	-4.86	97.4	-	0.00
3	6 736	6 738	-6.30	97.4	-	0.00
4	6 125	6 129	-5.40	97.4	-	0.00
5	5 353	5 357	-4.13	97.4	-	0.00
6	4 653	4 657	-2.83	97.4	-	0.00
7	4 296	4 300	-2.09	97.4	-	0.00
8	3 978	3 983	-1.38	97.4	-	0.00
9	3 269	3 275	0.42	97.4	-	0.00
10	2 841	2 848	1.69	97.4	-	0.00
11	3 492	3 498	-0.18	97.4	-	0.00
12	4 275	4 280	-2.04	97.4	-	0.00
13	4 574	4 578	-2.67	97.4	-	0.00
14	5 937	5 940	-5.10	97.4	-	0.00
15	6 791	6 793	-6.37	97.4	-	0.00
16	7 535	7 537	-7.36	97.4	-	0.00
17	6 769	6 772	-6.34	97.4	-	0.00
18	6 292	6 295	-5.65	97.4	-	0.00
19	6 253	6 257	-5.59	97.4	-	0.00
20	7 445	7 448	-7.25	97.4	-	0.00
21	7 983	7 985	-7.92	97.4	-	0.00
22	6 953	6 956	-6.60	97.4	-	0.00
23	6 282	6 285	-5.64	97.4	-	0.00
24	6 540	6 543	-6.02	97.4	-	0.00
25	7 136	7 139	-6.85	97.4	-	0.00
26	7 608	7 611	-7.46	97.4	-	0.00
27	7 870	7 873	-7.78	97.4	-	0.00
28	9 245	9 247	-9.33	97.4	-	0.00
29	9 850	9 852	-9.95	97.4	-	0.00
30	9 396	9 398	-9.49	97.4	-	0.00
31	9 008	9 010	-9.08	97.4	-	0.00
32	7 777	7 779	-7.67	97.4	-	0.00
33	2 218	2 227	3.92	97.4	-	0.00
34	2 215	2 224	3.93	97.4	-	0.00
35	1 203	1 219	9.30	97.4	-	0.00
36	1 433	1 447	7.78	97.4	-	0.00
37	1 785	1 791	5.87	97.4	-	0.00
38	3 050	3 055	1.06	97.4	-	0.00
39	2 944	2 948	1.38	97.4	-	0.00
40	2 658	2 663	2.30	97.4	-	0.00
Sum			16.00			

- Data undefined due to calculation with octave data

Noise sensitive area: AP Jostnieki C

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 719	4 723	-2.96	97.4	-	0.00
2	5 901	5 904	-5.05	97.4	-	0.00
3	6 851	6 853	-6.46	97.4	-	0.00
4	6 241	6 244	-5.57	97.4	-	0.00
5	5 469	5 472	-4.33	97.4	-	0.00
6	4 768	4 772	-3.05	97.4	-	0.00
7	4 409	4 414	-2.33	97.4	-	0.00
8	4 093	4 098	-1.64	97.4	-	0.00
9	3 384	3 390	0.10	97.4	-	0.00
10	2 953	2 959	1.34	97.4	-	0.00
11	3 602	3 607	-0.47	97.4	-	0.00
12	4 389	4 394	-2.29	97.4	-	0.00
13	4 686	4 690	-2.89	97.4	-	0.00
14	6 051	6 054	-5.28	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	6 905	6 908	-6.53	97.4	-	0.00
16	7 647	7 649	-7.50	97.4	-	0.00
17	6 880	6 883	-6.50	97.4	-	0.00
18	6 400	6 403	-5.81	97.4	-	0.00
19	6 356	6 359	-5.75	97.4	-	0.00
20	7 555	7 557	-7.39	97.4	-	0.00
21	8 090	8 093	-8.04	97.4	-	0.00
22	7 054	7 056	-6.73	97.4	-	0.00
23	6 377	6 381	-5.78	97.4	-	0.00
24	6 629	6 632	-6.15	97.4	-	0.00
25	7 232	7 234	-6.97	97.4	-	0.00
26	7 707	7 710	-7.58	97.4	-	0.00
27	7 973	7 975	-7.90	97.4	-	0.00
28	9 346	9 348	-9.44	97.4	-	0.00
29	9 950	9 952	-10.04	97.4	-	0.00
30	9 493	9 495	-9.59	97.4	-	0.00
31	9 102	9 104	-9.18	97.4	-	0.00
32	7 868	7 870	-7.78	97.4	-	0.00
33	2 279	2 288	3.68	97.4	-	0.00
34	2 302	2 311	3.59	97.4	-	0.00
35	1 295	1 310	8.66	97.4	-	0.00
36	1 476	1 489	7.52	97.4	-	0.00
37	1 791	1 798	5.84	97.4	-	0.00
38	2 997	3 002	1.22	97.4	-	0.00
39	2 908	2 912	1.49	97.4	-	0.00
40	2 639	2 644	2.37	97.4	-	0.00
Sum			15.73			

- Data undefined due to calculation with octave data

Noise sensitive area: AP Jostnieki C

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 719	4 723	-2.96	97.4	-	0.00
2	5 901	5 904	-5.05	97.4	-	0.00
3	6 851	6 853	-6.46	97.4	-	0.00
4	6 241	6 244	-5.57	97.4	-	0.00
5	5 469	5 472	-4.33	97.4	-	0.00
6	4 768	4 772	-3.05	97.4	-	0.00
7	4 409	4 414	-2.33	97.4	-	0.00
8	4 093	4 098	-1.64	97.4	-	0.00
9	3 384	3 390	0.10	97.4	-	0.00
10	2 953	2 959	1.34	97.4	-	0.00
11	3 602	3 607	-0.47	97.4	-	0.00
12	4 389	4 394	-2.29	97.4	-	0.00
13	4 686	4 690	-2.89	97.4	-	0.00
14	6 051	6 054	-5.28	97.4	-	0.00
15	6 905	6 908	-6.53	97.4	-	0.00
16	7 647	7 649	-7.50	97.4	-	0.00
17	6 880	6 883	-6.50	97.4	-	0.00
18	6 400	6 403	-5.81	97.4	-	0.00
19	6 356	6 359	-5.75	97.4	-	0.00
20	7 555	7 557	-7.39	97.4	-	0.00
21	8 090	8 093	-8.04	97.4	-	0.00
22	7 054	7 056	-6.73	97.4	-	0.00
23	6 377	6 381	-5.78	97.4	-	0.00
24	6 629	6 632	-6.15	97.4	-	0.00
25	7 232	7 234	-6.97	97.4	-	0.00
26	7 707	7 710	-7.58	97.4	-	0.00
27	7 973	7 975	-7.90	97.4	-	0.00
28	9 346	9 348	-9.44	97.4	-	0.00
29	9 950	9 952	-10.04	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	9 493	9 495	-9.59	97.4	-	0.00
31	9 102	9 104	-9.18	97.4	-	0.00
32	7 868	7 870	-7.78	97.4	-	0.00
33	2 279	2 288	3.68	97.4	-	0.00
34	2 302	2 311	3.59	97.4	-	0.00
35	1 295	1 310	8.66	97.4	-	0.00
36	1 476	1 489	7.52	97.4	-	0.00
37	1 791	1 798	5.84	97.4	-	0.00
38	2 997	3 002	1.22	97.4	-	0.00
39	2 908	2 912	1.49	97.4	-	0.00
40	2 639	2 644	2.37	97.4	-	0.00
Sum			15.73			

- Data undefined due to calculation with octave data

Noise sensitive area: AQ Jostnieki D

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 796	4 799	-3.11	97.4	-	0.00
2	5 978	5 981	-5.17	97.4	-	0.00
3	6 926	6 929	-6.56	97.4	-	0.00
4	6 317	6 320	-5.69	97.4	-	0.00
5	5 545	5 548	-4.46	97.4	-	0.00
6	4 844	4 849	-3.20	97.4	-	0.00
7	4 486	4 491	-2.49	97.4	-	0.00
8	4 169	4 174	-1.81	97.4	-	0.00
9	3 460	3 466	-0.10	97.4	-	0.00
10	3 024	3 030	1.13	97.4	-	0.00
11	3 671	3 676	-0.64	97.4	-	0.00
12	4 463	4 468	-2.44	97.4	-	0.00
13	4 757	4 761	-3.03	97.4	-	0.00
14	6 125	6 128	-5.40	97.4	-	0.00
15	6 979	6 981	-6.63	97.4	-	0.00
16	7 717	7 720	-7.59	97.4	-	0.00
17	6 950	6 953	-6.59	97.4	-	0.00
18	6 468	6 471	-5.91	97.4	-	0.00
19	6 418	6 422	-5.84	97.4	-	0.00
20	7 623	7 626	-7.48	97.4	-	0.00
21	8 156	8 159	-8.12	97.4	-	0.00
22	7 114	7 117	-6.82	97.4	-	0.00
23	6 433	6 436	-5.86	97.4	-	0.00
24	6 680	6 683	-6.22	97.4	-	0.00
25	7 287	7 290	-7.05	97.4	-	0.00
26	7 766	7 769	-7.65	97.4	-	0.00
27	8 035	8 038	-7.98	97.4	-	0.00
28	9 406	9 408	-9.50	97.4	-	0.00
29	10 011	10 012	-10.10	97.4	-	0.00
30	9 551	9 553	-9.65	97.4	-	0.00
31	9 156	9 158	-9.24	97.4	-	0.00
32	7 920	7 923	-7.84	97.4	-	0.00
33	2 311	2 319	3.55	97.4	-	0.00
34	2 353	2 361	3.39	97.4	-	0.00
35	1 350	1 365	8.30	97.4	-	0.00
36	1 496	1 509	7.40	97.4	-	0.00
37	1 786	1 793	5.87	97.4	-	0.00
38	2 952	2 956	1.35	97.4	-	0.00
39	2 874	2 878	1.60	97.4	-	0.00
40	2 615	2 620	2.45	97.4	-	0.00
Sum			15.60			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: AQ Jostnieki D

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 796	4 799	-3.11	97.4	-	0.00
2	5 978	5 981	-5.17	97.4	-	0.00
3	6 926	6 929	-6.56	97.4	-	0.00
4	6 317	6 320	-5.69	97.4	-	0.00
5	5 545	5 548	-4.46	97.4	-	0.00
6	4 844	4 849	-3.20	97.4	-	0.00
7	4 486	4 491	-2.49	97.4	-	0.00
8	4 169	4 174	-1.81	97.4	-	0.00
9	3 460	3 466	-0.10	97.4	-	0.00
10	3 024	3 030	1.13	97.4	-	0.00
11	3 671	3 676	-0.64	97.4	-	0.00
12	4 463	4 468	-2.44	97.4	-	0.00
13	4 757	4 761	-3.03	97.4	-	0.00
14	6 125	6 128	-5.40	97.4	-	0.00
15	6 979	6 981	-6.63	97.4	-	0.00
16	7 717	7 720	-7.59	97.4	-	0.00
17	6 950	6 953	-6.59	97.4	-	0.00
18	6 468	6 471	-5.91	97.4	-	0.00
19	6 418	6 422	-5.84	97.4	-	0.00
20	7 623	7 626	-7.48	97.4	-	0.00
21	8 156	8 159	-8.12	97.4	-	0.00
22	7 114	7 117	-6.82	97.4	-	0.00
23	6 433	6 436	-5.86	97.4	-	0.00
24	6 680	6 683	-6.22	97.4	-	0.00
25	7 287	7 290	-7.05	97.4	-	0.00
26	7 766	7 769	-7.65	97.4	-	0.00
27	8 035	8 038	-7.98	97.4	-	0.00
28	9 406	9 408	-9.50	97.4	-	0.00
29	10 011	10 012	-10.10	97.4	-	0.00
30	9 551	9 553	-9.65	97.4	-	0.00
31	9 156	9 158	-9.24	97.4	-	0.00
32	7 920	7 923	-7.84	97.4	-	0.00
33	2 311	2 319	3.55	97.4	-	0.00
34	2 353	2 361	3.39	97.4	-	0.00
35	1 350	1 365	8.30	97.4	-	0.00
36	1 496	1 509	7.40	97.4	-	0.00
37	1 786	1 793	5.87	97.4	-	0.00
38	2 952	2 956	1.35	97.4	-	0.00
39	2 874	2 878	1.60	97.4	-	0.00
40	2 615	2 620	2.45	97.4	-	0.00
Sum			15.60			

- Data undefined due to calculation with octave data

Noise sensitive area: AR Jostnieki E

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 759	4 763	-3.03	97.4	-	0.00
2	5 940	5 944	-5.11	97.4	-	0.00
3	6 888	6 891	-6.51	97.4	-	0.00
4	6 279	6 282	-5.63	97.4	-	0.00
5	5 507	5 510	-4.40	97.4	-	0.00
6	4 807	4 811	-3.13	97.4	-	0.00
7	4 449	4 453	-2.41	97.4	-	0.00
8	4 131	4 136	-1.73	97.4	-	0.00
9	3 422	3 428	0.00	97.4	-	0.00
10	2 987	2 993	1.24	97.4	-	0.00
11	3 634	3 640	-0.55	97.4	-	0.00
12	4 425	4 430	-2.36	97.4	-	0.00
13	4 720	4 724	-2.96	97.4	-	0.00
14	6 087	6 090	-5.34	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	6 941	6 944	-6.58	97.4	-	0.00
16	7 680	7 683	-7.55	97.4	-	0.00
17	6 913	6 916	-6.54	97.4	-	0.00
18	6 432	6 435	-5.86	97.4	-	0.00
19	6 384	6 388	-5.79	97.4	-	0.00
20	7 587	7 589	-7.43	97.4	-	0.00
21	8 121	8 123	-8.08	97.4	-	0.00
22	7 081	7 083	-6.77	97.4	-	0.00
23	6 402	6 405	-5.81	97.4	-	0.00
24	6 650	6 653	-6.18	97.4	-	0.00
25	7 256	7 258	-7.00	97.4	-	0.00
26	7 733	7 736	-7.61	97.4	-	0.00
27	8 001	8 003	-7.94	97.4	-	0.00
28	9 373	9 375	-9.46	97.4	-	0.00
29	9 977	9 979	-10.07	97.4	-	0.00
30	9 518	9 520	-9.61	97.4	-	0.00
31	9 125	9 127	-9.20	97.4	-	0.00
32	7 890	7 892	-7.80	97.4	-	0.00
33	2 289	2 298	3.64	97.4	-	0.00
34	2 323	2 332	3.51	97.4	-	0.00
35	1 319	1 333	8.51	97.4	-	0.00
36	1 480	1 493	7.50	97.4	-	0.00
37	1 781	1 788	5.89	97.4	-	0.00
38	2 968	2 973	1.30	97.4	-	0.00
39	2 884	2 889	1.56	97.4	-	0.00
40	2 620	2 625	2.43	97.4	-	0.00
Sum			15.68			

- Data undefined due to calculation with octave data

Noise sensitive area: AR Jostnieki E

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 759	4 763	-3.03	97.4	-	0.00
2	5 940	5 944	-5.11	97.4	-	0.00
3	6 888	6 891	-6.51	97.4	-	0.00
4	6 279	6 282	-5.63	97.4	-	0.00
5	5 507	5 510	-4.40	97.4	-	0.00
6	4 807	4 811	-3.13	97.4	-	0.00
7	4 449	4 453	-2.41	97.4	-	0.00
8	4 131	4 136	-1.73	97.4	-	0.00
9	3 422	3 428	0.00	97.4	-	0.00
10	2 987	2 993	1.24	97.4	-	0.00
11	3 634	3 640	-0.55	97.4	-	0.00
12	4 425	4 430	-2.36	97.4	-	0.00
13	4 720	4 724	-2.96	97.4	-	0.00
14	6 087	6 090	-5.34	97.4	-	0.00
15	6 941	6 944	-6.58	97.4	-	0.00
16	7 680	7 683	-7.55	97.4	-	0.00
17	6 913	6 916	-6.54	97.4	-	0.00
18	6 432	6 435	-5.86	97.4	-	0.00
19	6 384	6 388	-5.79	97.4	-	0.00
20	7 587	7 589	-7.43	97.4	-	0.00
21	8 121	8 123	-8.08	97.4	-	0.00
22	7 081	7 083	-6.77	97.4	-	0.00
23	6 402	6 405	-5.81	97.4	-	0.00
24	6 650	6 653	-6.18	97.4	-	0.00
25	7 256	7 258	-7.00	97.4	-	0.00
26	7 733	7 736	-7.61	97.4	-	0.00
27	8 001	8 003	-7.94	97.4	-	0.00
28	9 373	9 375	-9.46	97.4	-	0.00
29	9 977	9 979	-10.07	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	9 518	9 520	-9.61	97.4	-	0.00
31	9 125	9 127	-9.20	97.4	-	0.00
32	7 890	7 892	-7.80	97.4	-	0.00
33	2 289	2 298	3.64	97.4	-	0.00
34	2 323	2 332	3.51	97.4	-	0.00
35	1 319	1 333	8.51	97.4	-	0.00
36	1 480	1 493	7.50	97.4	-	0.00
37	1 781	1 788	5.89	97.4	-	0.00
38	2 968	2 973	1.30	97.4	-	0.00
39	2 884	2 889	1.56	97.4	-	0.00
40	2 620	2 625	2.43	97.4	-	0.00
Sum			15.68			

- Data undefined due to calculation with octave data

Noise sensitive area: AS Jostnieki F

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 721	4 725	-2.96	97.4	-	0.00
2	5 905	5 908	-5.05	97.4	-	0.00
3	6 860	6 863	-6.47	97.4	-	0.00
4	6 248	6 251	-5.59	97.4	-	0.00
5	5 476	5 480	-4.35	97.4	-	0.00
6	4 776	4 780	-3.07	97.4	-	0.00
7	4 414	4 418	-2.34	97.4	-	0.00
8	4 101	4 105	-1.66	97.4	-	0.00
9	3 392	3 398	0.08	97.4	-	0.00
10	2 966	2 973	1.30	97.4	-	0.00
11	3 617	3 622	-0.50	97.4	-	0.00
12	4 400	4 405	-2.31	97.4	-	0.00
13	4 699	4 703	-2.92	97.4	-	0.00
14	6 062	6 066	-5.30	97.4	-	0.00
15	6 916	6 919	-6.55	97.4	-	0.00
16	7 660	7 663	-7.52	97.4	-	0.00
17	6 894	6 897	-6.52	97.4	-	0.00
18	6 416	6 419	-5.84	97.4	-	0.00
19	6 374	6 378	-5.77	97.4	-	0.00
20	7 570	7 573	-7.41	97.4	-	0.00
21	8 107	8 109	-8.06	97.4	-	0.00
22	7 073	7 075	-6.76	97.4	-	0.00
23	6 398	6 401	-5.81	97.4	-	0.00
24	6 651	6 654	-6.18	97.4	-	0.00
25	7 252	7 255	-7.00	97.4	-	0.00
26	7 727	7 729	-7.60	97.4	-	0.00
27	7 991	7 994	-7.93	97.4	-	0.00
28	9 365	9 367	-9.46	97.4	-	0.00
29	9 969	9 971	-10.06	97.4	-	0.00
30	9 513	9 515	-9.61	97.4	-	0.00
31	9 122	9 125	-9.20	97.4	-	0.00
32	7 889	7 891	-7.80	97.4	-	0.00
33	2 304	2 312	3.58	97.4	-	0.00
34	2 324	2 333	3.50	97.4	-	0.00
35	1 316	1 331	8.53	97.4	-	0.00
36	1 501	1 514	7.38	97.4	-	0.00
37	1 816	1 823	5.72	97.4	-	0.00
38	3 015	3 019	1.16	97.4	-	0.00
39	2 929	2 933	1.43	97.4	-	0.00
40	2 661	2 666	2.29	97.4	-	0.00
Sum			15.64			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: AS Jostnieki F

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 721	4 725	-2.96	97.4	-	0.00
2	5 905	5 908	-5.05	97.4	-	0.00
3	6 860	6 863	-6.47	97.4	-	0.00
4	6 248	6 251	-5.59	97.4	-	0.00
5	5 476	5 480	-4.35	97.4	-	0.00
6	4 776	4 780	-3.07	97.4	-	0.00
7	4 414	4 418	-2.34	97.4	-	0.00
8	4 101	4 105	-1.66	97.4	-	0.00
9	3 392	3 398	0.08	97.4	-	0.00
10	2 966	2 973	1.30	97.4	-	0.00
11	3 617	3 622	-0.50	97.4	-	0.00
12	4 400	4 405	-2.31	97.4	-	0.00
13	4 699	4 703	-2.92	97.4	-	0.00
14	6 062	6 066	-5.30	97.4	-	0.00
15	6 916	6 919	-6.55	97.4	-	0.00
16	7 660	7 663	-7.52	97.4	-	0.00
17	6 894	6 897	-6.52	97.4	-	0.00
18	6 416	6 419	-5.84	97.4	-	0.00
19	6 374	6 378	-5.77	97.4	-	0.00
20	7 570	7 573	-7.41	97.4	-	0.00
21	8 107	8 109	-8.06	97.4	-	0.00
22	7 073	7 075	-6.76	97.4	-	0.00
23	6 398	6 401	-5.81	97.4	-	0.00
24	6 651	6 654	-6.18	97.4	-	0.00
25	7 252	7 255	-7.00	97.4	-	0.00
26	7 727	7 729	-7.60	97.4	-	0.00
27	7 991	7 994	-7.93	97.4	-	0.00
28	9 365	9 367	-9.46	97.4	-	0.00
29	9 969	9 971	-10.06	97.4	-	0.00
30	9 513	9 515	-9.61	97.4	-	0.00
31	9 122	9 125	-9.20	97.4	-	0.00
32	7 889	7 891	-7.80	97.4	-	0.00
33	2 304	2 312	3.58	97.4	-	0.00
34	2 324	2 333	3.50	97.4	-	0.00
35	1 316	1 331	8.53	97.4	-	0.00
36	1 501	1 514	7.38	97.4	-	0.00
37	1 816	1 823	5.72	97.4	-	0.00
38	3 015	3 019	1.16	97.4	-	0.00
39	2 929	2 933	1.43	97.4	-	0.00
40	2 661	2 666	2.29	97.4	-	0.00
Sum			15.64			

- Data undefined due to calculation with octave data

Noise sensitive area: AT Jostnieki G

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 761	4 765	-3.04	97.4	-	0.00
2	5 945	5 948	-5.12	97.4	-	0.00
3	6 898	6 900	-6.52	97.4	-	0.00
4	6 287	6 290	-5.64	97.4	-	0.00
5	5 515	5 518	-4.41	97.4	-	0.00
6	4 815	4 819	-3.14	97.4	-	0.00
7	4 454	4 458	-2.42	97.4	-	0.00
8	4 139	4 144	-1.74	97.4	-	0.00
9	3 431	3 436	-0.02	97.4	-	0.00
10	3 001	3 007	1.20	97.4	-	0.00
11	3 650	3 655	-0.59	97.4	-	0.00
12	4 437	4 441	-2.39	97.4	-	0.00
13	4 734	4 738	-2.99	97.4	-	0.00
14	6 099	6 102	-5.36	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	6 953	6 955	-6.60	97.4	-	0.00
16	7 695	7 697	-7.56	97.4	-	0.00
17	6 928	6 931	-6.56	97.4	-	0.00
18	6 448	6 451	-5.88	97.4	-	0.00
19	6 403	6 406	-5.82	97.4	-	0.00
20	7 603	7 605	-7.45	97.4	-	0.00
21	8 138	8 140	-8.10	97.4	-	0.00
22	7 100	7 103	-6.80	97.4	-	0.00
23	6 423	6 426	-5.85	97.4	-	0.00
24	6 673	6 676	-6.21	97.4	-	0.00
25	7 277	7 279	-7.03	97.4	-	0.00
26	7 753	7 756	-7.64	97.4	-	0.00
27	8 020	8 022	-7.96	97.4	-	0.00
28	9 392	9 394	-9.48	97.4	-	0.00
29	9 997	9 999	-10.09	97.4	-	0.00
30	9 539	9 541	-9.63	97.4	-	0.00
31	9 147	9 149	-9.23	97.4	-	0.00
32	7 912	7 914	-7.83	97.4	-	0.00
33	2 315	2 323	3.54	97.4	-	0.00
34	2 346	2 354	3.42	97.4	-	0.00
35	1 340	1 355	8.37	97.4	-	0.00
36	1 506	1 519	7.35	97.4	-	0.00
37	1 807	1 814	5.76	97.4	-	0.00
38	2 987	2 991	1.25	97.4	-	0.00
39	2 906	2 910	1.50	97.4	-	0.00
40	2 644	2 648	2.35	97.4	-	0.00
Sum			15.59			

- Data undefined due to calculation with octave data

Noise sensitive area: AT Jostnieki G

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 761	4 765	-3.04	97.4	-	0.00
2	5 945	5 948	-5.12	97.4	-	0.00
3	6 898	6 900	-6.52	97.4	-	0.00
4	6 287	6 290	-5.64	97.4	-	0.00
5	5 515	5 518	-4.41	97.4	-	0.00
6	4 815	4 819	-3.14	97.4	-	0.00
7	4 454	4 458	-2.42	97.4	-	0.00
8	4 139	4 144	-1.74	97.4	-	0.00
9	3 431	3 436	-0.02	97.4	-	0.00
10	3 001	3 007	1.20	97.4	-	0.00
11	3 650	3 655	-0.59	97.4	-	0.00
12	4 437	4 441	-2.39	97.4	-	0.00
13	4 734	4 738	-2.99	97.4	-	0.00
14	6 099	6 102	-5.36	97.4	-	0.00
15	6 953	6 955	-6.60	97.4	-	0.00
16	7 695	7 697	-7.56	97.4	-	0.00
17	6 928	6 931	-6.56	97.4	-	0.00
18	6 448	6 451	-5.88	97.4	-	0.00
19	6 403	6 406	-5.82	97.4	-	0.00
20	7 603	7 605	-7.45	97.4	-	0.00
21	8 138	8 140	-8.10	97.4	-	0.00
22	7 100	7 103	-6.80	97.4	-	0.00
23	6 423	6 426	-5.85	97.4	-	0.00
24	6 673	6 676	-6.21	97.4	-	0.00
25	7 277	7 279	-7.03	97.4	-	0.00
26	7 753	7 756	-7.64	97.4	-	0.00
27	8 020	8 022	-7.96	97.4	-	0.00
28	9 392	9 394	-9.48	97.4	-	0.00
29	9 997	9 999	-10.09	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	9 539	9 541	-9.63	97.4	-	0.00
31	9 147	9 149	-9.23	97.4	-	0.00
32	7 912	7 914	-7.83	97.4	-	0.00
33	2 315	2 323	3.54	97.4	-	0.00
34	2 346	2 354	3.42	97.4	-	0.00
35	1 340	1 355	8.37	97.4	-	0.00
36	1 506	1 519	7.35	97.4	-	0.00
37	1 807	1 814	5.76	97.4	-	0.00
38	2 987	2 991	1.25	97.4	-	0.00
39	2 906	2 910	1.50	97.4	-	0.00
40	2 644	2 648	2.35	97.4	-	0.00
Sum			15.59			

- Data undefined due to calculation with octave data

Noise sensitive area: AU Jostnieki H

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 573	4 577	-2.66	97.4	-	0.00
2	5 753	5 756	-4.81	97.4	-	0.00
3	6 704	6 707	-6.25	97.4	-	0.00
4	6 093	6 096	-5.35	97.4	-	0.00
5	5 321	5 325	-4.08	97.4	-	0.00
6	4 621	4 625	-2.76	97.4	-	0.00
7	4 262	4 266	-2.01	97.4	-	0.00
8	3 945	3 950	-1.30	97.4	-	0.00
9	3 237	3 243	0.51	97.4	-	0.00
10	2 813	2 820	1.78	97.4	-	0.00
11	3 466	3 471	-0.11	97.4	-	0.00
12	4 245	4 250	-1.98	97.4	-	0.00
13	4 546	4 550	-2.61	97.4	-	0.00
14	5 907	5 910	-5.06	97.4	-	0.00
15	6 761	6 764	-6.33	97.4	-	0.00
16	7 507	7 509	-7.33	97.4	-	0.00
17	6 742	6 745	-6.31	97.4	-	0.00
18	6 266	6 269	-5.61	97.4	-	0.00
19	6 231	6 235	-5.56	97.4	-	0.00
20	7 419	7 422	-7.22	97.4	-	0.00
21	7 958	7 961	-7.89	97.4	-	0.00
22	6 932	6 935	-6.57	97.4	-	0.00
23	6 263	6 267	-5.61	97.4	-	0.00
24	6 525	6 528	-6.00	97.4	-	0.00
25	7 118	7 120	-6.82	97.4	-	0.00
26	7 588	7 591	-7.43	97.4	-	0.00
27	7 848	7 850	-7.75	97.4	-	0.00
28	9 224	9 226	-9.31	97.4	-	0.00
29	9 829	9 831	-9.92	97.4	-	0.00
30	9 376	9 378	-9.47	97.4	-	0.00
31	8 990	8 992	-9.06	97.4	-	0.00
32	7 760	7 762	-7.65	97.4	-	0.00
33	2 214	2 223	3.94	97.4	-	0.00
34	2 201	2 210	3.99	97.4	-	0.00
35	1 188	1 204	9.42	97.4	-	0.00
36	1 436	1 450	7.76	97.4	-	0.00
37	1 798	1 805	5.81	97.4	-	0.00
38	3 078	3 082	0.97	97.4	-	0.00
39	2 968	2 972	1.31	97.4	-	0.00
40	2 678	2 683	2.23	97.4	-	0.00
Sum			16.03			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: AU Jostnieki H

Wind speed: 8.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 573	4 577	-2.66	97.4	-	0.00
2	5 753	5 756	-4.81	97.4	-	0.00
3	6 704	6 707	-6.25	97.4	-	0.00
4	6 093	6 096	-5.35	97.4	-	0.00
5	5 321	5 325	-4.08	97.4	-	0.00
6	4 621	4 625	-2.76	97.4	-	0.00
7	4 262	4 266	-2.01	97.4	-	0.00
8	3 945	3 950	-1.30	97.4	-	0.00
9	3 237	3 243	0.51	97.4	-	0.00
10	2 813	2 820	1.78	97.4	-	0.00
11	3 466	3 471	-0.11	97.4	-	0.00
12	4 245	4 250	-1.98	97.4	-	0.00
13	4 546	4 550	-2.61	97.4	-	0.00
14	5 907	5 910	-5.06	97.4	-	0.00
15	6 761	6 764	-6.33	97.4	-	0.00
16	7 507	7 509	-7.33	97.4	-	0.00
17	6 742	6 745	-6.31	97.4	-	0.00
18	6 266	6 269	-5.61	97.4	-	0.00
19	6 231	6 235	-5.56	97.4	-	0.00
20	7 419	7 422	-7.22	97.4	-	0.00
21	7 958	7 961	-7.89	97.4	-	0.00
22	6 932	6 935	-6.57	97.4	-	0.00
23	6 263	6 267	-5.61	97.4	-	0.00
24	6 525	6 528	-6.00	97.4	-	0.00
25	7 118	7 120	-6.82	97.4	-	0.00
26	7 588	7 591	-7.43	97.4	-	0.00
27	7 848	7 850	-7.75	97.4	-	0.00
28	9 224	9 226	-9.31	97.4	-	0.00
29	9 829	9 831	-9.92	97.4	-	0.00
30	9 376	9 378	-9.47	97.4	-	0.00
31	8 990	8 992	-9.06	97.4	-	0.00
32	7 760	7 762	-7.65	97.4	-	0.00
33	2 214	2 223	3.94	97.4	-	0.00
34	2 201	2 210	3.99	97.4	-	0.00
35	1 188	1 204	9.42	97.4	-	0.00
36	1 436	1 450	7.76	97.4	-	0.00
37	1 798	1 805	5.81	97.4	-	0.00
38	3 078	3 082	0.97	97.4	-	0.00
39	2 968	2 972	1.31	97.4	-	0.00
40	2 678	2 683	2.23	97.4	-	0.00
Sum			16.03			

- Data undefined due to calculation with octave data

Noise sensitive area: AV Jostnieki I

Wind speed: 6.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 600	4 604	-2.72	97.4	-	0.00
2	5 777	5 780	-4.85	97.4	-	0.00
3	6 720	6 723	-6.27	97.4	-	0.00
4	6 112	6 115	-5.38	97.4	-	0.00
5	5 340	5 343	-4.11	97.4	-	0.00
6	4 639	4 643	-2.80	97.4	-	0.00
7	4 285	4 290	-2.06	97.4	-	0.00
8	3 964	3 969	-1.35	97.4	-	0.00
9	3 255	3 261	0.46	97.4	-	0.00
10	2 821	2 828	1.76	97.4	-	0.00
11	3 471	3 477	-0.13	97.4	-	0.00
12	4 258	4 262	-2.00	97.4	-	0.00
13	4 554	4 558	-2.63	97.4	-	0.00
14	5 920	5 923	-5.08	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	6 773	6 776	-6.35	97.4	-	0.00
16	7 515	7 517	-7.34	97.4	-	0.00
17	6 749	6 752	-6.31	97.4	-	0.00
18	6 270	6 273	-5.62	97.4	-	0.00
19	6 229	6 233	-5.56	97.4	-	0.00
20	7 424	7 427	-7.22	97.4	-	0.00
21	7 961	7 963	-7.89	97.4	-	0.00
22	6 928	6 931	-6.56	97.4	-	0.00
23	6 256	6 259	-5.60	97.4	-	0.00
24	6 514	6 517	-5.98	97.4	-	0.00
25	7 110	7 113	-6.81	97.4	-	0.00
26	7 583	7 586	-7.43	97.4	-	0.00
27	7 846	7 849	-7.75	97.4	-	0.00
28	9 220	9 222	-9.30	97.4	-	0.00
29	9 825	9 827	-9.92	97.4	-	0.00
30	9 370	9 372	-9.46	97.4	-	0.00
31	8 982	8 984	-9.05	97.4	-	0.00
32	7 750	7 753	-7.63	97.4	-	0.00
33	2 190	2 199	4.04	97.4	-	0.00
34	2 188	2 197	4.04	97.4	-	0.00
35	1 177	1 193	9.49	97.4	-	0.00
36	1 405	1 419	7.95	97.4	-	0.00
37	1 760	1 767	6.00	97.4	-	0.00
38	3 035	3 040	1.10	97.4	-	0.00
39	2 925	2 930	1.44	97.4	-	0.00
40	2 637	2 642	2.38	97.4	-	0.00
Sum			16.11			

- Data undefined due to calculation with octave data

Noise sensitive area: AV Jostnieki I

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 600	4 604	-2.72	97.4	-	0.00
2	5 777	5 780	-4.85	97.4	-	0.00
3	6 720	6 723	-6.27	97.4	-	0.00
4	6 112	6 115	-5.38	97.4	-	0.00
5	5 340	5 343	-4.11	97.4	-	0.00
6	4 639	4 643	-2.80	97.4	-	0.00
7	4 285	4 290	-2.06	97.4	-	0.00
8	3 964	3 969	-1.35	97.4	-	0.00
9	3 255	3 261	0.46	97.4	-	0.00
10	2 821	2 828	1.76	97.4	-	0.00
11	3 471	3 477	-0.13	97.4	-	0.00
12	4 258	4 262	-2.00	97.4	-	0.00
13	4 554	4 558	-2.63	97.4	-	0.00
14	5 920	5 923	-5.08	97.4	-	0.00
15	6 773	6 776	-6.35	97.4	-	0.00
16	7 515	7 517	-7.34	97.4	-	0.00
17	6 749	6 752	-6.31	97.4	-	0.00
18	6 270	6 273	-5.62	97.4	-	0.00
19	6 229	6 233	-5.56	97.4	-	0.00
20	7 424	7 427	-7.22	97.4	-	0.00
21	7 961	7 963	-7.89	97.4	-	0.00
22	6 928	6 931	-6.56	97.4	-	0.00
23	6 256	6 259	-5.60	97.4	-	0.00
24	6 514	6 517	-5.98	97.4	-	0.00
25	7 110	7 113	-6.81	97.4	-	0.00
26	7 583	7 586	-7.43	97.4	-	0.00
27	7 846	7 849	-7.75	97.4	-	0.00
28	9 220	9 222	-9.30	97.4	-	0.00
29	9 825	9 827	-9.92	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	9 370	9 372	-9.46	97.4	-	0.00
31	8 982	8 984	-9.05	97.4	-	0.00
32	7 750	7 753	-7.63	97.4	-	0.00
33	2 190	2 199	4.04	97.4	-	0.00
34	2 188	2 197	4.04	97.4	-	0.00
35	1 177	1 193	9.49	97.4	-	0.00
36	1 405	1 419	7.95	97.4	-	0.00
37	1 760	1 767	6.00	97.4	-	0.00
38	3 035	3 040	1.10	97.4	-	0.00
39	2 925	2 930	1.44	97.4	-	0.00
40	2 637	2 642	2.38	97.4	-	0.00
Sum			16.11			

- Data undefined due to calculation with octave data

Noise sensitive area: AW Jostnieki J

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 600	4 604	-2.72	97.4	-	0.00
2	5 775	5 778	-4.84	97.4	-	0.00
3	6 715	6 718	-6.27	97.4	-	0.00
4	6 108	6 111	-5.37	97.4	-	0.00
5	5 335	5 339	-4.10	97.4	-	0.00
6	4 635	4 639	-2.79	97.4	-	0.00
7	4 283	4 288	-2.06	97.4	-	0.00
8	3 960	3 965	-1.34	97.4	-	0.00
9	3 250	3 256	0.47	97.4	-	0.00
10	2 813	2 820	1.78	97.4	-	0.00
11	3 462	3 467	-0.10	97.4	-	0.00
12	4 251	4 256	-1.99	97.4	-	0.00
13	4 546	4 550	-2.61	97.4	-	0.00
14	5 913	5 916	-5.07	97.4	-	0.00
15	6 767	6 770	-6.34	97.4	-	0.00
16	7 507	7 509	-7.33	97.4	-	0.00
17	6 740	6 743	-6.30	97.4	-	0.00
18	6 260	6 263	-5.60	97.4	-	0.00
19	6 218	6 221	-5.54	97.4	-	0.00
20	7 415	7 417	-7.21	97.4	-	0.00
21	7 950	7 953	-7.88	97.4	-	0.00
22	6 917	6 920	-6.55	97.4	-	0.00
23	6 243	6 247	-5.58	97.4	-	0.00
24	6 500	6 503	-5.96	97.4	-	0.00
25	7 098	7 100	-6.79	97.4	-	0.00
26	7 571	7 574	-7.41	97.4	-	0.00
27	7 835	7 837	-7.74	97.4	-	0.00
28	9 209	9 211	-9.29	97.4	-	0.00
29	9 814	9 816	-9.91	97.4	-	0.00
30	9 358	9 360	-9.45	97.4	-	0.00
31	8 969	8 971	-9.04	97.4	-	0.00
32	7 737	7 739	-7.62	97.4	-	0.00
33	2 174	2 183	4.10	97.4	-	0.00
34	2 174	2 183	4.10	97.4	-	0.00
35	1 163	1 180	9.59	97.4	-	0.00
36	1 389	1 403	8.06	97.4	-	0.00
37	1 744	1 751	6.08	97.4	-	0.00
38	3 024	3 028	1.13	97.4	-	0.00
39	2 912	2 917	1.48	97.4	-	0.00
40	2 623	2 628	2.42	97.4	-	0.00
Sum			16.17			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: AW Jostnieki J

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 600	4 604	-2.72	97.4	-	0.00
2	5 775	5 778	-4.84	97.4	-	0.00
3	6 715	6 718	-6.27	97.4	-	0.00
4	6 108	6 111	-5.37	97.4	-	0.00
5	5 335	5 339	-4.10	97.4	-	0.00
6	4 635	4 639	-2.79	97.4	-	0.00
7	4 283	4 288	-2.06	97.4	-	0.00
8	3 960	3 965	-1.34	97.4	-	0.00
9	3 250	3 256	0.47	97.4	-	0.00
10	2 813	2 820	1.78	97.4	-	0.00
11	3 462	3 467	-0.10	97.4	-	0.00
12	4 251	4 256	-1.99	97.4	-	0.00
13	4 546	4 550	-2.61	97.4	-	0.00
14	5 913	5 916	-5.07	97.4	-	0.00
15	6 767	6 770	-6.34	97.4	-	0.00
16	7 507	7 509	-7.33	97.4	-	0.00
17	6 740	6 743	-6.30	97.4	-	0.00
18	6 260	6 263	-5.60	97.4	-	0.00
19	6 218	6 221	-5.54	97.4	-	0.00
20	7 415	7 417	-7.21	97.4	-	0.00
21	7 950	7 953	-7.88	97.4	-	0.00
22	6 917	6 920	-6.55	97.4	-	0.00
23	6 243	6 247	-5.58	97.4	-	0.00
24	6 500	6 503	-5.96	97.4	-	0.00
25	7 098	7 100	-6.79	97.4	-	0.00
26	7 571	7 574	-7.41	97.4	-	0.00
27	7 835	7 837	-7.74	97.4	-	0.00
28	9 209	9 211	-9.29	97.4	-	0.00
29	9 814	9 816	-9.91	97.4	-	0.00
30	9 358	9 360	-9.45	97.4	-	0.00
31	8 969	8 971	-9.04	97.4	-	0.00
32	7 737	7 739	-7.62	97.4	-	0.00
33	2 174	2 183	4.10	97.4	-	0.00
34	2 174	2 183	4.10	97.4	-	0.00
35	1 163	1 180	9.59	97.4	-	0.00
36	1 389	1 403	8.06	97.4	-	0.00
37	1 744	1 751	6.08	97.4	-	0.00
38	3 024	3 028	1.13	97.4	-	0.00
39	2 912	2 917	1.48	97.4	-	0.00
40	2 623	2 628	2.42	97.4	-	0.00
Sum			16.17			

- Data undefined due to calculation with octave data

Noise sensitive area: AX Jostnieki K

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 584	4 588	-2.69	97.4	-	0.00
2	5 761	5 764	-4.82	97.4	-	0.00
3	6 706	6 709	-6.25	97.4	-	0.00
4	6 097	6 100	-5.35	97.4	-	0.00
5	5 325	5 329	-4.08	97.4	-	0.00
6	4 625	4 629	-2.77	97.4	-	0.00
7	4 270	4 274	-2.03	97.4	-	0.00
8	3 949	3 954	-1.31	97.4	-	0.00
9	3 240	3 246	0.50	97.4	-	0.00
10	2 809	2 816	1.80	97.4	-	0.00
11	3 460	3 465	-0.10	97.4	-	0.00
12	4 244	4 249	-1.98	97.4	-	0.00
13	4 542	4 546	-2.60	97.4	-	0.00
14	5 906	5 909	-5.05	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	6 760	6 763	-6.33	97.4	-	0.00
16	7 503	7 505	-7.32	97.4	-	0.00
17	6 737	6 740	-6.30	97.4	-	0.00
18	6 259	6 262	-5.60	97.4	-	0.00
19	6 220	6 224	-5.54	97.4	-	0.00
20	7 413	7 415	-7.21	97.4	-	0.00
21	7 950	7 953	-7.88	97.4	-	0.00
22	6 920	6 923	-6.55	97.4	-	0.00
23	6 249	6 252	-5.59	97.4	-	0.00
24	6 508	6 511	-5.97	97.4	-	0.00
25	7 103	7 106	-6.80	97.4	-	0.00
26	7 575	7 578	-7.41	97.4	-	0.00
27	7 837	7 839	-7.74	97.4	-	0.00
28	9 212	9 214	-9.30	97.4	-	0.00
29	9 817	9 819	-9.91	97.4	-	0.00
30	9 363	9 365	-9.45	97.4	-	0.00
31	8 975	8 977	-9.04	97.4	-	0.00
32	7 744	7 746	-7.63	97.4	-	0.00
33	2 189	2 198	4.04	97.4	-	0.00
34	2 183	2 192	4.06	97.4	-	0.00
35	1 171	1 187	9.54	97.4	-	0.00
36	1 408	1 422	7.93	97.4	-	0.00
37	1 768	1 775	5.96	97.4	-	0.00
38	3 050	3 054	1.06	97.4	-	0.00
39	2 938	2 943	1.40	97.4	-	0.00
40	2 648	2 653	2.34	97.4	-	0.00
Sum			16.12			

- Data undefined due to calculation with octave data

Noise sensitive area: AX Jostnieki K

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 584	4 588	-2.69	97.4	-	0.00
2	5 761	5 764	-4.82	97.4	-	0.00
3	6 706	6 709	-6.25	97.4	-	0.00
4	6 097	6 100	-5.35	97.4	-	0.00
5	5 325	5 329	-4.08	97.4	-	0.00
6	4 625	4 629	-2.77	97.4	-	0.00
7	4 270	4 274	-2.03	97.4	-	0.00
8	3 949	3 954	-1.31	97.4	-	0.00
9	3 240	3 246	0.50	97.4	-	0.00
10	2 809	2 816	1.80	97.4	-	0.00
11	3 460	3 465	-0.10	97.4	-	0.00
12	4 244	4 249	-1.98	97.4	-	0.00
13	4 542	4 546	-2.60	97.4	-	0.00
14	5 906	5 909	-5.05	97.4	-	0.00
15	6 760	6 763	-6.33	97.4	-	0.00
16	7 503	7 505	-7.32	97.4	-	0.00
17	6 737	6 740	-6.30	97.4	-	0.00
18	6 259	6 262	-5.60	97.4	-	0.00
19	6 220	6 224	-5.54	97.4	-	0.00
20	7 413	7 415	-7.21	97.4	-	0.00
21	7 950	7 953	-7.88	97.4	-	0.00
22	6 920	6 923	-6.55	97.4	-	0.00
23	6 249	6 252	-5.59	97.4	-	0.00
24	6 508	6 511	-5.97	97.4	-	0.00
25	7 103	7 106	-6.80	97.4	-	0.00
26	7 575	7 578	-7.41	97.4	-	0.00
27	7 837	7 839	-7.74	97.4	-	0.00
28	9 212	9 214	-9.30	97.4	-	0.00
29	9 817	9 819	-9.91	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	9 363	9 365	-9.45	97.4	-	0.00
31	8 975	8 977	-9.04	97.4	-	0.00
32	7 744	7 746	-7.63	97.4	-	0.00
33	2 189	2 198	4.04	97.4	-	0.00
34	2 183	2 192	4.06	97.4	-	0.00
35	1 171	1 187	9.54	97.4	-	0.00
36	1 408	1 422	7.93	97.4	-	0.00
37	1 768	1 775	5.96	97.4	-	0.00
38	3 050	3 054	1.06	97.4	-	0.00
39	2 938	2 943	1.40	97.4	-	0.00
40	2 648	2 653	2.34	97.4	-	0.00
Sum			16.12			

- Data undefined due to calculation with octave data

Noise sensitive area: AY Jostnieki L

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 583	4 587	-2.69	97.4	-	0.00
2	5 759	5 762	-4.82	97.4	-	0.00
3	6 700	6 703	-6.25	97.4	-	0.00
4	6 092	6 096	-5.35	97.4	-	0.00
5	5 320	5 324	-4.07	97.4	-	0.00
6	4 620	4 624	-2.76	97.4	-	0.00
7	4 267	4 272	-2.02	97.4	-	0.00
8	3 944	3 949	-1.30	97.4	-	0.00
9	3 235	3 241	0.51	97.4	-	0.00
10	2 800	2 807	1.82	97.4	-	0.00
11	3 450	3 456	-0.07	97.4	-	0.00
12	4 237	4 242	-1.96	97.4	-	0.00
13	4 533	4 537	-2.58	97.4	-	0.00
14	5 899	5 902	-5.04	97.4	-	0.00
15	6 753	6 756	-6.32	97.4	-	0.00
16	7 494	7 497	-7.31	97.4	-	0.00
17	6 728	6 731	-6.29	97.4	-	0.00
18	6 249	6 252	-5.59	97.4	-	0.00
19	6 209	6 212	-5.53	97.4	-	0.00
20	7 403	7 406	-7.20	97.4	-	0.00
21	7 940	7 942	-7.86	97.4	-	0.00
22	6 908	6 911	-6.54	97.4	-	0.00
23	6 236	6 239	-5.57	97.4	-	0.00
24	6 494	6 497	-5.95	97.4	-	0.00
25	7 090	7 093	-6.78	97.4	-	0.00
26	7 563	7 565	-7.40	97.4	-	0.00
27	7 825	7 828	-7.73	97.4	-	0.00
28	9 200	9 202	-9.28	97.4	-	0.00
29	9 805	9 807	-9.90	97.4	-	0.00
30	9 350	9 352	-9.44	97.4	-	0.00
31	8 962	8 964	-9.03	97.4	-	0.00
32	7 730	7 733	-7.61	97.4	-	0.00
33	2 173	2 182	4.10	97.4	-	0.00
34	2 169	2 178	4.12	97.4	-	0.00
35	1 157	1 174	9.64	97.4	-	0.00
36	1 392	1 406	8.04	97.4	-	0.00
37	1 752	1 759	6.04	97.4	-	0.00
38	3 039	3 043	1.09	97.4	-	0.00
39	2 925	2 930	1.44	97.4	-	0.00
40	2 634	2 639	2.39	97.4	-	0.00
Sum			16.18			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: AY Jostnieki L

Wind speed: 8.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 583	4 587	-2.69	97.4	-	0.00
2	5 759	5 762	-4.82	97.4	-	0.00
3	6 700	6 703	-6.25	97.4	-	0.00
4	6 092	6 096	-5.35	97.4	-	0.00
5	5 320	5 324	-4.07	97.4	-	0.00
6	4 620	4 624	-2.76	97.4	-	0.00
7	4 267	4 272	-2.02	97.4	-	0.00
8	3 944	3 949	-1.30	97.4	-	0.00
9	3 235	3 241	0.51	97.4	-	0.00
10	2 800	2 807	1.82	97.4	-	0.00
11	3 450	3 456	-0.07	97.4	-	0.00
12	4 237	4 242	-1.96	97.4	-	0.00
13	4 533	4 537	-2.58	97.4	-	0.00
14	5 899	5 902	-5.04	97.4	-	0.00
15	6 753	6 756	-6.32	97.4	-	0.00
16	7 494	7 497	-7.31	97.4	-	0.00
17	6 728	6 731	-6.29	97.4	-	0.00
18	6 249	6 252	-5.59	97.4	-	0.00
19	6 209	6 212	-5.53	97.4	-	0.00
20	7 403	7 406	-7.20	97.4	-	0.00
21	7 940	7 942	-7.86	97.4	-	0.00
22	6 908	6 911	-6.54	97.4	-	0.00
23	6 236	6 239	-5.57	97.4	-	0.00
24	6 494	6 497	-5.95	97.4	-	0.00
25	7 090	7 093	-6.78	97.4	-	0.00
26	7 563	7 565	-7.40	97.4	-	0.00
27	7 825	7 828	-7.73	97.4	-	0.00
28	9 200	9 202	-9.28	97.4	-	0.00
29	9 805	9 807	-9.90	97.4	-	0.00
30	9 350	9 352	-9.44	97.4	-	0.00
31	8 962	8 964	-9.03	97.4	-	0.00
32	7 730	7 733	-7.61	97.4	-	0.00
33	2 173	2 182	4.10	97.4	-	0.00
34	2 169	2 178	4.12	97.4	-	0.00
35	1 157	1 174	9.64	97.4	-	0.00
36	1 392	1 406	8.04	97.4	-	0.00
37	1 752	1 759	6.04	97.4	-	0.00
38	3 039	3 043	1.09	97.4	-	0.00
39	2 925	2 930	1.44	97.4	-	0.00
40	2 634	2 639	2.39	97.4	-	0.00
Sum			16.18			

- Data undefined due to calculation with octave data

Noise sensitive area: AZ Jostnieki M

Wind speed: 6.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 562	4 566	-2.64	97.4	-	0.00
2	5 736	5 739	-4.78	97.4	-	0.00
3	6 674	6 677	-6.21	97.4	-	0.00
4	6 067	6 071	-5.31	97.4	-	0.00
5	5 295	5 299	-4.03	97.4	-	0.00
6	4 594	4 599	-2.71	97.4	-	0.00
7	4 244	4 249	-1.97	97.4	-	0.00
8	3 919	3 924	-1.24	97.4	-	0.00
9	3 210	3 216	0.59	97.4	-	0.00
10	2 773	2 779	1.91	97.4	-	0.00
11	3 422	3 428	0.00	97.4	-	0.00
12	4 211	4 215	-1.90	97.4	-	0.00
13	4 505	4 510	-2.53	97.4	-	0.00
14	5 872	5 876	-5.00	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	6 726	6 729	-6.28	97.4	-	0.00
16	7 466	7 469	-7.28	97.4	-	0.00
17	6 700	6 703	-6.25	97.4	-	0.00
18	6 221	6 224	-5.54	97.4	-	0.00
19	6 180	6 183	-5.48	97.4	-	0.00
20	7 375	7 377	-7.16	97.4	-	0.00
21	7 911	7 914	-7.83	97.4	-	0.00
22	6 879	6 882	-6.50	97.4	-	0.00
23	6 208	6 211	-5.52	97.4	-	0.00
24	6 466	6 469	-5.91	97.4	-	0.00
25	7 062	7 065	-6.75	97.4	-	0.00
26	7 534	7 537	-7.36	97.4	-	0.00
27	7 797	7 799	-7.69	97.4	-	0.00
28	9 171	9 173	-9.25	97.4	-	0.00
29	9 776	9 778	-9.87	97.4	-	0.00
30	9 322	9 324	-9.41	97.4	-	0.00
31	8 934	8 936	-9.00	97.4	-	0.00
32	7 702	7 705	-7.57	97.4	-	0.00
33	2 150	2 159	4.20	97.4	-	0.00
34	2 141	2 150	4.23	97.4	-	0.00
35	1 129	1 146	9.85	97.4	-	0.00
36	1 372	1 386	8.16	97.4	-	0.00
37	1 740	1 747	6.10	97.4	-	0.00
38	3 040	3 045	1.09	97.4	-	0.00
39	2 922	2 927	1.44	97.4	-	0.00
40	2 627	2 632	2.41	97.4	-	0.00
Sum			16.28			

- Data undefined due to calculation with octave data

Noise sensitive area: AZ Jostnieki M

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 562	4 566	-2.64	97.4	-	0.00
2	5 736	5 739	-4.78	97.4	-	0.00
3	6 674	6 677	-6.21	97.4	-	0.00
4	6 067	6 071	-5.31	97.4	-	0.00
5	5 295	5 299	-4.03	97.4	-	0.00
6	4 594	4 599	-2.71	97.4	-	0.00
7	4 244	4 249	-1.97	97.4	-	0.00
8	3 919	3 924	-1.24	97.4	-	0.00
9	3 210	3 216	0.59	97.4	-	0.00
10	2 773	2 779	1.91	97.4	-	0.00
11	3 422	3 428	0.00	97.4	-	0.00
12	4 211	4 215	-1.90	97.4	-	0.00
13	4 505	4 510	-2.53	97.4	-	0.00
14	5 872	5 876	-5.00	97.4	-	0.00
15	6 726	6 729	-6.28	97.4	-	0.00
16	7 466	7 469	-7.28	97.4	-	0.00
17	6 700	6 703	-6.25	97.4	-	0.00
18	6 221	6 224	-5.54	97.4	-	0.00
19	6 180	6 183	-5.48	97.4	-	0.00
20	7 375	7 377	-7.16	97.4	-	0.00
21	7 911	7 914	-7.83	97.4	-	0.00
22	6 879	6 882	-6.50	97.4	-	0.00
23	6 208	6 211	-5.52	97.4	-	0.00
24	6 466	6 469	-5.91	97.4	-	0.00
25	7 062	7 065	-6.75	97.4	-	0.00
26	7 534	7 537	-7.36	97.4	-	0.00
27	7 797	7 799	-7.69	97.4	-	0.00
28	9 171	9 173	-9.25	97.4	-	0.00
29	9 776	9 778	-9.87	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	9 322	9 324	-9.41	97.4	-	0.00
31	8 934	8 936	-9.00	97.4	-	0.00
32	7 702	7 705	-7.57	97.4	-	0.00
33	2 150	2 159	4.20	97.4	-	0.00
34	2 141	2 150	4.23	97.4	-	0.00
35	1 129	1 146	9.85	97.4	-	0.00
36	1 372	1 386	8.16	97.4	-	0.00
37	1 740	1 747	6.10	97.4	-	0.00
38	3 040	3 045	1.09	97.4	-	0.00
39	2 922	2 927	1.44	97.4	-	0.00
40	2 627	2 632	2.41	97.4	-	0.00
Sum			16.28			

- Data undefined due to calculation with octave data

Noise sensitive area: BA Jostnieki N

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 544	4 548	-2.61	97.4	-	0.00
2	5 719	5 722	-4.75	97.4	-	0.00
3	6 661	6 664	-6.19	97.4	-	0.00
4	6 053	6 056	-5.29	97.4	-	0.00
5	5 281	5 284	-4.00	97.4	-	0.00
6	4 580	4 584	-2.68	97.4	-	0.00
7	4 228	4 232	-1.94	97.4	-	0.00
8	3 905	3 910	-1.21	97.4	-	0.00
9	3 195	3 202	0.63	97.4	-	0.00
10	2 763	2 770	1.95	97.4	-	0.00
11	3 414	3 419	0.02	97.4	-	0.00
12	4 199	4 203	-1.88	97.4	-	0.00
13	4 496	4 500	-2.51	97.4	-	0.00
14	5 860	5 864	-4.98	97.4	-	0.00
15	6 714	6 717	-6.27	97.4	-	0.00
16	7 457	7 459	-7.26	97.4	-	0.00
17	6 691	6 694	-6.23	97.4	-	0.00
18	6 213	6 216	-5.53	97.4	-	0.00
19	6 175	6 179	-5.47	97.4	-	0.00
20	7 367	7 369	-7.15	97.4	-	0.00
21	7 905	7 907	-7.82	97.4	-	0.00
22	6 875	6 878	-6.49	97.4	-	0.00
23	6 206	6 209	-5.52	97.4	-	0.00
24	6 466	6 470	-5.91	97.4	-	0.00
25	7 060	7 063	-6.74	97.4	-	0.00
26	7 531	7 534	-7.36	97.4	-	0.00
27	7 792	7 795	-7.68	97.4	-	0.00
28	9 167	9 169	-9.25	97.4	-	0.00
29	9 772	9 774	-9.87	97.4	-	0.00
30	9 319	9 321	-9.41	97.4	-	0.00
31	8 932	8 934	-9.00	97.4	-	0.00
32	7 702	7 704	-7.57	97.4	-	0.00
33	2 157	2 166	4.17	97.4	-	0.00
34	2 142	2 151	4.23	97.4	-	0.00
35	1 129	1 146	9.85	97.4	-	0.00
36	1 384	1 398	8.09	97.4	-	0.00
37	1 757	1 764	6.01	97.4	-	0.00
38	3 062	3 066	1.02	97.4	-	0.00
39	2 943	2 948	1.38	97.4	-	0.00
40	2 647	2 652	2.34	97.4	-	0.00
Sum			16.26			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: BA Jostnieki N

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 544	4 548	-2.61	97.4	-	0.00
2	5 719	5 722	-4.75	97.4	-	0.00
3	6 661	6 664	-6.19	97.4	-	0.00
4	6 053	6 056	-5.29	97.4	-	0.00
5	5 281	5 284	-4.00	97.4	-	0.00
6	4 580	4 584	-2.68	97.4	-	0.00
7	4 228	4 232	-1.94	97.4	-	0.00
8	3 905	3 910	-1.21	97.4	-	0.00
9	3 195	3 202	0.63	97.4	-	0.00
10	2 763	2 770	1.95	97.4	-	0.00
11	3 414	3 419	0.02	97.4	-	0.00
12	4 199	4 203	-1.88	97.4	-	0.00
13	4 496	4 500	-2.51	97.4	-	0.00
14	5 860	5 864	-4.98	97.4	-	0.00
15	6 714	6 717	-6.27	97.4	-	0.00
16	7 457	7 459	-7.26	97.4	-	0.00
17	6 691	6 694	-6.23	97.4	-	0.00
18	6 213	6 216	-5.53	97.4	-	0.00
19	6 175	6 179	-5.47	97.4	-	0.00
20	7 367	7 369	-7.15	97.4	-	0.00
21	7 905	7 907	-7.82	97.4	-	0.00
22	6 875	6 878	-6.49	97.4	-	0.00
23	6 206	6 209	-5.52	97.4	-	0.00
24	6 466	6 470	-5.91	97.4	-	0.00
25	7 060	7 063	-6.74	97.4	-	0.00
26	7 531	7 534	-7.36	97.4	-	0.00
27	7 792	7 795	-7.68	97.4	-	0.00
28	9 167	9 169	-9.25	97.4	-	0.00
29	9 772	9 774	-9.87	97.4	-	0.00
30	9 319	9 321	-9.41	97.4	-	0.00
31	8 932	8 934	-9.00	97.4	-	0.00
32	7 702	7 704	-7.57	97.4	-	0.00
33	2 157	2 166	4.17	97.4	-	0.00
34	2 142	2 151	4.23	97.4	-	0.00
35	1 129	1 146	9.85	97.4	-	0.00
36	1 384	1 398	8.09	97.4	-	0.00
37	1 757	1 764	6.01	97.4	-	0.00
38	3 062	3 066	1.02	97.4	-	0.00
39	2 943	2 948	1.38	97.4	-	0.00
40	2 647	2 652	2.34	97.4	-	0.00
Sum			16.26			

- Data undefined due to calculation with octave data

Noise sensitive area: BB Jostnieki O

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 542	4 546	-2.60	97.4	-	0.00
2	5 719	5 722	-4.75	97.4	-	0.00
3	6 664	6 667	-6.20	97.4	-	0.00
4	6 055	6 058	-5.29	97.4	-	0.00
5	5 283	5 287	-4.01	97.4	-	0.00
6	4 583	4 587	-2.68	97.4	-	0.00
7	4 228	4 232	-1.94	97.4	-	0.00
8	3 907	3 912	-1.21	97.4	-	0.00
9	3 198	3 204	0.62	97.4	-	0.00
10	2 769	2 776	1.93	97.4	-	0.00
11	3 421	3 427	0.01	97.4	-	0.00
12	4 203	4 208	-1.89	97.4	-	0.00
13	4 502	4 506	-2.52	97.4	-	0.00
14	5 865	5 868	-4.99	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	6 719	6 722	-6.27	97.4	-	0.00
16	7 463	7 466	-7.27	97.4	-	0.00
17	6 698	6 701	-6.24	97.4	-	0.00
18	6 221	6 224	-5.54	97.4	-	0.00
19	6 185	6 188	-5.49	97.4	-	0.00
20	7 374	7 377	-7.16	97.4	-	0.00
21	7 913	7 915	-7.83	97.4	-	0.00
22	6 885	6 888	-6.51	97.4	-	0.00
23	6 217	6 220	-5.54	97.4	-	0.00
24	6 479	6 482	-5.93	97.4	-	0.00
25	7 071	7 074	-6.76	97.4	-	0.00
26	7 541	7 544	-7.37	97.4	-	0.00
27	7 802	7 804	-7.70	97.4	-	0.00
28	9 177	9 179	-9.26	97.4	-	0.00
29	9 782	9 784	-9.88	97.4	-	0.00
30	9 330	9 332	-9.42	97.4	-	0.00
31	8 944	8 946	-9.01	97.4	-	0.00
32	7 714	7 716	-7.59	97.4	-	0.00
33	2 172	2 181	4.11	97.4	-	0.00
34	2 155	2 164	4.18	97.4	-	0.00
35	1 141	1 158	9.76	97.4	-	0.00
36	1 400	1 414	7.99	97.4	-	0.00
37	1 773	1 780	5.93	97.4	-	0.00
38	3 074	3 079	0.98	97.4	-	0.00
39	2 957	2 961	1.34	97.4	-	0.00
40	2 661	2 666	2.29	97.4	-	0.00
Sum			16.20			

- Data undefined due to calculation with octave data

Noise sensitive area: BB Jostnieki O

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 542	4 546	-2.60	97.4	-	0.00
2	5 719	5 722	-4.75	97.4	-	0.00
3	6 664	6 667	-6.20	97.4	-	0.00
4	6 055	6 058	-5.29	97.4	-	0.00
5	5 283	5 287	-4.01	97.4	-	0.00
6	4 583	4 587	-2.68	97.4	-	0.00
7	4 228	4 232	-1.94	97.4	-	0.00
8	3 907	3 912	-1.21	97.4	-	0.00
9	3 198	3 204	0.62	97.4	-	0.00
10	2 769	2 776	1.93	97.4	-	0.00
11	3 421	3 427	0.01	97.4	-	0.00
12	4 203	4 208	-1.89	97.4	-	0.00
13	4 502	4 506	-2.52	97.4	-	0.00
14	5 865	5 868	-4.99	97.4	-	0.00
15	6 719	6 722	-6.27	97.4	-	0.00
16	7 463	7 466	-7.27	97.4	-	0.00
17	6 698	6 701	-6.24	97.4	-	0.00
18	6 221	6 224	-5.54	97.4	-	0.00
19	6 185	6 188	-5.49	97.4	-	0.00
20	7 374	7 377	-7.16	97.4	-	0.00
21	7 913	7 915	-7.83	97.4	-	0.00
22	6 885	6 888	-6.51	97.4	-	0.00
23	6 217	6 220	-5.54	97.4	-	0.00
24	6 479	6 482	-5.93	97.4	-	0.00
25	7 071	7 074	-6.76	97.4	-	0.00
26	7 541	7 544	-7.37	97.4	-	0.00
27	7 802	7 804	-7.70	97.4	-	0.00
28	9 177	9 179	-9.26	97.4	-	0.00
29	9 782	9 784	-9.88	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	9 330	9 332	-9.42	97.4	-	0.00
31	8 944	8 946	-9.01	97.4	-	0.00
32	7 714	7 716	-7.59	97.4	-	0.00
33	2 172	2 181	4.11	97.4	-	0.00
34	2 155	2 164	4.18	97.4	-	0.00
35	1 141	1 158	9.76	97.4	-	0.00
36	1 400	1 414	7.99	97.4	-	0.00
37	1 773	1 780	5.93	97.4	-	0.00
38	3 074	3 079	0.98	97.4	-	0.00
39	2 957	2 961	1.34	97.4	-	0.00
40	2 661	2 666	2.29	97.4	-	0.00
Sum			16.20			

- Data undefined due to calculation with octave data

Noise sensitive area: BC Jostnieki P

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 530	4 534	-2.58	97.4	-	0.00
2	5 707	5 710	-4.73	97.4	-	0.00
3	6 653	6 656	-6.18	97.4	-	0.00
4	6 043	6 046	-5.27	97.4	-	0.00
5	5 271	5 275	-3.99	97.4	-	0.00
6	4 571	4 575	-2.66	97.4	-	0.00
7	4 215	4 220	-1.91	97.4	-	0.00
8	3 895	3 900	-1.18	97.4	-	0.00
9	3 186	3 193	0.65	97.4	-	0.00
10	2 759	2 766	1.96	97.4	-	0.00
11	3 412	3 417	0.03	97.4	-	0.00
12	4 192	4 197	-1.86	97.4	-	0.00
13	4 492	4 496	-2.50	97.4	-	0.00
14	5 854	5 858	-4.97	97.4	-	0.00
15	6 708	6 711	-6.26	97.4	-	0.00
16	7 453	7 456	-7.26	97.4	-	0.00
17	6 688	6 691	-6.23	97.4	-	0.00
18	6 212	6 215	-5.53	97.4	-	0.00
19	6 177	6 181	-5.48	97.4	-	0.00
20	7 365	7 368	-7.15	97.4	-	0.00
21	7 904	7 907	-7.82	97.4	-	0.00
22	6 878	6 881	-6.50	97.4	-	0.00
23	6 211	6 214	-5.53	97.4	-	0.00
24	6 474	6 477	-5.92	97.4	-	0.00
25	7 065	7 068	-6.75	97.4	-	0.00
26	7 534	7 537	-7.36	97.4	-	0.00
27	7 794	7 796	-7.69	97.4	-	0.00
28	9 170	9 172	-9.25	97.4	-	0.00
29	9 775	9 777	-9.87	97.4	-	0.00
30	9 323	9 325	-9.41	97.4	-	0.00
31	8 938	8 940	-9.00	97.4	-	0.00
32	7 708	7 710	-7.58	97.4	-	0.00
33	2 172	2 181	4.11	97.4	-	0.00
34	2 150	2 159	4.20	97.4	-	0.00
35	1 136	1 153	9.80	97.4	-	0.00
36	1 402	1 416	7.98	97.4	-	0.00
37	1 778	1 785	5.90	97.4	-	0.00
38	3 085	3 089	0.95	97.4	-	0.00
39	2 966	2 971	1.31	97.4	-	0.00
40	2 669	2 674	2.26	97.4	-	0.00
Sum			16.21			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: BC Jostnieki P

Wind speed: 8.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 530	4 534	-2.58	97.4	-	0.00
2	5 707	5 710	-4.73	97.4	-	0.00
3	6 653	6 656	-6.18	97.4	-	0.00
4	6 043	6 046	-5.27	97.4	-	0.00
5	5 271	5 275	-3.99	97.4	-	0.00
6	4 571	4 575	-2.66	97.4	-	0.00
7	4 215	4 220	-1.91	97.4	-	0.00
8	3 895	3 900	-1.18	97.4	-	0.00
9	3 186	3 193	0.65	97.4	-	0.00
10	2 759	2 766	1.96	97.4	-	0.00
11	3 412	3 417	0.03	97.4	-	0.00
12	4 192	4 197	-1.86	97.4	-	0.00
13	4 492	4 496	-2.50	97.4	-	0.00
14	5 854	5 858	-4.97	97.4	-	0.00
15	6 708	6 711	-6.26	97.4	-	0.00
16	7 453	7 456	-7.26	97.4	-	0.00
17	6 688	6 691	-6.23	97.4	-	0.00
18	6 212	6 215	-5.53	97.4	-	0.00
19	6 177	6 181	-5.48	97.4	-	0.00
20	7 365	7 368	-7.15	97.4	-	0.00
21	7 904	7 907	-7.82	97.4	-	0.00
22	6 878	6 881	-6.50	97.4	-	0.00
23	6 211	6 214	-5.53	97.4	-	0.00
24	6 474	6 477	-5.92	97.4	-	0.00
25	7 065	7 068	-6.75	97.4	-	0.00
26	7 534	7 537	-7.36	97.4	-	0.00
27	7 794	7 796	-7.69	97.4	-	0.00
28	9 170	9 172	-9.25	97.4	-	0.00
29	9 775	9 777	-9.87	97.4	-	0.00
30	9 323	9 325	-9.41	97.4	-	0.00
31	8 938	8 940	-9.00	97.4	-	0.00
32	7 708	7 710	-7.58	97.4	-	0.00
33	2 172	2 181	4.11	97.4	-	0.00
34	2 150	2 159	4.20	97.4	-	0.00
35	1 136	1 153	9.80	97.4	-	0.00
36	1 402	1 416	7.98	97.4	-	0.00
37	1 778	1 785	5.90	97.4	-	0.00
38	3 085	3 089	0.95	97.4	-	0.00
39	2 966	2 971	1.31	97.4	-	0.00
40	2 669	2 674	2.26	97.4	-	0.00
Sum			16.21			

- Data undefined due to calculation with octave data

Noise sensitive area: BD Jostnieki R

Wind speed: 6.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 528	4 532	-2.57	97.4	-	0.00
2	5 703	5 706	-4.73	97.4	-	0.00
3	6 646	6 649	-6.17	97.4	-	0.00
4	6 038	6 041	-5.26	97.4	-	0.00
5	5 265	5 269	-3.98	97.4	-	0.00
6	4 565	4 569	-2.65	97.4	-	0.00
7	4 212	4 216	-1.90	97.4	-	0.00
8	3 890	3 895	-1.17	97.4	-	0.00
9	3 180	3 187	0.67	97.4	-	0.00
10	2 750	2 757	1.99	97.4	-	0.00
11	3 401	3 407	0.06	97.4	-	0.00
12	4 184	4 189	-1.84	97.4	-	0.00
13	4 482	4 487	-2.48	97.4	-	0.00
14	5 846	5 850	-4.96	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	6 700	6 703	-6.25	97.4	-	0.00
16	7 444	7 446	-7.25	97.4	-	0.00
17	6 678	6 681	-6.22	97.4	-	0.00
18	6 201	6 204	-5.51	97.4	-	0.00
19	6 165	6 168	-5.46	97.4	-	0.00
20	7 354	7 357	-7.13	97.4	-	0.00
21	7 893	7 895	-7.81	97.4	-	0.00
22	6 865	6 868	-6.48	97.4	-	0.00
23	6 197	6 200	-5.51	97.4	-	0.00
24	6 459	6 462	-5.90	97.4	-	0.00
25	7 051	7 054	-6.73	97.4	-	0.00
26	7 521	7 524	-7.35	97.4	-	0.00
27	7 782	7 784	-7.67	97.4	-	0.00
28	9 157	9 159	-9.24	97.4	-	0.00
29	9 762	9 764	-9.86	97.4	-	0.00
30	9 310	9 312	-9.40	97.4	-	0.00
31	8 924	8 926	-8.99	97.4	-	0.00
32	7 694	7 696	-7.56	97.4	-	0.00
33	2 156	2 165	4.17	97.4	-	0.00
34	2 136	2 145	4.26	97.4	-	0.00
35	1 122	1 139	9.91	97.4	-	0.00
36	1 386	1 400	8.08	97.4	-	0.00
37	1 764	1 771	5.98	97.4	-	0.00
38	3 075	3 080	0.98	97.4	-	0.00
39	2 955	2 959	1.35	97.4	-	0.00
40	2 656	2 661	2.31	97.4	-	0.00
Sum			16.27			

- Data undefined due to calculation with octave data

Noise sensitive area: BD Jostnieki R

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 528	4 532	-2.57	97.4	-	0.00
2	5 703	5 706	-4.73	97.4	-	0.00
3	6 646	6 649	-6.17	97.4	-	0.00
4	6 038	6 041	-5.26	97.4	-	0.00
5	5 265	5 269	-3.98	97.4	-	0.00
6	4 565	4 569	-2.65	97.4	-	0.00
7	4 212	4 216	-1.90	97.4	-	0.00
8	3 890	3 895	-1.17	97.4	-	0.00
9	3 180	3 187	0.67	97.4	-	0.00
10	2 750	2 757	1.99	97.4	-	0.00
11	3 401	3 407	0.06	97.4	-	0.00
12	4 184	4 189	-1.84	97.4	-	0.00
13	4 482	4 487	-2.48	97.4	-	0.00
14	5 846	5 850	-4.96	97.4	-	0.00
15	6 700	6 703	-6.25	97.4	-	0.00
16	7 444	7 446	-7.25	97.4	-	0.00
17	6 678	6 681	-6.22	97.4	-	0.00
18	6 201	6 204	-5.51	97.4	-	0.00
19	6 165	6 168	-5.46	97.4	-	0.00
20	7 354	7 357	-7.13	97.4	-	0.00
21	7 893	7 895	-7.81	97.4	-	0.00
22	6 865	6 868	-6.48	97.4	-	0.00
23	6 197	6 200	-5.51	97.4	-	0.00
24	6 459	6 462	-5.90	97.4	-	0.00
25	7 051	7 054	-6.73	97.4	-	0.00
26	7 521	7 524	-7.35	97.4	-	0.00
27	7 782	7 784	-7.67	97.4	-	0.00
28	9 157	9 159	-9.24	97.4	-	0.00
29	9 762	9 764	-9.86	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	9 310	9 312	-9.40	97.4	-	0.00
31	8 924	8 926	-8.99	97.4	-	0.00
32	7 694	7 696	-7.56	97.4	-	0.00
33	2 156	2 165	4.17	97.4	-	0.00
34	2 136	2 145	4.26	97.4	-	0.00
35	1 122	1 139	9.91	97.4	-	0.00
36	1 386	1 400	8.08	97.4	-	0.00
37	1 764	1 771	5.98	97.4	-	0.00
38	3 075	3 080	0.98	97.4	-	0.00
39	2 955	2 959	1.35	97.4	-	0.00
40	2 656	2 661	2.31	97.4	-	0.00
Sum			16.27			

- Data undefined due to calculation with octave data

Noise sensitive area: BE Jostnieki S

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 509	4 513	-2.53	97.4	-	0.00
2	5 685	5 688	-4.69	97.4	-	0.00
3	6 629	6 632	-6.15	97.4	-	0.00
4	6 020	6 023	-5.23	97.4	-	0.00
5	5 248	5 251	-3.95	97.4	-	0.00
6	4 547	4 552	-2.61	97.4	-	0.00
7	4 193	4 198	-1.86	97.4	-	0.00
8	3 872	3 877	-1.13	97.4	-	0.00
9	3 163	3 169	0.72	97.4	-	0.00
10	2 735	2 742	2.04	97.4	-	0.00
11	3 387	3 393	0.10	97.4	-	0.00
12	4 168	4 173	-1.81	97.4	-	0.00
13	4 467	4 472	-2.45	97.4	-	0.00
14	5 830	5 833	-4.93	97.4	-	0.00
15	6 684	6 687	-6.22	97.4	-	0.00
16	7 429	7 431	-7.23	97.4	-	0.00
17	6 663	6 666	-6.19	97.4	-	0.00
18	6 187	6 191	-5.49	97.4	-	0.00
19	6 153	6 156	-5.44	97.4	-	0.00
20	7 340	7 343	-7.11	97.4	-	0.00
21	7 880	7 882	-7.79	97.4	-	0.00
22	6 854	6 857	-6.46	97.4	-	0.00
23	6 187	6 191	-5.49	97.4	-	0.00
24	6 451	6 454	-5.89	97.4	-	0.00
25	7 042	7 044	-6.72	97.4	-	0.00
26	7 511	7 513	-7.33	97.4	-	0.00
27	7 770	7 772	-7.66	97.4	-	0.00
28	9 146	9 148	-9.23	97.4	-	0.00
29	9 751	9 753	-9.85	97.4	-	0.00
30	9 299	9 301	-9.39	97.4	-	0.00
31	8 914	8 917	-8.98	97.4	-	0.00
32	7 685	7 688	-7.55	97.4	-	0.00
33	2 154	2 164	4.18	97.4	-	0.00
34	2 129	2 138	4.29	97.4	-	0.00
35	1 114	1 131	9.97	97.4	-	0.00
36	1 389	1 403	8.06	97.4	-	0.00
37	1 772	1 779	5.93	97.4	-	0.00
38	3 091	3 095	0.93	97.4	-	0.00
39	2 969	2 973	1.30	97.4	-	0.00
40	2 668	2 673	2.27	97.4	-	0.00
Sum			16.29			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: BE Jostnieki S

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 509	4 513	-2.53	97.4	-	0.00
2	5 685	5 688	-4.69	97.4	-	0.00
3	6 629	6 632	-6.15	97.4	-	0.00
4	6 020	6 023	-5.23	97.4	-	0.00
5	5 248	5 251	-3.95	97.4	-	0.00
6	4 547	4 552	-2.61	97.4	-	0.00
7	4 193	4 198	-1.86	97.4	-	0.00
8	3 872	3 877	-1.13	97.4	-	0.00
9	3 163	3 169	0.72	97.4	-	0.00
10	2 735	2 742	2.04	97.4	-	0.00
11	3 387	3 393	0.10	97.4	-	0.00
12	4 168	4 173	-1.81	97.4	-	0.00
13	4 467	4 472	-2.45	97.4	-	0.00
14	5 830	5 833	-4.93	97.4	-	0.00
15	6 684	6 687	-6.22	97.4	-	0.00
16	7 429	7 431	-7.23	97.4	-	0.00
17	6 663	6 666	-6.19	97.4	-	0.00
18	6 187	6 191	-5.49	97.4	-	0.00
19	6 153	6 156	-5.44	97.4	-	0.00
20	7 340	7 343	-7.11	97.4	-	0.00
21	7 880	7 882	-7.79	97.4	-	0.00
22	6 854	6 857	-6.46	97.4	-	0.00
23	6 187	6 191	-5.49	97.4	-	0.00
24	6 451	6 454	-5.89	97.4	-	0.00
25	7 042	7 044	-6.72	97.4	-	0.00
26	7 511	7 513	-7.33	97.4	-	0.00
27	7 770	7 772	-7.66	97.4	-	0.00
28	9 146	9 148	-9.23	97.4	-	0.00
29	9 751	9 753	-9.85	97.4	-	0.00
30	9 299	9 301	-9.39	97.4	-	0.00
31	8 914	8 917	-8.98	97.4	-	0.00
32	7 685	7 688	-7.55	97.4	-	0.00
33	2 154	2 164	4.18	97.4	-	0.00
34	2 129	2 138	4.29	97.4	-	0.00
35	1 114	1 131	9.97	97.4	-	0.00
36	1 389	1 403	8.06	97.4	-	0.00
37	1 772	1 779	5.93	97.4	-	0.00
38	3 091	3 095	0.93	97.4	-	0.00
39	2 969	2 973	1.30	97.4	-	0.00
40	2 668	2 673	2.27	97.4	-	0.00
Sum			16.29			

- Data undefined due to calculation with octave data

Noise sensitive area: BF Jostnieki T

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 513	4 518	-2.54	97.4	-	0.00
2	5 691	5 694	-4.71	97.4	-	0.00
3	6 639	6 641	-6.16	97.4	-	0.00
4	6 028	6 032	-5.25	97.4	-	0.00
5	5 256	5 260	-3.96	97.4	-	0.00
6	4 556	4 560	-2.63	97.4	-	0.00
7	4 200	4 204	-1.88	97.4	-	0.00
8	3 880	3 886	-1.15	97.4	-	0.00
9	3 172	3 178	0.69	97.4	-	0.00
10	2 747	2 754	2.00	97.4	-	0.00
11	3 400	3 406	0.06	97.4	-	0.00
12	4 179	4 183	-1.83	97.4	-	0.00
13	4 479	4 484	-2.47	97.4	-	0.00
14	5 841	5 844	-4.95	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	6 694	6 697	-6.24	97.4	-	0.00
16	7 440	7 443	-7.24	97.4	-	0.00
17	6 676	6 679	-6.21	97.4	-	0.00
18	6 200	6 204	-5.51	97.4	-	0.00
19	6 167	6 171	-5.46	97.4	-	0.00
20	7 353	7 356	-7.13	97.4	-	0.00
21	7 893	7 895	-7.81	97.4	-	0.00
22	6 869	6 872	-6.48	97.4	-	0.00
23	6 202	6 206	-5.52	97.4	-	0.00
24	6 467	6 470	-5.91	97.4	-	0.00
25	7 057	7 059	-6.74	97.4	-	0.00
26	7 525	7 528	-7.35	97.4	-	0.00
27	7 784	7 786	-7.67	97.4	-	0.00
28	9 160	9 162	-9.24	97.4	-	0.00
29	9 766	9 768	-9.86	97.4	-	0.00
30	9 314	9 316	-9.40	97.4	-	0.00
31	8 930	8 932	-9.00	97.4	-	0.00
32	7 701	7 703	-7.57	97.4	-	0.00
33	2 171	2 180	4.11	97.4	-	0.00
34	2 144	2 153	4.22	97.4	-	0.00
35	1 130	1 147	9.85	97.4	-	0.00
36	1 404	1 418	7.96	97.4	-	0.00
37	1 786	1 793	5.87	97.4	-	0.00
38	3 098	3 103	0.91	97.4	-	0.00
39	2 978	2 982	1.27	97.4	-	0.00
40	2 679	2 684	2.23	97.4	-	0.00
Sum			16.22			

- Data undefined due to calculation with octave data

Noise sensitive area: BF Jostnieki T

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 513	4 518	-2.54	97.4	-	0.00
2	5 691	5 694	-4.71	97.4	-	0.00
3	6 639	6 641	-6.16	97.4	-	0.00
4	6 028	6 032	-5.25	97.4	-	0.00
5	5 256	5 260	-3.96	97.4	-	0.00
6	4 556	4 560	-2.63	97.4	-	0.00
7	4 200	4 204	-1.88	97.4	-	0.00
8	3 880	3 886	-1.15	97.4	-	0.00
9	3 172	3 178	0.69	97.4	-	0.00
10	2 747	2 754	2.00	97.4	-	0.00
11	3 400	3 406	0.06	97.4	-	0.00
12	4 179	4 183	-1.83	97.4	-	0.00
13	4 479	4 484	-2.47	97.4	-	0.00
14	5 841	5 844	-4.95	97.4	-	0.00
15	6 694	6 697	-6.24	97.4	-	0.00
16	7 440	7 443	-7.24	97.4	-	0.00
17	6 676	6 679	-6.21	97.4	-	0.00
18	6 200	6 204	-5.51	97.4	-	0.00
19	6 167	6 171	-5.46	97.4	-	0.00
20	7 353	7 356	-7.13	97.4	-	0.00
21	7 893	7 895	-7.81	97.4	-	0.00
22	6 869	6 872	-6.48	97.4	-	0.00
23	6 202	6 206	-5.52	97.4	-	0.00
24	6 467	6 470	-5.91	97.4	-	0.00
25	7 057	7 059	-6.74	97.4	-	0.00
26	7 525	7 528	-7.35	97.4	-	0.00
27	7 784	7 786	-7.67	97.4	-	0.00
28	9 160	9 162	-9.24	97.4	-	0.00
29	9 766	9 768	-9.86	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	9 314	9 316	-9.40	97.4	-	0.00
31	8 930	8 932	-9.00	97.4	-	0.00
32	7 701	7 703	-7.57	97.4	-	0.00
33	2 171	2 180	4.11	97.4	-	0.00
34	2 144	2 153	4.22	97.4	-	0.00
35	1 130	1 147	9.85	97.4	-	0.00
36	1 404	1 418	7.96	97.4	-	0.00
37	1 786	1 793	5.87	97.4	-	0.00
38	3 098	3 103	0.91	97.4	-	0.00
39	2 978	2 982	1.27	97.4	-	0.00
40	2 679	2 684	2.23	97.4	-	0.00
Sum			16.22			

- Data undefined due to calculation with octave data

Noise sensitive area: BG Kaleji A

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 006	8 009	-7.94	97.4	-	0.00
2	8 971	8 973	-9.04	97.4	-	0.00
3	9 456	9 458	-9.55	97.4	-	0.00
4	9 038	9 040	-9.11	97.4	-	0.00
5	8 301	8 304	-8.29	97.4	-	0.00
6	7 636	7 639	-7.49	97.4	-	0.00
7	7 560	7 563	-7.40	97.4	-	0.00
8	7 042	7 045	-6.72	97.4	-	0.00
9	6 382	6 385	-5.79	97.4	-	0.00
10	5 610	5 613	-4.57	97.4	-	0.00
11	5 992	5 995	-5.19	97.4	-	0.00
12	7 038	7 041	-6.71	97.4	-	0.00
13	7 046	7 049	-6.72	97.4	-	0.00
14	8 514	8 516	-8.54	97.4	-	0.00
15	9 315	9 317	-9.40	97.4	-	0.00
16	9 712	9 714	-9.81	97.4	-	0.00
17	8 915	8 917	-8.98	97.4	-	0.00
18	8 289	8 292	-8.28	97.4	-	0.00
19	7 875	7 878	-7.79	97.4	-	0.00
20	9 408	9 410	-9.50	97.4	-	0.00
21	9 721	9 723	-9.82	97.4	-	0.00
22	8 365	8 368	-8.37	97.4	-	0.00
23	7 496	7 499	-7.32	97.4	-	0.00
24	7 388	7 391	-7.18	97.4	-	0.00
25	8 237	8 240	-8.22	97.4	-	0.00
26	8 857	8 860	-8.92	97.4	-	0.00
27	9 324	9 327	-9.41	97.4	-	0.00
28	10 477	10 479	-10.55	97.4	-	0.00
29	11 017	11 019	-11.04	97.4	-	0.00
30	10 406	10 408	-10.48	97.4	-	0.00
31	9 845	9 847	-9.94	97.4	-	0.00
32	8 593	8 595	-8.62	97.4	-	0.00
33	3 639	3 645	-0.56	97.4	-	0.00
34	4 273	4 278	-2.04	97.4	-	0.00
35	4 006	4 011	-1.44	97.4	-	0.00
36	3 291	3 298	0.36	97.4	-	0.00
37	2 690	2 695	2.20	97.4	-	0.00
38	947	962	11.41	97.4	-	0.00
39	1 366	1 376	8.23	97.4	-	0.00
40	1 855	1 862	5.53	97.4	-	0.00
Sum			15.32			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: BG Kaleji A

Wind speed: 8.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 006	8 009	-7.94	97.4	-	0.00
2	8 971	8 973	-9.04	97.4	-	0.00
3	9 456	9 458	-9.55	97.4	-	0.00
4	9 038	9 040	-9.11	97.4	-	0.00
5	8 301	8 304	-8.29	97.4	-	0.00
6	7 636	7 639	-7.49	97.4	-	0.00
7	7 560	7 563	-7.40	97.4	-	0.00
8	7 042	7 045	-6.72	97.4	-	0.00
9	6 382	6 385	-5.79	97.4	-	0.00
10	5 610	5 613	-4.57	97.4	-	0.00
11	5 992	5 995	-5.19	97.4	-	0.00
12	7 038	7 041	-6.71	97.4	-	0.00
13	7 046	7 049	-6.72	97.4	-	0.00
14	8 514	8 516	-8.54	97.4	-	0.00
15	9 315	9 317	-9.40	97.4	-	0.00
16	9 712	9 714	-9.81	97.4	-	0.00
17	8 915	8 917	-8.98	97.4	-	0.00
18	8 289	8 292	-8.28	97.4	-	0.00
19	7 875	7 878	-7.79	97.4	-	0.00
20	9 408	9 410	-9.50	97.4	-	0.00
21	9 721	9 723	-9.82	97.4	-	0.00
22	8 365	8 368	-8.37	97.4	-	0.00
23	7 496	7 499	-7.32	97.4	-	0.00
24	7 388	7 391	-7.18	97.4	-	0.00
25	8 237	8 240	-8.22	97.4	-	0.00
26	8 857	8 860	-8.92	97.4	-	0.00
27	9 324	9 327	-9.41	97.4	-	0.00
28	10 477	10 479	-10.55	97.4	-	0.00
29	11 017	11 019	-11.04	97.4	-	0.00
30	10 406	10 408	-10.48	97.4	-	0.00
31	9 845	9 847	-9.94	97.4	-	0.00
32	8 593	8 595	-8.62	97.4	-	0.00
33	3 639	3 645	-0.56	97.4	-	0.00
34	4 273	4 278	-2.04	97.4	-	0.00
35	4 006	4 011	-1.44	97.4	-	0.00
36	3 291	3 298	0.36	97.4	-	0.00
37	2 690	2 695	2.20	97.4	-	0.00
38	947	962	11.41	97.4	-	0.00
39	1 366	1 376	8.23	97.4	-	0.00
40	1 855	1 862	5.53	97.4	-	0.00
Sum			15.32			

- Data undefined due to calculation with octave data

Noise sensitive area: BH Kaleji B

Wind speed: 6.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 997	7 999	-7.93	97.4	-	0.00
2	8 958	8 960	-9.03	97.4	-	0.00
3	9 439	9 441	-9.53	97.4	-	0.00
4	9 023	9 025	-9.10	97.4	-	0.00
5	8 286	8 289	-8.28	97.4	-	0.00
6	7 622	7 625	-7.47	97.4	-	0.00
7	7 549	7 552	-7.38	97.4	-	0.00
8	7 030	7 033	-6.70	97.4	-	0.00
9	6 370	6 374	-5.77	97.4	-	0.00
10	5 597	5 600	-4.55	97.4	-	0.00
11	5 976	5 979	-5.17	97.4	-	0.00
12	7 022	7 025	-6.69	97.4	-	0.00
13	7 028	7 031	-6.70	97.4	-	0.00
14	8 495	8 498	-8.51	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	9 296	9 298	-9.38	97.4	-	0.00
16	9 690	9 692	-9.79	97.4	-	0.00
17	8 893	8 895	-8.96	97.4	-	0.00
18	8 267	8 269	-8.25	97.4	-	0.00
19	7 851	7 853	-7.76	97.4	-	0.00
20	9 384	9 387	-9.48	97.4	-	0.00
21	9 696	9 698	-9.79	97.4	-	0.00
22	8 339	8 342	-8.34	97.4	-	0.00
23	7 470	7 473	-7.28	97.4	-	0.00
24	7 359	7 362	-7.14	97.4	-	0.00
25	8 210	8 212	-8.19	97.4	-	0.00
26	8 830	8 833	-8.89	97.4	-	0.00
27	9 298	9 300	-9.39	97.4	-	0.00
28	10 449	10 451	-10.52	97.4	-	0.00
29	10 988	10 990	-11.01	97.4	-	0.00
30	10 377	10 379	-10.45	97.4	-	0.00
31	9 815	9 817	-9.91	97.4	-	0.00
32	8 564	8 566	-8.59	97.4	-	0.00
33	3 623	3 629	-0.52	97.4	-	0.00
34	4 258	4 263	-2.01	97.4	-	0.00
35	3 999	4 004	-1.43	97.4	-	0.00
36	3 282	3 288	0.38	97.4	-	0.00
37	2 679	2 684	2.23	97.4	-	0.00
38	935	950	11.51	97.4	-	0.00
39	1 347	1 358	8.35	97.4	-	0.00
40	1 836	1 844	5.62	97.4	-	0.00
Sum			15.40			

- Data undefined due to calculation with octave data

Noise sensitive area: BH Kaleji B

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 997	7 999	-7.93	97.4	-	0.00
2	8 958	8 960	-9.03	97.4	-	0.00
3	9 439	9 441	-9.53	97.4	-	0.00
4	9 023	9 025	-9.10	97.4	-	0.00
5	8 286	8 289	-8.28	97.4	-	0.00
6	7 622	7 625	-7.47	97.4	-	0.00
7	7 549	7 552	-7.38	97.4	-	0.00
8	7 030	7 033	-6.70	97.4	-	0.00
9	6 370	6 374	-5.77	97.4	-	0.00
10	5 597	5 600	-4.55	97.4	-	0.00
11	5 976	5 979	-5.17	97.4	-	0.00
12	7 022	7 025	-6.69	97.4	-	0.00
13	7 028	7 031	-6.70	97.4	-	0.00
14	8 495	8 498	-8.51	97.4	-	0.00
15	9 296	9 298	-9.38	97.4	-	0.00
16	9 690	9 692	-9.79	97.4	-	0.00
17	8 893	8 895	-8.96	97.4	-	0.00
18	8 267	8 269	-8.25	97.4	-	0.00
19	7 851	7 853	-7.76	97.4	-	0.00
20	9 384	9 387	-9.48	97.4	-	0.00
21	9 696	9 698	-9.79	97.4	-	0.00
22	8 339	8 342	-8.34	97.4	-	0.00
23	7 470	7 473	-7.28	97.4	-	0.00
24	7 359	7 362	-7.14	97.4	-	0.00
25	8 210	8 212	-8.19	97.4	-	0.00
26	8 830	8 833	-8.89	97.4	-	0.00
27	9 298	9 300	-9.39	97.4	-	0.00
28	10 449	10 451	-10.52	97.4	-	0.00
29	10 988	10 990	-11.01	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	10 377	10 379	-10.45	97.4	-	0.00
31	9 815	9 817	-9.91	97.4	-	0.00
32	8 564	8 566	-8.59	97.4	-	0.00
33	3 623	3 629	-0.52	97.4	-	0.00
34	4 258	4 263	-2.01	97.4	-	0.00
35	3 999	4 004	-1.43	97.4	-	0.00
36	3 282	3 288	0.38	97.4	-	0.00
37	2 679	2 684	2.23	97.4	-	0.00
38	935	950	11.51	97.4	-	0.00
39	1 347	1 358	8.35	97.4	-	0.00
40	1 836	1 844	5.62	97.4	-	0.00
Sum			15.40			

- Data undefined due to calculation with octave data

Noise sensitive area: BI Kalnieki

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 594	2 602	2.51	97.4	-	0.00
2	1 433	1 447	7.78	97.4	-	0.00
3	1 818	1 829	5.69	97.4	-	0.00
4	1 606	1 619	6.78	97.4	-	0.00
5	2 175	2 184	4.10	97.4	-	0.00
6	2 781	2 788	1.89	97.4	-	0.00
7	2 902	2 909	1.50	97.4	-	0.00
8	3 361	3 367	0.17	97.4	-	0.00
9	4 042	4 047	-1.53	97.4	-	0.00
10	4 793	4 797	-3.10	97.4	-	0.00
11	4 492	4 497	-2.50	97.4	-	0.00
12	3 435	3 442	-0.03	97.4	-	0.00
13	3 642	3 647	-0.57	97.4	-	0.00
14	2 537	2 545	2.71	97.4	-	0.00
15	2 363	2 372	3.35	97.4	-	0.00
16	3 288	3 294	0.37	97.4	-	0.00
17	3 348	3 354	0.20	97.4	-	0.00
18	3 763	3 769	-0.87	97.4	-	0.00
19	4 572	4 576	-2.66	97.4	-	0.00
20	3 812	3 818	-0.99	97.4	-	0.00
21	4 455	4 459	-2.42	97.4	-	0.00
22	4 995	4 999	-3.49	97.4	-	0.00
23	5 367	5 371	-4.16	97.4	-	0.00
24	6 048	6 052	-5.28	97.4	-	0.00
25	5 644	5 647	-4.63	97.4	-	0.00
26	5 436	5 439	-4.28	97.4	-	0.00
27	5 063	5 067	-3.61	97.4	-	0.00
28	6 063	6 066	-5.30	97.4	-	0.00
29	6 515	6 518	-5.98	97.4	-	0.00
30	6 601	6 604	-6.10	97.4	-	0.00
31	6 767	6 770	-6.34	97.4	-	0.00
32	6 343	6 346	-5.73	97.4	-	0.00
33	6 803	6 806	-6.39	97.4	-	0.00
34	6 145	6 148	-5.43	97.4	-	0.00
35	6 490	6 493	-5.94	97.4	-	0.00
36	7 138	7 140	-6.85	97.4	-	0.00
37	7 718	7 720	-7.59	97.4	-	0.00
38	9 455	9 457	-9.55	97.4	-	0.00
39	9 071	9 072	-9.15	97.4	-	0.00
40	8 585	8 586	-8.61	97.4	-	0.00
Sum			16.07			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: BI Kalnieki

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 594	2 602	2.51	97.4	-	0.00
2	1 433	1 447	7.78	97.4	-	0.00
3	1 818	1 829	5.69	97.4	-	0.00
4	1 606	1 619	6.78	97.4	-	0.00
5	2 175	2 184	4.10	97.4	-	0.00
6	2 781	2 788	1.89	97.4	-	0.00
7	2 902	2 909	1.50	97.4	-	0.00
8	3 361	3 367	0.17	97.4	-	0.00
9	4 042	4 047	-1.53	97.4	-	0.00
10	4 793	4 797	-3.10	97.4	-	0.00
11	4 492	4 497	-2.50	97.4	-	0.00
12	3 435	3 442	-0.03	97.4	-	0.00
13	3 642	3 647	-0.57	97.4	-	0.00
14	2 537	2 545	2.71	97.4	-	0.00
15	2 363	2 372	3.35	97.4	-	0.00
16	3 288	3 294	0.37	97.4	-	0.00
17	3 348	3 354	0.20	97.4	-	0.00
18	3 763	3 769	-0.87	97.4	-	0.00
19	4 572	4 576	-2.66	97.4	-	0.00
20	3 812	3 818	-0.99	97.4	-	0.00
21	4 455	4 459	-2.42	97.4	-	0.00
22	4 995	4 999	-3.49	97.4	-	0.00
23	5 367	5 371	-4.16	97.4	-	0.00
24	6 048	6 052	-5.28	97.4	-	0.00
25	5 644	5 647	-4.63	97.4	-	0.00
26	5 436	5 439	-4.28	97.4	-	0.00
27	5 063	5 067	-3.61	97.4	-	0.00
28	6 063	6 066	-5.30	97.4	-	0.00
29	6 515	6 518	-5.98	97.4	-	0.00
30	6 601	6 604	-6.10	97.4	-	0.00
31	6 767	6 770	-6.34	97.4	-	0.00
32	6 343	6 346	-5.73	97.4	-	0.00
33	6 803	6 806	-6.39	97.4	-	0.00
34	6 145	6 148	-5.43	97.4	-	0.00
35	6 490	6 493	-5.94	97.4	-	0.00
36	7 138	7 140	-6.85	97.4	-	0.00
37	7 718	7 720	-7.59	97.4	-	0.00
38	9 455	9 457	-9.55	97.4	-	0.00
39	9 071	9 072	-9.15	97.4	-	0.00
40	8 585	8 586	-8.61	97.4	-	0.00
Sum			16.07			

- Data undefined due to calculation with octave data

Noise sensitive area: BJ Kapsetnieki

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 144	3 151	0.77	97.4	-	0.00
2	1 887	1 897	5.36	97.4	-	0.00
3	1 637	1 649	6.61	97.4	-	0.00
4	1 736	1 748	6.09	97.4	-	0.00
5	2 447	2 455	3.04	97.4	-	0.00
6	3 120	3 127	0.84	97.4	-	0.00
7	3 376	3 382	0.12	97.4	-	0.00
8	3 754	3 760	-0.85	97.4	-	0.00
9	4 458	4 463	-2.43	97.4	-	0.00
10	5 151	5 155	-3.77	97.4	-	0.00
11	4 774	4 778	-3.07	97.4	-	0.00
12	3 717	3 722	-0.75	97.4	-	0.00
13	3 820	3 826	-1.01	97.4	-	0.00
14	2 527	2 535	2.75	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	2 123	2 132	4.31	97.4	-	0.00
16	2 884	2 892	1.56	97.4	-	0.00
17	3 098	3 105	0.91	97.4	-	0.00
18	3 604	3 610	-0.47	97.4	-	0.00
19	4 420	4 425	-2.35	97.4	-	0.00
20	3 448	3 454	-0.07	97.4	-	0.00
21	4 038	4 043	-1.52	97.4	-	0.00
22	4 752	4 756	-3.02	97.4	-	0.00
23	5 226	5 230	-3.91	97.4	-	0.00
24	5 896	5 899	-5.04	97.4	-	0.00
25	5 401	5 405	-4.22	97.4	-	0.00
26	5 123	5 127	-3.72	97.4	-	0.00
27	4 696	4 701	-2.91	97.4	-	0.00
28	5 589	5 592	-4.54	97.4	-	0.00
29	6 006	6 009	-5.21	97.4	-	0.00
30	6 146	6 149	-5.43	97.4	-	0.00
31	6 365	6 368	-5.76	97.4	-	0.00
32	6 056	6 059	-5.29	97.4	-	0.00
33	7 120	7 123	-6.82	97.4	-	0.00
34	6 476	6 479	-5.92	97.4	-	0.00
35	6 905	6 908	-6.53	97.4	-	0.00
36	7 520	7 522	-7.34	97.4	-	0.00
37	8 082	8 084	-8.03	97.4	-	0.00
38	9 804	9 806	-9.90	97.4	-	0.00
39	9 401	9 402	-9.49	97.4	-	0.00
40	8 911	8 913	-8.97	97.4	-	0.00
Sum			15.72			

- Data undefined due to calculation with octave data

Noise sensitive area: BJ Kapsetnieki

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 144	3 151	0.77	97.4	-	0.00
2	1 887	1 897	5.36	97.4	-	0.00
3	1 637	1 649	6.61	97.4	-	0.00
4	1 736	1 748	6.09	97.4	-	0.00
5	2 447	2 455	3.04	97.4	-	0.00
6	3 120	3 127	0.84	97.4	-	0.00
7	3 376	3 382	0.12	97.4	-	0.00
8	3 754	3 760	-0.85	97.4	-	0.00
9	4 458	4 463	-2.43	97.4	-	0.00
10	5 151	5 155	-3.77	97.4	-	0.00
11	4 774	4 778	-3.07	97.4	-	0.00
12	3 717	3 722	-0.75	97.4	-	0.00
13	3 820	3 826	-1.01	97.4	-	0.00
14	2 527	2 535	2.75	97.4	-	0.00
15	2 123	2 132	4.31	97.4	-	0.00
16	2 884	2 892	1.56	97.4	-	0.00
17	3 098	3 105	0.91	97.4	-	0.00
18	3 604	3 610	-0.47	97.4	-	0.00
19	4 420	4 425	-2.35	97.4	-	0.00
20	3 448	3 454	-0.07	97.4	-	0.00
21	4 038	4 043	-1.52	97.4	-	0.00
22	4 752	4 756	-3.02	97.4	-	0.00
23	5 226	5 230	-3.91	97.4	-	0.00
24	5 896	5 899	-5.04	97.4	-	0.00
25	5 401	5 405	-4.22	97.4	-	0.00
26	5 123	5 127	-3.72	97.4	-	0.00
27	4 696	4 701	-2.91	97.4	-	0.00
28	5 589	5 592	-4.54	97.4	-	0.00
29	6 006	6 009	-5.21	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	6 146	6 149	-5.43	97.4	-	0.00
31	6 365	6 368	-5.76	97.4	-	0.00
32	6 056	6 059	-5.29	97.4	-	0.00
33	7 120	7 123	-6.82	97.4	-	0.00
34	6 476	6 479	-5.92	97.4	-	0.00
35	6 905	6 908	-6.53	97.4	-	0.00
36	7 520	7 522	-7.34	97.4	-	0.00
37	8 082	8 084	-8.03	97.4	-	0.00
38	9 804	9 806	-9.90	97.4	-	0.00
39	9 401	9 402	-9.49	97.4	-	0.00
40	8 911	8 913	-8.97	97.4	-	0.00
Sum			15.72			

- Data undefined due to calculation with octave data

Noise sensitive area: BK Kliedini

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 022	7 024	-6.69	97.4	-	0.00
2	5 970	5 973	-5.16	97.4	-	0.00
3	4 382	4 387	-2.27	97.4	-	0.00
4	5 127	5 131	-3.73	97.4	-	0.00
5	5 618	5 621	-4.58	97.4	-	0.00
6	6 109	6 112	-5.37	97.4	-	0.00
7	6 828	6 831	-6.43	97.4	-	0.00
8	6 675	6 678	-6.21	97.4	-	0.00
9	7 227	7 230	-6.97	97.4	-	0.00
10	7 359	7 362	-7.14	97.4	-	0.00
11	6 686	6 689	-6.23	97.4	-	0.00
12	6 122	6 126	-5.39	97.4	-	0.00
13	5 671	5 674	-4.67	97.4	-	0.00
14	4 636	4 640	-2.79	97.4	-	0.00
15	3 959	3 964	-1.33	97.4	-	0.00
16	2 891	2 898	1.54	97.4	-	0.00
17	3 504	3 510	-0.21	97.4	-	0.00
18	3 884	3 889	-1.16	97.4	-	0.00
19	3 986	3 991	-1.40	97.4	-	0.00
20	2 768	2 775	1.93	97.4	-	0.00
21	2 183	2 192	4.06	97.4	-	0.00
22	3 411	3 417	0.03	97.4	-	0.00
23	4 276	4 281	-2.04	97.4	-	0.00
24	4 475	4 480	-2.47	97.4	-	0.00
25	3 583	3 589	-0.42	97.4	-	0.00
26	2 941	2 948	1.38	97.4	-	0.00
27	2 448	2 456	3.03	97.4	-	0.00
28	1 558	1 571	7.05	97.4	-	0.00
29	1 408	1 422	7.94	97.4	-	0.00
30	2 019	2 029	4.76	97.4	-	0.00
31	2 643	2 651	2.34	97.4	-	0.00
32	3 491	3 496	-0.18	97.4	-	0.00
33	8 520	8 522	-8.54	97.4	-	0.00
34	8 126	8 128	-8.09	97.4	-	0.00
35	9 023	9 025	-9.10	97.4	-	0.00
36	9 286	9 288	-9.37	97.4	-	0.00
37	9 616	9 618	-9.71	97.4	-	0.00
38	10 965	10 966	-10.99	97.4	-	0.00
39	10 475	10 476	-10.54	97.4	-	0.00
40	10 034	10 036	-10.13	97.4	-	0.00
Sum			15.74			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: BK Kliedini

Wind speed: 8.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 022	7 024	-6.69	97.4	-	0.00
2	5 970	5 973	-5.16	97.4	-	0.00
3	4 382	4 387	-2.27	97.4	-	0.00
4	5 127	5 131	-3.73	97.4	-	0.00
5	5 618	5 621	-4.58	97.4	-	0.00
6	6 109	6 112	-5.37	97.4	-	0.00
7	6 828	6 831	-6.43	97.4	-	0.00
8	6 675	6 678	-6.21	97.4	-	0.00
9	7 227	7 230	-6.97	97.4	-	0.00
10	7 359	7 362	-7.14	97.4	-	0.00
11	6 686	6 689	-6.23	97.4	-	0.00
12	6 122	6 126	-5.39	97.4	-	0.00
13	5 671	5 674	-4.67	97.4	-	0.00
14	4 636	4 640	-2.79	97.4	-	0.00
15	3 959	3 964	-1.33	97.4	-	0.00
16	2 891	2 898	1.54	97.4	-	0.00
17	3 504	3 510	-0.21	97.4	-	0.00
18	3 884	3 889	-1.16	97.4	-	0.00
19	3 986	3 991	-1.40	97.4	-	0.00
20	2 768	2 775	1.93	97.4	-	0.00
21	2 183	2 192	4.06	97.4	-	0.00
22	3 411	3 417	0.03	97.4	-	0.00
23	4 276	4 281	-2.04	97.4	-	0.00
24	4 475	4 480	-2.47	97.4	-	0.00
25	3 583	3 589	-0.42	97.4	-	0.00
26	2 941	2 948	1.38	97.4	-	0.00
27	2 448	2 456	3.03	97.4	-	0.00
28	1 558	1 571	7.05	97.4	-	0.00
29	1 408	1 422	7.94	97.4	-	0.00
30	2 019	2 029	4.76	97.4	-	0.00
31	2 643	2 651	2.34	97.4	-	0.00
32	3 491	3 496	-0.18	97.4	-	0.00
33	8 520	8 522	-8.54	97.4	-	0.00
34	8 126	8 128	-8.09	97.4	-	0.00
35	9 023	9 025	-9.10	97.4	-	0.00
36	9 286	9 288	-9.37	97.4	-	0.00
37	9 616	9 618	-9.71	97.4	-	0.00
38	10 965	10 966	-10.99	97.4	-	0.00
39	10 475	10 476	-10.54	97.4	-	0.00
40	10 034	10 036	-10.13	97.4	-	0.00
Sum			15.74			

- Data undefined due to calculation with octave data

Noise sensitive area: BL Kniplokkalni

Wind speed: 6.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 043	7 045	-6.72	97.4	-	0.00
2	6 005	6 008	-5.21	97.4	-	0.00
3	4 418	4 423	-2.35	97.4	-	0.00
4	5 159	5 162	-3.79	97.4	-	0.00
5	5 636	5 639	-4.61	97.4	-	0.00
6	6 117	6 120	-5.38	97.4	-	0.00
7	6 840	6 842	-6.44	97.4	-	0.00
8	6 675	6 678	-6.21	97.4	-	0.00
9	7 219	7 222	-6.96	97.4	-	0.00
10	7 337	7 340	-7.11	97.4	-	0.00
11	6 662	6 665	-6.19	97.4	-	0.00
12	6 116	6 119	-5.38	97.4	-	0.00
13	5 656	5 660	-4.65	97.4	-	0.00
14	4 647	4 651	-2.81	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	3 986	3 991	-1.40	97.4	-	0.00
16	2 909	2 916	1.48	97.4	-	0.00
17	3 502	3 507	-0.21	97.4	-	0.00
18	3 863	3 868	-1.11	97.4	-	0.00
19	3 940	3 945	-1.29	97.4	-	0.00
20	2 761	2 768	1.95	97.4	-	0.00
21	2 156	2 165	4.18	97.4	-	0.00
22	3 351	3 357	0.19	97.4	-	0.00
23	4 210	4 215	-1.90	97.4	-	0.00
24	4 394	4 398	-2.30	97.4	-	0.00
25	3 504	3 510	-0.21	97.4	-	0.00
26	2 865	2 872	1.62	97.4	-	0.00
27	2 385	2 394	3.27	97.4	-	0.00
28	1 447	1 461	7.70	97.4	-	0.00
29	1 283	1 298	8.74	97.4	-	0.00
30	1 899	1 909	5.31	97.4	-	0.00
31	2 526	2 534	2.75	97.4	-	0.00
32	3 392	3 398	0.08	97.4	-	0.00
33	8 472	8 474	-8.49	97.4	-	0.00
34	8 085	8 088	-8.04	97.4	-	0.00
35	8 990	8 992	-9.06	97.4	-	0.00
36	9 244	9 246	-9.33	97.4	-	0.00
37	9 567	9 569	-9.66	97.4	-	0.00
38	10 904	10 905	-10.94	97.4	-	0.00
39	10 413	10 415	-10.49	97.4	-	0.00
40	9 975	9 976	-10.07	97.4	-	0.00
Sum			16.08			

- Data undefined due to calculation with octave data

Noise sensitive area: BL Kniplokkalni

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 043	7 045	-6.72	97.4	-	0.00
2	6 005	6 008	-5.21	97.4	-	0.00
3	4 418	4 423	-2.35	97.4	-	0.00
4	5 159	5 162	-3.79	97.4	-	0.00
5	5 636	5 639	-4.61	97.4	-	0.00
6	6 117	6 120	-5.38	97.4	-	0.00
7	6 840	6 842	-6.44	97.4	-	0.00
8	6 675	6 678	-6.21	97.4	-	0.00
9	7 219	7 222	-6.96	97.4	-	0.00
10	7 337	7 340	-7.11	97.4	-	0.00
11	6 662	6 665	-6.19	97.4	-	0.00
12	6 116	6 119	-5.38	97.4	-	0.00
13	5 656	5 660	-4.65	97.4	-	0.00
14	4 647	4 651	-2.81	97.4	-	0.00
15	3 986	3 991	-1.40	97.4	-	0.00
16	2 909	2 916	1.48	97.4	-	0.00
17	3 502	3 507	-0.21	97.4	-	0.00
18	3 863	3 868	-1.11	97.4	-	0.00
19	3 940	3 945	-1.29	97.4	-	0.00
20	2 761	2 768	1.95	97.4	-	0.00
21	2 156	2 165	4.18	97.4	-	0.00
22	3 351	3 357	0.19	97.4	-	0.00
23	4 210	4 215	-1.90	97.4	-	0.00
24	4 394	4 398	-2.30	97.4	-	0.00
25	3 504	3 510	-0.21	97.4	-	0.00
26	2 865	2 872	1.62	97.4	-	0.00
27	2 385	2 394	3.27	97.4	-	0.00
28	1 447	1 461	7.70	97.4	-	0.00
29	1 283	1 298	8.74	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	1 899	1 909	5.31	97.4	-	0.00
31	2 526	2 534	2.75	97.4	-	0.00
32	3 392	3 398	0.08	97.4	-	0.00
33	8 472	8 474	-8.49	97.4	-	0.00
34	8 085	8 088	-8.04	97.4	-	0.00
35	8 990	8 992	-9.06	97.4	-	0.00
36	9 244	9 246	-9.33	97.4	-	0.00
37	9 567	9 569	-9.66	97.4	-	0.00
38	10 904	10 905	-10.94	97.4	-	0.00
39	10 413	10 415	-10.49	97.4	-	0.00
40	9 975	9 976	-10.07	97.4	-	0.00
Sum			16.08			

- Data undefined due to calculation with octave data

Noise sensitive area: BM Kraujas

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 198	5 202	-3.86	97.4	-	0.00
2	6 396	6 399	-5.81	97.4	-	0.00
3	7 365	7 367	-7.15	97.4	-	0.00
4	6 750	6 753	-6.32	97.4	-	0.00
5	5 979	5 982	-5.17	97.4	-	0.00
6	5 279	5 283	-4.00	97.4	-	0.00
7	4 905	4 909	-3.32	97.4	-	0.00
8	4 603	4 607	-2.73	97.4	-	0.00
9	3 896	3 901	-1.19	97.4	-	0.00
10	3 468	3 474	-0.12	97.4	-	0.00
11	4 114	4 119	-1.69	97.4	-	0.00
12	4 906	4 910	-3.32	97.4	-	0.00
13	5 201	5 205	-3.86	97.4	-	0.00
14	6 568	6 571	-6.06	97.4	-	0.00
15	7 421	7 424	-7.22	97.4	-	0.00
16	8 161	8 164	-8.13	97.4	-	0.00
17	7 393	7 396	-7.18	97.4	-	0.00
18	6 909	6 912	-6.54	97.4	-	0.00
19	6 849	6 852	-6.46	97.4	-	0.00
20	8 065	8 067	-8.01	97.4	-	0.00
21	8 595	8 597	-8.63	97.4	-	0.00
22	7 540	7 543	-7.37	97.4	-	0.00
23	6 848	6 851	-6.45	97.4	-	0.00
24	7 077	7 080	-6.77	97.4	-	0.00
25	7 701	7 704	-7.57	97.4	-	0.00
26	8 188	8 191	-8.16	97.4	-	0.00
27	8 466	8 468	-8.48	97.4	-	0.00
28	9 833	9 835	-9.93	97.4	-	0.00
29	10 436	10 438	-10.51	97.4	-	0.00
30	9 969	9 971	-10.06	97.4	-	0.00
31	9 565	9 567	-9.66	97.4	-	0.00
32	8 323	8 326	-8.32	97.4	-	0.00
33	2 651	2 659	2.32	97.4	-	0.00
34	2 756	2 763	1.97	97.4	-	0.00
35	1 771	1 782	5.92	97.4	-	0.00
36	1 805	1 816	5.75	97.4	-	0.00
37	1 976	1 982	4.97	97.4	-	0.00
38	2 878	2 883	1.58	97.4	-	0.00
39	2 875	2 880	1.59	97.4	-	0.00
40	2 687	2 692	2.21	97.4	-	0.00
Sum			14.45			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: BM Kraujas

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 198	5 202	-3.86	97.4	-	0.00
2	6 396	6 399	-5.81	97.4	-	0.00
3	7 365	7 367	-7.15	97.4	-	0.00
4	6 750	6 753	-6.32	97.4	-	0.00
5	5 979	5 982	-5.17	97.4	-	0.00
6	5 279	5 283	-4.00	97.4	-	0.00
7	4 905	4 909	-3.32	97.4	-	0.00
8	4 603	4 607	-2.73	97.4	-	0.00
9	3 896	3 901	-1.19	97.4	-	0.00
10	3 468	3 474	-0.12	97.4	-	0.00
11	4 114	4 119	-1.69	97.4	-	0.00
12	4 906	4 910	-3.32	97.4	-	0.00
13	5 201	5 205	-3.86	97.4	-	0.00
14	6 568	6 571	-6.06	97.4	-	0.00
15	7 421	7 424	-7.22	97.4	-	0.00
16	8 161	8 164	-8.13	97.4	-	0.00
17	7 393	7 396	-7.18	97.4	-	0.00
18	6 909	6 912	-6.54	97.4	-	0.00
19	6 849	6 852	-6.46	97.4	-	0.00
20	8 065	8 067	-8.01	97.4	-	0.00
21	8 595	8 597	-8.63	97.4	-	0.00
22	7 540	7 543	-7.37	97.4	-	0.00
23	6 848	6 851	-6.45	97.4	-	0.00
24	7 077	7 080	-6.77	97.4	-	0.00
25	7 701	7 704	-7.57	97.4	-	0.00
26	8 188	8 191	-8.16	97.4	-	0.00
27	8 466	8 468	-8.48	97.4	-	0.00
28	9 833	9 835	-9.93	97.4	-	0.00
29	10 436	10 438	-10.51	97.4	-	0.00
30	9 969	9 971	-10.06	97.4	-	0.00
31	9 565	9 567	-9.66	97.4	-	0.00
32	8 323	8 326	-8.32	97.4	-	0.00
33	2 651	2 659	2.32	97.4	-	0.00
34	2 756	2 763	1.97	97.4	-	0.00
35	1 771	1 782	5.92	97.4	-	0.00
36	1 805	1 816	5.75	97.4	-	0.00
37	1 976	1 982	4.97	97.4	-	0.00
38	2 878	2 883	1.58	97.4	-	0.00
39	2 875	2 880	1.59	97.4	-	0.00
40	2 687	2 692	2.21	97.4	-	0.00
Sum			14.45			

- Data undefined due to calculation with octave data

Noise sensitive area: BN Krumini

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 621	4 626	-2.76	97.4	-	0.00
2	3 385	3 391	0.10	97.4	-	0.00
3	1 940	1 951	5.11	97.4	-	0.00
4	2 670	2 678	2.25	97.4	-	0.00
5	3 375	3 381	0.13	97.4	-	0.00
6	4 035	4 040	-1.51	97.4	-	0.00
7	4 610	4 614	-2.74	97.4	-	0.00
8	4 703	4 708	-2.93	97.4	-	0.00
9	5 385	5 389	-4.19	97.4	-	0.00
10	5 827	5 830	-4.93	97.4	-	0.00
11	5 255	5 259	-3.96	97.4	-	0.00
12	4 352	4 357	-2.21	97.4	-	0.00
13	4 140	4 145	-1.75	97.4	-	0.00
14	2 696	2 704	2.16	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	1 844	1 855	5.56	97.4	-	0.00
16	1 549	1 562	7.10	97.4	-	0.00
17	2 263	2 272	3.74	97.4	-	0.00
18	2 922	2 929	1.44	97.4	-	0.00
19	3 592	3 598	-0.44	97.4	-	0.00
20	2 083	2 093	4.48	97.4	-	0.00
21	2 368	2 377	3.33	97.4	-	0.00
22	3 569	3 575	-0.38	97.4	-	0.00
23	4 319	4 324	-2.14	97.4	-	0.00
24	4 883	4 888	-3.28	97.4	-	0.00
25	4 148	4 153	-1.76	97.4	-	0.00
26	3 671	3 677	-0.64	97.4	-	0.00
27	3 113	3 120	0.86	97.4	-	0.00
28	3 630	3 636	-0.54	97.4	-	0.00
29	3 954	3 959	-1.32	97.4	-	0.00
30	4 218	4 223	-1.92	97.4	-	0.00
31	4 569	4 574	-2.66	97.4	-	0.00
32	4 612	4 616	-2.74	97.4	-	0.00
33	7 517	7 519	-7.34	97.4	-	0.00
34	6 958	6 961	-6.60	97.4	-	0.00
35	7 643	7 646	-7.50	97.4	-	0.00
36	8 114	8 116	-8.07	97.4	-	0.00
37	8 589	8 591	-8.62	97.4	-	0.00
38	10 199	10 200	-10.28	97.4	-	0.00
39	9 742	9 744	-9.84	97.4	-	0.00
40	9 258	9 260	-9.34	97.4	-	0.00
Sum			16.12			

- Data undefined due to calculation with octave data

Noise sensitive area: BN Krumini

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 621	4 626	-2.76	97.4	-	0.00
2	3 385	3 391	0.10	97.4	-	0.00
3	1 940	1 951	5.11	97.4	-	0.00
4	2 670	2 678	2.25	97.4	-	0.00
5	3 375	3 381	0.13	97.4	-	0.00
6	4 035	4 040	-1.51	97.4	-	0.00
7	4 610	4 614	-2.74	97.4	-	0.00
8	4 703	4 708	-2.93	97.4	-	0.00
9	5 385	5 389	-4.19	97.4	-	0.00
10	5 827	5 830	-4.93	97.4	-	0.00
11	5 255	5 259	-3.96	97.4	-	0.00
12	4 352	4 357	-2.21	97.4	-	0.00
13	4 140	4 145	-1.75	97.4	-	0.00
14	2 696	2 704	2.16	97.4	-	0.00
15	1 844	1 855	5.56	97.4	-	0.00
16	1 549	1 562	7.10	97.4	-	0.00
17	2 263	2 272	3.74	97.4	-	0.00
18	2 922	2 929	1.44	97.4	-	0.00
19	3 592	3 598	-0.44	97.4	-	0.00
20	2 083	2 093	4.48	97.4	-	0.00
21	2 368	2 377	3.33	97.4	-	0.00
22	3 569	3 575	-0.38	97.4	-	0.00
23	4 319	4 324	-2.14	97.4	-	0.00
24	4 883	4 888	-3.28	97.4	-	0.00
25	4 148	4 153	-1.76	97.4	-	0.00
26	3 671	3 677	-0.64	97.4	-	0.00
27	3 113	3 120	0.86	97.4	-	0.00
28	3 630	3 636	-0.54	97.4	-	0.00
29	3 954	3 959	-1.32	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	4 218	4 223	-1.92	97.4	-	0.00
31	4 569	4 574	-2.66	97.4	-	0.00
32	4 612	4 616	-2.74	97.4	-	0.00
33	7 517	7 519	-7.34	97.4	-	0.00
34	6 958	6 961	-6.60	97.4	-	0.00
35	7 643	7 646	-7.50	97.4	-	0.00
36	8 114	8 116	-8.07	97.4	-	0.00
37	8 589	8 591	-8.62	97.4	-	0.00
38	10 199	10 200	-10.28	97.4	-	0.00
39	9 742	9 744	-9.84	97.4	-	0.00
40	9 258	9 260	-9.34	97.4	-	0.00
Sum			16.12			

- Data undefined due to calculation with octave data

Noise sensitive area: BO Lagzdini

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 797	8 799	-8.85	97.4	-	0.00
2	7 880	7 882	-7.79	97.4	-	0.00
3	6 322	6 325	-5.70	97.4	-	0.00
4	7 021	7 024	-6.69	97.4	-	0.00
5	7 387	7 390	-7.17	97.4	-	0.00
6	7 766	7 768	-7.65	97.4	-	0.00
7	8 516	8 518	-8.54	97.4	-	0.00
8	8 242	8 245	-8.22	97.4	-	0.00
9	8 690	8 692	-8.73	97.4	-	0.00
10	8 637	8 639	-8.67	97.4	-	0.00
11	7 958	7 960	-7.89	97.4	-	0.00
12	7 625	7 627	-7.48	97.4	-	0.00
13	7 093	7 096	-6.79	97.4	-	0.00
14	6 362	6 365	-5.76	97.4	-	0.00
15	5 833	5 836	-4.94	97.4	-	0.00
16	4 737	4 741	-2.99	97.4	-	0.00
17	5 146	5 150	-3.76	97.4	-	0.00
18	5 312	5 316	-4.06	97.4	-	0.00
19	5 092	5 096	-3.67	97.4	-	0.00
20	4 413	4 417	-2.34	97.4	-	0.00
21	3 704	3 709	-0.72	97.4	-	0.00
22	4 362	4 367	-2.23	97.4	-	0.00
23	5 036	5 040	-3.56	97.4	-	0.00
24	4 927	4 931	-3.36	97.4	-	0.00
25	4 189	4 194	-1.85	97.4	-	0.00
26	3 694	3 700	-0.70	97.4	-	0.00
27	3 514	3 520	-0.24	97.4	-	0.00
28	2 109	2 118	4.37	97.4	-	0.00
29	1 507	1 519	7.34	97.4	-	0.00
30	1 912	1 923	5.24	97.4	-	0.00
31	2 410	2 418	3.18	97.4	-	0.00
32	3 677	3 682	-0.65	97.4	-	0.00
33	9 393	9 395	-9.48	97.4	-	0.00
34	9 130	9 133	-9.21	97.4	-	0.00
35	10 108	10 110	-10.20	97.4	-	0.00
36	10 224	10 226	-10.31	97.4	-	0.00
37	10 442	10 443	-10.51	97.4	-	0.00
38	11 549	11 550	-11.50	97.4	-	0.00
39	11 058	11 059	-11.07	97.4	-	0.00
40	10 669	10 670	-10.72	97.4	-	0.00
Sum			14.01			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: BO Lagzdini

Wind speed: 8.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 797	8 799	-8.85	97.4	-	0.00
2	7 880	7 882	-7.79	97.4	-	0.00
3	6 322	6 325	-5.70	97.4	-	0.00
4	7 021	7 024	-6.69	97.4	-	0.00
5	7 387	7 390	-7.17	97.4	-	0.00
6	7 766	7 768	-7.65	97.4	-	0.00
7	8 516	8 518	-8.54	97.4	-	0.00
8	8 242	8 245	-8.22	97.4	-	0.00
9	8 690	8 692	-8.73	97.4	-	0.00
10	8 637	8 639	-8.67	97.4	-	0.00
11	7 958	7 960	-7.89	97.4	-	0.00
12	7 625	7 627	-7.48	97.4	-	0.00
13	7 093	7 096	-6.79	97.4	-	0.00
14	6 362	6 365	-5.76	97.4	-	0.00
15	5 833	5 836	-4.94	97.4	-	0.00
16	4 737	4 741	-2.99	97.4	-	0.00
17	5 146	5 150	-3.76	97.4	-	0.00
18	5 312	5 316	-4.06	97.4	-	0.00
19	5 092	5 096	-3.67	97.4	-	0.00
20	4 413	4 417	-2.34	97.4	-	0.00
21	3 704	3 709	-0.72	97.4	-	0.00
22	4 362	4 367	-2.23	97.4	-	0.00
23	5 036	5 040	-3.56	97.4	-	0.00
24	4 927	4 931	-3.36	97.4	-	0.00
25	4 189	4 194	-1.85	97.4	-	0.00
26	3 694	3 700	-0.70	97.4	-	0.00
27	3 514	3 520	-0.24	97.4	-	0.00
28	2 109	2 118	4.37	97.4	-	0.00
29	1 507	1 519	7.34	97.4	-	0.00
30	1 912	1 923	5.24	97.4	-	0.00
31	2 410	2 418	3.18	97.4	-	0.00
32	3 677	3 682	-0.65	97.4	-	0.00
33	9 393	9 395	-9.48	97.4	-	0.00
34	9 130	9 133	-9.21	97.4	-	0.00
35	10 108	10 110	-10.20	97.4	-	0.00
36	10 224	10 226	-10.31	97.4	-	0.00
37	10 442	10 443	-10.51	97.4	-	0.00
38	11 549	11 550	-11.50	97.4	-	0.00
39	11 058	11 059	-11.07	97.4	-	0.00
40	10 669	10 670	-10.72	97.4	-	0.00
Sum			14.01			

- Data undefined due to calculation with octave data

Noise sensitive area: BP Laucinieki

Wind speed: 6.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 115	9 117	-9.19	97.4	-	0.00
2	8 306	8 308	-8.30	97.4	-	0.00
3	6 800	6 802	-6.39	97.4	-	0.00
4	7 451	7 454	-7.26	97.4	-	0.00
5	7 726	7 729	-7.60	97.4	-	0.00
6	8 027	8 029	-7.97	97.4	-	0.00
7	8 781	8 784	-8.83	97.4	-	0.00
8	8 440	8 442	-8.45	97.4	-	0.00
9	8 819	8 821	-8.87	97.4	-	0.00
10	8 666	8 668	-8.71	97.4	-	0.00
11	7 998	8 000	-7.93	97.4	-	0.00
12	7 799	7 802	-7.69	97.4	-	0.00
13	7 237	7 240	-6.98	97.4	-	0.00
14	6 700	6 703	-6.25	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	6 278	6 281	-5.63	97.4	-	0.00
16	5 206	5 210	-3.87	97.4	-	0.00
17	5 482	5 486	-4.36	97.4	-	0.00
18	5 528	5 531	-4.43	97.4	-	0.00
19	5 161	5 165	-3.79	97.4	-	0.00
20	4 792	4 796	-3.10	97.4	-	0.00
21	4 082	4 087	-1.61	97.4	-	0.00
22	4 412	4 416	-2.33	97.4	-	0.00
23	4 943	4 947	-3.39	97.4	-	0.00
24	4 697	4 701	-2.91	97.4	-	0.00
25	4 093	4 098	-1.64	97.4	-	0.00
26	3 723	3 729	-0.77	97.4	-	0.00
27	3 710	3 715	-0.74	97.4	-	0.00
28	2 411	2 419	3.17	97.4	-	0.00
29	1 925	1 935	5.18	97.4	-	0.00
30	1 975	1 985	4.96	97.4	-	0.00
31	2 212	2 221	3.94	97.4	-	0.00
32	3 441	3 447	-0.05	97.4	-	0.00
33	9 201	9 204	-9.28	97.4	-	0.00
34	9 008	9 010	-9.08	97.4	-	0.00
35	10 010	10 012	-10.10	97.4	-	0.00
36	10 050	10 052	-10.14	97.4	-	0.00
37	10 210	10 211	-10.29	97.4	-	0.00
38	11 190	11 191	-11.19	97.4	-	0.00
39	10 704	10 705	-10.76	97.4	-	0.00
40	10 344	10 345	-10.42	97.4	-	0.00
Sum			13.43			

- Data undefined due to calculation with octave data

Noise sensitive area: BP Laucinieki

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 115	9 117	-9.19	97.4	-	0.00
2	8 306	8 308	-8.30	97.4	-	0.00
3	6 800	6 802	-6.39	97.4	-	0.00
4	7 451	7 454	-7.26	97.4	-	0.00
5	7 726	7 729	-7.60	97.4	-	0.00
6	8 027	8 029	-7.97	97.4	-	0.00
7	8 781	8 784	-8.83	97.4	-	0.00
8	8 440	8 442	-8.45	97.4	-	0.00
9	8 819	8 821	-8.87	97.4	-	0.00
10	8 666	8 668	-8.71	97.4	-	0.00
11	7 998	8 000	-7.93	97.4	-	0.00
12	7 799	7 802	-7.69	97.4	-	0.00
13	7 237	7 240	-6.98	97.4	-	0.00
14	6 700	6 703	-6.25	97.4	-	0.00
15	6 278	6 281	-5.63	97.4	-	0.00
16	5 206	5 210	-3.87	97.4	-	0.00
17	5 482	5 486	-4.36	97.4	-	0.00
18	5 528	5 531	-4.43	97.4	-	0.00
19	5 161	5 165	-3.79	97.4	-	0.00
20	4 792	4 796	-3.10	97.4	-	0.00
21	4 082	4 087	-1.61	97.4	-	0.00
22	4 412	4 416	-2.33	97.4	-	0.00
23	4 943	4 947	-3.39	97.4	-	0.00
24	4 697	4 701	-2.91	97.4	-	0.00
25	4 093	4 098	-1.64	97.4	-	0.00
26	3 723	3 729	-0.77	97.4	-	0.00
27	3 710	3 715	-0.74	97.4	-	0.00
28	2 411	2 419	3.17	97.4	-	0.00
29	1 925	1 935	5.18	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	1 975	1 985	4.96	97.4	-	0.00
31	2 212	2 221	3.94	97.4	-	0.00
32	3 441	3 447	-0.05	97.4	-	0.00
33	9 201	9 204	-9.28	97.4	-	0.00
34	9 008	9 010	-9.08	97.4	-	0.00
35	10 010	10 012	-10.10	97.4	-	0.00
36	10 050	10 052	-10.14	97.4	-	0.00
37	10 210	10 211	-10.29	97.4	-	0.00
38	11 190	11 191	-11.19	97.4	-	0.00
39	10 704	10 705	-10.76	97.4	-	0.00
40	10 344	10 345	-10.42	97.4	-	0.00
Sum			13.43			

- Data undefined due to calculation with octave data

Noise sensitive area: BQ Lielbrie ž i

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 702	8 705	-8.75	97.4	-	0.00
2	7 658	7 660	-7.52	97.4	-	0.00
3	6 070	6 073	-5.31	97.4	-	0.00
4	6 815	6 818	-6.41	97.4	-	0.00
5	7 295	7 297	-7.05	97.4	-	0.00
6	7 767	7 769	-7.65	97.4	-	0.00
7	8 494	8 496	-8.51	97.4	-	0.00
8	8 313	8 315	-8.31	97.4	-	0.00
9	8 837	8 840	-8.90	97.4	-	0.00
10	8 907	8 909	-8.97	97.4	-	0.00
11	8 227	8 229	-8.21	97.4	-	0.00
12	7 739	7 742	-7.62	97.4	-	0.00
13	7 259	7 261	-7.01	97.4	-	0.00
14	6 302	6 305	-5.67	97.4	-	0.00
15	5 645	5 648	-4.63	97.4	-	0.00
16	4 568	4 573	-2.66	97.4	-	0.00
17	5 140	5 144	-3.75	97.4	-	0.00
18	5 453	5 457	-4.31	97.4	-	0.00
19	5 422	5 426	-4.25	97.4	-	0.00
20	4 394	4 398	-2.29	97.4	-	0.00
21	3 746	3 751	-0.83	97.4	-	0.00
22	4 756	4 760	-3.03	97.4	-	0.00
23	5 548	5 552	-4.47	97.4	-	0.00
24	5 584	5 588	-4.53	97.4	-	0.00
25	4 750	4 754	-3.02	97.4	-	0.00
26	4 161	4 165	-1.79	97.4	-	0.00
27	3 808	3 814	-0.98	97.4	-	0.00
28	2 504	2 512	2.83	97.4	-	0.00
29	1 958	1 968	5.03	97.4	-	0.00
30	2 605	2 612	2.48	97.4	-	0.00
31	3 232	3 238	0.52	97.4	-	0.00
32	4 408	4 412	-2.32	97.4	-	0.00
33	9 902	9 904	-10.00	97.4	-	0.00
34	9 566	9 568	-9.66	97.4	-	0.00
35	10 503	10 505	-10.57	97.4	-	0.00
36	10 703	10 705	-10.75	97.4	-	0.00
37	10 982	10 984	-11.01	97.4	-	0.00
38	12 217	12 218	-12.05	97.4	-	0.00
39	11 724	11 725	-11.65	97.4	-	0.00
40	11 308	11 309	-11.29	97.4	-	0.00
Sum			12.66			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: BQ Lielbrie ž i

Wind speed: 8.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 702	8 705	-8.75	97.4	-	0.00
2	7 658	7 660	-7.52	97.4	-	0.00
3	6 070	6 073	-5.31	97.4	-	0.00
4	6 815	6 818	-6.41	97.4	-	0.00
5	7 295	7 297	-7.05	97.4	-	0.00
6	7 767	7 769	-7.65	97.4	-	0.00
7	8 494	8 496	-8.51	97.4	-	0.00
8	8 313	8 315	-8.31	97.4	-	0.00
9	8 837	8 840	-8.90	97.4	-	0.00
10	8 907	8 909	-8.97	97.4	-	0.00
11	8 227	8 229	-8.21	97.4	-	0.00
12	7 739	7 742	-7.62	97.4	-	0.00
13	7 259	7 261	-7.01	97.4	-	0.00
14	6 302	6 305	-5.67	97.4	-	0.00
15	5 645	5 648	-4.63	97.4	-	0.00
16	4 568	4 573	-2.66	97.4	-	0.00
17	5 140	5 144	-3.75	97.4	-	0.00
18	5 453	5 457	-4.31	97.4	-	0.00
19	5 422	5 426	-4.25	97.4	-	0.00
20	4 394	4 398	-2.29	97.4	-	0.00
21	3 746	3 751	-0.83	97.4	-	0.00
22	4 756	4 760	-3.03	97.4	-	0.00
23	5 548	5 552	-4.47	97.4	-	0.00
24	5 584	5 588	-4.53	97.4	-	0.00
25	4 750	4 754	-3.02	97.4	-	0.00
26	4 161	4 165	-1.79	97.4	-	0.00
27	3 808	3 814	-0.98	97.4	-	0.00
28	2 504	2 512	2.83	97.4	-	0.00
29	1 958	1 968	5.03	97.4	-	0.00
30	2 605	2 612	2.48	97.4	-	0.00
31	3 232	3 238	0.52	97.4	-	0.00
32	4 408	4 412	-2.32	97.4	-	0.00
33	9 902	9 904	-10.00	97.4	-	0.00
34	9 566	9 568	-9.66	97.4	-	0.00
35	10 503	10 505	-10.57	97.4	-	0.00
36	10 703	10 705	-10.75	97.4	-	0.00
37	10 982	10 984	-11.01	97.4	-	0.00
38	12 217	12 218	-12.05	97.4	-	0.00
39	11 724	11 725	-11.65	97.4	-	0.00
40	11 308	11 309	-11.29	97.4	-	0.00
Sum			12.66			

- Data undefined due to calculation with octave data

Noise sensitive area: BR Liepnieki

Wind speed: 6.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 726	1 737	6.15	97.4	-	0.00
2	2 826	2 833	1.74	97.4	-	0.00
3	4 383	4 387	-2.27	97.4	-	0.00
4	3 621	3 626	-0.51	97.4	-	0.00
5	3 138	3 144	0.79	97.4	-	0.00
6	2 820	2 827	1.76	97.4	-	0.00
7	2 074	2 083	4.52	97.4	-	0.00
8	2 563	2 571	2.62	97.4	-	0.00
9	2 586	2 594	2.54	97.4	-	0.00
10	3 338	3 344	0.23	97.4	-	0.00
11	3 643	3 649	-0.57	97.4	-	0.00
12	3 210	3 217	0.58	97.4	-	0.00
13	3 799	3 804	-0.96	97.4	-	0.00
14	4 161	4 166	-1.79	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	4 770	4 774	-3.06	97.4	-	0.00
16	5 849	5 852	-4.96	97.4	-	0.00
17	5 379	5 383	-4.18	97.4	-	0.00
18	5 316	5 320	-4.07	97.4	-	0.00
19	5 833	5 837	-4.94	97.4	-	0.00
20	6 110	6 114	-5.38	97.4	-	0.00
21	6 819	6 822	-6.41	97.4	-	0.00
22	6 545	6 548	-6.02	97.4	-	0.00
23	6 379	6 382	-5.78	97.4	-	0.00
24	6 974	6 977	-6.63	97.4	-	0.00
25	7 061	7 064	-6.74	97.4	-	0.00
26	7 202	7 205	-6.93	97.4	-	0.00
27	7 123	7 126	-6.83	97.4	-	0.00
28	8 460	8 462	-8.47	97.4	-	0.00
29	9 033	9 035	-9.11	97.4	-	0.00
30	8 857	8 860	-8.92	97.4	-	0.00
31	8 758	8 761	-8.81	97.4	-	0.00
32	7 850	7 853	-7.76	97.4	-	0.00
33	5 045	5 049	-3.58	97.4	-	0.00
34	4 438	4 443	-2.39	97.4	-	0.00
35	4 167	4 172	-1.81	97.4	-	0.00
36	4 919	4 923	-3.34	97.4	-	0.00
37	5 531	5 534	-4.44	97.4	-	0.00
38	7 184	7 186	-6.91	97.4	-	0.00
39	6 941	6 943	-6.58	97.4	-	0.00
40	6 522	6 524	-5.99	97.4	-	0.00
Sum			14.54			

- Data undefined due to calculation with octave data

Noise sensitive area: BR Liepnieki

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 726	1 737	6.15	97.4	-	0.00
2	2 826	2 833	1.74	97.4	-	0.00
3	4 383	4 387	-2.27	97.4	-	0.00
4	3 621	3 626	-0.51	97.4	-	0.00
5	3 138	3 144	0.79	97.4	-	0.00
6	2 820	2 827	1.76	97.4	-	0.00
7	2 074	2 083	4.52	97.4	-	0.00
8	2 563	2 571	2.62	97.4	-	0.00
9	2 586	2 594	2.54	97.4	-	0.00
10	3 338	3 344	0.23	97.4	-	0.00
11	3 643	3 649	-0.57	97.4	-	0.00
12	3 210	3 217	0.58	97.4	-	0.00
13	3 799	3 804	-0.96	97.4	-	0.00
14	4 161	4 166	-1.79	97.4	-	0.00
15	4 770	4 774	-3.06	97.4	-	0.00
16	5 849	5 852	-4.96	97.4	-	0.00
17	5 379	5 383	-4.18	97.4	-	0.00
18	5 316	5 320	-4.07	97.4	-	0.00
19	5 833	5 837	-4.94	97.4	-	0.00
20	6 110	6 114	-5.38	97.4	-	0.00
21	6 819	6 822	-6.41	97.4	-	0.00
22	6 545	6 548	-6.02	97.4	-	0.00
23	6 379	6 382	-5.78	97.4	-	0.00
24	6 974	6 977	-6.63	97.4	-	0.00
25	7 061	7 064	-6.74	97.4	-	0.00
26	7 202	7 205	-6.93	97.4	-	0.00
27	7 123	7 126	-6.83	97.4	-	0.00
28	8 460	8 462	-8.47	97.4	-	0.00
29	9 033	9 035	-9.11	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	8 857	8 860	-8.92	97.4	-	0.00
31	8 758	8 761	-8.81	97.4	-	0.00
32	7 850	7 853	-7.76	97.4	-	0.00
33	5 045	5 049	-3.58	97.4	-	0.00
34	4 438	4 443	-2.39	97.4	-	0.00
35	4 167	4 172	-1.81	97.4	-	0.00
36	4 919	4 923	-3.34	97.4	-	0.00
37	5 531	5 534	-4.44	97.4	-	0.00
38	7 184	7 186	-6.91	97.4	-	0.00
39	6 941	6 943	-6.58	97.4	-	0.00
40	6 522	6 524	-5.99	97.4	-	0.00
Sum			14.54			

- Data undefined due to calculation with octave data

Noise sensitive area: BS Mazabelnieki

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 392	4 397	-2.29	97.4	-	0.00
2	5 632	5 636	-4.61	97.4	-	0.00
3	6 720	6 723	-6.27	97.4	-	0.00
4	6 063	6 066	-5.30	97.4	-	0.00
5	5 302	5 306	-4.04	97.4	-	0.00
6	4 616	4 621	-2.75	97.4	-	0.00
7	4 157	4 162	-1.78	97.4	-	0.00
8	3 942	3 948	-1.30	97.4	-	0.00
9	3 261	3 267	0.44	97.4	-	0.00
10	3 014	3 021	1.16	97.4	-	0.00
11	3 693	3 699	-0.70	97.4	-	0.00
12	4 336	4 341	-2.17	97.4	-	0.00
13	4 712	4 716	-2.94	97.4	-	0.00
14	5 988	5 991	-5.18	97.4	-	0.00
15	6 833	6 836	-6.43	97.4	-	0.00
16	7 653	7 656	-7.51	97.4	-	0.00
17	6 914	6 917	-6.54	97.4	-	0.00
18	6 487	6 490	-5.94	97.4	-	0.00
19	6 535	6 538	-6.01	97.4	-	0.00
20	7 618	7 621	-7.47	97.4	-	0.00
21	8 195	8 198	-8.17	97.4	-	0.00
22	7 257	7 260	-7.01	97.4	-	0.00
23	6 643	6 646	-6.17	97.4	-	0.00
24	6 958	6 961	-6.60	97.4	-	0.00
25	7 494	7 497	-7.31	97.4	-	0.00
26	7 928	7 931	-7.85	97.4	-	0.00
27	8 144	8 147	-8.11	97.4	-	0.00
28	9 537	9 539	-9.63	97.4	-	0.00
29	10 146	10 148	-10.23	97.4	-	0.00
30	9 727	9 729	-9.82	97.4	-	0.00
31	9 375	9 377	-9.47	97.4	-	0.00
32	8 169	8 172	-8.14	97.4	-	0.00
33	2 819	2 826	1.76	97.4	-	0.00
34	2 691	2 698	2.18	97.4	-	0.00
35	1 694	1 706	6.31	97.4	-	0.00
36	2 098	2 108	4.42	97.4	-	0.00
37	2 494	2 500	2.88	97.4	-	0.00
38	3 724	3 727	-0.77	97.4	-	0.00
39	3 645	3 649	-0.57	97.4	-	0.00
40	3 372	3 376	0.14	97.4	-	0.00
Sum			14.24			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: BS Mazabelnieki

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 392	4 397	-2.29	97.4	-	0.00
2	5 632	5 636	-4.61	97.4	-	0.00
3	6 720	6 723	-6.27	97.4	-	0.00
4	6 063	6 066	-5.30	97.4	-	0.00
5	5 302	5 306	-4.04	97.4	-	0.00
6	4 616	4 621	-2.75	97.4	-	0.00
7	4 157	4 162	-1.78	97.4	-	0.00
8	3 942	3 948	-1.30	97.4	-	0.00
9	3 261	3 267	0.44	97.4	-	0.00
10	3 014	3 021	1.16	97.4	-	0.00
11	3 693	3 699	-0.70	97.4	-	0.00
12	4 336	4 341	-2.17	97.4	-	0.00
13	4 712	4 716	-2.94	97.4	-	0.00
14	5 988	5 991	-5.18	97.4	-	0.00
15	6 833	6 836	-6.43	97.4	-	0.00
16	7 653	7 656	-7.51	97.4	-	0.00
17	6 914	6 917	-6.54	97.4	-	0.00
18	6 487	6 490	-5.94	97.4	-	0.00
19	6 535	6 538	-6.01	97.4	-	0.00
20	7 618	7 621	-7.47	97.4	-	0.00
21	8 195	8 198	-8.17	97.4	-	0.00
22	7 257	7 260	-7.01	97.4	-	0.00
23	6 643	6 646	-6.17	97.4	-	0.00
24	6 958	6 961	-6.60	97.4	-	0.00
25	7 494	7 497	-7.31	97.4	-	0.00
26	7 928	7 931	-7.85	97.4	-	0.00
27	8 144	8 147	-8.11	97.4	-	0.00
28	9 537	9 539	-9.63	97.4	-	0.00
29	10 146	10 148	-10.23	97.4	-	0.00
30	9 727	9 729	-9.82	97.4	-	0.00
31	9 375	9 377	-9.47	97.4	-	0.00
32	8 169	8 172	-8.14	97.4	-	0.00
33	2 819	2 826	1.76	97.4	-	0.00
34	2 691	2 698	2.18	97.4	-	0.00
35	1 694	1 706	6.31	97.4	-	0.00
36	2 098	2 108	4.42	97.4	-	0.00
37	2 494	2 500	2.88	97.4	-	0.00
38	3 724	3 727	-0.77	97.4	-	0.00
39	3 645	3 649	-0.57	97.4	-	0.00
40	3 372	3 376	0.14	97.4	-	0.00
Sum			14.24			

- Data undefined due to calculation with octave data

Noise sensitive area: BT Mazabelnieki

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 540	2 547	2.70	97.4	-	0.00
2	1 757	1 768	5.99	97.4	-	0.00
3	2 677	2 684	2.23	97.4	-	0.00
4	2 284	2 293	3.66	97.4	-	0.00
5	2 639	2 647	2.36	97.4	-	0.00
6	3 101	3 107	0.90	97.4	-	0.00
7	2 986	2 993	1.24	97.4	-	0.00
8	3 559	3 565	-0.36	97.4	-	0.00
9	4 169	4 174	-1.81	97.4	-	0.00
10	4 989	4 993	-3.48	97.4	-	0.00
11	4 810	4 814	-3.13	97.4	-	0.00
12	3 796	3 802	-0.95	97.4	-	0.00
13	4 121	4 126	-1.70	97.4	-	0.00
14	3 252	3 258	0.47	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	3 229	3 235	0.53	97.4	-	0.00
16	4 204	4 209	-1.89	97.4	-	0.00
17	4 196	4 201	-1.87	97.4	-	0.00
18	4 548	4 552	-2.61	97.4	-	0.00
19	5 337	5 341	-4.10	97.4	-	0.00
20	4 710	4 714	-2.94	97.4	-	0.00
21	5 369	5 373	-4.16	97.4	-	0.00
22	5 819	5 822	-4.91	97.4	-	0.00
23	6 114	6 117	-5.38	97.4	-	0.00
24	6 798	6 801	-6.38	97.4	-	0.00
25	6 461	6 464	-5.90	97.4	-	0.00
26	6 297	6 301	-5.66	97.4	-	0.00
27	5 954	5 958	-5.13	97.4	-	0.00
28	6 992	6 995	-6.65	97.4	-	0.00
29	7 452	7 454	-7.26	97.4	-	0.00
30	7 523	7 526	-7.35	97.4	-	0.00
31	7 668	7 671	-7.53	97.4	-	0.00
32	7 185	7 187	-6.91	97.4	-	0.00
33	7 021	7 024	-6.69	97.4	-	0.00
34	6 353	6 356	-5.74	97.4	-	0.00
35	6 555	6 558	-6.04	97.4	-	0.00
36	7 249	7 252	-6.99	97.4	-	0.00
37	7 852	7 853	-7.76	97.4	-	0.00
38	9 596	9 597	-9.69	97.4	-	0.00
39	9 243	9 245	-9.33	97.4	-	0.00
40	8 767	8 769	-8.82	97.4	-	0.00
Sum			14.41			

- Data undefined due to calculation with octave data

Noise sensitive area: BT Mazabelnieki

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 540	2 547	2.70	97.4	-	0.00
2	1 757	1 768	5.99	97.4	-	0.00
3	2 677	2 684	2.23	97.4	-	0.00
4	2 284	2 293	3.66	97.4	-	0.00
5	2 639	2 647	2.36	97.4	-	0.00
6	3 101	3 107	0.90	97.4	-	0.00
7	2 986	2 993	1.24	97.4	-	0.00
8	3 559	3 565	-0.36	97.4	-	0.00
9	4 169	4 174	-1.81	97.4	-	0.00
10	4 989	4 993	-3.48	97.4	-	0.00
11	4 810	4 814	-3.13	97.4	-	0.00
12	3 796	3 802	-0.95	97.4	-	0.00
13	4 121	4 126	-1.70	97.4	-	0.00
14	3 252	3 258	0.47	97.4	-	0.00
15	3 229	3 235	0.53	97.4	-	0.00
16	4 204	4 209	-1.89	97.4	-	0.00
17	4 196	4 201	-1.87	97.4	-	0.00
18	4 548	4 552	-2.61	97.4	-	0.00
19	5 337	5 341	-4.10	97.4	-	0.00
20	4 710	4 714	-2.94	97.4	-	0.00
21	5 369	5 373	-4.16	97.4	-	0.00
22	5 819	5 822	-4.91	97.4	-	0.00
23	6 114	6 117	-5.38	97.4	-	0.00
24	6 798	6 801	-6.38	97.4	-	0.00
25	6 461	6 464	-5.90	97.4	-	0.00
26	6 297	6 301	-5.66	97.4	-	0.00
27	5 954	5 958	-5.13	97.4	-	0.00
28	6 992	6 995	-6.65	97.4	-	0.00
29	7 452	7 454	-7.26	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	7 523	7 526	-7.35	97.4	-	0.00
31	7 668	7 671	-7.53	97.4	-	0.00
32	7 185	7 187	-6.91	97.4	-	0.00
33	7 021	7 024	-6.69	97.4	-	0.00
34	6 353	6 356	-5.74	97.4	-	0.00
35	6 555	6 558	-6.04	97.4	-	0.00
36	7 249	7 252	-6.99	97.4	-	0.00
37	7 852	7 853	-7.76	97.4	-	0.00
38	9 596	9 597	-9.69	97.4	-	0.00
39	9 243	9 245	-9.33	97.4	-	0.00
40	8 767	8 769	-8.82	97.4	-	0.00
Sum			14.41			

- Data undefined due to calculation with octave data

Noise sensitive area: BU Mazbruveri

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 134	9 136	-9.21	97.4	-	0.00
2	8 256	8 259	-8.24	97.4	-	0.00
3	6 714	6 717	-6.27	97.4	-	0.00
4	7 397	7 400	-7.19	97.4	-	0.00
5	7 730	7 733	-7.61	97.4	-	0.00
6	8 079	8 082	-8.03	97.4	-	0.00
7	8 832	8 834	-8.89	97.4	-	0.00
8	8 531	8 533	-8.55	97.4	-	0.00
9	8 951	8 953	-9.02	97.4	-	0.00
10	8 855	8 857	-8.91	97.4	-	0.00
11	8 179	8 182	-8.15	97.4	-	0.00
12	7 903	7 905	-7.82	97.4	-	0.00
13	7 357	7 360	-7.14	97.4	-	0.00
14	6 702	6 705	-6.25	97.4	-	0.00
15	6 212	6 215	-5.53	97.4	-	0.00
16	5 121	5 125	-3.72	97.4	-	0.00
17	5 481	5 485	-4.35	97.4	-	0.00
18	5 600	5 604	-4.55	97.4	-	0.00
19	5 317	5 321	-4.07	97.4	-	0.00
20	4 762	4 766	-3.04	97.4	-	0.00
21	4 048	4 053	-1.54	97.4	-	0.00
22	4 574	4 579	-2.67	97.4	-	0.00
23	5 188	5 192	-3.84	97.4	-	0.00
24	5 014	5 018	-3.52	97.4	-	0.00
25	4 334	4 339	-2.17	97.4	-	0.00
26	3 892	3 897	-1.18	97.4	-	0.00
27	3 782	3 788	-0.91	97.4	-	0.00
28	2 401	2 409	3.21	97.4	-	0.00
29	1 830	1 841	5.63	97.4	-	0.00
30	2 092	2 101	4.44	97.4	-	0.00
31	2 483	2 491	2.91	97.4	-	0.00
32	3 752	3 757	-0.84	97.4	-	0.00
33	9 511	9 513	-9.61	97.4	-	0.00
34	9 281	9 283	-9.37	97.4	-	0.00
35	10 271	10 273	-10.35	97.4	-	0.00
36	10 352	10 354	-10.43	97.4	-	0.00
37	10 542	10 543	-10.61	97.4	-	0.00
38	11 587	11 588	-11.53	97.4	-	0.00
39	11 098	11 099	-11.11	97.4	-	0.00
40	10 723	10 724	-10.77	97.4	-	0.00
Sum			13.21			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: BU Mazbruveri

Wind speed: 8.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 134	9 136	-9.21	97.4	-	0.00
2	8 256	8 259	-8.24	97.4	-	0.00
3	6 714	6 717	-6.27	97.4	-	0.00
4	7 397	7 400	-7.19	97.4	-	0.00
5	7 730	7 733	-7.61	97.4	-	0.00
6	8 079	8 082	-8.03	97.4	-	0.00
7	8 832	8 834	-8.89	97.4	-	0.00
8	8 531	8 533	-8.55	97.4	-	0.00
9	8 951	8 953	-9.02	97.4	-	0.00
10	8 855	8 857	-8.91	97.4	-	0.00
11	8 179	8 182	-8.15	97.4	-	0.00
12	7 903	7 905	-7.82	97.4	-	0.00
13	7 357	7 360	-7.14	97.4	-	0.00
14	6 702	6 705	-6.25	97.4	-	0.00
15	6 212	6 215	-5.53	97.4	-	0.00
16	5 121	5 125	-3.72	97.4	-	0.00
17	5 481	5 485	-4.35	97.4	-	0.00
18	5 600	5 604	-4.55	97.4	-	0.00
19	5 317	5 321	-4.07	97.4	-	0.00
20	4 762	4 766	-3.04	97.4	-	0.00
21	4 048	4 053	-1.54	97.4	-	0.00
22	4 574	4 579	-2.67	97.4	-	0.00
23	5 188	5 192	-3.84	97.4	-	0.00
24	5 014	5 018	-3.52	97.4	-	0.00
25	4 334	4 339	-2.17	97.4	-	0.00
26	3 892	3 897	-1.18	97.4	-	0.00
27	3 782	3 788	-0.91	97.4	-	0.00
28	2 401	2 409	3.21	97.4	-	0.00
29	1 830	1 841	5.63	97.4	-	0.00
30	2 092	2 101	4.44	97.4	-	0.00
31	2 483	2 491	2.91	97.4	-	0.00
32	3 752	3 757	-0.84	97.4	-	0.00
33	9 511	9 513	-9.61	97.4	-	0.00
34	9 281	9 283	-9.37	97.4	-	0.00
35	10 271	10 273	-10.35	97.4	-	0.00
36	10 352	10 354	-10.43	97.4	-	0.00
37	10 542	10 543	-10.61	97.4	-	0.00
38	11 587	11 588	-11.53	97.4	-	0.00
39	11 098	11 099	-11.11	97.4	-	0.00
40	10 723	10 724	-10.77	97.4	-	0.00
Sum			13.21			

- Data undefined due to calculation with octave data

Noise sensitive area: BV Mazdunkuri

Wind speed: 6.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 544	6 547	-6.02	97.4	-	0.00
2	5 562	5 565	-4.49	97.4	-	0.00
3	3 988	3 993	-1.40	97.4	-	0.00
4	4 706	4 710	-2.93	97.4	-	0.00
5	5 132	5 136	-3.74	97.4	-	0.00
6	5 578	5 582	-4.52	97.4	-	0.00
7	6 312	6 315	-5.68	97.4	-	0.00
8	6 116	6 119	-5.38	97.4	-	0.00
9	6 640	6 643	-6.16	97.4	-	0.00
10	6 730	6 732	-6.29	97.4	-	0.00
11	6 052	6 056	-5.28	97.4	-	0.00
12	5 541	5 544	-4.45	97.4	-	0.00
13	5 065	5 069	-3.62	97.4	-	0.00
14	4 124	4 129	-1.71	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	3 519	3 525	-0.25	97.4	-	0.00
16	2 424	2 432	3.12	97.4	-	0.00
17	2 945	2 952	1.37	97.4	-	0.00
18	3 263	3 269	0.44	97.4	-	0.00
19	3 308	3 314	0.31	97.4	-	0.00
20	2 198	2 207	4.00	97.4	-	0.00
21	1 552	1 564	7.08	97.4	-	0.00
22	2 714	2 722	2.11	97.4	-	0.00
23	3 576	3 581	-0.40	97.4	-	0.00
24	3 778	3 783	-0.90	97.4	-	0.00
25	2 884	2 891	1.56	97.4	-	0.00
26	2 241	2 250	3.83	97.4	-	0.00
27	1 749	1 761	6.03	97.4	-	0.00
28	996	1 016	10.92	97.4	-	0.00
29	1 111	1 129	9.99	97.4	-	0.00
30	1 551	1 564	7.09	97.4	-	0.00
31	2 109	2 118	4.37	97.4	-	0.00
32	2 828	2 835	1.73	97.4	-	0.00
33	7 837	7 840	-7.74	97.4	-	0.00
34	7 456	7 458	-7.26	97.4	-	0.00
35	8 366	8 369	-8.37	97.4	-	0.00
36	8 612	8 614	-8.65	97.4	-	0.00
37	8 932	8 933	-9.00	97.4	-	0.00
38	10 268	10 269	-10.35	97.4	-	0.00
39	9 777	9 779	-9.87	97.4	-	0.00
40	9 338	9 340	-9.43	97.4	-	0.00
Sum			18.03			

- Data undefined due to calculation with octave data

Noise sensitive area: BV Mazdunkuri

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 544	6 547	-6.02	97.4	-	0.00
2	5 562	5 565	-4.49	97.4	-	0.00
3	3 988	3 993	-1.40	97.4	-	0.00
4	4 706	4 710	-2.93	97.4	-	0.00
5	5 132	5 136	-3.74	97.4	-	0.00
6	5 578	5 582	-4.52	97.4	-	0.00
7	6 312	6 315	-5.68	97.4	-	0.00
8	6 116	6 119	-5.38	97.4	-	0.00
9	6 640	6 643	-6.16	97.4	-	0.00
10	6 730	6 732	-6.29	97.4	-	0.00
11	6 052	6 056	-5.28	97.4	-	0.00
12	5 541	5 544	-4.45	97.4	-	0.00
13	5 065	5 069	-3.62	97.4	-	0.00
14	4 124	4 129	-1.71	97.4	-	0.00
15	3 519	3 525	-0.25	97.4	-	0.00
16	2 424	2 432	3.12	97.4	-	0.00
17	2 945	2 952	1.37	97.4	-	0.00
18	3 263	3 269	0.44	97.4	-	0.00
19	3 308	3 314	0.31	97.4	-	0.00
20	2 198	2 207	4.00	97.4	-	0.00
21	1 552	1 564	7.08	97.4	-	0.00
22	2 714	2 722	2.11	97.4	-	0.00
23	3 576	3 581	-0.40	97.4	-	0.00
24	3 778	3 783	-0.90	97.4	-	0.00
25	2 884	2 891	1.56	97.4	-	0.00
26	2 241	2 250	3.83	97.4	-	0.00
27	1 749	1 761	6.03	97.4	-	0.00
28	996	1 016	10.92	97.4	-	0.00
29	1 111	1 129	9.99	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	1 551	1 564	7.09	97.4	-	0.00
31	2 109	2 118	4.37	97.4	-	0.00
32	2 828	2 835	1.73	97.4	-	0.00
33	7 837	7 840	-7.74	97.4	-	0.00
34	7 456	7 458	-7.26	97.4	-	0.00
35	8 366	8 369	-8.37	97.4	-	0.00
36	8 612	8 614	-8.65	97.4	-	0.00
37	8 932	8 933	-9.00	97.4	-	0.00
38	10 268	10 269	-10.35	97.4	-	0.00
39	9 777	9 779	-9.87	97.4	-	0.00
40	9 338	9 340	-9.43	97.4	-	0.00
Sum			18.03			

- Data undefined due to calculation with octave data

Noise sensitive area: BW Mednieki

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 594	6 596	-6.09	97.4	-	0.00
2	5 607	5 610	-4.57	97.4	-	0.00
3	4 033	4 037	-1.50	97.4	-	0.00
4	4 752	4 756	-3.02	97.4	-	0.00
5	5 181	5 185	-3.83	97.4	-	0.00
6	5 630	5 633	-4.60	97.4	-	0.00
7	6 363	6 366	-5.76	97.4	-	0.00
8	6 168	6 172	-5.46	97.4	-	0.00
9	6 694	6 696	-6.24	97.4	-	0.00
10	6 784	6 787	-6.36	97.4	-	0.00
11	6 107	6 110	-5.37	97.4	-	0.00
12	5 594	5 598	-4.54	97.4	-	0.00
13	5 119	5 123	-3.71	97.4	-	0.00
14	4 174	4 179	-1.82	97.4	-	0.00
15	3 566	3 571	-0.37	97.4	-	0.00
16	2 471	2 479	2.95	97.4	-	0.00
17	2 997	3 004	1.21	97.4	-	0.00
18	3 317	3 323	0.29	97.4	-	0.00
19	3 362	3 368	0.16	97.4	-	0.00
20	2 250	2 259	3.79	97.4	-	0.00
21	1 606	1 618	6.78	97.4	-	0.00
22	2 767	2 774	1.93	97.4	-	0.00
23	3 627	3 633	-0.53	97.4	-	0.00
24	3 825	3 830	-1.02	97.4	-	0.00
25	2 932	2 939	1.41	97.4	-	0.00
26	2 290	2 298	3.64	97.4	-	0.00
27	1 801	1 812	5.77	97.4	-	0.00
28	1 015	1 034	10.76	97.4	-	0.00
29	1 099	1 116	10.08	97.4	-	0.00
30	1 561	1 573	7.04	97.4	-	0.00
31	2 128	2 137	4.29	97.4	-	0.00
32	2 867	2 874	1.61	97.4	-	0.00
33	7 891	7 894	-7.81	97.4	-	0.00
34	7 510	7 513	-7.33	97.4	-	0.00
35	8 421	8 423	-8.43	97.4	-	0.00
36	8 666	8 668	-8.71	97.4	-	0.00
37	8 985	8 987	-9.05	97.4	-	0.00
38	10 320	10 321	-10.40	97.4	-	0.00
39	9 829	9 831	-9.92	97.4	-	0.00
40	9 391	9 392	-9.48	97.4	-	0.00
Sum			17.91			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: BW Mednieki

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 594	6 596	-6.09	97.4	-	0.00
2	5 607	5 610	-4.57	97.4	-	0.00
3	4 033	4 037	-1.50	97.4	-	0.00
4	4 752	4 756	-3.02	97.4	-	0.00
5	5 181	5 185	-3.83	97.4	-	0.00
6	5 630	5 633	-4.60	97.4	-	0.00
7	6 363	6 366	-5.76	97.4	-	0.00
8	6 168	6 172	-5.46	97.4	-	0.00
9	6 694	6 696	-6.24	97.4	-	0.00
10	6 784	6 787	-6.36	97.4	-	0.00
11	6 107	6 110	-5.37	97.4	-	0.00
12	5 594	5 598	-4.54	97.4	-	0.00
13	5 119	5 123	-3.71	97.4	-	0.00
14	4 174	4 179	-1.82	97.4	-	0.00
15	3 566	3 571	-0.37	97.4	-	0.00
16	2 471	2 479	2.95	97.4	-	0.00
17	2 997	3 004	1.21	97.4	-	0.00
18	3 317	3 323	0.29	97.4	-	0.00
19	3 362	3 368	0.16	97.4	-	0.00
20	2 250	2 259	3.79	97.4	-	0.00
21	1 606	1 618	6.78	97.4	-	0.00
22	2 767	2 774	1.93	97.4	-	0.00
23	3 627	3 633	-0.53	97.4	-	0.00
24	3 825	3 830	-1.02	97.4	-	0.00
25	2 932	2 939	1.41	97.4	-	0.00
26	2 290	2 298	3.64	97.4	-	0.00
27	1 801	1 812	5.77	97.4	-	0.00
28	1 015	1 034	10.76	97.4	-	0.00
29	1 099	1 116	10.08	97.4	-	0.00
30	1 561	1 573	7.04	97.4	-	0.00
31	2 128	2 137	4.29	97.4	-	0.00
32	2 867	2 874	1.61	97.4	-	0.00
33	7 891	7 894	-7.81	97.4	-	0.00
34	7 510	7 513	-7.33	97.4	-	0.00
35	8 421	8 423	-8.43	97.4	-	0.00
36	8 666	8 668	-8.71	97.4	-	0.00
37	8 985	8 987	-9.05	97.4	-	0.00
38	10 320	10 321	-10.40	97.4	-	0.00
39	9 829	9 831	-9.92	97.4	-	0.00
40	9 391	9 392	-9.48	97.4	-	0.00
Sum			17.91			

- Data undefined due to calculation with octave data

Noise sensitive area: BX Melki

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 794	2 801	1.84	97.4	-	0.00
2	1 617	1 629	6.72	97.4	-	0.00
3	1 854	1 865	5.51	97.4	-	0.00
4	1 722	1 733	6.17	97.4	-	0.00
5	2 329	2 338	3.48	97.4	-	0.00
6	2 951	2 958	1.35	97.4	-	0.00
7	3 094	3 101	0.92	97.4	-	0.00
8	3 542	3 548	-0.31	97.4	-	0.00
9	4 228	4 233	-1.94	97.4	-	0.00
10	4 970	4 974	-3.44	97.4	-	0.00
11	4 655	4 660	-2.83	97.4	-	0.00
12	3 597	3 602	-0.45	97.4	-	0.00
13	3 782	3 788	-0.91	97.4	-	0.00
14	2 627	2 635	2.40	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	2 389	2 397	3.26	97.4	-	0.00
16	3 268	3 274	0.42	97.4	-	0.00
17	3 377	3 383	0.12	97.4	-	0.00
18	3 820	3 825	-1.00	97.4	-	0.00
19	4 632	4 637	-2.79	97.4	-	0.00
20	3 807	3 812	-0.97	97.4	-	0.00
21	4 434	4 438	-2.38	97.4	-	0.00
22	5 030	5 034	-3.55	97.4	-	0.00
23	5 432	5 436	-4.27	97.4	-	0.00
24	6 111	6 115	-5.38	97.4	-	0.00
25	5 680	5 684	-4.69	97.4	-	0.00
26	5 450	5 454	-4.30	97.4	-	0.00
27	5 060	5 064	-3.61	97.4	-	0.00
28	6 023	6 026	-5.24	97.4	-	0.00
29	6 462	6 465	-5.90	97.4	-	0.00
30	6 568	6 572	-6.06	97.4	-	0.00
31	6 754	6 757	-6.32	97.4	-	0.00
32	6 367	6 370	-5.76	97.4	-	0.00
33	6 975	6 978	-6.63	97.4	-	0.00
34	6 319	6 322	-5.69	97.4	-	0.00
35	6 677	6 680	-6.21	97.4	-	0.00
36	7 320	7 323	-7.09	97.4	-	0.00
37	7 898	7 900	-7.81	97.4	-	0.00
38	9 634	9 635	-9.73	97.4	-	0.00
39	9 245	9 247	-9.33	97.4	-	0.00
40	8 759	8 761	-8.81	97.4	-	0.00
Sum			15.65			

- Data undefined due to calculation with octave data

Noise sensitive area: BX Melki

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 794	2 801	1.84	97.4	-	0.00
2	1 617	1 629	6.72	97.4	-	0.00
3	1 854	1 865	5.51	97.4	-	0.00
4	1 722	1 733	6.17	97.4	-	0.00
5	2 329	2 338	3.48	97.4	-	0.00
6	2 951	2 958	1.35	97.4	-	0.00
7	3 094	3 101	0.92	97.4	-	0.00
8	3 542	3 548	-0.31	97.4	-	0.00
9	4 228	4 233	-1.94	97.4	-	0.00
10	4 970	4 974	-3.44	97.4	-	0.00
11	4 655	4 660	-2.83	97.4	-	0.00
12	3 597	3 602	-0.45	97.4	-	0.00
13	3 782	3 788	-0.91	97.4	-	0.00
14	2 627	2 635	2.40	97.4	-	0.00
15	2 389	2 397	3.26	97.4	-	0.00
16	3 268	3 274	0.42	97.4	-	0.00
17	3 377	3 383	0.12	97.4	-	0.00
18	3 820	3 825	-1.00	97.4	-	0.00
19	4 632	4 637	-2.79	97.4	-	0.00
20	3 807	3 812	-0.97	97.4	-	0.00
21	4 434	4 438	-2.38	97.4	-	0.00
22	5 030	5 034	-3.55	97.4	-	0.00
23	5 432	5 436	-4.27	97.4	-	0.00
24	6 111	6 115	-5.38	97.4	-	0.00
25	5 680	5 684	-4.69	97.4	-	0.00
26	5 450	5 454	-4.30	97.4	-	0.00
27	5 060	5 064	-3.61	97.4	-	0.00
28	6 023	6 026	-5.24	97.4	-	0.00
29	6 462	6 465	-5.90	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	6 568	6 572	-6.06	97.4	-	0.00
31	6 754	6 757	-6.32	97.4	-	0.00
32	6 367	6 370	-5.76	97.4	-	0.00
33	6 975	6 978	-6.63	97.4	-	0.00
34	6 319	6 322	-5.69	97.4	-	0.00
35	6 677	6 680	-6.21	97.4	-	0.00
36	7 320	7 323	-7.09	97.4	-	0.00
37	7 898	7 900	-7.81	97.4	-	0.00
38	9 634	9 635	-9.73	97.4	-	0.00
39	9 245	9 247	-9.33	97.4	-	0.00
40	8 759	8 761	-8.81	97.4	-	0.00
Sum			15.65			

- Data undefined due to calculation with octave data

Noise sensitive area: BY Mendeli

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 408	6 411	-5.82	97.4	-	0.00
2	5 383	5 387	-4.18	97.4	-	0.00
3	3 799	3 805	-0.96	97.4	-	0.00
4	4 533	4 538	-2.58	97.4	-	0.00
5	5 000	5 004	-3.50	97.4	-	0.00
6	5 480	5 483	-4.35	97.4	-	0.00
7	6 203	6 206	-5.52	97.4	-	0.00
8	6 040	6 043	-5.27	97.4	-	0.00
9	6 589	6 592	-6.09	97.4	-	0.00
10	6 723	6 726	-6.28	97.4	-	0.00
11	6 051	6 054	-5.28	97.4	-	0.00
12	5 485	5 488	-4.36	97.4	-	0.00
13	5 033	5 037	-3.56	97.4	-	0.00
14	4 010	4 015	-1.45	97.4	-	0.00
15	3 356	3 362	0.18	97.4	-	0.00
16	2 274	2 283	3.70	97.4	-	0.00
17	2 868	2 875	1.61	97.4	-	0.00
18	3 248	3 254	0.48	97.4	-	0.00
19	3 378	3 384	0.12	97.4	-	0.00
20	2 130	2 140	4.28	97.4	-	0.00
21	1 553	1 566	7.08	97.4	-	0.00
22	2 838	2 846	1.70	97.4	-	0.00
23	3 717	3 723	-0.76	97.4	-	0.00
24	3 972	3 977	-1.36	97.4	-	0.00
25	3 075	3 081	0.98	97.4	-	0.00
26	2 430	2 438	3.10	97.4	-	0.00
27	1 892	1 902	5.34	97.4	-	0.00
28	1 332	1 347	8.42	97.4	-	0.00
29	1 450	1 463	7.68	97.4	-	0.00
30	1 897	1 907	5.31	97.4	-	0.00
31	2 440	2 448	3.06	97.4	-	0.00
32	3 089	3 095	0.93	97.4	-	0.00
33	7 911	7 913	-7.83	97.4	-	0.00
34	7 505	7 508	-7.33	97.4	-	0.00
35	8 395	8 398	-8.40	97.4	-	0.00
36	8 669	8 672	-8.71	97.4	-	0.00
37	9 010	9 011	-9.08	97.4	-	0.00
38	10 384	10 385	-10.46	97.4	-	0.00
39	9 895	9 897	-9.99	97.4	-	0.00
40	9 449	9 450	-9.54	97.4	-	0.00
Sum			17.05			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: BY Mendeli

Wind speed: 8.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 408	6 411	-5.82	97.4	-	0.00
2	5 383	5 387	-4.18	97.4	-	0.00
3	3 799	3 805	-0.96	97.4	-	0.00
4	4 533	4 538	-2.58	97.4	-	0.00
5	5 000	5 004	-3.50	97.4	-	0.00
6	5 480	5 483	-4.35	97.4	-	0.00
7	6 203	6 206	-5.52	97.4	-	0.00
8	6 040	6 043	-5.27	97.4	-	0.00
9	6 589	6 592	-6.09	97.4	-	0.00
10	6 723	6 726	-6.28	97.4	-	0.00
11	6 051	6 054	-5.28	97.4	-	0.00
12	5 485	5 488	-4.36	97.4	-	0.00
13	5 033	5 037	-3.56	97.4	-	0.00
14	4 010	4 015	-1.45	97.4	-	0.00
15	3 356	3 362	0.18	97.4	-	0.00
16	2 274	2 283	3.70	97.4	-	0.00
17	2 868	2 875	1.61	97.4	-	0.00
18	3 248	3 254	0.48	97.4	-	0.00
19	3 378	3 384	0.12	97.4	-	0.00
20	2 130	2 140	4.28	97.4	-	0.00
21	1 553	1 566	7.08	97.4	-	0.00
22	2 838	2 846	1.70	97.4	-	0.00
23	3 717	3 723	-0.76	97.4	-	0.00
24	3 972	3 977	-1.36	97.4	-	0.00
25	3 075	3 081	0.98	97.4	-	0.00
26	2 430	2 438	3.10	97.4	-	0.00
27	1 892	1 902	5.34	97.4	-	0.00
28	1 332	1 347	8.42	97.4	-	0.00
29	1 450	1 463	7.68	97.4	-	0.00
30	1 897	1 907	5.31	97.4	-	0.00
31	2 440	2 448	3.06	97.4	-	0.00
32	3 089	3 095	0.93	97.4	-	0.00
33	7 911	7 913	-7.83	97.4	-	0.00
34	7 505	7 508	-7.33	97.4	-	0.00
35	8 395	8 398	-8.40	97.4	-	0.00
36	8 669	8 672	-8.71	97.4	-	0.00
37	9 010	9 011	-9.08	97.4	-	0.00
38	10 384	10 385	-10.46	97.4	-	0.00
39	9 895	9 897	-9.99	97.4	-	0.00
40	9 449	9 450	-9.54	97.4	-	0.00
Sum			17.05			

- Data undefined due to calculation with octave data

Noise sensitive area: BZ Me ž araji

Wind speed: 6.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 170	8 172	-8.14	97.4	-	0.00
2	7 302	7 305	-7.06	97.4	-	0.00
3	5 769	5 773	-4.83	97.4	-	0.00
4	6 444	6 447	-5.88	97.4	-	0.00
5	6 767	6 770	-6.34	97.4	-	0.00
6	7 115	7 118	-6.82	97.4	-	0.00
7	7 868	7 870	-7.78	97.4	-	0.00
8	7 571	7 574	-7.41	97.4	-	0.00
9	8 000	8 002	-7.94	97.4	-	0.00
10	7 925	7 927	-7.85	97.4	-	0.00
11	7 246	7 249	-6.99	97.4	-	0.00
12	6 945	6 948	-6.59	97.4	-	0.00
13	6 404	6 407	-5.82	97.4	-	0.00
14	5 739	5 743	-4.78	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	5 261	5 265	-3.97	97.4	-	0.00
16	4 175	4 179	-1.82	97.4	-	0.00
17	4 518	4 522	-2.55	97.4	-	0.00
18	4 639	4 644	-2.80	97.4	-	0.00
19	4 381	4 385	-2.27	97.4	-	0.00
20	3 801	3 807	-0.96	97.4	-	0.00
21	3 087	3 093	0.94	97.4	-	0.00
22	3 644	3 650	-0.57	97.4	-	0.00
23	4 304	4 308	-2.10	97.4	-	0.00
24	4 193	4 198	-1.86	97.4	-	0.00
25	3 455	3 461	-0.09	97.4	-	0.00
26	2 971	2 977	1.29	97.4	-	0.00
27	2 825	2 832	1.74	97.4	-	0.00
28	1 437	1 450	7.76	97.4	-	0.00
29	873	895	12.04	97.4	-	0.00
30	1 180	1 196	9.47	97.4	-	0.00
31	1 685	1 697	6.36	97.4	-	0.00
32	2 946	2 953	1.36	97.4	-	0.00
33	8 658	8 661	-8.70	97.4	-	0.00
34	8 399	8 401	-8.40	97.4	-	0.00
35	9 379	9 381	-9.47	97.4	-	0.00
36	9 490	9 492	-9.58	97.4	-	0.00
37	9 707	9 708	-9.80	97.4	-	0.00
38	10 821	10 822	-10.86	97.4	-	0.00
39	10 329	10 330	-10.41	97.4	-	0.00
40	9 938	9 939	-10.03	97.4	-	0.00
Sum			17.09			

- Data undefined due to calculation with octave data

Noise sensitive area: BZ Me ž araji

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 170	8 172	-8.14	97.4	-	0.00
2	7 302	7 305	-7.06	97.4	-	0.00
3	5 769	5 773	-4.83	97.4	-	0.00
4	6 444	6 447	-5.88	97.4	-	0.00
5	6 767	6 770	-6.34	97.4	-	0.00
6	7 115	7 118	-6.82	97.4	-	0.00
7	7 868	7 870	-7.78	97.4	-	0.00
8	7 571	7 574	-7.41	97.4	-	0.00
9	8 000	8 002	-7.94	97.4	-	0.00
10	7 925	7 927	-7.85	97.4	-	0.00
11	7 246	7 249	-6.99	97.4	-	0.00
12	6 945	6 948	-6.59	97.4	-	0.00
13	6 404	6 407	-5.82	97.4	-	0.00
14	5 739	5 743	-4.78	97.4	-	0.00
15	5 261	5 265	-3.97	97.4	-	0.00
16	4 175	4 179	-1.82	97.4	-	0.00
17	4 518	4 522	-2.55	97.4	-	0.00
18	4 639	4 644	-2.80	97.4	-	0.00
19	4 381	4 385	-2.27	97.4	-	0.00
20	3 801	3 807	-0.96	97.4	-	0.00
21	3 087	3 093	0.94	97.4	-	0.00
22	3 644	3 650	-0.57	97.4	-	0.00
23	4 304	4 308	-2.10	97.4	-	0.00
24	4 193	4 198	-1.86	97.4	-	0.00
25	3 455	3 461	-0.09	97.4	-	0.00
26	2 971	2 977	1.29	97.4	-	0.00
27	2 825	2 832	1.74	97.4	-	0.00
28	1 437	1 450	7.76	97.4	-	0.00
29	873	895	12.04	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	1 180	1 196	9.47	97.4	-	0.00
31	1 685	1 697	6.36	97.4	-	0.00
32	2 946	2 953	1.36	97.4	-	0.00
33	8 658	8 661	-8.70	97.4	-	0.00
34	8 399	8 401	-8.40	97.4	-	0.00
35	9 379	9 381	-9.47	97.4	-	0.00
36	9 490	9 492	-9.58	97.4	-	0.00
37	9 707	9 708	-9.80	97.4	-	0.00
38	10 821	10 822	-10.86	97.4	-	0.00
39	10 329	10 330	-10.41	97.4	-	0.00
40	9 938	9 939	-10.03	97.4	-	0.00
Sum			17.09			

- Data undefined due to calculation with octave data

Noise sensitive area: CA Me ž gali

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 749	3 755	-0.83	97.4	-	0.00
2	2 457	2 465	3.00	97.4	-	0.00
3	1 499	1 513	7.38	97.4	-	0.00
4	1 978	1 988	4.94	97.4	-	0.00
5	2 751	2 759	1.98	97.4	-	0.00
6	3 453	3 459	-0.08	97.4	-	0.00
7	3 870	3 876	-1.13	97.4	-	0.00
8	4 125	4 130	-1.71	97.4	-	0.00
9	4 837	4 841	-3.19	97.4	-	0.00
10	5 431	5 435	-4.27	97.4	-	0.00
11	4 961	4 965	-3.42	97.4	-	0.00
12	3 942	3 947	-1.30	97.4	-	0.00
13	3 906	3 912	-1.21	97.4	-	0.00
14	2 463	2 472	2.98	97.4	-	0.00
15	1 792	1 804	5.81	97.4	-	0.00
16	2 236	2 246	3.84	97.4	-	0.00
17	2 651	2 659	2.32	97.4	-	0.00
18	3 250	3 257	0.47	97.4	-	0.00
19	4 042	4 047	-1.53	97.4	-	0.00
20	2 826	2 834	1.74	97.4	-	0.00
21	3 330	3 336	0.25	97.4	-	0.00
22	4 244	4 249	-1.97	97.4	-	0.00
23	4 838	4 842	-3.19	97.4	-	0.00
24	5 478	5 482	-4.35	97.4	-	0.00
25	4 879	4 884	-3.27	97.4	-	0.00
26	4 518	4 523	-2.55	97.4	-	0.00
27	4 034	4 040	-1.51	97.4	-	0.00
28	4 793	4 797	-3.10	97.4	-	0.00
29	5 173	5 177	-3.81	97.4	-	0.00
30	5 366	5 369	-4.15	97.4	-	0.00
31	5 640	5 644	-4.62	97.4	-	0.00
32	5 468	5 472	-4.33	97.4	-	0.00
33	7 307	7 310	-7.07	97.4	-	0.00
34	6 692	6 695	-6.24	97.4	-	0.00
35	7 237	7 240	-6.98	97.4	-	0.00
36	7 795	7 798	-7.69	97.4	-	0.00
37	8 326	8 327	-8.32	97.4	-	0.00
38	10 012	10 014	-10.10	97.4	-	0.00
39	9 584	9 585	-9.68	97.4	-	0.00
40	9 093	9 095	-9.17	97.4	-	0.00
Sum			15.91			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: CA Me ž gali

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 749	3 755	-0.83	97.4	-	0.00
2	2 457	2 465	3.00	97.4	-	0.00
3	1 499	1 513	7.38	97.4	-	0.00
4	1 978	1 988	4.94	97.4	-	0.00
5	2 751	2 759	1.98	97.4	-	0.00
6	3 453	3 459	-0.08	97.4	-	0.00
7	3 870	3 876	-1.13	97.4	-	0.00
8	4 125	4 130	-1.71	97.4	-	0.00
9	4 837	4 841	-3.19	97.4	-	0.00
10	5 431	5 435	-4.27	97.4	-	0.00
11	4 961	4 965	-3.42	97.4	-	0.00
12	3 942	3 947	-1.30	97.4	-	0.00
13	3 906	3 912	-1.21	97.4	-	0.00
14	2 463	2 472	2.98	97.4	-	0.00
15	1 792	1 804	5.81	97.4	-	0.00
16	2 236	2 246	3.84	97.4	-	0.00
17	2 651	2 659	2.32	97.4	-	0.00
18	3 250	3 257	0.47	97.4	-	0.00
19	4 042	4 047	-1.53	97.4	-	0.00
20	2 826	2 834	1.74	97.4	-	0.00
21	3 330	3 336	0.25	97.4	-	0.00
22	4 244	4 249	-1.97	97.4	-	0.00
23	4 838	4 842	-3.19	97.4	-	0.00
24	5 478	5 482	-4.35	97.4	-	0.00
25	4 879	4 884	-3.27	97.4	-	0.00
26	4 518	4 523	-2.55	97.4	-	0.00
27	4 034	4 040	-1.51	97.4	-	0.00
28	4 793	4 797	-3.10	97.4	-	0.00
29	5 173	5 177	-3.81	97.4	-	0.00
30	5 366	5 369	-4.15	97.4	-	0.00
31	5 640	5 644	-4.62	97.4	-	0.00
32	5 468	5 472	-4.33	97.4	-	0.00
33	7 307	7 310	-7.07	97.4	-	0.00
34	6 692	6 695	-6.24	97.4	-	0.00
35	7 237	7 240	-6.98	97.4	-	0.00
36	7 795	7 798	-7.69	97.4	-	0.00
37	8 326	8 327	-8.32	97.4	-	0.00
38	10 012	10 014	-10.10	97.4	-	0.00
39	9 584	9 585	-9.68	97.4	-	0.00
40	9 093	9 095	-9.17	97.4	-	0.00
Sum			15.91			

- Data undefined due to calculation with octave data

Noise sensitive area: CB Nikas

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 081	1 098	10.23	97.4	-	0.00
2	2 325	2 333	3.50	97.4	-	0.00
3	3 580	3 586	-0.41	97.4	-	0.00
4	2 856	2 862	1.65	97.4	-	0.00
5	2 153	2 162	4.19	97.4	-	0.00
6	1 578	1 590	6.94	97.4	-	0.00
7	908	929	11.71	97.4	-	0.00
8	1 081	1 100	10.22	97.4	-	0.00
9	992	1 012	10.96	97.4	-	0.00
10	1 789	1 799	5.83	97.4	-	0.00
11	2 046	2 056	4.64	97.4	-	0.00
12	1 734	1 746	6.11	97.4	-	0.00
13	2 319	2 328	3.52	97.4	-	0.00
14	3 056	3 063	1.03	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	3 821	3 826	-1.01	97.4	-	0.00
16	4 810	4 814	-3.13	97.4	-	0.00
17	4 205	4 210	-1.89	97.4	-	0.00
18	4 004	4 009	-1.44	97.4	-	0.00
19	4 408	4 412	-2.32	97.4	-	0.00
20	4 953	4 957	-3.41	97.4	-	0.00
21	5 632	5 636	-4.61	97.4	-	0.00
22	5 145	5 149	-3.76	97.4	-	0.00
23	4 879	4 883	-3.27	97.4	-	0.00
24	5 443	5 447	-4.29	97.4	-	0.00
25	5 610	5 613	-4.57	97.4	-	0.00
26	5 823	5 826	-4.92	97.4	-	0.00
27	5 825	5 828	-4.92	97.4	-	0.00
28	7 208	7 211	-6.94	97.4	-	0.00
29	7 802	7 805	-7.70	97.4	-	0.00
30	7 550	7 553	-7.38	97.4	-	0.00
31	7 383	7 385	-7.17	97.4	-	0.00
32	6 392	6 396	-5.80	97.4	-	0.00
33	3 670	3 675	-0.64	97.4	-	0.00
34	3 020	3 027	1.14	97.4	-	0.00
35	3 007	3 014	1.18	97.4	-	0.00
36	3 733	3 738	-0.79	97.4	-	0.00
37	4 349	4 352	-2.20	97.4	-	0.00
38	6 079	6 081	-5.32	97.4	-	0.00
39	5 765	5 767	-4.83	97.4	-	0.00
40	5 309	5 311	-4.05	97.4	-	0.00
Sum			19.45			

- Data undefined due to calculation with octave data

Noise sensitive area: CB Nikas

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 081	1 098	10.23	97.4	-	0.00
2	2 325	2 333	3.50	97.4	-	0.00
3	3 580	3 586	-0.41	97.4	-	0.00
4	2 856	2 862	1.65	97.4	-	0.00
5	2 153	2 162	4.19	97.4	-	0.00
6	1 578	1 590	6.94	97.4	-	0.00
7	908	929	11.71	97.4	-	0.00
8	1 081	1 100	10.22	97.4	-	0.00
9	992	1 012	10.96	97.4	-	0.00
10	1 789	1 799	5.83	97.4	-	0.00
11	2 046	2 056	4.64	97.4	-	0.00
12	1 734	1 746	6.11	97.4	-	0.00
13	2 319	2 328	3.52	97.4	-	0.00
14	3 056	3 063	1.03	97.4	-	0.00
15	3 821	3 826	-1.01	97.4	-	0.00
16	4 810	4 814	-3.13	97.4	-	0.00
17	4 205	4 210	-1.89	97.4	-	0.00
18	4 004	4 009	-1.44	97.4	-	0.00
19	4 408	4 412	-2.32	97.4	-	0.00
20	4 953	4 957	-3.41	97.4	-	0.00
21	5 632	5 636	-4.61	97.4	-	0.00
22	5 145	5 149	-3.76	97.4	-	0.00
23	4 879	4 883	-3.27	97.4	-	0.00
24	5 443	5 447	-4.29	97.4	-	0.00
25	5 610	5 613	-4.57	97.4	-	0.00
26	5 823	5 826	-4.92	97.4	-	0.00
27	5 825	5 828	-4.92	97.4	-	0.00
28	7 208	7 211	-6.94	97.4	-	0.00
29	7 802	7 805	-7.70	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	7 550	7 553	-7.38	97.4	-	0.00
31	7 383	7 385	-7.17	97.4	-	0.00
32	6 392	6 396	-5.80	97.4	-	0.00
33	3 670	3 675	-0.64	97.4	-	0.00
34	3 020	3 027	1.14	97.4	-	0.00
35	3 007	3 014	1.18	97.4	-	0.00
36	3 733	3 738	-0.79	97.4	-	0.00
37	4 349	4 352	-2.20	97.4	-	0.00
38	6 079	6 081	-5.32	97.4	-	0.00
39	5 765	5 767	-4.83	97.4	-	0.00
40	5 309	5 311	-4.05	97.4	-	0.00
Sum			19.45			

- Data undefined due to calculation with octave data

Noise sensitive area: CC Novadlauki

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 302	8 305	-8.29	97.4	-	0.00
2	9 381	9 383	-9.47	97.4	-	0.00
3	10 055	10 057	-10.15	97.4	-	0.00
4	9 561	9 563	-9.66	97.4	-	0.00
5	8 799	8 802	-8.85	97.4	-	0.00
6	8 108	8 111	-8.07	97.4	-	0.00
7	7 914	7 917	-7.83	97.4	-	0.00
8	7 470	7 472	-7.28	97.4	-	0.00
9	6 772	6 775	-6.35	97.4	-	0.00
10	6 090	6 093	-5.34	97.4	-	0.00
11	6 575	6 578	-6.07	97.4	-	0.00
12	7 574	7 577	-7.41	97.4	-	0.00
13	7 676	7 679	-7.54	97.4	-	0.00
14	9 146	9 148	-9.23	97.4	-	0.00
15	9 977	9 979	-10.07	97.4	-	0.00
16	10 485	10 487	-10.55	97.4	-	0.00
17	9 684	9 686	-9.78	97.4	-	0.00
18	9 087	9 089	-9.16	97.4	-	0.00
19	8 759	8 761	-8.81	97.4	-	0.00
20	10 235	10 237	-10.32	97.4	-	0.00
21	10 610	10 612	-10.67	97.4	-	0.00
22	9 308	9 310	-9.40	97.4	-	0.00
23	8 463	8 465	-8.48	97.4	-	0.00
24	8 426	8 429	-8.44	97.4	-	0.00
25	9 244	9 246	-9.33	97.4	-	0.00
26	9 844	9 846	-9.94	97.4	-	0.00
27	10 274	10 276	-10.36	97.4	-	0.00
28	11 490	11 492	-11.45	97.4	-	0.00
29	12 049	12 050	-11.92	97.4	-	0.00
30	11 462	11 463	-11.43	97.4	-	0.00
31	10 926	10 928	-10.96	97.4	-	0.00
32	9 661	9 663	-9.76	97.4	-	0.00
33	4 298	4 303	-2.09	97.4	-	0.00
34	4 851	4 855	-3.21	97.4	-	0.00
35	4 321	4 326	-2.14	97.4	-	0.00
36	3 721	3 727	-0.76	97.4	-	0.00
37	3 216	3 220	0.57	97.4	-	0.00
38	1 787	1 795	5.86	97.4	-	0.00
39	2 278	2 284	3.69	97.4	-	0.00
40	2 687	2 692	2.21	97.4	-	0.00
Sum			11.96			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: CC Novadlauki

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 302	8 305	-8.29	97.4	-	0.00
2	9 381	9 383	-9.47	97.4	-	0.00
3	10 055	10 057	-10.15	97.4	-	0.00
4	9 561	9 563	-9.66	97.4	-	0.00
5	8 799	8 802	-8.85	97.4	-	0.00
6	8 108	8 111	-8.07	97.4	-	0.00
7	7 914	7 917	-7.83	97.4	-	0.00
8	7 470	7 472	-7.28	97.4	-	0.00
9	6 772	6 775	-6.35	97.4	-	0.00
10	6 090	6 093	-5.34	97.4	-	0.00
11	6 575	6 578	-6.07	97.4	-	0.00
12	7 574	7 577	-7.41	97.4	-	0.00
13	7 676	7 679	-7.54	97.4	-	0.00
14	9 146	9 148	-9.23	97.4	-	0.00
15	9 977	9 979	-10.07	97.4	-	0.00
16	10 485	10 487	-10.55	97.4	-	0.00
17	9 684	9 686	-9.78	97.4	-	0.00
18	9 087	9 089	-9.16	97.4	-	0.00
19	8 759	8 761	-8.81	97.4	-	0.00
20	10 235	10 237	-10.32	97.4	-	0.00
21	10 610	10 612	-10.67	97.4	-	0.00
22	9 308	9 310	-9.40	97.4	-	0.00
23	8 463	8 465	-8.48	97.4	-	0.00
24	8 426	8 429	-8.44	97.4	-	0.00
25	9 244	9 246	-9.33	97.4	-	0.00
26	9 844	9 846	-9.94	97.4	-	0.00
27	10 274	10 276	-10.36	97.4	-	0.00
28	11 490	11 492	-11.45	97.4	-	0.00
29	12 049	12 050	-11.92	97.4	-	0.00
30	11 462	11 463	-11.43	97.4	-	0.00
31	10 926	10 928	-10.96	97.4	-	0.00
32	9 661	9 663	-9.76	97.4	-	0.00
33	4 298	4 303	-2.09	97.4	-	0.00
34	4 851	4 855	-3.21	97.4	-	0.00
35	4 321	4 326	-2.14	97.4	-	0.00
36	3 721	3 727	-0.76	97.4	-	0.00
37	3 216	3 220	0.57	97.4	-	0.00
38	1 787	1 795	5.86	97.4	-	0.00
39	2 278	2 284	3.69	97.4	-	0.00
40	2 687	2 692	2.21	97.4	-	0.00
Sum			11.96			

- Data undefined due to calculation with octave data

Noise sensitive area: CD Olkalni

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 505	8 507	-8.53	97.4	-	0.00
2	7 718	7 720	-7.59	97.4	-	0.00
3	6 228	6 231	-5.56	97.4	-	0.00
4	6 865	6 868	-6.48	97.4	-	0.00
5	7 122	7 124	-6.83	97.4	-	0.00
6	7 411	7 413	-7.21	97.4	-	0.00
7	8 165	8 168	-8.13	97.4	-	0.00
8	7 818	7 821	-7.72	97.4	-	0.00
9	8 194	8 196	-8.17	97.4	-	0.00
10	8 042	8 044	-7.99	97.4	-	0.00
11	7 373	7 376	-7.16	97.4	-	0.00
12	7 176	7 179	-6.90	97.4	-	0.00
13	6 613	6 616	-6.12	97.4	-	0.00
14	6 097	6 101	-5.35	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	5 700	5 704	-4.72	97.4	-	0.00
16	4 640	4 645	-2.80	97.4	-	0.00
17	4 882	4 887	-3.27	97.4	-	0.00
18	4 910	4 915	-3.33	97.4	-	0.00
19	4 535	4 540	-2.59	97.4	-	0.00
20	4 205	4 210	-1.89	97.4	-	0.00
21	3 500	3 505	-0.20	97.4	-	0.00
22	3 786	3 792	-0.92	97.4	-	0.00
23	4 325	4 329	-2.15	97.4	-	0.00
24	4 098	4 103	-1.65	97.4	-	0.00
25	3 473	3 479	-0.13	97.4	-	0.00
26	3 098	3 105	0.91	97.4	-	0.00
27	3 096	3 103	0.91	97.4	-	0.00
28	1 838	1 849	5.59	97.4	-	0.00
29	1 421	1 435	7.86	97.4	-	0.00
30	1 363	1 377	8.22	97.4	-	0.00
31	1 592	1 605	6.86	97.4	-	0.00
32	2 837	2 844	1.71	97.4	-	0.00
33	8 603	8 605	-8.64	97.4	-	0.00
34	8 398	8 400	-8.40	97.4	-	0.00
35	9 397	9 399	-9.49	97.4	-	0.00
36	9 449	9 451	-9.54	97.4	-	0.00
37	9 620	9 621	-9.72	97.4	-	0.00
38	10 634	10 636	-10.69	97.4	-	0.00
39	10 147	10 148	-10.23	97.4	-	0.00
40	9 778	9 779	-9.87	97.4	-	0.00
Sum			15.55			

- Data undefined due to calculation with octave data

Noise sensitive area: CD Olkalni

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 505	8 507	-8.53	97.4	-	0.00
2	7 718	7 720	-7.59	97.4	-	0.00
3	6 228	6 231	-5.56	97.4	-	0.00
4	6 865	6 868	-6.48	97.4	-	0.00
5	7 122	7 124	-6.83	97.4	-	0.00
6	7 411	7 413	-7.21	97.4	-	0.00
7	8 165	8 168	-8.13	97.4	-	0.00
8	7 818	7 821	-7.72	97.4	-	0.00
9	8 194	8 196	-8.17	97.4	-	0.00
10	8 042	8 044	-7.99	97.4	-	0.00
11	7 373	7 376	-7.16	97.4	-	0.00
12	7 176	7 179	-6.90	97.4	-	0.00
13	6 613	6 616	-6.12	97.4	-	0.00
14	6 097	6 101	-5.35	97.4	-	0.00
15	5 700	5 704	-4.72	97.4	-	0.00
16	4 640	4 645	-2.80	97.4	-	0.00
17	4 882	4 887	-3.27	97.4	-	0.00
18	4 910	4 915	-3.33	97.4	-	0.00
19	4 535	4 540	-2.59	97.4	-	0.00
20	4 205	4 210	-1.89	97.4	-	0.00
21	3 500	3 505	-0.20	97.4	-	0.00
22	3 786	3 792	-0.92	97.4	-	0.00
23	4 325	4 329	-2.15	97.4	-	0.00
24	4 098	4 103	-1.65	97.4	-	0.00
25	3 473	3 479	-0.13	97.4	-	0.00
26	3 098	3 105	0.91	97.4	-	0.00
27	3 096	3 103	0.91	97.4	-	0.00
28	1 838	1 849	5.59	97.4	-	0.00
29	1 421	1 435	7.86	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	1 363	1 377	8.22	97.4	-	0.00
31	1 592	1 605	6.86	97.4	-	0.00
32	2 837	2 844	1.71	97.4	-	0.00
33	8 603	8 605	-8.64	97.4	-	0.00
34	8 398	8 400	-8.40	97.4	-	0.00
35	9 397	9 399	-9.49	97.4	-	0.00
36	9 449	9 451	-9.54	97.4	-	0.00
37	9 620	9 621	-9.72	97.4	-	0.00
38	10 634	10 636	-10.69	97.4	-	0.00
39	10 147	10 148	-10.23	97.4	-	0.00
40	9 778	9 779	-9.87	97.4	-	0.00
Sum			15.55			

- Data undefined due to calculation with octave data

Noise sensitive area: CE O š enieki

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 689	1 701	6.34	97.4	-	0.00
2	2 556	2 564	2.65	97.4	-	0.00
3	4 143	4 148	-1.75	97.4	-	0.00
4	3 398	3 403	0.07	97.4	-	0.00
5	3 032	3 039	1.10	97.4	-	0.00
6	2 852	2 860	1.66	97.4	-	0.00
7	2 158	2 168	4.16	97.4	-	0.00
8	2 742	2 749	2.01	97.4	-	0.00
9	2 913	2 920	1.46	97.4	-	0.00
10	3 723	3 728	-0.77	97.4	-	0.00
11	3 938	3 943	-1.29	97.4	-	0.00
12	3 351	3 358	0.19	97.4	-	0.00
13	3 923	3 928	-1.25	97.4	-	0.00
14	4 058	4 063	-1.56	97.4	-	0.00
15	4 579	4 583	-2.68	97.4	-	0.00
16	5 673	5 677	-4.68	97.4	-	0.00
17	5 277	5 281	-4.00	97.4	-	0.00
18	5 291	5 295	-4.02	97.4	-	0.00
19	5 876	5 879	-5.01	97.4	-	0.00
20	5 988	5 991	-5.18	97.4	-	0.00
21	6 702	6 705	-6.25	97.4	-	0.00
22	6 560	6 564	-6.05	97.4	-	0.00
23	6 479	6 482	-5.93	97.4	-	0.00
24	7 102	7 105	-6.80	97.4	-	0.00
25	7 110	7 113	-6.81	97.4	-	0.00
26	7 196	7 199	-6.92	97.4	-	0.00
27	7 065	7 068	-6.75	97.4	-	0.00
28	8 363	8 366	-8.36	97.4	-	0.00
29	8 920	8 922	-8.98	97.4	-	0.00
30	8 791	8 793	-8.84	97.4	-	0.00
31	8 738	8 741	-8.79	97.4	-	0.00
32	7 900	7 902	-7.82	97.4	-	0.00
33	5 533	5 537	-4.44	97.4	-	0.00
34	4 906	4 910	-3.32	97.4	-	0.00
35	4 713	4 717	-2.94	97.4	-	0.00
36	5 464	5 467	-4.32	97.4	-	0.00
37	6 080	6 082	-5.33	97.4	-	0.00
38	7 755	7 757	-7.64	97.4	-	0.00
39	7 496	7 498	-7.31	97.4	-	0.00
40	7 067	7 069	-6.75	97.4	-	0.00
Sum			14.38			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: CE O š enieki

Wind speed: 8.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 689	1 701	6.34	97.4	-	0.00
2	2 556	2 564	2.65	97.4	-	0.00
3	4 143	4 148	-1.75	97.4	-	0.00
4	3 398	3 403	0.07	97.4	-	0.00
5	3 032	3 039	1.10	97.4	-	0.00
6	2 852	2 860	1.66	97.4	-	0.00
7	2 158	2 168	4.16	97.4	-	0.00
8	2 742	2 749	2.01	97.4	-	0.00
9	2 913	2 920	1.46	97.4	-	0.00
10	3 723	3 728	-0.77	97.4	-	0.00
11	3 938	3 943	-1.29	97.4	-	0.00
12	3 351	3 358	0.19	97.4	-	0.00
13	3 923	3 928	-1.25	97.4	-	0.00
14	4 058	4 063	-1.56	97.4	-	0.00
15	4 579	4 583	-2.68	97.4	-	0.00
16	5 673	5 677	-4.68	97.4	-	0.00
17	5 277	5 281	-4.00	97.4	-	0.00
18	5 291	5 295	-4.02	97.4	-	0.00
19	5 876	5 879	-5.01	97.4	-	0.00
20	5 988	5 991	-5.18	97.4	-	0.00
21	6 702	6 705	-6.25	97.4	-	0.00
22	6 560	6 564	-6.05	97.4	-	0.00
23	6 479	6 482	-5.93	97.4	-	0.00
24	7 102	7 105	-6.80	97.4	-	0.00
25	7 110	7 113	-6.81	97.4	-	0.00
26	7 196	7 199	-6.92	97.4	-	0.00
27	7 065	7 068	-6.75	97.4	-	0.00
28	8 363	8 366	-8.36	97.4	-	0.00
29	8 920	8 922	-8.98	97.4	-	0.00
30	8 791	8 793	-8.84	97.4	-	0.00
31	8 738	8 741	-8.79	97.4	-	0.00
32	7 900	7 902	-7.82	97.4	-	0.00
33	5 533	5 537	-4.44	97.4	-	0.00
34	4 906	4 910	-3.32	97.4	-	0.00
35	4 713	4 717	-2.94	97.4	-	0.00
36	5 464	5 467	-4.32	97.4	-	0.00
37	6 080	6 082	-5.33	97.4	-	0.00
38	7 755	7 757	-7.64	97.4	-	0.00
39	7 496	7 498	-7.31	97.4	-	0.00
40	7 067	7 069	-6.75	97.4	-	0.00
Sum			14.38			

- Data undefined due to calculation with octave data

Noise sensitive area: CF Ozoli

Wind speed: 6.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 827	4 831	-3.17	97.4	-	0.00
2	3 589	3 595	-0.43	97.4	-	0.00
3	2 145	2 155	4.22	97.4	-	0.00
4	2 876	2 883	1.58	97.4	-	0.00
5	3 580	3 586	-0.41	97.4	-	0.00
6	4 238	4 243	-1.96	97.4	-	0.00
7	4 815	4 820	-3.14	97.4	-	0.00
8	4 905	4 909	-3.32	97.4	-	0.00
9	5 585	5 588	-4.53	97.4	-	0.00
10	6 018	6 022	-5.23	97.4	-	0.00
11	5 442	5 445	-4.29	97.4	-	0.00
12	4 548	4 552	-2.61	97.4	-	0.00
13	4 325	4 330	-2.15	97.4	-	0.00
14	2 889	2 896	1.54	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	2 035	2 045	4.68	97.4	-	0.00
16	1 664	1 676	6.47	97.4	-	0.00
17	2 405	2 414	3.19	97.4	-	0.00
18	3 062	3 069	1.01	97.4	-	0.00
19	3 709	3 715	-0.74	97.4	-	0.00
20	2 171	2 180	4.11	97.4	-	0.00
21	2 398	2 406	3.22	97.4	-	0.00
22	3 649	3 655	-0.59	97.4	-	0.00
23	4 420	4 425	-2.35	97.4	-	0.00
24	4 969	4 973	-3.44	97.4	-	0.00
25	4 213	4 218	-1.91	97.4	-	0.00
26	3 714	3 720	-0.75	97.4	-	0.00
27	3 143	3 150	0.77	97.4	-	0.00
28	3 579	3 585	-0.41	97.4	-	0.00
29	3 876	3 881	-1.14	97.4	-	0.00
30	4 170	4 175	-1.81	97.4	-	0.00
31	4 547	4 552	-2.61	97.4	-	0.00
32	4 646	4 651	-2.81	97.4	-	0.00
33	7 693	7 696	-7.56	97.4	-	0.00
34	7 139	7 142	-6.85	97.4	-	0.00
35	7 834	7 836	-7.74	97.4	-	0.00
36	8 298	8 301	-8.29	97.4	-	0.00
37	8 769	8 770	-8.82	97.4	-	0.00
38	10 370	10 372	-10.45	97.4	-	0.00
39	9 912	9 913	-10.01	97.4	-	0.00
40	9 429	9 430	-9.52	97.4	-	0.00
Sum			15.68			

- Data undefined due to calculation with octave data

Noise sensitive area: CF Ozoli

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 827	4 831	-3.17	97.4	-	0.00
2	3 589	3 595	-0.43	97.4	-	0.00
3	2 145	2 155	4.22	97.4	-	0.00
4	2 876	2 883	1.58	97.4	-	0.00
5	3 580	3 586	-0.41	97.4	-	0.00
6	4 238	4 243	-1.96	97.4	-	0.00
7	4 815	4 820	-3.14	97.4	-	0.00
8	4 905	4 909	-3.32	97.4	-	0.00
9	5 585	5 588	-4.53	97.4	-	0.00
10	6 018	6 022	-5.23	97.4	-	0.00
11	5 442	5 445	-4.29	97.4	-	0.00
12	4 548	4 552	-2.61	97.4	-	0.00
13	4 325	4 330	-2.15	97.4	-	0.00
14	2 889	2 896	1.54	97.4	-	0.00
15	2 035	2 045	4.68	97.4	-	0.00
16	1 664	1 676	6.47	97.4	-	0.00
17	2 405	2 414	3.19	97.4	-	0.00
18	3 062	3 069	1.01	97.4	-	0.00
19	3 709	3 715	-0.74	97.4	-	0.00
20	2 171	2 180	4.11	97.4	-	0.00
21	2 398	2 406	3.22	97.4	-	0.00
22	3 649	3 655	-0.59	97.4	-	0.00
23	4 420	4 425	-2.35	97.4	-	0.00
24	4 969	4 973	-3.44	97.4	-	0.00
25	4 213	4 218	-1.91	97.4	-	0.00
26	3 714	3 720	-0.75	97.4	-	0.00
27	3 143	3 150	0.77	97.4	-	0.00
28	3 579	3 585	-0.41	97.4	-	0.00
29	3 876	3 881	-1.14	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	4 170	4 175	-1.81	97.4	-	0.00
31	4 547	4 552	-2.61	97.4	-	0.00
32	4 646	4 651	-2.81	97.4	-	0.00
33	7 693	7 696	-7.56	97.4	-	0.00
34	7 139	7 142	-6.85	97.4	-	0.00
35	7 834	7 836	-7.74	97.4	-	0.00
36	8 298	8 301	-8.29	97.4	-	0.00
37	8 769	8 770	-8.82	97.4	-	0.00
38	10 370	10 372	-10.45	97.4	-	0.00
39	9 912	9 913	-10.01	97.4	-	0.00
40	9 429	9 430	-9.52	97.4	-	0.00
Sum			15.68			

- Data undefined due to calculation with octave data

Noise sensitive area: CG Ozolkalni

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 135	8 138	-8.10	97.4	-	0.00
2	9 213	9 215	-9.30	97.4	-	0.00
3	9 887	9 889	-9.98	97.4	-	0.00
4	9 392	9 394	-9.48	97.4	-	0.00
5	8 630	8 633	-8.67	97.4	-	0.00
6	7 939	7 942	-7.86	97.4	-	0.00
7	7 747	7 749	-7.63	97.4	-	0.00
8	7 301	7 304	-7.06	97.4	-	0.00
9	6 604	6 607	-6.11	97.4	-	0.00
10	5 921	5 924	-5.08	97.4	-	0.00
11	6 407	6 410	-5.82	97.4	-	0.00
12	7 406	7 409	-7.20	97.4	-	0.00
13	7 509	7 512	-7.33	97.4	-	0.00
14	8 978	8 980	-9.05	97.4	-	0.00
15	9 810	9 812	-9.91	97.4	-	0.00
16	10 321	10 323	-10.40	97.4	-	0.00
17	9 520	9 522	-9.61	97.4	-	0.00
18	8 924	8 926	-8.99	97.4	-	0.00
19	8 599	8 602	-8.63	97.4	-	0.00
20	10 073	10 075	-10.16	97.4	-	0.00
21	10 451	10 453	-10.52	97.4	-	0.00
22	9 152	9 154	-9.23	97.4	-	0.00
23	8 309	8 312	-8.30	97.4	-	0.00
24	8 279	8 281	-8.27	97.4	-	0.00
25	9 093	9 095	-9.17	97.4	-	0.00
26	9 691	9 693	-9.79	97.4	-	0.00
27	10 118	10 120	-10.21	97.4	-	0.00
28	11 339	11 341	-11.32	97.4	-	0.00
29	11 899	11 901	-11.79	97.4	-	0.00
30	11 315	11 317	-11.30	97.4	-	0.00
31	10 782	10 784	-10.83	97.4	-	0.00
32	9 516	9 518	-9.61	97.4	-	0.00
33	4 133	4 138	-1.73	97.4	-	0.00
34	4 683	4 688	-2.89	97.4	-	0.00
35	4 153	4 158	-1.77	97.4	-	0.00
36	3 552	3 558	-0.34	97.4	-	0.00
37	3 049	3 053	1.06	97.4	-	0.00
38	1 647	1 656	6.58	97.4	-	0.00
39	2 135	2 142	4.27	97.4	-	0.00
40	2 535	2 540	2.73	97.4	-	0.00
Sum			12.43			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: CG Ozolkalni

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 135	8 138	-8.10	97.4	-	0.00
2	9 213	9 215	-9.30	97.4	-	0.00
3	9 887	9 889	-9.98	97.4	-	0.00
4	9 392	9 394	-9.48	97.4	-	0.00
5	8 630	8 633	-8.67	97.4	-	0.00
6	7 939	7 942	-7.86	97.4	-	0.00
7	7 747	7 749	-7.63	97.4	-	0.00
8	7 301	7 304	-7.06	97.4	-	0.00
9	6 604	6 607	-6.11	97.4	-	0.00
10	5 921	5 924	-5.08	97.4	-	0.00
11	6 407	6 410	-5.82	97.4	-	0.00
12	7 406	7 409	-7.20	97.4	-	0.00
13	7 509	7 512	-7.33	97.4	-	0.00
14	8 978	8 980	-9.05	97.4	-	0.00
15	9 810	9 812	-9.91	97.4	-	0.00
16	10 321	10 323	-10.40	97.4	-	0.00
17	9 520	9 522	-9.61	97.4	-	0.00
18	8 924	8 926	-8.99	97.4	-	0.00
19	8 599	8 602	-8.63	97.4	-	0.00
20	10 073	10 075	-10.16	97.4	-	0.00
21	10 451	10 453	-10.52	97.4	-	0.00
22	9 152	9 154	-9.23	97.4	-	0.00
23	8 309	8 312	-8.30	97.4	-	0.00
24	8 279	8 281	-8.27	97.4	-	0.00
25	9 093	9 095	-9.17	97.4	-	0.00
26	9 691	9 693	-9.79	97.4	-	0.00
27	10 118	10 120	-10.21	97.4	-	0.00
28	11 339	11 341	-11.32	97.4	-	0.00
29	11 899	11 901	-11.79	97.4	-	0.00
30	11 315	11 317	-11.30	97.4	-	0.00
31	10 782	10 784	-10.83	97.4	-	0.00
32	9 516	9 518	-9.61	97.4	-	0.00
33	4 133	4 138	-1.73	97.4	-	0.00
34	4 683	4 688	-2.89	97.4	-	0.00
35	4 153	4 158	-1.77	97.4	-	0.00
36	3 552	3 558	-0.34	97.4	-	0.00
37	3 049	3 053	1.06	97.4	-	0.00
38	1 647	1 656	6.58	97.4	-	0.00
39	2 135	2 142	4.27	97.4	-	0.00
40	2 535	2 540	2.73	97.4	-	0.00
Sum			12.43			

- Data undefined due to calculation with octave data

Noise sensitive area: CH Ozolnieki

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 348	2 357	3.41	97.4	-	0.00
2	1 887	1 897	5.36	97.4	-	0.00
3	3 082	3 088	0.96	97.4	-	0.00
4	2 575	2 583	2.58	97.4	-	0.00
5	2 772	2 779	1.92	97.4	-	0.00
6	3 116	3 122	0.86	97.4	-	0.00
7	2 856	2 863	1.65	97.4	-	0.00
8	3 476	3 482	-0.14	97.4	-	0.00
9	4 022	4 027	-1.48	97.4	-	0.00
10	4 868	4 872	-3.25	97.4	-	0.00
11	4 770	4 774	-3.06	97.4	-	0.00
12	3 811	3 816	-0.98	97.4	-	0.00
13	4 206	4 211	-1.89	97.4	-	0.00
14	3 527	3 533	-0.28	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	3 628	3 634	-0.53	97.4	-	0.00
16	4 653	4 657	-2.83	97.4	-	0.00
17	4 565	4 570	-2.65	97.4	-	0.00
18	4 854	4 858	-3.22	97.4	-	0.00
19	5 617	5 620	-4.58	97.4	-	0.00
20	5 130	5 134	-3.73	97.4	-	0.00
21	5 809	5 812	-4.90	97.4	-	0.00
22	6 148	6 152	-5.43	97.4	-	0.00
23	6 371	6 374	-5.77	97.4	-	0.00
24	7 052	7 055	-6.73	97.4	-	0.00
25	6 781	6 784	-6.36	97.4	-	0.00
26	6 665	6 668	-6.20	97.4	-	0.00
27	6 359	6 362	-5.75	97.4	-	0.00
28	7 454	7 456	-7.26	97.4	-	0.00
29	7 933	7 935	-7.86	97.4	-	0.00
30	7 970	7 973	-7.90	97.4	-	0.00
31	8 081	8 083	-8.03	97.4	-	0.00
32	7 525	7 528	-7.35	97.4	-	0.00
33	6 887	6 889	-6.51	97.4	-	0.00
34	6 219	6 222	-5.54	97.4	-	0.00
35	6 331	6 334	-5.71	97.4	-	0.00
36	7 046	7 049	-6.72	97.4	-	0.00
37	7 658	7 659	-7.52	97.4	-	0.00
38	9 396	9 397	-9.49	97.4	-	0.00
39	9 065	9 067	-9.14	97.4	-	0.00
40	8 598	8 600	-8.63	97.4	-	0.00
Sum			14.04			

- Data undefined due to calculation with octave data

Noise sensitive area: CH Ozolnieki

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 348	2 357	3.41	97.4	-	0.00
2	1 887	1 897	5.36	97.4	-	0.00
3	3 082	3 088	0.96	97.4	-	0.00
4	2 575	2 583	2.58	97.4	-	0.00
5	2 772	2 779	1.92	97.4	-	0.00
6	3 116	3 122	0.86	97.4	-	0.00
7	2 856	2 863	1.65	97.4	-	0.00
8	3 476	3 482	-0.14	97.4	-	0.00
9	4 022	4 027	-1.48	97.4	-	0.00
10	4 868	4 872	-3.25	97.4	-	0.00
11	4 770	4 774	-3.06	97.4	-	0.00
12	3 811	3 816	-0.98	97.4	-	0.00
13	4 206	4 211	-1.89	97.4	-	0.00
14	3 527	3 533	-0.28	97.4	-	0.00
15	3 628	3 634	-0.53	97.4	-	0.00
16	4 653	4 657	-2.83	97.4	-	0.00
17	4 565	4 570	-2.65	97.4	-	0.00
18	4 854	4 858	-3.22	97.4	-	0.00
19	5 617	5 620	-4.58	97.4	-	0.00
20	5 130	5 134	-3.73	97.4	-	0.00
21	5 809	5 812	-4.90	97.4	-	0.00
22	6 148	6 152	-5.43	97.4	-	0.00
23	6 371	6 374	-5.77	97.4	-	0.00
24	7 052	7 055	-6.73	97.4	-	0.00
25	6 781	6 784	-6.36	97.4	-	0.00
26	6 665	6 668	-6.20	97.4	-	0.00
27	6 359	6 362	-5.75	97.4	-	0.00
28	7 454	7 456	-7.26	97.4	-	0.00
29	7 933	7 935	-7.86	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	7 970	7 973	-7.90	97.4	-	0.00
31	8 081	8 083	-8.03	97.4	-	0.00
32	7 525	7 528	-7.35	97.4	-	0.00
33	6 887	6 889	-6.51	97.4	-	0.00
34	6 219	6 222	-5.54	97.4	-	0.00
35	6 331	6 334	-5.71	97.4	-	0.00
36	7 046	7 049	-6.72	97.4	-	0.00
37	7 658	7 659	-7.52	97.4	-	0.00
38	9 396	9 397	-9.49	97.4	-	0.00
39	9 065	9 067	-9.14	97.4	-	0.00
40	8 598	8 600	-8.63	97.4	-	0.00
Sum			14.04			

- Data undefined due to calculation with octave data

Noise sensitive area: CI Pauni

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 576	6 579	-6.07	97.4	-	0.00
2	5 493	5 496	-4.37	97.4	-	0.00
3	3 906	3 911	-1.21	97.4	-	0.00
4	4 659	4 663	-2.84	97.4	-	0.00
5	5 182	5 186	-3.83	97.4	-	0.00
6	5 702	5 705	-4.72	97.4	-	0.00
7	6 407	6 410	-5.82	97.4	-	0.00
8	6 288	6 291	-5.65	97.4	-	0.00
9	6 865	6 868	-6.48	97.4	-	0.00
10	7 046	7 048	-6.72	97.4	-	0.00
11	6 381	6 384	-5.78	97.4	-	0.00
12	5 758	5 762	-4.82	97.4	-	0.00
13	5 335	5 339	-4.10	97.4	-	0.00
14	4 222	4 227	-1.93	97.4	-	0.00
15	3 508	3 514	-0.22	97.4	-	0.00
16	2 469	2 477	2.96	97.4	-	0.00
17	3 140	3 146	0.79	97.4	-	0.00
18	3 580	3 586	-0.41	97.4	-	0.00
19	3 782	3 787	-0.91	97.4	-	0.00
20	2 429	2 437	3.10	97.4	-	0.00
21	1 933	1 943	5.15	97.4	-	0.00
22	3 280	3 286	0.39	97.4	-	0.00
23	4 164	4 169	-1.80	97.4	-	0.00
24	4 441	4 446	-2.39	97.4	-	0.00
25	3 545	3 551	-0.32	97.4	-	0.00
26	2 901	2 908	1.50	97.4	-	0.00
27	2 349	2 357	3.41	97.4	-	0.00
28	1 776	1 788	5.89	97.4	-	0.00
29	1 789	1 801	5.83	97.4	-	0.00
30	2 315	2 324	3.54	97.4	-	0.00
31	2 889	2 896	1.54	97.4	-	0.00
32	3 572	3 577	-0.39	97.4	-	0.00
33	8 303	8 306	-8.29	97.4	-	0.00
34	7 878	7 881	-7.79	97.4	-	0.00
35	8 748	8 751	-8.80	97.4	-	0.00
36	9 047	9 050	-9.12	97.4	-	0.00
37	9 404	9 406	-9.50	97.4	-	0.00
38	10 806	10 807	-10.85	97.4	-	0.00
39	10 319	10 320	-10.40	97.4	-	0.00
40	9 868	9 869	-9.96	97.4	-	0.00
Sum			15.63			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: CI Pauni

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 576	6 579	-6.07	97.4	-	0.00
2	5 493	5 496	-4.37	97.4	-	0.00
3	3 906	3 911	-1.21	97.4	-	0.00
4	4 659	4 663	-2.84	97.4	-	0.00
5	5 182	5 186	-3.83	97.4	-	0.00
6	5 702	5 705	-4.72	97.4	-	0.00
7	6 407	6 410	-5.82	97.4	-	0.00
8	6 288	6 291	-5.65	97.4	-	0.00
9	6 865	6 868	-6.48	97.4	-	0.00
10	7 046	7 048	-6.72	97.4	-	0.00
11	6 381	6 384	-5.78	97.4	-	0.00
12	5 758	5 762	-4.82	97.4	-	0.00
13	5 335	5 339	-4.10	97.4	-	0.00
14	4 222	4 227	-1.93	97.4	-	0.00
15	3 508	3 514	-0.22	97.4	-	0.00
16	2 469	2 477	2.96	97.4	-	0.00
17	3 140	3 146	0.79	97.4	-	0.00
18	3 580	3 586	-0.41	97.4	-	0.00
19	3 782	3 787	-0.91	97.4	-	0.00
20	2 429	2 437	3.10	97.4	-	0.00
21	1 933	1 943	5.15	97.4	-	0.00
22	3 280	3 286	0.39	97.4	-	0.00
23	4 164	4 169	-1.80	97.4	-	0.00
24	4 441	4 446	-2.39	97.4	-	0.00
25	3 545	3 551	-0.32	97.4	-	0.00
26	2 901	2 908	1.50	97.4	-	0.00
27	2 349	2 357	3.41	97.4	-	0.00
28	1 776	1 788	5.89	97.4	-	0.00
29	1 789	1 801	5.83	97.4	-	0.00
30	2 315	2 324	3.54	97.4	-	0.00
31	2 889	2 896	1.54	97.4	-	0.00
32	3 572	3 577	-0.39	97.4	-	0.00
33	8 303	8 306	-8.29	97.4	-	0.00
34	7 878	7 881	-7.79	97.4	-	0.00
35	8 748	8 751	-8.80	97.4	-	0.00
36	9 047	9 050	-9.12	97.4	-	0.00
37	9 404	9 406	-9.50	97.4	-	0.00
38	10 806	10 807	-10.85	97.4	-	0.00
39	10 319	10 320	-10.40	97.4	-	0.00
40	9 868	9 869	-9.96	97.4	-	0.00
Sum			15.63			

- Data undefined due to calculation with octave data

Noise sensitive area: CJ Plavnieki

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 270	7 273	-7.02	97.4	-	0.00
2	8 407	8 409	-8.41	97.4	-	0.00
3	9 208	9 210	-9.29	97.4	-	0.00
4	8 662	8 664	-8.70	97.4	-	0.00
5	7 891	7 893	-7.81	97.4	-	0.00
6	7 190	7 193	-6.92	97.4	-	0.00
7	6 922	6 924	-6.55	97.4	-	0.00
8	6 531	6 534	-6.00	97.4	-	0.00
9	5 821	5 824	-4.92	97.4	-	0.00
10	5 218	5 222	-3.89	97.4	-	0.00
11	5 771	5 775	-4.84	97.4	-	0.00
12	6 712	6 716	-6.26	97.4	-	0.00
13	6 888	6 891	-6.51	97.4	-	0.00
14	8 336	8 339	-8.33	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	9 183	9 186	-9.27	97.4	-	0.00
16	9 786	9 788	-9.88	97.4	-	0.00
17	8 990	8 993	-9.06	97.4	-	0.00
18	8 429	8 432	-8.44	97.4	-	0.00
19	8 196	8 199	-8.17	97.4	-	0.00
20	9 593	9 595	-9.69	97.4	-	0.00
21	10 030	10 032	-10.12	97.4	-	0.00
22	8 806	8 808	-8.86	97.4	-	0.00
23	8 004	8 007	-7.94	97.4	-	0.00
24	8 064	8 067	-8.01	97.4	-	0.00
25	8 824	8 827	-8.88	97.4	-	0.00
26	9 391	9 393	-9.48	97.4	-	0.00
27	9 769	9 771	-9.87	97.4	-	0.00
28	11 054	11 055	-11.07	97.4	-	0.00
29	11 634	11 636	-11.57	97.4	-	0.00
30	11 087	11 089	-11.10	97.4	-	0.00
31	10 596	10 597	-10.66	97.4	-	0.00
32	9 323	9 325	-9.41	97.4	-	0.00
33	3 662	3 668	-0.62	97.4	-	0.00
34	4 107	4 112	-1.67	97.4	-	0.00
35	3 400	3 406	0.06	97.4	-	0.00
36	2 932	2 939	1.41	97.4	-	0.00
37	2 569	2 574	2.61	97.4	-	0.00
38	1 845	1 852	5.58	97.4	-	0.00
39	2 214	2 221	3.94	97.4	-	0.00
40	2 436	2 441	3.09	97.4	-	0.00
Sum			12.80			

- Data undefined due to calculation with octave data

Noise sensitive area: CJ Plavnieki

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 270	7 273	-7.02	97.4	-	0.00
2	8 407	8 409	-8.41	97.4	-	0.00
3	9 208	9 210	-9.29	97.4	-	0.00
4	8 662	8 664	-8.70	97.4	-	0.00
5	7 891	7 893	-7.81	97.4	-	0.00
6	7 190	7 193	-6.92	97.4	-	0.00
7	6 922	6 924	-6.55	97.4	-	0.00
8	6 531	6 534	-6.00	97.4	-	0.00
9	5 821	5 824	-4.92	97.4	-	0.00
10	5 218	5 222	-3.89	97.4	-	0.00
11	5 771	5 775	-4.84	97.4	-	0.00
12	6 712	6 716	-6.26	97.4	-	0.00
13	6 888	6 891	-6.51	97.4	-	0.00
14	8 336	8 339	-8.33	97.4	-	0.00
15	9 183	9 186	-9.27	97.4	-	0.00
16	9 786	9 788	-9.88	97.4	-	0.00
17	8 990	8 993	-9.06	97.4	-	0.00
18	8 429	8 432	-8.44	97.4	-	0.00
19	8 196	8 199	-8.17	97.4	-	0.00
20	9 593	9 595	-9.69	97.4	-	0.00
21	10 030	10 032	-10.12	97.4	-	0.00
22	8 806	8 808	-8.86	97.4	-	0.00
23	8 004	8 007	-7.94	97.4	-	0.00
24	8 064	8 067	-8.01	97.4	-	0.00
25	8 824	8 827	-8.88	97.4	-	0.00
26	9 391	9 393	-9.48	97.4	-	0.00
27	9 769	9 771	-9.87	97.4	-	0.00
28	11 054	11 055	-11.07	97.4	-	0.00
29	11 634	11 636	-11.57	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	11 087	11 089	-11.10	97.4	-	0.00
31	10 596	10 597	-10.66	97.4	-	0.00
32	9 323	9 325	-9.41	97.4	-	0.00
33	3 662	3 668	-0.62	97.4	-	0.00
34	4 107	4 112	-1.67	97.4	-	0.00
35	3 400	3 406	0.06	97.4	-	0.00
36	2 932	2 939	1.41	97.4	-	0.00
37	2 569	2 574	2.61	97.4	-	0.00
38	1 845	1 852	5.58	97.4	-	0.00
39	2 214	2 221	3.94	97.4	-	0.00
40	2 436	2 441	3.09	97.4	-	0.00
Sum			12.80			

- Data undefined due to calculation with octave data

Noise sensitive area: CK Priednieki A

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 691	1 702	6.33	97.4	-	0.00
2	2 982	2 989	1.25	97.4	-	0.00
3	4 360	4 365	-2.22	97.4	-	0.00
4	3 615	3 620	-0.50	97.4	-	0.00
5	2 955	2 962	1.34	97.4	-	0.00
6	2 421	2 430	3.13	97.4	-	0.00
7	1 710	1 722	6.23	97.4	-	0.00
8	1 928	1 939	5.17	97.4	-	0.00
9	1 678	1 690	6.39	97.4	-	0.00
10	2 305	2 313	3.58	97.4	-	0.00
11	2 725	2 733	2.07	97.4	-	0.00
12	2 573	2 581	2.59	97.4	-	0.00
13	3 150	3 157	0.76	97.4	-	0.00
14	3 894	3 899	-1.18	97.4	-	0.00
15	4 637	4 641	-2.79	97.4	-	0.00
16	5 646	5 650	-4.63	97.4	-	0.00
17	5 054	5 059	-3.60	97.4	-	0.00
18	4 856	4 861	-3.22	97.4	-	0.00
19	5 243	5 248	-3.94	97.4	-	0.00
20	5 802	5 806	-4.89	97.4	-	0.00
21	6 484	6 487	-5.94	97.4	-	0.00
22	5 985	5 988	-5.18	97.4	-	0.00
23	5 685	5 689	-4.70	97.4	-	0.00
24	6 227	6 230	-5.55	97.4	-	0.00
25	6 435	6 438	-5.86	97.4	-	0.00
26	6 665	6 668	-6.20	97.4	-	0.00
27	6 676	6 679	-6.21	97.4	-	0.00
28	8 061	8 064	-8.01	97.4	-	0.00
29	8 655	8 658	-8.69	97.4	-	0.00
30	8 400	8 403	-8.41	97.4	-	0.00
31	8 224	8 226	-8.20	97.4	-	0.00
32	7 213	7 216	-6.95	97.4	-	0.00
33	3 906	3 911	-1.21	97.4	-	0.00
34	3 311	3 318	0.30	97.4	-	0.00
35	3 025	3 032	1.12	97.4	-	0.00
36	3 778	3 783	-0.90	97.4	-	0.00
37	4 392	4 395	-2.29	97.4	-	0.00
38	6 061	6 063	-5.30	97.4	-	0.00
39	5 805	5 807	-4.89	97.4	-	0.00
40	5 381	5 384	-4.18	97.4	-	0.00
Sum			16.10			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: CK Priednieki A

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 691	1 702	6.33	97.4	-	0.00
2	2 982	2 989	1.25	97.4	-	0.00
3	4 360	4 365	-2.22	97.4	-	0.00
4	3 615	3 620	-0.50	97.4	-	0.00
5	2 955	2 962	1.34	97.4	-	0.00
6	2 421	2 430	3.13	97.4	-	0.00
7	1 710	1 722	6.23	97.4	-	0.00
8	1 928	1 939	5.17	97.4	-	0.00
9	1 678	1 690	6.39	97.4	-	0.00
10	2 305	2 313	3.58	97.4	-	0.00
11	2 725	2 733	2.07	97.4	-	0.00
12	2 573	2 581	2.59	97.4	-	0.00
13	3 150	3 157	0.76	97.4	-	0.00
14	3 894	3 899	-1.18	97.4	-	0.00
15	4 637	4 641	-2.79	97.4	-	0.00
16	5 646	5 650	-4.63	97.4	-	0.00
17	5 054	5 059	-3.60	97.4	-	0.00
18	4 856	4 861	-3.22	97.4	-	0.00
19	5 243	5 248	-3.94	97.4	-	0.00
20	5 802	5 806	-4.89	97.4	-	0.00
21	6 484	6 487	-5.94	97.4	-	0.00
22	5 985	5 988	-5.18	97.4	-	0.00
23	5 685	5 689	-4.70	97.4	-	0.00
24	6 227	6 230	-5.55	97.4	-	0.00
25	6 435	6 438	-5.86	97.4	-	0.00
26	6 665	6 668	-6.20	97.4	-	0.00
27	6 676	6 679	-6.21	97.4	-	0.00
28	8 061	8 064	-8.01	97.4	-	0.00
29	8 655	8 658	-8.69	97.4	-	0.00
30	8 400	8 403	-8.41	97.4	-	0.00
31	8 224	8 226	-8.20	97.4	-	0.00
32	7 213	7 216	-6.95	97.4	-	0.00
33	3 906	3 911	-1.21	97.4	-	0.00
34	3 311	3 318	0.30	97.4	-	0.00
35	3 025	3 032	1.12	97.4	-	0.00
36	3 778	3 783	-0.90	97.4	-	0.00
37	4 392	4 395	-2.29	97.4	-	0.00
38	6 061	6 063	-5.30	97.4	-	0.00
39	5 805	5 807	-4.89	97.4	-	0.00
40	5 381	5 384	-4.18	97.4	-	0.00
Sum			16.10			

- Data undefined due to calculation with octave data

Noise sensitive area: CL Priednieki B

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 664	1 676	6.47	97.4	-	0.00
2	2 955	2 962	1.34	97.4	-	0.00
3	4 340	4 344	-2.18	97.4	-	0.00
4	3 593	3 599	-0.44	97.4	-	0.00
5	2 938	2 945	1.39	97.4	-	0.00
6	2 410	2 418	3.18	97.4	-	0.00
7	1 695	1 707	6.31	97.4	-	0.00
8	1 925	1 936	5.18	97.4	-	0.00
9	1 689	1 701	6.34	97.4	-	0.00
10	2 326	2 334	3.49	97.4	-	0.00
11	2 739	2 746	2.02	97.4	-	0.00
12	2 572	2 580	2.59	97.4	-	0.00
13	3 151	3 157	0.75	97.4	-	0.00
14	3 881	3 886	-1.15	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	4 620	4 624	-2.76	97.4	-	0.00
16	5 632	5 636	-4.61	97.4	-	0.00
17	5 044	5 048	-3.58	97.4	-	0.00
18	4 851	4 855	-3.21	97.4	-	0.00
19	5 244	5 248	-3.94	97.4	-	0.00
20	5 792	5 796	-4.87	97.4	-	0.00
21	6 475	6 479	-5.92	97.4	-	0.00
22	5 984	5 987	-5.18	97.4	-	0.00
23	5 690	5 694	-4.70	97.4	-	0.00
24	6 234	6 238	-5.56	97.4	-	0.00
25	6 437	6 440	-5.87	97.4	-	0.00
26	6 664	6 667	-6.19	97.4	-	0.00
27	6 671	6 674	-6.21	97.4	-	0.00
28	8 055	8 058	-8.00	97.4	-	0.00
29	8 649	8 651	-8.69	97.4	-	0.00
30	8 396	8 399	-8.40	97.4	-	0.00
31	8 223	8 225	-8.20	97.4	-	0.00
32	7 216	7 219	-6.95	97.4	-	0.00
33	3 938	3 943	-1.29	97.4	-	0.00
34	3 342	3 348	0.22	97.4	-	0.00
35	3 062	3 068	1.02	97.4	-	0.00
36	3 814	3 819	-0.99	97.4	-	0.00
37	4 428	4 431	-2.36	97.4	-	0.00
38	6 098	6 101	-5.35	97.4	-	0.00
39	5 842	5 844	-4.95	97.4	-	0.00
40	5 417	5 420	-4.24	97.4	-	0.00
Sum			16.12			

- Data undefined due to calculation with octave data

Noise sensitive area: CL Priednieki B

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 664	1 676	6.47	97.4	-	0.00
2	2 955	2 962	1.34	97.4	-	0.00
3	4 340	4 344	-2.18	97.4	-	0.00
4	3 593	3 599	-0.44	97.4	-	0.00
5	2 938	2 945	1.39	97.4	-	0.00
6	2 410	2 418	3.18	97.4	-	0.00
7	1 695	1 707	6.31	97.4	-	0.00
8	1 925	1 936	5.18	97.4	-	0.00
9	1 689	1 701	6.34	97.4	-	0.00
10	2 326	2 334	3.49	97.4	-	0.00
11	2 739	2 746	2.02	97.4	-	0.00
12	2 572	2 580	2.59	97.4	-	0.00
13	3 151	3 157	0.75	97.4	-	0.00
14	3 881	3 886	-1.15	97.4	-	0.00
15	4 620	4 624	-2.76	97.4	-	0.00
16	5 632	5 636	-4.61	97.4	-	0.00
17	5 044	5 048	-3.58	97.4	-	0.00
18	4 851	4 855	-3.21	97.4	-	0.00
19	5 244	5 248	-3.94	97.4	-	0.00
20	5 792	5 796	-4.87	97.4	-	0.00
21	6 475	6 479	-5.92	97.4	-	0.00
22	5 984	5 987	-5.18	97.4	-	0.00
23	5 690	5 694	-4.70	97.4	-	0.00
24	6 234	6 238	-5.56	97.4	-	0.00
25	6 437	6 440	-5.87	97.4	-	0.00
26	6 664	6 667	-6.19	97.4	-	0.00
27	6 671	6 674	-6.21	97.4	-	0.00
28	8 055	8 058	-8.00	97.4	-	0.00
29	8 649	8 651	-8.69	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	8 396	8 399	-8.40	97.4	-	0.00
31	8 223	8 225	-8.20	97.4	-	0.00
32	7 216	7 219	-6.95	97.4	-	0.00
33	3 938	3 943	-1.29	97.4	-	0.00
34	3 342	3 348	0.22	97.4	-	0.00
35	3 062	3 068	1.02	97.4	-	0.00
36	3 814	3 819	-0.99	97.4	-	0.00
37	4 428	4 431	-2.36	97.4	-	0.00
38	6 098	6 101	-5.35	97.4	-	0.00
39	5 842	5 844	-4.95	97.4	-	0.00
40	5 417	5 420	-4.24	97.4	-	0.00
Sum			16.12			

- Data undefined due to calculation with octave data

Noise sensitive area: CM Priedulaji

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 644	5 647	-4.63	97.4	-	0.00
2	6 430	6 433	-5.86	97.4	-	0.00
3	6 733	6 736	-6.29	97.4	-	0.00
4	6 380	6 383	-5.78	97.4	-	0.00
5	5 680	5 683	-4.69	97.4	-	0.00
6	5 059	5 063	-3.60	97.4	-	0.00
7	5 135	5 138	-3.74	97.4	-	0.00
8	4 541	4 546	-2.60	97.4	-	0.00
9	3 968	3 973	-1.35	97.4	-	0.00
10	3 120	3 127	0.84	97.4	-	0.00
11	3 347	3 353	0.20	97.4	-	0.00
12	4 407	4 411	-2.32	97.4	-	0.00
13	4 328	4 332	-2.16	97.4	-	0.00
14	5 776	5 780	-4.85	97.4	-	0.00
15	6 554	6 557	-6.04	97.4	-	0.00
16	6 913	6 916	-6.54	97.4	-	0.00
17	6 117	6 121	-5.39	97.4	-	0.00
18	5 489	5 493	-4.37	97.4	-	0.00
19	5 084	5 088	-3.65	97.4	-	0.00
20	6 607	6 610	-6.11	97.4	-	0.00
21	6 934	6 937	-6.57	97.4	-	0.00
22	5 604	5 608	-4.56	97.4	-	0.00
23	4 753	4 757	-3.02	97.4	-	0.00
24	4 727	4 731	-2.97	97.4	-	0.00
25	5 533	5 537	-4.44	97.4	-	0.00
26	6 133	6 136	-5.41	97.4	-	0.00
27	6 569	6 572	-6.06	97.4	-	0.00
28	7 779	7 782	-7.67	97.4	-	0.00
29	8 341	8 343	-8.34	97.4	-	0.00
30	7 763	7 766	-7.65	97.4	-	0.00
31	7 245	7 247	-6.99	97.4	-	0.00
32	5 974	5 977	-5.16	97.4	-	0.00
33	1 123	1 141	9.89	97.4	-	0.00
34	1 777	1 788	5.89	97.4	-	0.00
35	2 119	2 129	4.33	97.4	-	0.00
36	1 474	1 488	7.53	97.4	-	0.00
37	1 133	1 144	9.87	97.4	-	0.00
38	1 950	1 957	5.08	97.4	-	0.00
39	1 463	1 472	7.63	97.4	-	0.00
40	1 025	1 037	10.73	97.4	-	0.00
Sum			18.14			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: CM Priedulaji

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 644	5 647	-4.63	97.4	-	0.00
2	6 430	6 433	-5.86	97.4	-	0.00
3	6 733	6 736	-6.29	97.4	-	0.00
4	6 380	6 383	-5.78	97.4	-	0.00
5	5 680	5 683	-4.69	97.4	-	0.00
6	5 059	5 063	-3.60	97.4	-	0.00
7	5 135	5 138	-3.74	97.4	-	0.00
8	4 541	4 546	-2.60	97.4	-	0.00
9	3 968	3 973	-1.35	97.4	-	0.00
10	3 120	3 127	0.84	97.4	-	0.00
11	3 347	3 353	0.20	97.4	-	0.00
12	4 407	4 411	-2.32	97.4	-	0.00
13	4 328	4 332	-2.16	97.4	-	0.00
14	5 776	5 780	-4.85	97.4	-	0.00
15	6 554	6 557	-6.04	97.4	-	0.00
16	6 913	6 916	-6.54	97.4	-	0.00
17	6 117	6 121	-5.39	97.4	-	0.00
18	5 489	5 493	-4.37	97.4	-	0.00
19	5 084	5 088	-3.65	97.4	-	0.00
20	6 607	6 610	-6.11	97.4	-	0.00
21	6 934	6 937	-6.57	97.4	-	0.00
22	5 604	5 608	-4.56	97.4	-	0.00
23	4 753	4 757	-3.02	97.4	-	0.00
24	4 727	4 731	-2.97	97.4	-	0.00
25	5 533	5 537	-4.44	97.4	-	0.00
26	6 133	6 136	-5.41	97.4	-	0.00
27	6 569	6 572	-6.06	97.4	-	0.00
28	7 779	7 782	-7.67	97.4	-	0.00
29	8 341	8 343	-8.34	97.4	-	0.00
30	7 763	7 766	-7.65	97.4	-	0.00
31	7 245	7 247	-6.99	97.4	-	0.00
32	5 974	5 977	-5.16	97.4	-	0.00
33	1 123	1 141	9.89	97.4	-	0.00
34	1 777	1 788	5.89	97.4	-	0.00
35	2 119	2 129	4.33	97.4	-	0.00
36	1 474	1 488	7.53	97.4	-	0.00
37	1 133	1 144	9.87	97.4	-	0.00
38	1 950	1 957	5.08	97.4	-	0.00
39	1 463	1 472	7.63	97.4	-	0.00
40	1 025	1 037	10.73	97.4	-	0.00
Sum			18.14			

- Data undefined due to calculation with octave data

Noise sensitive area: CN Priedulaji 2

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 602	5 605	-4.56	97.4	-	0.00
2	6 398	6 401	-5.81	97.4	-	0.00
3	6 717	6 720	-6.27	97.4	-	0.00
4	6 358	6 361	-5.75	97.4	-	0.00
5	5 654	5 657	-4.64	97.4	-	0.00
6	5 029	5 032	-3.55	97.4	-	0.00
7	5 095	5 099	-3.67	97.4	-	0.00
8	4 506	4 510	-2.53	97.4	-	0.00
9	3 926	3 931	-1.26	97.4	-	0.00
10	3 081	3 087	0.96	97.4	-	0.00
11	3 320	3 326	0.28	97.4	-	0.00
12	4 380	4 385	-2.27	97.4	-	0.00
13	4 310	4 315	-2.12	97.4	-	0.00
14	5 762	5 766	-4.82	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	6 544	6 547	-6.02	97.4	-	0.00
16	6 914	6 917	-6.54	97.4	-	0.00
17	6 117	6 121	-5.39	97.4	-	0.00
18	5 491	5 495	-4.37	97.4	-	0.00
19	5 096	5 100	-3.67	97.4	-	0.00
20	6 613	6 616	-6.12	97.4	-	0.00
21	6 947	6 950	-6.59	97.4	-	0.00
22	5 623	5 627	-4.59	97.4	-	0.00
23	4 775	4 779	-3.07	97.4	-	0.00
24	4 759	4 763	-3.03	97.4	-	0.00
25	5 560	5 564	-4.49	97.4	-	0.00
26	6 157	6 160	-5.45	97.4	-	0.00
27	6 589	6 592	-6.09	97.4	-	0.00
28	7 805	7 808	-7.70	97.4	-	0.00
29	8 369	8 371	-8.37	97.4	-	0.00
30	7 794	7 797	-7.69	97.4	-	0.00
31	7 279	7 282	-7.03	97.4	-	0.00
32	6 007	6 011	-5.21	97.4	-	0.00
33	1 074	1 092	10.28	97.4	-	0.00
34	1 733	1 744	6.12	97.4	-	0.00
35	2 054	2 063	4.61	97.4	-	0.00
36	1 404	1 418	7.96	97.4	-	0.00
37	1 064	1 076	10.41	97.4	-	0.00
38	1 935	1 942	5.15	97.4	-	0.00
39	1 451	1 460	7.70	97.4	-	0.00
40	1 001	1 014	10.93	97.4	-	0.00
Sum			18.40			

- Data undefined due to calculation with octave data

Noise sensitive area: CN Priedulaji 2

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 602	5 605	-4.56	97.4	-	0.00
2	6 398	6 401	-5.81	97.4	-	0.00
3	6 717	6 720	-6.27	97.4	-	0.00
4	6 358	6 361	-5.75	97.4	-	0.00
5	5 654	5 657	-4.64	97.4	-	0.00
6	5 029	5 032	-3.55	97.4	-	0.00
7	5 095	5 099	-3.67	97.4	-	0.00
8	4 506	4 510	-2.53	97.4	-	0.00
9	3 926	3 931	-1.26	97.4	-	0.00
10	3 081	3 087	0.96	97.4	-	0.00
11	3 320	3 326	0.28	97.4	-	0.00
12	4 380	4 385	-2.27	97.4	-	0.00
13	4 310	4 315	-2.12	97.4	-	0.00
14	5 762	5 766	-4.82	97.4	-	0.00
15	6 544	6 547	-6.02	97.4	-	0.00
16	6 914	6 917	-6.54	97.4	-	0.00
17	6 117	6 121	-5.39	97.4	-	0.00
18	5 491	5 495	-4.37	97.4	-	0.00
19	5 096	5 100	-3.67	97.4	-	0.00
20	6 613	6 616	-6.12	97.4	-	0.00
21	6 947	6 950	-6.59	97.4	-	0.00
22	5 623	5 627	-4.59	97.4	-	0.00
23	4 775	4 779	-3.07	97.4	-	0.00
24	4 759	4 763	-3.03	97.4	-	0.00
25	5 560	5 564	-4.49	97.4	-	0.00
26	6 157	6 160	-5.45	97.4	-	0.00
27	6 589	6 592	-6.09	97.4	-	0.00
28	7 805	7 808	-7.70	97.4	-	0.00
29	8 369	8 371	-8.37	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	7 794	7 797	-7.69	97.4	-	0.00
31	7 279	7 282	-7.03	97.4	-	0.00
32	6 007	6 011	-5.21	97.4	-	0.00
33	1 074	1 092	10.28	97.4	-	0.00
34	1 733	1 744	6.12	97.4	-	0.00
35	2 054	2 063	4.61	97.4	-	0.00
36	1 404	1 418	7.96	97.4	-	0.00
37	1 064	1 076	10.41	97.4	-	0.00
38	1 935	1 942	5.15	97.4	-	0.00
39	1 451	1 460	7.70	97.4	-	0.00
40	1 001	1 014	10.93	97.4	-	0.00
Sum			18.40			

- Data undefined due to calculation with octave data

Noise sensitive area: CO Prie ž gali

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 438	6 441	-5.87	97.4	-	0.00
2	5 462	5 465	-4.32	97.4	-	0.00
3	3 891	3 896	-1.17	97.4	-	0.00
4	4 605	4 609	-2.73	97.4	-	0.00
5	5 026	5 030	-3.54	97.4	-	0.00
6	5 469	5 473	-4.33	97.4	-	0.00
7	6 204	6 207	-5.52	97.4	-	0.00
8	6 005	6 009	-5.21	97.4	-	0.00
9	6 528	6 531	-6.00	97.4	-	0.00
10	6 618	6 621	-6.13	97.4	-	0.00
11	5 941	5 944	-5.11	97.4	-	0.00
12	5 429	5 433	-4.26	97.4	-	0.00
13	4 953	4 957	-3.41	97.4	-	0.00
14	4 016	4 021	-1.47	97.4	-	0.00
15	3 418	3 424	0.01	97.4	-	0.00
16	2 322	2 330	3.51	97.4	-	0.00
17	2 835	2 842	1.71	97.4	-	0.00
18	3 151	3 157	0.75	97.4	-	0.00
19	3 199	3 206	0.62	97.4	-	0.00
20	2 088	2 097	4.46	97.4	-	0.00
21	1 440	1 454	7.74	97.4	-	0.00
22	2 612	2 620	2.45	97.4	-	0.00
23	3 477	3 483	-0.14	97.4	-	0.00
24	3 690	3 695	-0.69	97.4	-	0.00
25	2 795	2 802	1.84	97.4	-	0.00
26	2 151	2 160	4.19	97.4	-	0.00
27	1 648	1 660	6.55	97.4	-	0.00
28	980	999	11.06	97.4	-	0.00
29	1 157	1 173	9.64	97.4	-	0.00
30	1 551	1 564	7.09	97.4	-	0.00
31	2 086	2 095	4.47	97.4	-	0.00
32	2 761	2 768	1.95	97.4	-	0.00
33	7 730	7 733	-7.61	97.4	-	0.00
34	7 347	7 349	-7.12	97.4	-	0.00
35	8 256	8 258	-8.24	97.4	-	0.00
36	8 503	8 506	-8.52	97.4	-	0.00
37	8 825	8 827	-8.88	97.4	-	0.00
38	10 166	10 167	-10.25	97.4	-	0.00
39	9 676	9 677	-9.77	97.4	-	0.00
40	9 236	9 237	-9.32	97.4	-	0.00
Sum			18.22			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: CO Prie ž gali

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 438	6 441	-5.87	97.4	-	0.00
2	5 462	5 465	-4.32	97.4	-	0.00
3	3 891	3 896	-1.17	97.4	-	0.00
4	4 605	4 609	-2.73	97.4	-	0.00
5	5 026	5 030	-3.54	97.4	-	0.00
6	5 469	5 473	-4.33	97.4	-	0.00
7	6 204	6 207	-5.52	97.4	-	0.00
8	6 005	6 009	-5.21	97.4	-	0.00
9	6 528	6 531	-6.00	97.4	-	0.00
10	6 618	6 621	-6.13	97.4	-	0.00
11	5 941	5 944	-5.11	97.4	-	0.00
12	5 429	5 433	-4.26	97.4	-	0.00
13	4 953	4 957	-3.41	97.4	-	0.00
14	4 016	4 021	-1.47	97.4	-	0.00
15	3 418	3 424	0.01	97.4	-	0.00
16	2 322	2 330	3.51	97.4	-	0.00
17	2 835	2 842	1.71	97.4	-	0.00
18	3 151	3 157	0.75	97.4	-	0.00
19	3 199	3 206	0.62	97.4	-	0.00
20	2 088	2 097	4.46	97.4	-	0.00
21	1 440	1 454	7.74	97.4	-	0.00
22	2 612	2 620	2.45	97.4	-	0.00
23	3 477	3 483	-0.14	97.4	-	0.00
24	3 690	3 695	-0.69	97.4	-	0.00
25	2 795	2 802	1.84	97.4	-	0.00
26	2 151	2 160	4.19	97.4	-	0.00
27	1 648	1 660	6.55	97.4	-	0.00
28	980	999	11.06	97.4	-	0.00
29	1 157	1 173	9.64	97.4	-	0.00
30	1 551	1 564	7.09	97.4	-	0.00
31	2 086	2 095	4.47	97.4	-	0.00
32	2 761	2 768	1.95	97.4	-	0.00
33	7 730	7 733	-7.61	97.4	-	0.00
34	7 347	7 349	-7.12	97.4	-	0.00
35	8 256	8 258	-8.24	97.4	-	0.00
36	8 503	8 506	-8.52	97.4	-	0.00
37	8 825	8 827	-8.88	97.4	-	0.00
38	10 166	10 167	-10.25	97.4	-	0.00
39	9 676	9 677	-9.77	97.4	-	0.00
40	9 236	9 237	-9.32	97.4	-	0.00
Sum			18.22			

- Data undefined due to calculation with octave data

Noise sensitive area: CP Pumpuri

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 542	2 549	2.70	97.4	-	0.00
2	3 796	3 801	-0.95	97.4	-	0.00
3	4 977	4 981	-3.45	97.4	-	0.00
4	4 283	4 287	-2.06	97.4	-	0.00
5	3 543	3 549	-0.32	97.4	-	0.00
6	2 889	2 896	1.54	97.4	-	0.00
7	2 343	2 352	3.43	97.4	-	0.00
8	2 245	2 254	3.81	97.4	-	0.00
9	1 664	1 676	6.47	97.4	-	0.00
10	1 860	1 871	5.49	97.4	-	0.00
11	2 473	2 482	2.94	97.4	-	0.00
12	2 765	2 772	1.94	97.4	-	0.00
13	3 255	3 261	0.46	97.4	-	0.00
14	4 336	4 341	-2.17	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	5 154	5 158	-3.78	97.4	-	0.00
16	6 066	6 069	-5.31	97.4	-	0.00
17	5 384	5 387	-4.19	97.4	-	0.00
18	5 058	5 062	-3.60	97.4	-	0.00
19	5 283	5 287	-4.01	97.4	-	0.00
20	6 119	6 123	-5.39	97.4	-	0.00
21	6 756	6 759	-6.32	97.4	-	0.00
22	6 031	6 035	-5.25	97.4	-	0.00
23	5 579	5 583	-4.52	97.4	-	0.00
24	6 034	6 038	-5.26	97.4	-	0.00
25	6 391	6 394	-5.80	97.4	-	0.00
26	6 719	6 722	-6.27	97.4	-	0.00
27	6 829	6 832	-6.43	97.4	-	0.00
28	8 234	8 237	-8.21	97.4	-	0.00
29	8 841	8 843	-8.90	97.4	-	0.00
30	8 506	8 509	-8.53	97.4	-	0.00
31	8 248	8 250	-8.23	97.4	-	0.00
32	7 137	7 140	-6.85	97.4	-	0.00
33	2 987	2 993	1.24	97.4	-	0.00
34	2 470	2 478	2.95	97.4	-	0.00
35	1 988	1 998	4.90	97.4	-	0.00
36	2 734	2 742	2.04	97.4	-	0.00
37	3 339	3 343	0.23	97.4	-	0.00
38	4 975	4 978	-3.45	97.4	-	0.00
39	4 739	4 742	-2.99	97.4	-	0.00
40	4 331	4 335	-2.16	97.4	-	0.00
Sum			15.96			

- Data undefined due to calculation with octave data

Noise sensitive area: CP Pumpuri

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 542	2 549	2.70	97.4	-	0.00
2	3 796	3 801	-0.95	97.4	-	0.00
3	4 977	4 981	-3.45	97.4	-	0.00
4	4 283	4 287	-2.06	97.4	-	0.00
5	3 543	3 549	-0.32	97.4	-	0.00
6	2 889	2 896	1.54	97.4	-	0.00
7	2 343	2 352	3.43	97.4	-	0.00
8	2 245	2 254	3.81	97.4	-	0.00
9	1 664	1 676	6.47	97.4	-	0.00
10	1 860	1 871	5.49	97.4	-	0.00
11	2 473	2 482	2.94	97.4	-	0.00
12	2 765	2 772	1.94	97.4	-	0.00
13	3 255	3 261	0.46	97.4	-	0.00
14	4 336	4 341	-2.17	97.4	-	0.00
15	5 154	5 158	-3.78	97.4	-	0.00
16	6 066	6 069	-5.31	97.4	-	0.00
17	5 384	5 387	-4.19	97.4	-	0.00
18	5 058	5 062	-3.60	97.4	-	0.00
19	5 283	5 287	-4.01	97.4	-	0.00
20	6 119	6 123	-5.39	97.4	-	0.00
21	6 756	6 759	-6.32	97.4	-	0.00
22	6 031	6 035	-5.25	97.4	-	0.00
23	5 579	5 583	-4.52	97.4	-	0.00
24	6 034	6 038	-5.26	97.4	-	0.00
25	6 391	6 394	-5.80	97.4	-	0.00
26	6 719	6 722	-6.27	97.4	-	0.00
27	6 829	6 832	-6.43	97.4	-	0.00
28	8 234	8 237	-8.21	97.4	-	0.00
29	8 841	8 843	-8.90	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	8 506	8 509	-8.53	97.4	-	0.00
31	8 248	8 250	-8.23	97.4	-	0.00
32	7 137	7 140	-6.85	97.4	-	0.00
33	2 987	2 993	1.24	97.4	-	0.00
34	2 470	2 478	2.95	97.4	-	0.00
35	1 988	1 998	4.90	97.4	-	0.00
36	2 734	2 742	2.04	97.4	-	0.00
37	3 339	3 343	0.23	97.4	-	0.00
38	4 975	4 978	-3.45	97.4	-	0.00
39	4 739	4 742	-2.99	97.4	-	0.00
40	4 331	4 335	-2.16	97.4	-	0.00
Sum			15.96			

- Data undefined due to calculation with octave data

Noise sensitive area: CQ Punaki

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 262	6 265	-5.61	97.4	-	0.00
2	5 272	5 275	-3.99	97.4	-	0.00
3	3 697	3 703	-0.71	97.4	-	0.00
4	4 416	4 421	-2.34	97.4	-	0.00
5	4 850	4 854	-3.21	97.4	-	0.00
6	5 305	5 309	-4.05	97.4	-	0.00
7	6 036	6 039	-5.26	97.4	-	0.00
8	5 851	5 854	-4.97	97.4	-	0.00
9	6 385	6 388	-5.79	97.4	-	0.00
10	6 495	6 498	-5.95	97.4	-	0.00
11	5 820	5 823	-4.92	97.4	-	0.00
12	5 283	5 287	-4.01	97.4	-	0.00
13	4 817	4 821	-3.15	97.4	-	0.00
14	3 846	3 851	-1.07	97.4	-	0.00
15	3 231	3 237	0.53	97.4	-	0.00
16	2 137	2 146	4.25	97.4	-	0.00
17	2 677	2 685	2.23	97.4	-	0.00
18	3 021	3 028	1.14	97.4	-	0.00
19	3 116	3 122	0.86	97.4	-	0.00
20	1 932	1 942	5.15	97.4	-	0.00
21	1 314	1 329	8.54	97.4	-	0.00
22	2 561	2 569	2.63	97.4	-	0.00
23	3 437	3 443	-0.04	97.4	-	0.00
24	3 687	3 693	-0.68	97.4	-	0.00
25	2 791	2 798	1.85	97.4	-	0.00
26	2 146	2 155	4.22	97.4	-	0.00
27	1 610	1 622	6.76	97.4	-	0.00
28	1 132	1 149	9.83	97.4	-	0.00
29	1 357	1 371	8.26	97.4	-	0.00
30	1 717	1 728	6.20	97.4	-	0.00
31	2 222	2 230	3.91	97.4	-	0.00
32	2 815	2 822	1.78	97.4	-	0.00
33	7 650	7 652	-7.51	97.4	-	0.00
34	7 253	7 255	-7.00	97.4	-	0.00
35	8 151	8 154	-8.12	97.4	-	0.00
36	8 414	8 416	-8.42	97.4	-	0.00
37	8 747	8 749	-8.80	97.4	-	0.00
38	10 111	10 112	-10.20	97.4	-	0.00
39	9 622	9 623	-9.72	97.4	-	0.00
40	9 177	9 179	-9.26	97.4	-	0.00
Sum			17.97			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: CQ Punaki

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 262	6 265	-5.61	97.4	-	0.00
2	5 272	5 275	-3.99	97.4	-	0.00
3	3 697	3 703	-0.71	97.4	-	0.00
4	4 416	4 421	-2.34	97.4	-	0.00
5	4 850	4 854	-3.21	97.4	-	0.00
6	5 305	5 309	-4.05	97.4	-	0.00
7	6 036	6 039	-5.26	97.4	-	0.00
8	5 851	5 854	-4.97	97.4	-	0.00
9	6 385	6 388	-5.79	97.4	-	0.00
10	6 495	6 498	-5.95	97.4	-	0.00
11	5 820	5 823	-4.92	97.4	-	0.00
12	5 283	5 287	-4.01	97.4	-	0.00
13	4 817	4 821	-3.15	97.4	-	0.00
14	3 846	3 851	-1.07	97.4	-	0.00
15	3 231	3 237	0.53	97.4	-	0.00
16	2 137	2 146	4.25	97.4	-	0.00
17	2 677	2 685	2.23	97.4	-	0.00
18	3 021	3 028	1.14	97.4	-	0.00
19	3 116	3 122	0.86	97.4	-	0.00
20	1 932	1 942	5.15	97.4	-	0.00
21	1 314	1 329	8.54	97.4	-	0.00
22	2 561	2 569	2.63	97.4	-	0.00
23	3 437	3 443	-0.04	97.4	-	0.00
24	3 687	3 693	-0.68	97.4	-	0.00
25	2 791	2 798	1.85	97.4	-	0.00
26	2 146	2 155	4.22	97.4	-	0.00
27	1 610	1 622	6.76	97.4	-	0.00
28	1 132	1 149	9.83	97.4	-	0.00
29	1 357	1 371	8.26	97.4	-	0.00
30	1 717	1 728	6.20	97.4	-	0.00
31	2 222	2 230	3.91	97.4	-	0.00
32	2 815	2 822	1.78	97.4	-	0.00
33	7 650	7 652	-7.51	97.4	-	0.00
34	7 253	7 255	-7.00	97.4	-	0.00
35	8 151	8 154	-8.12	97.4	-	0.00
36	8 414	8 416	-8.42	97.4	-	0.00
37	8 747	8 749	-8.80	97.4	-	0.00
38	10 111	10 112	-10.20	97.4	-	0.00
39	9 622	9 623	-9.72	97.4	-	0.00
40	9 177	9 179	-9.26	97.4	-	0.00
Sum			17.97			

- Data undefined due to calculation with octave data

Noise sensitive area: CR Rasas

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 703	2 710	2.14	97.4	-	0.00
2	3 983	3 988	-1.39	97.4	-	0.00
3	5 234	5 238	-3.92	97.4	-	0.00
4	4 522	4 526	-2.56	97.4	-	0.00
5	3 800	3 805	-0.96	97.4	-	0.00
6	3 168	3 175	0.70	97.4	-	0.00
7	2 572	2 580	2.59	97.4	-	0.00
8	2 545	2 553	2.68	97.4	-	0.00
9	2 006	2 016	4.82	97.4	-	0.00
10	2 238	2 247	3.84	97.4	-	0.00
11	2 848	2 855	1.67	97.4	-	0.00
12	3 095	3 102	0.91	97.4	-	0.00
13	3 602	3 608	-0.47	97.4	-	0.00
14	4 633	4 638	-2.79	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	5 437	5 441	-4.28	97.4	-	0.00
16	6 373	6 377	-5.77	97.4	-	0.00
17	5 706	5 710	-4.73	97.4	-	0.00
18	5 400	5 404	-4.21	97.4	-	0.00
19	5 645	5 649	-4.63	97.4	-	0.00
20	6 446	6 450	-5.88	97.4	-	0.00
21	7 091	7 094	-6.79	97.4	-	0.00
22	6 394	6 397	-5.80	97.4	-	0.00
23	5 953	5 956	-5.13	97.4	-	0.00
24	6 411	6 415	-5.83	97.4	-	0.00
25	6 761	6 765	-6.33	97.4	-	0.00
26	7 082	7 085	-6.77	97.4	-	0.00
27	7 181	7 184	-6.91	97.4	-	0.00
28	8 586	8 588	-8.62	97.4	-	0.00
29	9 191	9 193	-9.27	97.4	-	0.00
30	8 865	8 868	-8.93	97.4	-	0.00
31	8 614	8 617	-8.65	97.4	-	0.00
32	7 510	7 512	-7.33	97.4	-	0.00
33	3 279	3 285	0.39	97.4	-	0.00
34	2 796	2 803	1.84	97.4	-	0.00
35	2 222	2 231	3.90	97.4	-	0.00
36	2 952	2 959	1.35	97.4	-	0.00
37	3 540	3 543	-0.30	97.4	-	0.00
38	5 123	5 125	-3.72	97.4	-	0.00
39	4 917	4 919	-3.34	97.4	-	0.00
40	4 529	4 533	-2.57	97.4	-	0.00
Sum			15.01			

- Data undefined due to calculation with octave data

Noise sensitive area: CR Rasas

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 703	2 710	2.14	97.4	-	0.00
2	3 983	3 988	-1.39	97.4	-	0.00
3	5 234	5 238	-3.92	97.4	-	0.00
4	4 522	4 526	-2.56	97.4	-	0.00
5	3 800	3 805	-0.96	97.4	-	0.00
6	3 168	3 175	0.70	97.4	-	0.00
7	2 572	2 580	2.59	97.4	-	0.00
8	2 545	2 553	2.68	97.4	-	0.00
9	2 006	2 016	4.82	97.4	-	0.00
10	2 238	2 247	3.84	97.4	-	0.00
11	2 848	2 855	1.67	97.4	-	0.00
12	3 095	3 102	0.91	97.4	-	0.00
13	3 602	3 608	-0.47	97.4	-	0.00
14	4 633	4 638	-2.79	97.4	-	0.00
15	5 437	5 441	-4.28	97.4	-	0.00
16	6 373	6 377	-5.77	97.4	-	0.00
17	5 706	5 710	-4.73	97.4	-	0.00
18	5 400	5 404	-4.21	97.4	-	0.00
19	5 645	5 649	-4.63	97.4	-	0.00
20	6 446	6 450	-5.88	97.4	-	0.00
21	7 091	7 094	-6.79	97.4	-	0.00
22	6 394	6 397	-5.80	97.4	-	0.00
23	5 953	5 956	-5.13	97.4	-	0.00
24	6 411	6 415	-5.83	97.4	-	0.00
25	6 761	6 765	-6.33	97.4	-	0.00
26	7 082	7 085	-6.77	97.4	-	0.00
27	7 181	7 184	-6.91	97.4	-	0.00
28	8 586	8 588	-8.62	97.4	-	0.00
29	9 191	9 193	-9.27	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	8 865	8 868	-8.93	97.4	-	0.00
31	8 614	8 617	-8.65	97.4	-	0.00
32	7 510	7 512	-7.33	97.4	-	0.00
33	3 279	3 285	0.39	97.4	-	0.00
34	2 796	2 803	1.84	97.4	-	0.00
35	2 222	2 231	3.90	97.4	-	0.00
36	2 952	2 959	1.35	97.4	-	0.00
37	3 540	3 543	-0.30	97.4	-	0.00
38	5 123	5 125	-3.72	97.4	-	0.00
39	4 917	4 919	-3.34	97.4	-	0.00
40	4 529	4 533	-2.57	97.4	-	0.00
Sum			15.01			

- Data undefined due to calculation with octave data

Noise sensitive area: CS Remesi

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 788	8 791	-8.84	97.4	-	0.00
2	9 782	9 784	-9.88	97.4	-	0.00
3	10 300	10 302	-10.38	97.4	-	0.00
4	9 871	9 873	-9.97	97.4	-	0.00
5	9 129	9 131	-9.21	97.4	-	0.00
6	8 458	8 460	-8.47	97.4	-	0.00
7	8 356	8 358	-8.36	97.4	-	0.00
8	7 854	7 856	-7.76	97.4	-	0.00
9	7 183	7 186	-6.91	97.4	-	0.00
10	6 428	6 431	-5.85	97.4	-	0.00
11	6 829	6 832	-6.43	97.4	-	0.00
12	7 870	7 872	-7.78	97.4	-	0.00
13	7 891	7 894	-7.81	97.4	-	0.00
14	9 360	9 362	-9.45	97.4	-	0.00
15	10 165	10 167	-10.25	97.4	-	0.00
16	10 567	10 569	-10.63	97.4	-	0.00
17	9 770	9 772	-9.87	97.4	-	0.00
18	9 144	9 147	-9.22	97.4	-	0.00
19	8 727	8 729	-8.77	97.4	-	0.00
20	10 262	10 264	-10.34	97.4	-	0.00
21	10 571	10 573	-10.63	97.4	-	0.00
22	9 210	9 212	-9.29	97.4	-	0.00
23	8 338	8 340	-8.33	97.4	-	0.00
24	8 213	8 216	-8.19	97.4	-	0.00
25	9 070	9 072	-9.15	97.4	-	0.00
26	9 693	9 695	-9.79	97.4	-	0.00
27	10 167	10 169	-10.25	97.4	-	0.00
28	11 306	11 307	-11.29	97.4	-	0.00
29	11 839	11 841	-11.74	97.4	-	0.00
30	11 221	11 223	-11.22	97.4	-	0.00
31	10 652	10 654	-10.71	97.4	-	0.00
32	9 407	9 409	-9.50	97.4	-	0.00
33	4 480	4 484	-2.47	97.4	-	0.00
34	5 104	5 108	-3.69	97.4	-	0.00
35	4 775	4 779	-3.07	97.4	-	0.00
36	4 083	4 088	-1.62	97.4	-	0.00
37	3 497	3 500	-0.19	97.4	-	0.00
38	1 775	1 783	5.92	97.4	-	0.00
39	2 217	2 224	3.93	97.4	-	0.00
40	2 704	2 709	2.15	97.4	-	0.00
Sum			11.81			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: CS Remesi

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 788	8 791	-8.84	97.4	-	0.00
2	9 782	9 784	-9.88	97.4	-	0.00
3	10 300	10 302	-10.38	97.4	-	0.00
4	9 871	9 873	-9.97	97.4	-	0.00
5	9 129	9 131	-9.21	97.4	-	0.00
6	8 458	8 460	-8.47	97.4	-	0.00
7	8 356	8 358	-8.36	97.4	-	0.00
8	7 854	7 856	-7.76	97.4	-	0.00
9	7 183	7 186	-6.91	97.4	-	0.00
10	6 428	6 431	-5.85	97.4	-	0.00
11	6 829	6 832	-6.43	97.4	-	0.00
12	7 870	7 872	-7.78	97.4	-	0.00
13	7 891	7 894	-7.81	97.4	-	0.00
14	9 360	9 362	-9.45	97.4	-	0.00
15	10 165	10 167	-10.25	97.4	-	0.00
16	10 567	10 569	-10.63	97.4	-	0.00
17	9 770	9 772	-9.87	97.4	-	0.00
18	9 144	9 147	-9.22	97.4	-	0.00
19	8 727	8 729	-8.77	97.4	-	0.00
20	10 262	10 264	-10.34	97.4	-	0.00
21	10 571	10 573	-10.63	97.4	-	0.00
22	9 210	9 212	-9.29	97.4	-	0.00
23	8 338	8 340	-8.33	97.4	-	0.00
24	8 213	8 216	-8.19	97.4	-	0.00
25	9 070	9 072	-9.15	97.4	-	0.00
26	9 693	9 695	-9.79	97.4	-	0.00
27	10 167	10 169	-10.25	97.4	-	0.00
28	11 306	11 307	-11.29	97.4	-	0.00
29	11 839	11 841	-11.74	97.4	-	0.00
30	11 221	11 223	-11.22	97.4	-	0.00
31	10 652	10 654	-10.71	97.4	-	0.00
32	9 407	9 409	-9.50	97.4	-	0.00
33	4 480	4 484	-2.47	97.4	-	0.00
34	5 104	5 108	-3.69	97.4	-	0.00
35	4 775	4 779	-3.07	97.4	-	0.00
36	4 083	4 088	-1.62	97.4	-	0.00
37	3 497	3 500	-0.19	97.4	-	0.00
38	1 775	1 783	5.92	97.4	-	0.00
39	2 217	2 224	3.93	97.4	-	0.00
40	2 704	2 709	2.15	97.4	-	0.00
Sum			11.81			

- Data undefined due to calculation with octave data

Noise sensitive area: CT Rijnieki

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 533	3 539	-0.29	97.4	-	0.00
2	2 263	2 272	3.74	97.4	-	0.00
3	1 782	1 794	5.86	97.4	-	0.00
4	2 021	2 031	4.75	97.4	-	0.00
5	2 763	2 771	1.94	97.4	-	0.00
6	3 450	3 456	-0.07	97.4	-	0.00
7	3 746	3 752	-0.83	97.4	-	0.00
8	4 098	4 103	-1.65	97.4	-	0.00
9	4 806	4 810	-3.13	97.4	-	0.00
10	5 476	5 479	-4.34	97.4	-	0.00
11	5 071	5 075	-3.63	97.4	-	0.00
12	4 020	4 026	-1.48	97.4	-	0.00
13	4 082	4 087	-1.62	97.4	-	0.00
14	2 723	2 731	2.08	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	2 206	2 215	3.97	97.4	-	0.00
16	2 831	2 838	1.72	97.4	-	0.00
17	3 146	3 153	0.77	97.4	-	0.00
18	3 698	3 704	-0.71	97.4	-	0.00
19	4 508	4 513	-2.53	97.4	-	0.00
20	3 413	3 419	0.03	97.4	-	0.00
21	3 956	3 962	-1.33	97.4	-	0.00
22	4 781	4 785	-3.08	97.4	-	0.00
23	5 313	5 317	-4.06	97.4	-	0.00
24	5 972	5 975	-5.16	97.4	-	0.00
25	5 425	5 429	-4.26	97.4	-	0.00
26	5 104	5 108	-3.69	97.4	-	0.00
27	4 644	4 648	-2.81	97.4	-	0.00
28	5 450	5 454	-4.30	97.4	-	0.00
29	5 838	5 841	-4.95	97.4	-	0.00
30	6 019	6 023	-5.23	97.4	-	0.00
31	6 277	6 280	-5.63	97.4	-	0.00
32	6 048	6 051	-5.28	97.4	-	0.00
33	7 423	7 426	-7.22	97.4	-	0.00
34	6 786	6 789	-6.37	97.4	-	0.00
35	7 247	7 249	-6.99	97.4	-	0.00
36	7 848	7 850	-7.75	97.4	-	0.00
37	8 402	8 404	-8.41	97.4	-	0.00
38	10 116	10 118	-10.20	97.4	-	0.00
39	9 705	9 707	-9.80	97.4	-	0.00
40	9 215	9 217	-9.30	97.4	-	0.00
Sum			15.07			

- Data undefined due to calculation with octave data

Noise sensitive area: CT Rijnieki

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 533	3 539	-0.29	97.4	-	0.00
2	2 263	2 272	3.74	97.4	-	0.00
3	1 782	1 794	5.86	97.4	-	0.00
4	2 021	2 031	4.75	97.4	-	0.00
5	2 763	2 771	1.94	97.4	-	0.00
6	3 450	3 456	-0.07	97.4	-	0.00
7	3 746	3 752	-0.83	97.4	-	0.00
8	4 098	4 103	-1.65	97.4	-	0.00
9	4 806	4 810	-3.13	97.4	-	0.00
10	5 476	5 479	-4.34	97.4	-	0.00
11	5 071	5 075	-3.63	97.4	-	0.00
12	4 020	4 026	-1.48	97.4	-	0.00
13	4 082	4 087	-1.62	97.4	-	0.00
14	2 723	2 731	2.08	97.4	-	0.00
15	2 206	2 215	3.97	97.4	-	0.00
16	2 831	2 838	1.72	97.4	-	0.00
17	3 146	3 153	0.77	97.4	-	0.00
18	3 698	3 704	-0.71	97.4	-	0.00
19	4 508	4 513	-2.53	97.4	-	0.00
20	3 413	3 419	0.03	97.4	-	0.00
21	3 956	3 962	-1.33	97.4	-	0.00
22	4 781	4 785	-3.08	97.4	-	0.00
23	5 313	5 317	-4.06	97.4	-	0.00
24	5 972	5 975	-5.16	97.4	-	0.00
25	5 425	5 429	-4.26	97.4	-	0.00
26	5 104	5 108	-3.69	97.4	-	0.00
27	4 644	4 648	-2.81	97.4	-	0.00
28	5 450	5 454	-4.30	97.4	-	0.00
29	5 838	5 841	-4.95	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	6 019	6 023	-5.23	97.4	-	0.00
31	6 277	6 280	-5.63	97.4	-	0.00
32	6 048	6 051	-5.28	97.4	-	0.00
33	7 423	7 426	-7.22	97.4	-	0.00
34	6 786	6 789	-6.37	97.4	-	0.00
35	7 247	7 249	-6.99	97.4	-	0.00
36	7 848	7 850	-7.75	97.4	-	0.00
37	8 402	8 404	-8.41	97.4	-	0.00
38	10 116	10 118	-10.20	97.4	-	0.00
39	9 705	9 707	-9.80	97.4	-	0.00
40	9 215	9 217	-9.30	97.4	-	0.00
Sum			15.07			

- Data undefined due to calculation with octave data

Noise sensitive area: CU Rolli

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 183	7 185	-6.91	97.4	-	0.00
2	6 127	6 130	-5.40	97.4	-	0.00
3	4 539	4 544	-2.60	97.4	-	0.00
4	5 285	5 289	-4.01	97.4	-	0.00
5	5 779	5 783	-4.85	97.4	-	0.00
6	6 272	6 275	-5.62	97.4	-	0.00
7	6 990	6 993	-6.65	97.4	-	0.00
8	6 838	6 841	-6.44	97.4	-	0.00
9	7 390	7 393	-7.18	97.4	-	0.00
10	7 519	7 522	-7.34	97.4	-	0.00
11	6 845	6 848	-6.45	97.4	-	0.00
12	6 285	6 288	-5.64	97.4	-	0.00
13	5 832	5 836	-4.94	97.4	-	0.00
14	4 799	4 803	-3.11	97.4	-	0.00
15	4 120	4 124	-1.70	97.4	-	0.00
16	3 053	3 059	1.04	97.4	-	0.00
17	3 667	3 672	-0.63	97.4	-	0.00
18	4 044	4 049	-1.53	97.4	-	0.00
19	4 137	4 141	-1.74	97.4	-	0.00
20	2 931	2 937	1.41	97.4	-	0.00
21	2 341	2 349	3.44	97.4	-	0.00
22	3 553	3 558	-0.34	97.4	-	0.00
23	4 413	4 418	-2.34	97.4	-	0.00
24	4 598	4 602	-2.72	97.4	-	0.00
25	3 708	3 713	-0.73	97.4	-	0.00
26	3 069	3 075	0.99	97.4	-	0.00
27	2 588	2 595	2.54	97.4	-	0.00
28	1 635	1 647	6.63	97.4	-	0.00
29	1 424	1 438	7.84	97.4	-	0.00
30	2 063	2 073	4.57	97.4	-	0.00
31	2 699	2 707	2.16	97.4	-	0.00
32	3 590	3 596	-0.44	97.4	-	0.00
33	8 670	8 672	-8.71	97.4	-	0.00
34	8 279	8 281	-8.27	97.4	-	0.00
35	9 180	9 182	-9.26	97.4	-	0.00
36	9 439	9 441	-9.53	97.4	-	0.00
37	9 765	9 767	-9.86	97.4	-	0.00
38	11 106	11 107	-11.12	97.4	-	0.00
39	10 616	10 617	-10.67	97.4	-	0.00
40	10 177	10 178	-10.26	97.4	-	0.00
Sum			15.42			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: CU Rolli

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 183	7 185	-6.91	97.4	-	0.00
2	6 127	6 130	-5.40	97.4	-	0.00
3	4 539	4 544	-2.60	97.4	-	0.00
4	5 285	5 289	-4.01	97.4	-	0.00
5	5 779	5 783	-4.85	97.4	-	0.00
6	6 272	6 275	-5.62	97.4	-	0.00
7	6 990	6 993	-6.65	97.4	-	0.00
8	6 838	6 841	-6.44	97.4	-	0.00
9	7 390	7 393	-7.18	97.4	-	0.00
10	7 519	7 522	-7.34	97.4	-	0.00
11	6 845	6 848	-6.45	97.4	-	0.00
12	6 285	6 288	-5.64	97.4	-	0.00
13	5 832	5 836	-4.94	97.4	-	0.00
14	4 799	4 803	-3.11	97.4	-	0.00
15	4 120	4 124	-1.70	97.4	-	0.00
16	3 053	3 059	1.04	97.4	-	0.00
17	3 667	3 672	-0.63	97.4	-	0.00
18	4 044	4 049	-1.53	97.4	-	0.00
19	4 137	4 141	-1.74	97.4	-	0.00
20	2 931	2 937	1.41	97.4	-	0.00
21	2 341	2 349	3.44	97.4	-	0.00
22	3 553	3 558	-0.34	97.4	-	0.00
23	4 413	4 418	-2.34	97.4	-	0.00
24	4 598	4 602	-2.72	97.4	-	0.00
25	3 708	3 713	-0.73	97.4	-	0.00
26	3 069	3 075	0.99	97.4	-	0.00
27	2 588	2 595	2.54	97.4	-	0.00
28	1 635	1 647	6.63	97.4	-	0.00
29	1 424	1 438	7.84	97.4	-	0.00
30	2 063	2 073	4.57	97.4	-	0.00
31	2 699	2 707	2.16	97.4	-	0.00
32	3 590	3 596	-0.44	97.4	-	0.00
33	8 670	8 672	-8.71	97.4	-	0.00
34	8 279	8 281	-8.27	97.4	-	0.00
35	9 180	9 182	-9.26	97.4	-	0.00
36	9 439	9 441	-9.53	97.4	-	0.00
37	9 765	9 767	-9.86	97.4	-	0.00
38	11 106	11 107	-11.12	97.4	-	0.00
39	10 616	10 617	-10.67	97.4	-	0.00
40	10 177	10 178	-10.26	97.4	-	0.00
Sum			15.42			

- Data undefined due to calculation with octave data

Noise sensitive area: CV Ro ž kalni

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 429	1 443	7.80	97.4	-	0.00
2	1 464	1 477	7.60	97.4	-	0.00
3	2 985	2 992	1.25	97.4	-	0.00
4	2 310	2 318	3.56	97.4	-	0.00
5	2 224	2 233	3.89	97.4	-	0.00
6	2 380	2 388	3.29	97.4	-	0.00
7	1 971	1 982	4.97	97.4	-	0.00
8	2 618	2 625	2.43	97.4	-	0.00
9	3 099	3 105	0.91	97.4	-	0.00
10	3 954	3 960	-1.32	97.4	-	0.00
11	3 927	3 932	-1.26	97.4	-	0.00
12	3 045	3 052	1.06	97.4	-	0.00
13	3 515	3 521	-0.24	97.4	-	0.00
14	3 154	3 161	0.74	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	3 484	3 490	-0.16	97.4	-	0.00
16	4 573	4 578	-2.67	97.4	-	0.00
17	4 318	4 322	-2.13	97.4	-	0.00
18	4 478	4 483	-2.47	97.4	-	0.00
19	5 176	5 181	-3.82	97.4	-	0.00
20	4 970	4 974	-3.44	97.4	-	0.00
21	5 678	5 682	-4.68	97.4	-	0.00
22	5 785	5 789	-4.86	97.4	-	0.00
23	5 879	5 883	-5.01	97.4	-	0.00
24	6 545	6 548	-6.02	97.4	-	0.00
25	6 389	6 393	-5.80	97.4	-	0.00
26	6 364	6 367	-5.76	97.4	-	0.00
27	6 139	6 142	-5.42	97.4	-	0.00
28	7 349	7 351	-7.13	97.4	-	0.00
29	7 872	7 875	-7.78	97.4	-	0.00
30	7 824	7 826	-7.72	97.4	-	0.00
31	7 854	7 857	-7.76	97.4	-	0.00
32	7 162	7 165	-6.88	97.4	-	0.00
33	5 953	5 957	-5.13	97.4	-	0.00
34	5 289	5 292	-4.02	97.4	-	0.00
35	5 356	5 360	-4.14	97.4	-	0.00
36	6 078	6 081	-5.32	97.4	-	0.00
37	6 692	6 694	-6.23	97.4	-	0.00
38	8 426	8 428	-8.43	97.4	-	0.00
39	8 104	8 106	-8.06	97.4	-	0.00
40	7 642	7 644	-7.50	97.4	-	0.00
Sum			15.97			

- Data undefined due to calculation with octave data

Noise sensitive area: CV Ro ž kalni

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 429	1 443	7.80	97.4	-	0.00
2	1 464	1 477	7.60	97.4	-	0.00
3	2 985	2 992	1.25	97.4	-	0.00
4	2 310	2 318	3.56	97.4	-	0.00
5	2 224	2 233	3.89	97.4	-	0.00
6	2 380	2 388	3.29	97.4	-	0.00
7	1 971	1 982	4.97	97.4	-	0.00
8	2 618	2 625	2.43	97.4	-	0.00
9	3 099	3 105	0.91	97.4	-	0.00
10	3 954	3 960	-1.32	97.4	-	0.00
11	3 927	3 932	-1.26	97.4	-	0.00
12	3 045	3 052	1.06	97.4	-	0.00
13	3 515	3 521	-0.24	97.4	-	0.00
14	3 154	3 161	0.74	97.4	-	0.00
15	3 484	3 490	-0.16	97.4	-	0.00
16	4 573	4 578	-2.67	97.4	-	0.00
17	4 318	4 322	-2.13	97.4	-	0.00
18	4 478	4 483	-2.47	97.4	-	0.00
19	5 176	5 181	-3.82	97.4	-	0.00
20	4 970	4 974	-3.44	97.4	-	0.00
21	5 678	5 682	-4.68	97.4	-	0.00
22	5 785	5 789	-4.86	97.4	-	0.00
23	5 879	5 883	-5.01	97.4	-	0.00
24	6 545	6 548	-6.02	97.4	-	0.00
25	6 389	6 393	-5.80	97.4	-	0.00
26	6 364	6 367	-5.76	97.4	-	0.00
27	6 139	6 142	-5.42	97.4	-	0.00
28	7 349	7 351	-7.13	97.4	-	0.00
29	7 872	7 875	-7.78	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	7 824	7 826	-7.72	97.4	-	0.00
31	7 854	7 857	-7.76	97.4	-	0.00
32	7 162	7 165	-6.88	97.4	-	0.00
33	5 953	5 957	-5.13	97.4	-	0.00
34	5 289	5 292	-4.02	97.4	-	0.00
35	5 356	5 360	-4.14	97.4	-	0.00
36	6 078	6 081	-5.32	97.4	-	0.00
37	6 692	6 694	-6.23	97.4	-	0.00
38	8 426	8 428	-8.43	97.4	-	0.00
39	8 104	8 106	-8.06	97.4	-	0.00
40	7 642	7 644	-7.50	97.4	-	0.00
Sum			15.97			

- Data undefined due to calculation with octave data

Noise sensitive area: CW Rudevici

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 274	3 280	0.40	97.4	-	0.00
2	2 066	2 075	4.56	97.4	-	0.00
3	1 989	1 999	4.89	97.4	-	0.00
4	2 032	2 042	4.70	97.4	-	0.00
5	2 708	2 715	2.13	97.4	-	0.00
6	3 360	3 366	0.17	97.4	-	0.00
7	3 554	3 560	-0.34	97.4	-	0.00
8	3 974	3 979	-1.37	97.4	-	0.00
9	4 669	4 674	-2.86	97.4	-	0.00
10	5 389	5 393	-4.20	97.4	-	0.00
11	5 041	5 046	-3.57	97.4	-	0.00
12	3 981	3 987	-1.39	97.4	-	0.00
13	4 118	4 123	-1.70	97.4	-	0.00
14	2 861	2 868	1.63	97.4	-	0.00
15	2 481	2 489	2.92	97.4	-	0.00
16	3 232	3 239	0.52	97.4	-	0.00
17	3 457	3 463	-0.09	97.4	-	0.00
18	3 960	3 965	-1.34	97.4	-	0.00
19	4 776	4 780	-3.07	97.4	-	0.00
20	3 800	3 806	-0.96	97.4	-	0.00
21	4 381	4 386	-2.27	97.4	-	0.00
22	5 110	5 114	-3.70	97.4	-	0.00
23	5 582	5 585	-4.52	97.4	-	0.00
24	6 252	6 256	-5.59	97.4	-	0.00
25	5 759	5 763	-4.82	97.4	-	0.00
26	5 478	5 481	-4.35	97.4	-	0.00
27	5 046	5 050	-3.58	97.4	-	0.00
28	5 915	5 918	-5.07	97.4	-	0.00
29	6 320	6 323	-5.69	97.4	-	0.00
30	6 477	6 480	-5.92	97.4	-	0.00
31	6 707	6 710	-6.26	97.4	-	0.00
32	6 412	6 415	-5.83	97.4	-	0.00
33	7 378	7 380	-7.16	97.4	-	0.00
34	6 727	6 730	-6.28	97.4	-	0.00
35	7 120	7 123	-6.82	97.4	-	0.00
36	7 750	7 753	-7.63	97.4	-	0.00
37	8 321	8 323	-8.31	97.4	-	0.00
38	10 051	10 053	-10.14	97.4	-	0.00
39	9 655	9 656	-9.75	97.4	-	0.00
40	9 167	9 168	-9.25	97.4	-	0.00
Sum			14.77			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: CW Rudevici

Wind speed: 8.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 274	3 280	0.40	97.4	-	0.00
2	2 066	2 075	4.56	97.4	-	0.00
3	1 989	1 999	4.89	97.4	-	0.00
4	2 032	2 042	4.70	97.4	-	0.00
5	2 708	2 715	2.13	97.4	-	0.00
6	3 360	3 366	0.17	97.4	-	0.00
7	3 554	3 560	-0.34	97.4	-	0.00
8	3 974	3 979	-1.37	97.4	-	0.00
9	4 669	4 674	-2.86	97.4	-	0.00
10	5 389	5 393	-4.20	97.4	-	0.00
11	5 041	5 046	-3.57	97.4	-	0.00
12	3 981	3 987	-1.39	97.4	-	0.00
13	4 118	4 123	-1.70	97.4	-	0.00
14	2 861	2 868	1.63	97.4	-	0.00
15	2 481	2 489	2.92	97.4	-	0.00
16	3 232	3 239	0.52	97.4	-	0.00
17	3 457	3 463	-0.09	97.4	-	0.00
18	3 960	3 965	-1.34	97.4	-	0.00
19	4 776	4 780	-3.07	97.4	-	0.00
20	3 800	3 806	-0.96	97.4	-	0.00
21	4 381	4 386	-2.27	97.4	-	0.00
22	5 110	5 114	-3.70	97.4	-	0.00
23	5 582	5 585	-4.52	97.4	-	0.00
24	6 252	6 256	-5.59	97.4	-	0.00
25	5 759	5 763	-4.82	97.4	-	0.00
26	5 478	5 481	-4.35	97.4	-	0.00
27	5 046	5 050	-3.58	97.4	-	0.00
28	5 915	5 918	-5.07	97.4	-	0.00
29	6 320	6 323	-5.69	97.4	-	0.00
30	6 477	6 480	-5.92	97.4	-	0.00
31	6 707	6 710	-6.26	97.4	-	0.00
32	6 412	6 415	-5.83	97.4	-	0.00
33	7 378	7 380	-7.16	97.4	-	0.00
34	6 727	6 730	-6.28	97.4	-	0.00
35	7 120	7 123	-6.82	97.4	-	0.00
36	7 750	7 753	-7.63	97.4	-	0.00
37	8 321	8 323	-8.31	97.4	-	0.00
38	10 051	10 053	-10.14	97.4	-	0.00
39	9 655	9 656	-9.75	97.4	-	0.00
40	9 167	9 168	-9.25	97.4	-	0.00
Sum			14.77			

- Data undefined due to calculation with octave data

Noise sensitive area: CX Saulstari

Wind speed: 6.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 171	7 174	-6.89	97.4	-	0.00
2	6 109	6 112	-5.37	97.4	-	0.00
3	4 521	4 525	-2.56	97.4	-	0.00
4	5 269	5 273	-3.98	97.4	-	0.00
5	5 770	5 773	-4.83	97.4	-	0.00
6	6 268	6 271	-5.61	97.4	-	0.00
7	6 984	6 986	-6.64	97.4	-	0.00
8	6 837	6 840	-6.44	97.4	-	0.00
9	7 393	7 395	-7.18	97.4	-	0.00
10	7 529	7 532	-7.36	97.4	-	0.00
11	6 856	6 859	-6.46	97.4	-	0.00
12	6 287	6 291	-5.64	97.4	-	0.00
13	5 839	5 842	-4.95	97.4	-	0.00
14	4 792	4 797	-3.10	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	4 106	4 111	-1.67	97.4	-	0.00
16	3 044	3 051	1.07	97.4	-	0.00
17	3 668	3 673	-0.63	97.4	-	0.00
18	4 053	4 058	-1.55	97.4	-	0.00
19	4 158	4 163	-1.79	97.4	-	0.00
20	2 934	2 941	1.40	97.4	-	0.00
21	2 354	2 362	3.39	97.4	-	0.00
22	3 581	3 587	-0.41	97.4	-	0.00
23	4 445	4 449	-2.40	97.4	-	0.00
24	4 637	4 641	-2.79	97.4	-	0.00
25	3 746	3 751	-0.83	97.4	-	0.00
26	3 105	3 112	0.89	97.4	-	0.00
27	2 617	2 625	2.43	97.4	-	0.00
28	1 688	1 699	6.35	97.4	-	0.00
29	1 486	1 499	7.47	97.4	-	0.00
30	2 122	2 131	4.31	97.4	-	0.00
31	2 757	2 764	1.97	97.4	-	0.00
32	3 638	3 643	-0.56	97.4	-	0.00
33	8 692	8 694	-8.73	97.4	-	0.00
34	8 298	8 300	-8.29	97.4	-	0.00
35	9 195	9 197	-9.28	97.4	-	0.00
36	9 459	9 461	-9.55	97.4	-	0.00
37	9 788	9 790	-9.88	97.4	-	0.00
38	11 135	11 137	-11.14	97.4	-	0.00
39	10 645	10 646	-10.70	97.4	-	0.00
40	10 205	10 206	-10.29	97.4	-	0.00
Sum			15.27			

- Data undefined due to calculation with octave data

Noise sensitive area: CX Saulstari

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 171	7 174	-6.89	97.4	-	0.00
2	6 109	6 112	-5.37	97.4	-	0.00
3	4 521	4 525	-2.56	97.4	-	0.00
4	5 269	5 273	-3.98	97.4	-	0.00
5	5 770	5 773	-4.83	97.4	-	0.00
6	6 268	6 271	-5.61	97.4	-	0.00
7	6 984	6 986	-6.64	97.4	-	0.00
8	6 837	6 840	-6.44	97.4	-	0.00
9	7 393	7 395	-7.18	97.4	-	0.00
10	7 529	7 532	-7.36	97.4	-	0.00
11	6 856	6 859	-6.46	97.4	-	0.00
12	6 287	6 291	-5.64	97.4	-	0.00
13	5 839	5 842	-4.95	97.4	-	0.00
14	4 792	4 797	-3.10	97.4	-	0.00
15	4 106	4 111	-1.67	97.4	-	0.00
16	3 044	3 051	1.07	97.4	-	0.00
17	3 668	3 673	-0.63	97.4	-	0.00
18	4 053	4 058	-1.55	97.4	-	0.00
19	4 158	4 163	-1.79	97.4	-	0.00
20	2 934	2 941	1.40	97.4	-	0.00
21	2 354	2 362	3.39	97.4	-	0.00
22	3 581	3 587	-0.41	97.4	-	0.00
23	4 445	4 449	-2.40	97.4	-	0.00
24	4 637	4 641	-2.79	97.4	-	0.00
25	3 746	3 751	-0.83	97.4	-	0.00
26	3 105	3 112	0.89	97.4	-	0.00
27	2 617	2 625	2.43	97.4	-	0.00
28	1 688	1 699	6.35	97.4	-	0.00
29	1 486	1 499	7.47	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	2 122	2 131	4.31	97.4	-	0.00
31	2 757	2 764	1.97	97.4	-	0.00
32	3 638	3 643	-0.56	97.4	-	0.00
33	8 692	8 694	-8.73	97.4	-	0.00
34	8 298	8 300	-8.29	97.4	-	0.00
35	9 195	9 197	-9.28	97.4	-	0.00
36	9 459	9 461	-9.55	97.4	-	0.00
37	9 788	9 790	-9.88	97.4	-	0.00
38	11 135	11 137	-11.14	97.4	-	0.00
39	10 645	10 646	-10.70	97.4	-	0.00
40	10 205	10 206	-10.29	97.4	-	0.00
Sum			15.27			

- Data undefined due to calculation with octave data

Noise sensitive area: CY Silaraji

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 610	4 614	-2.74	97.4	-	0.00
2	3 428	3 433	-0.01	97.4	-	0.00
3	1 886	1 896	5.36	97.4	-	0.00
4	2 647	2 654	2.33	97.4	-	0.00
5	3 293	3 299	0.35	97.4	-	0.00
6	3 916	3 922	-1.23	97.4	-	0.00
7	4 541	4 545	-2.60	97.4	-	0.00
8	4 569	4 574	-2.66	97.4	-	0.00
9	5 229	5 233	-3.91	97.4	-	0.00
10	5 612	5 615	-4.57	97.4	-	0.00
11	5 013	5 017	-3.52	97.4	-	0.00
12	4 164	4 169	-1.80	97.4	-	0.00
13	3 897	3 902	-1.19	97.4	-	0.00
14	2 503	2 511	2.83	97.4	-	0.00
15	1 657	1 669	6.51	97.4	-	0.00
16	1 130	1 147	9.84	97.4	-	0.00
17	1 892	1 902	5.34	97.4	-	0.00
18	2 544	2 552	2.69	97.4	-	0.00
19	3 172	3 179	0.69	97.4	-	0.00
20	1 631	1 643	6.65	97.4	-	0.00
21	1 895	1 905	5.32	97.4	-	0.00
22	3 111	3 118	0.87	97.4	-	0.00
23	3 880	3 885	-1.15	97.4	-	0.00
24	4 430	4 435	-2.37	97.4	-	0.00
25	3 682	3 687	-0.67	97.4	-	0.00
26	3 198	3 204	0.62	97.4	-	0.00
27	2 639	2 647	2.36	97.4	-	0.00
28	3 200	3 206	0.61	97.4	-	0.00
29	3 556	3 562	-0.35	97.4	-	0.00
30	3 783	3 788	-0.92	97.4	-	0.00
31	4 113	4 118	-1.69	97.4	-	0.00
32	4 138	4 143	-1.74	97.4	-	0.00
33	7 229	7 232	-6.97	97.4	-	0.00
34	6 690	6 693	-6.23	97.4	-	0.00
35	7 417	7 420	-7.21	97.4	-	0.00
36	7 856	7 859	-7.76	97.4	-	0.00
37	8 312	8 314	-8.30	97.4	-	0.00
38	9 893	9 895	-9.99	97.4	-	0.00
39	9 430	9 432	-9.52	97.4	-	0.00
40	8 950	8 951	-9.02	97.4	-	0.00
Sum			17.37			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: CY Silaraji

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 610	4 614	-2.74	97.4	-	0.00
2	3 428	3 433	-0.01	97.4	-	0.00
3	1 886	1 896	5.36	97.4	-	0.00
4	2 647	2 654	2.33	97.4	-	0.00
5	3 293	3 299	0.35	97.4	-	0.00
6	3 916	3 922	-1.23	97.4	-	0.00
7	4 541	4 545	-2.60	97.4	-	0.00
8	4 569	4 574	-2.66	97.4	-	0.00
9	5 229	5 233	-3.91	97.4	-	0.00
10	5 612	5 615	-4.57	97.4	-	0.00
11	5 013	5 017	-3.52	97.4	-	0.00
12	4 164	4 169	-1.80	97.4	-	0.00
13	3 897	3 902	-1.19	97.4	-	0.00
14	2 503	2 511	2.83	97.4	-	0.00
15	1 657	1 669	6.51	97.4	-	0.00
16	1 130	1 147	9.84	97.4	-	0.00
17	1 892	1 902	5.34	97.4	-	0.00
18	2 544	2 552	2.69	97.4	-	0.00
19	3 172	3 179	0.69	97.4	-	0.00
20	1 631	1 643	6.65	97.4	-	0.00
21	1 895	1 905	5.32	97.4	-	0.00
22	3 111	3 118	0.87	97.4	-	0.00
23	3 880	3 885	-1.15	97.4	-	0.00
24	4 430	4 435	-2.37	97.4	-	0.00
25	3 682	3 687	-0.67	97.4	-	0.00
26	3 198	3 204	0.62	97.4	-	0.00
27	2 639	2 647	2.36	97.4	-	0.00
28	3 200	3 206	0.61	97.4	-	0.00
29	3 556	3 562	-0.35	97.4	-	0.00
30	3 783	3 788	-0.92	97.4	-	0.00
31	4 113	4 118	-1.69	97.4	-	0.00
32	4 138	4 143	-1.74	97.4	-	0.00
33	7 229	7 232	-6.97	97.4	-	0.00
34	6 690	6 693	-6.23	97.4	-	0.00
35	7 417	7 420	-7.21	97.4	-	0.00
36	7 856	7 859	-7.76	97.4	-	0.00
37	8 312	8 314	-8.30	97.4	-	0.00
38	9 893	9 895	-9.99	97.4	-	0.00
39	9 430	9 432	-9.52	97.4	-	0.00
40	8 950	8 951	-9.02	97.4	-	0.00
Sum			17.37			

- Data undefined due to calculation with octave data

Noise sensitive area: CZ Silnieki

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 445	4 449	-2.40	97.4	-	0.00
2	3 291	3 297	0.36	97.4	-	0.00
3	1 723	1 735	6.16	97.4	-	0.00
4	2 487	2 495	2.89	97.4	-	0.00
5	3 105	3 112	0.89	97.4	-	0.00
6	3 714	3 719	-0.75	97.4	-	0.00
7	4 354	4 359	-2.21	97.4	-	0.00
8	4 360	4 364	-2.22	97.4	-	0.00
9	5 012	5 016	-3.52	97.4	-	0.00
10	5 378	5 382	-4.18	97.4	-	0.00
11	4 775	4 779	-3.07	97.4	-	0.00
12	3 940	3 945	-1.29	97.4	-	0.00
13	3 659	3 664	-0.61	97.4	-	0.00
14	2 282	2 291	3.66	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	1 446	1 460	7.70	97.4	-	0.00
16	884	906	11.93	97.4	-	0.00
17	1 640	1 652	6.60	97.4	-	0.00
18	2 293	2 301	3.62	97.4	-	0.00
19	2 929	2 936	1.42	97.4	-	0.00
20	1 404	1 418	7.96	97.4	-	0.00
21	1 728	1 740	6.14	97.4	-	0.00
22	2 891	2 898	1.54	97.4	-	0.00
23	3 645	3 650	-0.57	97.4	-	0.00
24	4 205	4 210	-1.89	97.4	-	0.00
25	3 473	3 479	-0.13	97.4	-	0.00
26	3 010	3 016	1.17	97.4	-	0.00
27	2 466	2 475	2.97	97.4	-	0.00
28	3 124	3 130	0.83	97.4	-	0.00
29	3 515	3 521	-0.24	97.4	-	0.00
30	3 698	3 703	-0.71	97.4	-	0.00
31	3 994	3 999	-1.41	97.4	-	0.00
32	3 956	3 961	-1.33	97.4	-	0.00
33	6 982	6 984	-6.64	97.4	-	0.00
34	6 446	6 449	-5.88	97.4	-	0.00
35	7 181	7 183	-6.90	97.4	-	0.00
36	7 613	7 616	-7.46	97.4	-	0.00
37	8 066	8 068	-8.02	97.4	-	0.00
38	9 644	9 645	-9.74	97.4	-	0.00
39	9 180	9 182	-9.26	97.4	-	0.00
40	8 700	8 701	-8.74	97.4	-	0.00
Sum			18.41			

- Data undefined due to calculation with octave data

Noise sensitive area: CZ Silnieki

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 445	4 449	-2.40	97.4	-	0.00
2	3 291	3 297	0.36	97.4	-	0.00
3	1 723	1 735	6.16	97.4	-	0.00
4	2 487	2 495	2.89	97.4	-	0.00
5	3 105	3 112	0.89	97.4	-	0.00
6	3 714	3 719	-0.75	97.4	-	0.00
7	4 354	4 359	-2.21	97.4	-	0.00
8	4 360	4 364	-2.22	97.4	-	0.00
9	5 012	5 016	-3.52	97.4	-	0.00
10	5 378	5 382	-4.18	97.4	-	0.00
11	4 775	4 779	-3.07	97.4	-	0.00
12	3 940	3 945	-1.29	97.4	-	0.00
13	3 659	3 664	-0.61	97.4	-	0.00
14	2 282	2 291	3.66	97.4	-	0.00
15	1 446	1 460	7.70	97.4	-	0.00
16	884	906	11.93	97.4	-	0.00
17	1 640	1 652	6.60	97.4	-	0.00
18	2 293	2 301	3.62	97.4	-	0.00
19	2 929	2 936	1.42	97.4	-	0.00
20	1 404	1 418	7.96	97.4	-	0.00
21	1 728	1 740	6.14	97.4	-	0.00
22	2 891	2 898	1.54	97.4	-	0.00
23	3 645	3 650	-0.57	97.4	-	0.00
24	4 205	4 210	-1.89	97.4	-	0.00
25	3 473	3 479	-0.13	97.4	-	0.00
26	3 010	3 016	1.17	97.4	-	0.00
27	2 466	2 475	2.97	97.4	-	0.00
28	3 124	3 130	0.83	97.4	-	0.00
29	3 515	3 521	-0.24	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	3 698	3 703	-0.71	97.4	-	0.00
31	3 994	3 999	-1.41	97.4	-	0.00
32	3 956	3 961	-1.33	97.4	-	0.00
33	6 982	6 984	-6.64	97.4	-	0.00
34	6 446	6 449	-5.88	97.4	-	0.00
35	7 181	7 183	-6.90	97.4	-	0.00
36	7 613	7 616	-7.46	97.4	-	0.00
37	8 066	8 068	-8.02	97.4	-	0.00
38	9 644	9 645	-9.74	97.4	-	0.00
39	9 180	9 182	-9.26	97.4	-	0.00
40	8 700	8 701	-8.74	97.4	-	0.00
Sum			18.41			

- Data undefined due to calculation with octave data

Noise sensitive area: DA Strautini

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 687	2 694	2.20	97.4	-	0.00
2	3 809	3 814	-0.98	97.4	-	0.00
3	4 754	4 759	-3.03	97.4	-	0.00
4	4 131	4 136	-1.73	97.4	-	0.00
5	3 360	3 366	0.17	97.4	-	0.00
6	2 662	2 669	2.28	97.4	-	0.00
7	2 320	2 329	3.52	97.4	-	0.00
8	1 985	1 995	4.91	97.4	-	0.00
9	1 281	1 297	8.76	97.4	-	0.00
10	1 102	1 120	10.06	97.4	-	0.00
11	1 773	1 784	5.91	97.4	-	0.00
12	2 337	2 346	3.45	97.4	-	0.00
13	2 724	2 732	2.07	97.4	-	0.00
14	3 993	3 998	-1.41	97.4	-	0.00
15	4 841	4 845	-3.19	97.4	-	0.00
16	5 654	5 658	-4.65	97.4	-	0.00
17	4 921	4 925	-3.35	97.4	-	0.00
18	4 517	4 522	-2.55	97.4	-	0.00
19	4 638	4 642	-2.80	97.4	-	0.00
20	5 633	5 636	-4.61	97.4	-	0.00
21	6 228	6 231	-5.55	97.4	-	0.00
22	5 378	5 381	-4.18	97.4	-	0.00
23	4 854	4 858	-3.22	97.4	-	0.00
24	5 265	5 269	-3.98	97.4	-	0.00
25	5 686	5 690	-4.70	97.4	-	0.00
26	6 061	6 064	-5.30	97.4	-	0.00
27	6 225	6 228	-5.55	97.4	-	0.00
28	7 628	7 631	-7.48	97.4	-	0.00
29	8 238	8 240	-8.22	97.4	-	0.00
30	7 860	7 863	-7.77	97.4	-	0.00
31	7 560	7 563	-7.40	97.4	-	0.00
32	6 409	6 412	-5.83	97.4	-	0.00
33	2 190	2 199	4.03	97.4	-	0.00
34	1 625	1 637	6.68	97.4	-	0.00
35	1 362	1 377	8.22	97.4	-	0.00
36	2 101	2 111	4.40	97.4	-	0.00
37	2 720	2 725	2.10	97.4	-	0.00
38	4 436	4 439	-2.38	97.4	-	0.00
39	4 140	4 143	-1.74	97.4	-	0.00
40	3 697	3 701	-0.70	97.4	-	0.00
Sum			18.07			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: DA Strautini

Wind speed: 8.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 687	2 694	2.20	97.4	-	0.00
2	3 809	3 814	-0.98	97.4	-	0.00
3	4 754	4 759	-3.03	97.4	-	0.00
4	4 131	4 136	-1.73	97.4	-	0.00
5	3 360	3 366	0.17	97.4	-	0.00
6	2 662	2 669	2.28	97.4	-	0.00
7	2 320	2 329	3.52	97.4	-	0.00
8	1 985	1 995	4.91	97.4	-	0.00
9	1 281	1 297	8.76	97.4	-	0.00
10	1 102	1 120	10.06	97.4	-	0.00
11	1 773	1 784	5.91	97.4	-	0.00
12	2 337	2 346	3.45	97.4	-	0.00
13	2 724	2 732	2.07	97.4	-	0.00
14	3 993	3 998	-1.41	97.4	-	0.00
15	4 841	4 845	-3.19	97.4	-	0.00
16	5 654	5 658	-4.65	97.4	-	0.00
17	4 921	4 925	-3.35	97.4	-	0.00
18	4 517	4 522	-2.55	97.4	-	0.00
19	4 638	4 642	-2.80	97.4	-	0.00
20	5 633	5 636	-4.61	97.4	-	0.00
21	6 228	6 231	-5.55	97.4	-	0.00
22	5 378	5 381	-4.18	97.4	-	0.00
23	4 854	4 858	-3.22	97.4	-	0.00
24	5 265	5 269	-3.98	97.4	-	0.00
25	5 686	5 690	-4.70	97.4	-	0.00
26	6 061	6 064	-5.30	97.4	-	0.00
27	6 225	6 228	-5.55	97.4	-	0.00
28	7 628	7 631	-7.48	97.4	-	0.00
29	8 238	8 240	-8.22	97.4	-	0.00
30	7 860	7 863	-7.77	97.4	-	0.00
31	7 560	7 563	-7.40	97.4	-	0.00
32	6 409	6 412	-5.83	97.4	-	0.00
33	2 190	2 199	4.03	97.4	-	0.00
34	1 625	1 637	6.68	97.4	-	0.00
35	1 362	1 377	8.22	97.4	-	0.00
36	2 101	2 111	4.40	97.4	-	0.00
37	2 720	2 725	2.10	97.4	-	0.00
38	4 436	4 439	-2.38	97.4	-	0.00
39	4 140	4 143	-1.74	97.4	-	0.00
40	3 697	3 701	-0.70	97.4	-	0.00
Sum			18.07			

- Data undefined due to calculation with octave data

Noise sensitive area: DB Svires

Wind speed: 6.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 253	4 257	-1.99	97.4	-	0.00
2	2 973	2 980	1.28	97.4	-	0.00
3	1 749	1 761	6.03	97.4	-	0.00
4	2 376	2 385	3.30	97.4	-	0.00
5	3 135	3 141	0.80	97.4	-	0.00
6	3 828	3 833	-1.02	97.4	-	0.00
7	4 319	4 324	-2.14	97.4	-	0.00
8	4 505	4 509	-2.53	97.4	-	0.00
9	5 208	5 212	-3.88	97.4	-	0.00
10	5 738	5 742	-4.78	97.4	-	0.00
11	5 219	5 223	-3.90	97.4	-	0.00
12	4 244	4 249	-1.98	97.4	-	0.00
13	4 126	4 131	-1.71	97.4	-	0.00
14	2 654	2 662	2.31	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	1 861	1 872	5.48	97.4	-	0.00
16	1 970	1 981	4.97	97.4	-	0.00
17	2 546	2 554	2.68	97.4	-	0.00
18	3 190	3 196	0.64	97.4	-	0.00
19	3 935	3 940	-1.28	97.4	-	0.00
20	2 553	2 561	2.66	97.4	-	0.00
21	2 955	2 962	1.34	97.4	-	0.00
22	4 027	4 032	-1.49	97.4	-	0.00
23	4 705	4 709	-2.93	97.4	-	0.00
24	5 312	5 316	-4.06	97.4	-	0.00
25	4 639	4 643	-2.80	97.4	-	0.00
26	4 215	4 220	-1.91	97.4	-	0.00
27	3 688	3 693	-0.68	97.4	-	0.00
28	4 310	4 314	-2.12	97.4	-	0.00
29	4 651	4 655	-2.82	97.4	-	0.00
30	4 893	4 898	-3.29	97.4	-	0.00
31	5 216	5 220	-3.89	97.4	-	0.00
32	5 165	5 169	-3.80	97.4	-	0.00
33	7 539	7 542	-7.37	97.4	-	0.00
34	6 947	6 950	-6.59	97.4	-	0.00
35	7 557	7 560	-7.39	97.4	-	0.00
36	8 078	8 081	-8.03	97.4	-	0.00
37	8 585	8 587	-8.61	97.4	-	0.00
38	10 241	10 242	-10.32	97.4	-	0.00
39	9 798	9 800	-9.89	97.4	-	0.00
40	9 310	9 311	-9.40	97.4	-	0.00
Sum			15.60			

- Data undefined due to calculation with octave data

Noise sensitive area: DB Svires

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 253	4 257	-1.99	97.4	-	0.00
2	2 973	2 980	1.28	97.4	-	0.00
3	1 749	1 761	6.03	97.4	-	0.00
4	2 376	2 385	3.30	97.4	-	0.00
5	3 135	3 141	0.80	97.4	-	0.00
6	3 828	3 833	-1.02	97.4	-	0.00
7	4 319	4 324	-2.14	97.4	-	0.00
8	4 505	4 509	-2.53	97.4	-	0.00
9	5 208	5 212	-3.88	97.4	-	0.00
10	5 738	5 742	-4.78	97.4	-	0.00
11	5 219	5 223	-3.90	97.4	-	0.00
12	4 244	4 249	-1.98	97.4	-	0.00
13	4 126	4 131	-1.71	97.4	-	0.00
14	2 654	2 662	2.31	97.4	-	0.00
15	1 861	1 872	5.48	97.4	-	0.00
16	1 970	1 981	4.97	97.4	-	0.00
17	2 546	2 554	2.68	97.4	-	0.00
18	3 190	3 196	0.64	97.4	-	0.00
19	3 935	3 940	-1.28	97.4	-	0.00
20	2 553	2 561	2.66	97.4	-	0.00
21	2 955	2 962	1.34	97.4	-	0.00
22	4 027	4 032	-1.49	97.4	-	0.00
23	4 705	4 709	-2.93	97.4	-	0.00
24	5 312	5 316	-4.06	97.4	-	0.00
25	4 639	4 643	-2.80	97.4	-	0.00
26	4 215	4 220	-1.91	97.4	-	0.00
27	3 688	3 693	-0.68	97.4	-	0.00
28	4 310	4 314	-2.12	97.4	-	0.00
29	4 651	4 655	-2.82	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	4 893	4 898	-3.29	97.4	-	0.00
31	5 216	5 220	-3.89	97.4	-	0.00
32	5 165	5 169	-3.80	97.4	-	0.00
33	7 539	7 542	-7.37	97.4	-	0.00
34	6 947	6 950	-6.59	97.4	-	0.00
35	7 557	7 560	-7.39	97.4	-	0.00
36	8 078	8 081	-8.03	97.4	-	0.00
37	8 585	8 587	-8.61	97.4	-	0.00
38	10 241	10 242	-10.32	97.4	-	0.00
39	9 798	9 800	-9.89	97.4	-	0.00
40	9 310	9 311	-9.40	97.4	-	0.00
Sum			15.60			

- Data undefined due to calculation with octave data

Noise sensitive area: DC Terandes mui ž a

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 271	9 273	-9.36	97.4	-	0.00
2	8 383	8 385	-8.39	97.4	-	0.00
3	6 835	6 838	-6.44	97.4	-	0.00
4	7 524	7 526	-7.35	97.4	-	0.00
5	7 866	7 868	-7.77	97.4	-	0.00
6	8 221	8 224	-8.20	97.4	-	0.00
7	8 974	8 976	-9.04	97.4	-	0.00
8	8 678	8 680	-8.72	97.4	-	0.00
9	9 102	9 104	-9.18	97.4	-	0.00
10	9 012	9 014	-9.08	97.4	-	0.00
11	8 335	8 338	-8.33	97.4	-	0.00
12	8 051	8 054	-8.00	97.4	-	0.00
13	7 508	7 510	-7.33	97.4	-	0.00
14	6 838	6 841	-6.44	97.4	-	0.00
15	6 337	6 340	-5.72	97.4	-	0.00
16	5 244	5 248	-3.94	97.4	-	0.00
17	5 618	5 621	-4.58	97.4	-	0.00
18	5 746	5 750	-4.80	97.4	-	0.00
19	5 472	5 476	-4.34	97.4	-	0.00
20	4 895	4 899	-3.30	97.4	-	0.00
21	4 182	4 186	-1.84	97.4	-	0.00
22	4 730	4 735	-2.98	97.4	-	0.00
23	5 350	5 354	-4.13	97.4	-	0.00
24	5 178	5 182	-3.82	97.4	-	0.00
25	4 496	4 500	-2.51	97.4	-	0.00
26	4 049	4 054	-1.54	97.4	-	0.00
27	3 931	3 936	-1.27	97.4	-	0.00
28	2 543	2 551	2.69	97.4	-	0.00
29	1 964	1 974	5.00	97.4	-	0.00
30	2 249	2 257	3.80	97.4	-	0.00
31	2 647	2 654	2.33	97.4	-	0.00
32	3 916	3 921	-1.23	97.4	-	0.00
33	9 675	9 677	-9.77	97.4	-	0.00
34	9 443	9 445	-9.54	97.4	-	0.00
35	10 433	10 435	-10.50	97.4	-	0.00
36	10 515	10 517	-10.58	97.4	-	0.00
37	10 706	10 707	-10.76	97.4	-	0.00
38	11 751	11 752	-11.67	97.4	-	0.00
39	11 262	11 263	-11.25	97.4	-	0.00
40	10 887	10 888	-10.92	97.4	-	0.00
Sum			12.78			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: DC Terandes mui ž a

Wind speed: 8.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 271	9 273	-9.36	97.4	-	0.00
2	8 383	8 385	-8.39	97.4	-	0.00
3	6 835	6 838	-6.44	97.4	-	0.00
4	7 524	7 526	-7.35	97.4	-	0.00
5	7 866	7 868	-7.77	97.4	-	0.00
6	8 221	8 224	-8.20	97.4	-	0.00
7	8 974	8 976	-9.04	97.4	-	0.00
8	8 678	8 680	-8.72	97.4	-	0.00
9	9 102	9 104	-9.18	97.4	-	0.00
10	9 012	9 014	-9.08	97.4	-	0.00
11	8 335	8 338	-8.33	97.4	-	0.00
12	8 051	8 054	-8.00	97.4	-	0.00
13	7 508	7 510	-7.33	97.4	-	0.00
14	6 838	6 841	-6.44	97.4	-	0.00
15	6 337	6 340	-5.72	97.4	-	0.00
16	5 244	5 248	-3.94	97.4	-	0.00
17	5 618	5 621	-4.58	97.4	-	0.00
18	5 746	5 750	-4.80	97.4	-	0.00
19	5 472	5 476	-4.34	97.4	-	0.00
20	4 895	4 899	-3.30	97.4	-	0.00
21	4 182	4 186	-1.84	97.4	-	0.00
22	4 730	4 735	-2.98	97.4	-	0.00
23	5 350	5 354	-4.13	97.4	-	0.00
24	5 178	5 182	-3.82	97.4	-	0.00
25	4 496	4 500	-2.51	97.4	-	0.00
26	4 049	4 054	-1.54	97.4	-	0.00
27	3 931	3 936	-1.27	97.4	-	0.00
28	2 543	2 551	2.69	97.4	-	0.00
29	1 964	1 974	5.00	97.4	-	0.00
30	2 249	2 257	3.80	97.4	-	0.00
31	2 647	2 654	2.33	97.4	-	0.00
32	3 916	3 921	-1.23	97.4	-	0.00
33	9 675	9 677	-9.77	97.4	-	0.00
34	9 443	9 445	-9.54	97.4	-	0.00
35	10 433	10 435	-10.50	97.4	-	0.00
36	10 515	10 517	-10.58	97.4	-	0.00
37	10 706	10 707	-10.76	97.4	-	0.00
38	11 751	11 752	-11.67	97.4	-	0.00
39	11 262	11 263	-11.25	97.4	-	0.00
40	10 887	10 888	-10.92	97.4	-	0.00
Sum			12.78			

- Data undefined due to calculation with octave data

Noise sensitive area: DD Terandnieki A

Wind speed: 6.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 974	8 976	-9.04	97.4	-	0.00
2	8 100	8 102	-8.06	97.4	-	0.00
3	6 560	6 563	-6.05	97.4	-	0.00
4	7 241	7 244	-6.98	97.4	-	0.00
5	7 571	7 574	-7.41	97.4	-	0.00
6	7 918	7 921	-7.84	97.4	-	0.00
7	8 671	8 674	-8.71	97.4	-	0.00
8	8 370	8 372	-8.37	97.4	-	0.00
9	8 790	8 792	-8.84	97.4	-	0.00
10	8 695	8 697	-8.74	97.4	-	0.00
11	8 019	8 022	-7.96	97.4	-	0.00
12	7 741	7 744	-7.62	97.4	-	0.00
13	7 196	7 199	-6.92	97.4	-	0.00
14	6 543	6 546	-6.02	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	6 056	6 060	-5.29	97.4	-	0.00
16	4 967	4 971	-3.43	97.4	-	0.00
17	5 322	5 326	-4.08	97.4	-	0.00
18	5 439	5 442	-4.28	97.4	-	0.00
19	5 157	5 160	-3.78	97.4	-	0.00
20	4 604	4 608	-2.73	97.4	-	0.00
21	3 889	3 895	-1.17	97.4	-	0.00
22	4 414	4 419	-2.34	97.4	-	0.00
23	5 032	5 036	-3.56	97.4	-	0.00
24	4 865	4 869	-3.24	97.4	-	0.00
25	4 179	4 183	-1.83	97.4	-	0.00
26	3 732	3 738	-0.79	97.4	-	0.00
27	3 621	3 627	-0.51	97.4	-	0.00
28	2 240	2 249	3.83	97.4	-	0.00
29	1 672	1 684	6.43	97.4	-	0.00
30	1 932	1 942	5.15	97.4	-	0.00
31	2 333	2 341	3.47	97.4	-	0.00
32	3 603	3 609	-0.47	97.4	-	0.00
33	9 360	9 362	-9.45	97.4	-	0.00
34	9 126	9 128	-9.21	97.4	-	0.00
35	10 115	10 117	-10.20	97.4	-	0.00
36	10 200	10 202	-10.28	97.4	-	0.00
37	10 392	10 394	-10.47	97.4	-	0.00
38	11 447	11 448	-11.41	97.4	-	0.00
39	10 957	10 959	-10.98	97.4	-	0.00
40	10 580	10 581	-10.64	97.4	-	0.00
Sum			13.70			

- Data undefined due to calculation with octave data

Noise sensitive area: DD Terandnieki A

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 974	8 976	-9.04	97.4	-	0.00
2	8 100	8 102	-8.06	97.4	-	0.00
3	6 560	6 563	-6.05	97.4	-	0.00
4	7 241	7 244	-6.98	97.4	-	0.00
5	7 571	7 574	-7.41	97.4	-	0.00
6	7 918	7 921	-7.84	97.4	-	0.00
7	8 671	8 674	-8.71	97.4	-	0.00
8	8 370	8 372	-8.37	97.4	-	0.00
9	8 790	8 792	-8.84	97.4	-	0.00
10	8 695	8 697	-8.74	97.4	-	0.00
11	8 019	8 022	-7.96	97.4	-	0.00
12	7 741	7 744	-7.62	97.4	-	0.00
13	7 196	7 199	-6.92	97.4	-	0.00
14	6 543	6 546	-6.02	97.4	-	0.00
15	6 056	6 060	-5.29	97.4	-	0.00
16	4 967	4 971	-3.43	97.4	-	0.00
17	5 322	5 326	-4.08	97.4	-	0.00
18	5 439	5 442	-4.28	97.4	-	0.00
19	5 157	5 160	-3.78	97.4	-	0.00
20	4 604	4 608	-2.73	97.4	-	0.00
21	3 889	3 895	-1.17	97.4	-	0.00
22	4 414	4 419	-2.34	97.4	-	0.00
23	5 032	5 036	-3.56	97.4	-	0.00
24	4 865	4 869	-3.24	97.4	-	0.00
25	4 179	4 183	-1.83	97.4	-	0.00
26	3 732	3 738	-0.79	97.4	-	0.00
27	3 621	3 627	-0.51	97.4	-	0.00
28	2 240	2 249	3.83	97.4	-	0.00
29	1 672	1 684	6.43	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	1 932	1 942	5.15	97.4	-	0.00
31	2 333	2 341	3.47	97.4	-	0.00
32	3 603	3 609	-0.47	97.4	-	0.00
33	9 360	9 362	-9.45	97.4	-	0.00
34	9 126	9 128	-9.21	97.4	-	0.00
35	10 115	10 117	-10.20	97.4	-	0.00
36	10 200	10 202	-10.28	97.4	-	0.00
37	10 392	10 394	-10.47	97.4	-	0.00
38	11 447	11 448	-11.41	97.4	-	0.00
39	10 957	10 959	-10.98	97.4	-	0.00
40	10 580	10 581	-10.64	97.4	-	0.00
Sum			13.70			

- Data undefined due to calculation with octave data

Noise sensitive area: DE Terandnieki B

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 971	8 973	-9.04	97.4	-	0.00
2	8 099	8 101	-8.05	97.4	-	0.00
3	6 560	6 563	-6.05	97.4	-	0.00
4	7 240	7 242	-6.98	97.4	-	0.00
5	7 568	7 570	-7.41	97.4	-	0.00
6	7 913	7 916	-7.83	97.4	-	0.00
7	8 667	8 669	-8.71	97.4	-	0.00
8	8 363	8 366	-8.36	97.4	-	0.00
9	8 782	8 784	-8.83	97.4	-	0.00
10	8 686	8 688	-8.73	97.4	-	0.00
11	8 010	8 012	-7.95	97.4	-	0.00
12	7 735	7 737	-7.61	97.4	-	0.00
13	7 189	7 191	-6.92	97.4	-	0.00
14	6 540	6 543	-6.02	97.4	-	0.00
15	6 055	6 059	-5.29	97.4	-	0.00
16	4 966	4 970	-3.43	97.4	-	0.00
17	5 318	5 322	-4.07	97.4	-	0.00
18	5 433	5 436	-4.27	97.4	-	0.00
19	5 148	5 152	-3.77	97.4	-	0.00
20	4 601	4 605	-2.72	97.4	-	0.00
21	3 887	3 892	-1.16	97.4	-	0.00
22	4 405	4 409	-2.32	97.4	-	0.00
23	5 021	5 025	-3.53	97.4	-	0.00
24	4 851	4 855	-3.21	97.4	-	0.00
25	4 167	4 172	-1.81	97.4	-	0.00
26	3 723	3 728	-0.77	97.4	-	0.00
27	3 614	3 620	-0.50	97.4	-	0.00
28	2 236	2 245	3.85	97.4	-	0.00
29	1 670	1 682	6.44	97.4	-	0.00
30	1 922	1 933	5.19	97.4	-	0.00
31	2 319	2 327	3.52	97.4	-	0.00
32	3 589	3 595	-0.43	97.4	-	0.00
33	9 346	9 348	-9.44	97.4	-	0.00
34	9 114	9 116	-9.19	97.4	-	0.00
35	10 103	10 105	-10.19	97.4	-	0.00
36	10 186	10 188	-10.27	97.4	-	0.00
37	10 378	10 380	-10.45	97.4	-	0.00
38	11 431	11 432	-11.40	97.4	-	0.00
39	10 941	10 943	-10.97	97.4	-	0.00
40	10 565	10 566	-10.63	97.4	-	0.00
Sum			13.73			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: DE Terandnieki B

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 971	8 973	-9.04	97.4	-	0.00
2	8 099	8 101	-8.05	97.4	-	0.00
3	6 560	6 563	-6.05	97.4	-	0.00
4	7 240	7 242	-6.98	97.4	-	0.00
5	7 568	7 570	-7.41	97.4	-	0.00
6	7 913	7 916	-7.83	97.4	-	0.00
7	8 667	8 669	-8.71	97.4	-	0.00
8	8 363	8 366	-8.36	97.4	-	0.00
9	8 782	8 784	-8.83	97.4	-	0.00
10	8 686	8 688	-8.73	97.4	-	0.00
11	8 010	8 012	-7.95	97.4	-	0.00
12	7 735	7 737	-7.61	97.4	-	0.00
13	7 189	7 191	-6.92	97.4	-	0.00
14	6 540	6 543	-6.02	97.4	-	0.00
15	6 055	6 059	-5.29	97.4	-	0.00
16	4 966	4 970	-3.43	97.4	-	0.00
17	5 318	5 322	-4.07	97.4	-	0.00
18	5 433	5 436	-4.27	97.4	-	0.00
19	5 148	5 152	-3.77	97.4	-	0.00
20	4 601	4 605	-2.72	97.4	-	0.00
21	3 887	3 892	-1.16	97.4	-	0.00
22	4 405	4 409	-2.32	97.4	-	0.00
23	5 021	5 025	-3.53	97.4	-	0.00
24	4 851	4 855	-3.21	97.4	-	0.00
25	4 167	4 172	-1.81	97.4	-	0.00
26	3 723	3 728	-0.77	97.4	-	0.00
27	3 614	3 620	-0.50	97.4	-	0.00
28	2 236	2 245	3.85	97.4	-	0.00
29	1 670	1 682	6.44	97.4	-	0.00
30	1 922	1 933	5.19	97.4	-	0.00
31	2 319	2 327	3.52	97.4	-	0.00
32	3 589	3 595	-0.43	97.4	-	0.00
33	9 346	9 348	-9.44	97.4	-	0.00
34	9 114	9 116	-9.19	97.4	-	0.00
35	10 103	10 105	-10.19	97.4	-	0.00
36	10 186	10 188	-10.27	97.4	-	0.00
37	10 378	10 380	-10.45	97.4	-	0.00
38	11 431	11 432	-11.40	97.4	-	0.00
39	10 941	10 943	-10.97	97.4	-	0.00
40	10 565	10 566	-10.63	97.4	-	0.00
Sum			13.73			

- Data undefined due to calculation with octave data

Noise sensitive area: DF Uplejas A

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 838	1 849	5.59	97.4	-	0.00
2	3 097	3 103	0.91	97.4	-	0.00
3	4 321	4 326	-2.14	97.4	-	0.00
4	3 610	3 616	-0.49	97.4	-	0.00
5	2 887	2 894	1.55	97.4	-	0.00
6	2 262	2 271	3.74	97.4	-	0.00
7	1 662	1 674	6.48	97.4	-	0.00
8	1 658	1 671	6.50	97.4	-	0.00
9	1 217	1 234	9.20	97.4	-	0.00
10	1 723	1 735	6.16	97.4	-	0.00
11	2 207	2 216	3.96	97.4	-	0.00
12	2 247	2 257	3.80	97.4	-	0.00
13	2 790	2 797	1.86	97.4	-	0.00
14	3 734	3 739	-0.80	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	4 529	4 534	-2.58	97.4	-	0.00
16	5 480	5 484	-4.35	97.4	-	0.00
17	4 832	4 836	-3.18	97.4	-	0.00
18	4 562	4 567	-2.64	97.4	-	0.00
19	4 871	4 875	-3.25	97.4	-	0.00
20	5 576	5 580	-4.51	97.4	-	0.00
21	6 235	6 238	-5.57	97.4	-	0.00
22	5 619	5 622	-4.59	97.4	-	0.00
23	5 250	5 254	-3.95	97.4	-	0.00
24	5 760	5 763	-4.82	97.4	-	0.00
25	6 030	6 033	-5.25	97.4	-	0.00
26	6 305	6 308	-5.67	97.4	-	0.00
27	6 364	6 368	-5.76	97.4	-	0.00
28	7 764	7 766	-7.65	97.4	-	0.00
29	8 366	8 368	-8.37	97.4	-	0.00
30	8 070	8 072	-8.02	97.4	-	0.00
31	7 854	7 857	-7.76	97.4	-	0.00
32	6 796	6 799	-6.38	97.4	-	0.00
33	3 293	3 299	0.35	97.4	-	0.00
34	2 693	2 701	2.17	97.4	-	0.00
35	2 453	2 461	3.02	97.4	-	0.00
36	3 202	3 209	0.61	97.4	-	0.00
37	3 820	3 823	-1.00	97.4	-	0.00
38	5 514	5 516	-4.41	97.4	-	0.00
39	5 238	5 241	-3.93	97.4	-	0.00
40	4 804	4 807	-3.12	97.4	-	0.00
Sum			17.21			

- Data undefined due to calculation with octave data

Noise sensitive area: DF Uplejas A

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 838	1 849	5.59	97.4	-	0.00
2	3 097	3 103	0.91	97.4	-	0.00
3	4 321	4 326	-2.14	97.4	-	0.00
4	3 610	3 616	-0.49	97.4	-	0.00
5	2 887	2 894	1.55	97.4	-	0.00
6	2 262	2 271	3.74	97.4	-	0.00
7	1 662	1 674	6.48	97.4	-	0.00
8	1 658	1 671	6.50	97.4	-	0.00
9	1 217	1 234	9.20	97.4	-	0.00
10	1 723	1 735	6.16	97.4	-	0.00
11	2 207	2 216	3.96	97.4	-	0.00
12	2 247	2 257	3.80	97.4	-	0.00
13	2 790	2 797	1.86	97.4	-	0.00
14	3 734	3 739	-0.80	97.4	-	0.00
15	4 529	4 534	-2.58	97.4	-	0.00
16	5 480	5 484	-4.35	97.4	-	0.00
17	4 832	4 836	-3.18	97.4	-	0.00
18	4 562	4 567	-2.64	97.4	-	0.00
19	4 871	4 875	-3.25	97.4	-	0.00
20	5 576	5 580	-4.51	97.4	-	0.00
21	6 235	6 238	-5.57	97.4	-	0.00
22	5 619	5 622	-4.59	97.4	-	0.00
23	5 250	5 254	-3.95	97.4	-	0.00
24	5 760	5 763	-4.82	97.4	-	0.00
25	6 030	6 033	-5.25	97.4	-	0.00
26	6 305	6 308	-5.67	97.4	-	0.00
27	6 364	6 368	-5.76	97.4	-	0.00
28	7 764	7 766	-7.65	97.4	-	0.00
29	8 366	8 368	-8.37	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	8 070	8 072	-8.02	97.4	-	0.00
31	7 854	7 857	-7.76	97.4	-	0.00
32	6 796	6 799	-6.38	97.4	-	0.00
33	3 293	3 299	0.35	97.4	-	0.00
34	2 693	2 701	2.17	97.4	-	0.00
35	2 453	2 461	3.02	97.4	-	0.00
36	3 202	3 209	0.61	97.4	-	0.00
37	3 820	3 823	-1.00	97.4	-	0.00
38	5 514	5 516	-4.41	97.4	-	0.00
39	5 238	5 241	-3.93	97.4	-	0.00
40	4 804	4 807	-3.12	97.4	-	0.00
Sum			17.21			

- Data undefined due to calculation with octave data

Noise sensitive area: DG Uplejas B

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 807	1 818	5.74	97.4	-	0.00
2	3 059	3 065	1.02	97.4	-	0.00
3	4 270	4 275	-2.03	97.4	-	0.00
4	3 562	3 568	-0.37	97.4	-	0.00
5	2 835	2 842	1.71	97.4	-	0.00
6	2 206	2 215	3.97	97.4	-	0.00
7	1 615	1 627	6.73	97.4	-	0.00
8	1 598	1 611	6.82	97.4	-	0.00
9	1 152	1 170	9.67	97.4	-	0.00
10	1 667	1 679	6.45	97.4	-	0.00
11	2 145	2 154	4.22	97.4	-	0.00
12	2 184	2 194	4.05	97.4	-	0.00
13	2 726	2 733	2.07	97.4	-	0.00
14	3 676	3 682	-0.65	97.4	-	0.00
15	4 474	4 479	-2.46	97.4	-	0.00
16	5 422	5 425	-4.25	97.4	-	0.00
17	4 771	4 775	-3.06	97.4	-	0.00
18	4 499	4 504	-2.51	97.4	-	0.00
19	4 806	4 810	-3.13	97.4	-	0.00
20	5 515	5 519	-4.41	97.4	-	0.00
21	6 173	6 176	-5.47	97.4	-	0.00
22	5 554	5 558	-4.48	97.4	-	0.00
23	5 186	5 190	-3.84	97.4	-	0.00
24	5 696	5 700	-4.71	97.4	-	0.00
25	5 965	5 969	-5.15	97.4	-	0.00
26	6 241	6 244	-5.57	97.4	-	0.00
27	6 301	6 304	-5.66	97.4	-	0.00
28	7 700	7 703	-7.57	97.4	-	0.00
29	8 302	8 305	-8.29	97.4	-	0.00
30	8 006	8 008	-7.94	97.4	-	0.00
31	7 790	7 792	-7.68	97.4	-	0.00
32	6 732	6 735	-6.29	97.4	-	0.00
33	3 263	3 269	0.44	97.4	-	0.00
34	2 658	2 665	2.30	97.4	-	0.00
35	2 440	2 449	3.06	97.4	-	0.00
36	3 188	3 194	0.65	97.4	-	0.00
37	3 806	3 810	-0.97	97.4	-	0.00
38	5 506	5 508	-4.39	97.4	-	0.00
39	5 225	5 228	-3.90	97.4	-	0.00
40	4 788	4 791	-3.09	97.4	-	0.00
Sum			17.44			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: DG Uplejas B

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 807	1 818	5.74	97.4	-	0.00
2	3 059	3 065	1.02	97.4	-	0.00
3	4 270	4 275	-2.03	97.4	-	0.00
4	3 562	3 568	-0.37	97.4	-	0.00
5	2 835	2 842	1.71	97.4	-	0.00
6	2 206	2 215	3.97	97.4	-	0.00
7	1 615	1 627	6.73	97.4	-	0.00
8	1 598	1 611	6.82	97.4	-	0.00
9	1 152	1 170	9.67	97.4	-	0.00
10	1 667	1 679	6.45	97.4	-	0.00
11	2 145	2 154	4.22	97.4	-	0.00
12	2 184	2 194	4.05	97.4	-	0.00
13	2 726	2 733	2.07	97.4	-	0.00
14	3 676	3 682	-0.65	97.4	-	0.00
15	4 474	4 479	-2.46	97.4	-	0.00
16	5 422	5 425	-4.25	97.4	-	0.00
17	4 771	4 775	-3.06	97.4	-	0.00
18	4 499	4 504	-2.51	97.4	-	0.00
19	4 806	4 810	-3.13	97.4	-	0.00
20	5 515	5 519	-4.41	97.4	-	0.00
21	6 173	6 176	-5.47	97.4	-	0.00
22	5 554	5 558	-4.48	97.4	-	0.00
23	5 186	5 190	-3.84	97.4	-	0.00
24	5 696	5 700	-4.71	97.4	-	0.00
25	5 965	5 969	-5.15	97.4	-	0.00
26	6 241	6 244	-5.57	97.4	-	0.00
27	6 301	6 304	-5.66	97.4	-	0.00
28	7 700	7 703	-7.57	97.4	-	0.00
29	8 302	8 305	-8.29	97.4	-	0.00
30	8 006	8 008	-7.94	97.4	-	0.00
31	7 790	7 792	-7.68	97.4	-	0.00
32	6 732	6 735	-6.29	97.4	-	0.00
33	3 263	3 269	0.44	97.4	-	0.00
34	2 658	2 665	2.30	97.4	-	0.00
35	2 440	2 449	3.06	97.4	-	0.00
36	3 188	3 194	0.65	97.4	-	0.00
37	3 806	3 810	-0.97	97.4	-	0.00
38	5 506	5 508	-4.39	97.4	-	0.00
39	5 225	5 228	-3.90	97.4	-	0.00
40	4 788	4 791	-3.09	97.4	-	0.00
Sum			17.44			

- Data undefined due to calculation with octave data

Noise sensitive area: DH Valcenieki

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 763	1 774	5.96	97.4	-	0.00
2	1 564	1 576	7.02	97.4	-	0.00
3	2 984	2 991	1.25	97.4	-	0.00
4	2 365	2 374	3.34	97.4	-	0.00
5	2 396	2 404	3.23	97.4	-	0.00
6	2 635	2 642	2.37	97.4	-	0.00
7	2 291	2 300	3.63	97.4	-	0.00
8	2 928	2 935	1.42	97.4	-	0.00
9	3 438	3 444	-0.04	97.4	-	0.00
10	4 291	4 295	-2.08	97.4	-	0.00
11	4 234	4 238	-1.95	97.4	-	0.00
12	3 317	3 323	0.29	97.4	-	0.00
13	3 757	3 763	-0.85	97.4	-	0.00
14	3 264	3 271	0.43	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	3 508	3 513	-0.22	97.4	-	0.00
16	4 579	4 584	-2.68	97.4	-	0.00
17	4 387	4 391	-2.28	97.4	-	0.00
18	4 598	4 602	-2.72	97.4	-	0.00
19	5 324	5 328	-4.08	97.4	-	0.00
20	5 008	5 012	-3.51	97.4	-	0.00
21	5 708	5 712	-4.73	97.4	-	0.00
22	5 905	5 908	-5.05	97.4	-	0.00
23	6 049	6 052	-5.28	97.4	-	0.00
24	6 722	6 725	-6.28	97.4	-	0.00
25	6 521	6 524	-5.99	97.4	-	0.00
26	6 461	6 464	-5.90	97.4	-	0.00
27	6 204	6 208	-5.52	97.4	-	0.00
28	7 374	7 376	-7.16	97.4	-	0.00
29	7 882	7 884	-7.79	97.4	-	0.00
30	7 865	7 868	-7.77	97.4	-	0.00
31	7 926	7 928	-7.85	97.4	-	0.00
32	7 285	7 288	-7.04	97.4	-	0.00
33	6 299	6 302	-5.66	97.4	-	0.00
34	5 633	5 636	-4.61	97.4	-	0.00
35	5 718	5 721	-4.75	97.4	-	0.00
36	6 437	6 440	-5.87	97.4	-	0.00
37	7 051	7 052	-6.73	97.4	-	0.00
38	8 786	8 788	-8.84	97.4	-	0.00
39	8 461	8 463	-8.47	97.4	-	0.00
40	7 997	7 998	-7.93	97.4	-	0.00
Sum			15.24			

- Data undefined due to calculation with octave data

Noise sensitive area: DH Valcenieki

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 763	1 774	5.96	97.4	-	0.00
2	1 564	1 576	7.02	97.4	-	0.00
3	2 984	2 991	1.25	97.4	-	0.00
4	2 365	2 374	3.34	97.4	-	0.00
5	2 396	2 404	3.23	97.4	-	0.00
6	2 635	2 642	2.37	97.4	-	0.00
7	2 291	2 300	3.63	97.4	-	0.00
8	2 928	2 935	1.42	97.4	-	0.00
9	3 438	3 444	-0.04	97.4	-	0.00
10	4 291	4 295	-2.08	97.4	-	0.00
11	4 234	4 238	-1.95	97.4	-	0.00
12	3 317	3 323	0.29	97.4	-	0.00
13	3 757	3 763	-0.85	97.4	-	0.00
14	3 264	3 271	0.43	97.4	-	0.00
15	3 508	3 513	-0.22	97.4	-	0.00
16	4 579	4 584	-2.68	97.4	-	0.00
17	4 387	4 391	-2.28	97.4	-	0.00
18	4 598	4 602	-2.72	97.4	-	0.00
19	5 324	5 328	-4.08	97.4	-	0.00
20	5 008	5 012	-3.51	97.4	-	0.00
21	5 708	5 712	-4.73	97.4	-	0.00
22	5 905	5 908	-5.05	97.4	-	0.00
23	6 049	6 052	-5.28	97.4	-	0.00
24	6 722	6 725	-6.28	97.4	-	0.00
25	6 521	6 524	-5.99	97.4	-	0.00
26	6 461	6 464	-5.90	97.4	-	0.00
27	6 204	6 208	-5.52	97.4	-	0.00
28	7 374	7 376	-7.16	97.4	-	0.00
29	7 882	7 884	-7.79	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	7 865	7 868	-7.77	97.4	-	0.00
31	7 926	7 928	-7.85	97.4	-	0.00
32	7 285	7 288	-7.04	97.4	-	0.00
33	6 299	6 302	-5.66	97.4	-	0.00
34	5 633	5 636	-4.61	97.4	-	0.00
35	5 718	5 721	-4.75	97.4	-	0.00
36	6 437	6 440	-5.87	97.4	-	0.00
37	7 051	7 052	-6.73	97.4	-	0.00
38	8 786	8 788	-8.84	97.4	-	0.00
39	8 461	8 463	-8.47	97.4	-	0.00
40	7 997	7 998	-7.93	97.4	-	0.00
Sum			15.24			

- Data undefined due to calculation with octave data

Noise sensitive area: DI Valkaraji

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 314	8 316	-8.31	97.4	-	0.00
2	7 233	7 236	-6.97	97.4	-	0.00
3	5 646	5 650	-4.63	97.4	-	0.00
4	6 400	6 403	-5.81	97.4	-	0.00
5	6 915	6 918	-6.55	97.4	-	0.00
6	7 417	7 420	-7.21	97.4	-	0.00
7	8 132	8 135	-8.09	97.4	-	0.00
8	7 986	7 988	-7.92	97.4	-	0.00
9	8 537	8 539	-8.56	97.4	-	0.00
10	8 654	8 657	-8.69	97.4	-	0.00
11	7 979	7 981	-7.91	97.4	-	0.00
12	7 432	7 435	-7.23	97.4	-	0.00
13	6 976	6 979	-6.63	97.4	-	0.00
14	5 942	5 945	-5.11	97.4	-	0.00
15	5 247	5 251	-3.94	97.4	-	0.00
16	4 192	4 197	-1.86	97.4	-	0.00
17	4 815	4 819	-3.14	97.4	-	0.00
18	5 181	5 185	-3.83	97.4	-	0.00
19	5 230	5 234	-3.91	97.4	-	0.00
20	4 078	4 083	-1.61	97.4	-	0.00
21	3 473	3 478	-0.13	97.4	-	0.00
22	4 605	4 609	-2.73	97.4	-	0.00
23	5 436	5 440	-4.28	97.4	-	0.00
24	5 541	5 545	-4.46	97.4	-	0.00
25	4 676	4 680	-2.87	97.4	-	0.00
26	4 058	4 063	-1.56	97.4	-	0.00
27	3 640	3 646	-0.56	97.4	-	0.00
28	2 453	2 462	3.01	97.4	-	0.00
29	1 994	2 004	4.87	97.4	-	0.00
30	2 681	2 688	2.22	97.4	-	0.00
31	3 334	3 340	0.24	97.4	-	0.00
32	4 425	4 429	-2.36	97.4	-	0.00
33	9 750	9 752	-9.85	97.4	-	0.00
34	9 381	9 383	-9.47	97.4	-	0.00
35	10 296	10 298	-10.38	97.4	-	0.00
36	10 533	10 535	-10.60	97.4	-	0.00
37	10 840	10 841	-10.88	97.4	-	0.00
38	12 133	12 134	-11.98	97.4	-	0.00
39	11 640	11 642	-11.58	97.4	-	0.00
40	11 212	11 213	-11.21	97.4	-	0.00
Sum			12.85			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: DI Valkaraji

Wind speed: 8.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 314	8 316	-8.31	97.4	-	0.00
2	7 233	7 236	-6.97	97.4	-	0.00
3	5 646	5 650	-4.63	97.4	-	0.00
4	6 400	6 403	-5.81	97.4	-	0.00
5	6 915	6 918	-6.55	97.4	-	0.00
6	7 417	7 420	-7.21	97.4	-	0.00
7	8 132	8 135	-8.09	97.4	-	0.00
8	7 986	7 988	-7.92	97.4	-	0.00
9	8 537	8 539	-8.56	97.4	-	0.00
10	8 654	8 657	-8.69	97.4	-	0.00
11	7 979	7 981	-7.91	97.4	-	0.00
12	7 432	7 435	-7.23	97.4	-	0.00
13	6 976	6 979	-6.63	97.4	-	0.00
14	5 942	5 945	-5.11	97.4	-	0.00
15	5 247	5 251	-3.94	97.4	-	0.00
16	4 192	4 197	-1.86	97.4	-	0.00
17	4 815	4 819	-3.14	97.4	-	0.00
18	5 181	5 185	-3.83	97.4	-	0.00
19	5 230	5 234	-3.91	97.4	-	0.00
20	4 078	4 083	-1.61	97.4	-	0.00
21	3 473	3 478	-0.13	97.4	-	0.00
22	4 605	4 609	-2.73	97.4	-	0.00
23	5 436	5 440	-4.28	97.4	-	0.00
24	5 541	5 545	-4.46	97.4	-	0.00
25	4 676	4 680	-2.87	97.4	-	0.00
26	4 058	4 063	-1.56	97.4	-	0.00
27	3 640	3 646	-0.56	97.4	-	0.00
28	2 453	2 462	3.01	97.4	-	0.00
29	1 994	2 004	4.87	97.4	-	0.00
30	2 681	2 688	2.22	97.4	-	0.00
31	3 334	3 340	0.24	97.4	-	0.00
32	4 425	4 429	-2.36	97.4	-	0.00
33	9 750	9 752	-9.85	97.4	-	0.00
34	9 381	9 383	-9.47	97.4	-	0.00
35	10 296	10 298	-10.38	97.4	-	0.00
36	10 533	10 535	-10.60	97.4	-	0.00
37	10 840	10 841	-10.88	97.4	-	0.00
38	12 133	12 134	-11.98	97.4	-	0.00
39	11 640	11 642	-11.58	97.4	-	0.00
40	11 212	11 213	-11.21	97.4	-	0.00
Sum			12.85			

- Data undefined due to calculation with octave data

Noise sensitive area: DJ Vanagi

Wind speed: 6.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 469	2 477	2.96	97.4	-	0.00
2	3 595	3 601	-0.45	97.4	-	0.00
3	4 563	4 567	-2.64	97.4	-	0.00
4	3 931	3 936	-1.27	97.4	-	0.00
5	3 161	3 167	0.73	97.4	-	0.00
6	2 465	2 473	2.97	97.4	-	0.00
7	2 106	2 115	4.38	97.4	-	0.00
8	1 787	1 799	5.84	97.4	-	0.00
9	1 092	1 111	10.13	97.4	-	0.00
10	1 042	1 061	10.53	97.4	-	0.00
11	1 688	1 700	6.34	97.4	-	0.00
12	2 170	2 180	4.11	97.4	-	0.00
13	2 585	2 593	2.55	97.4	-	0.00
14	3 818	3 823	-1.00	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	4 663	4 667	-2.85	97.4	-	0.00
16	5 495	5 499	-4.38	97.4	-	0.00
17	4 771	4 776	-3.06	97.4	-	0.00
18	4 386	4 391	-2.28	97.4	-	0.00
19	4 540	4 544	-2.60	97.4	-	0.00
20	5 490	5 494	-4.37	97.4	-	0.00
21	6 096	6 100	-5.35	97.4	-	0.00
22	5 284	5 288	-4.01	97.4	-	0.00
23	4 789	4 793	-3.09	97.4	-	0.00
24	5 223	5 227	-3.90	97.4	-	0.00
25	5 613	5 617	-4.58	97.4	-	0.00
26	5 970	5 973	-5.16	97.4	-	0.00
27	6 115	6 119	-5.38	97.4	-	0.00
28	7 520	7 523	-7.35	97.4	-	0.00
29	8 129	8 132	-8.09	97.4	-	0.00
30	7 766	7 768	-7.65	97.4	-	0.00
31	7 481	7 484	-7.30	97.4	-	0.00
32	6 347	6 350	-5.73	97.4	-	0.00
33	2 350	2 359	3.40	97.4	-	0.00
34	1 758	1 769	5.98	97.4	-	0.00
35	1 571	1 584	6.97	97.4	-	0.00
36	2 305	2 314	3.58	97.4	-	0.00
37	2 923	2 928	1.44	97.4	-	0.00
38	4 645	4 648	-2.81	97.4	-	0.00
39	4 342	4 345	-2.18	97.4	-	0.00
40	3 895	3 899	-1.18	97.4	-	0.00
Sum			18.33			

- Data undefined due to calculation with octave data

Noise sensitive area: DJ Vanagi

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 469	2 477	2.96	97.4	-	0.00
2	3 595	3 601	-0.45	97.4	-	0.00
3	4 563	4 567	-2.64	97.4	-	0.00
4	3 931	3 936	-1.27	97.4	-	0.00
5	3 161	3 167	0.73	97.4	-	0.00
6	2 465	2 473	2.97	97.4	-	0.00
7	2 106	2 115	4.38	97.4	-	0.00
8	1 787	1 799	5.84	97.4	-	0.00
9	1 092	1 111	10.13	97.4	-	0.00
10	1 042	1 061	10.53	97.4	-	0.00
11	1 688	1 700	6.34	97.4	-	0.00
12	2 170	2 180	4.11	97.4	-	0.00
13	2 585	2 593	2.55	97.4	-	0.00
14	3 818	3 823	-1.00	97.4	-	0.00
15	4 663	4 667	-2.85	97.4	-	0.00
16	5 495	5 499	-4.38	97.4	-	0.00
17	4 771	4 776	-3.06	97.4	-	0.00
18	4 386	4 391	-2.28	97.4	-	0.00
19	4 540	4 544	-2.60	97.4	-	0.00
20	5 490	5 494	-4.37	97.4	-	0.00
21	6 096	6 100	-5.35	97.4	-	0.00
22	5 284	5 288	-4.01	97.4	-	0.00
23	4 789	4 793	-3.09	97.4	-	0.00
24	5 223	5 227	-3.90	97.4	-	0.00
25	5 613	5 617	-4.58	97.4	-	0.00
26	5 970	5 973	-5.16	97.4	-	0.00
27	6 115	6 119	-5.38	97.4	-	0.00
28	7 520	7 523	-7.35	97.4	-	0.00
29	8 129	8 132	-8.09	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	7 766	7 768	-7.65	97.4	-	0.00
31	7 481	7 484	-7.30	97.4	-	0.00
32	6 347	6 350	-5.73	97.4	-	0.00
33	2 350	2 359	3.40	97.4	-	0.00
34	1 758	1 769	5.98	97.4	-	0.00
35	1 571	1 584	6.97	97.4	-	0.00
36	2 305	2 314	3.58	97.4	-	0.00
37	2 923	2 928	1.44	97.4	-	0.00
38	4 645	4 648	-2.81	97.4	-	0.00
39	4 342	4 345	-2.18	97.4	-	0.00
40	3 895	3 899	-1.18	97.4	-	0.00
Sum			18.33			

- Data undefined due to calculation with octave data

Noise sensitive area: DK Veckrastnieki

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 759	4 763	-3.03	97.4	-	0.00
2	5 982	5 985	-5.17	97.4	-	0.00
3	7 018	7 021	-6.69	97.4	-	0.00
4	6 379	6 382	-5.78	97.4	-	0.00
5	5 613	5 616	-4.58	97.4	-	0.00
6	4 919	4 923	-3.34	97.4	-	0.00
7	4 497	4 502	-2.51	97.4	-	0.00
8	4 242	4 247	-1.97	97.4	-	0.00
9	3 546	3 552	-0.32	97.4	-	0.00
10	3 213	3 219	0.58	97.4	-	0.00
11	3 881	3 886	-1.15	97.4	-	0.00
12	4 596	4 600	-2.71	97.4	-	0.00
13	4 936	4 940	-3.37	97.4	-	0.00
14	6 256	6 259	-5.60	97.4	-	0.00
15	7 106	7 109	-6.81	97.4	-	0.00
16	7 892	7 894	-7.81	97.4	-	0.00
17	7 139	7 142	-6.85	97.4	-	0.00
18	6 685	6 688	-6.23	97.4	-	0.00
19	6 685	6 688	-6.22	97.4	-	0.00
20	7 829	7 832	-7.73	97.4	-	0.00
21	8 386	8 388	-8.39	97.4	-	0.00
22	7 394	7 397	-7.18	97.4	-	0.00
23	6 744	6 747	-6.31	97.4	-	0.00
24	7 021	7 024	-6.69	97.4	-	0.00
25	7 598	7 601	-7.44	97.4	-	0.00
26	8 056	8 059	-8.00	97.4	-	0.00
27	8 300	8 303	-8.29	97.4	-	0.00
28	9 683	9 685	-9.78	97.4	-	0.00
29	10 290	10 292	-10.37	97.4	-	0.00
30	9 849	9 851	-9.94	97.4	-	0.00
31	9 474	9 476	-9.57	97.4	-	0.00
32	8 251	8 253	-8.23	97.4	-	0.00
33	2 730	2 737	2.05	97.4	-	0.00
34	2 705	2 712	2.14	97.4	-	0.00
35	1 689	1 701	6.34	97.4	-	0.00
36	1 940	1 950	5.11	97.4	-	0.00
37	2 249	2 255	3.81	97.4	-	0.00
38	3 351	3 355	0.20	97.4	-	0.00
39	3 305	3 309	0.33	97.4	-	0.00
40	3 066	3 070	1.01	97.4	-	0.00
Sum			14.32			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: DK Veckrastnieki

Wind speed: 8.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 759	4 763	-3.03	97.4	-	0.00
2	5 982	5 985	-5.17	97.4	-	0.00
3	7 018	7 021	-6.69	97.4	-	0.00
4	6 379	6 382	-5.78	97.4	-	0.00
5	5 613	5 616	-4.58	97.4	-	0.00
6	4 919	4 923	-3.34	97.4	-	0.00
7	4 497	4 502	-2.51	97.4	-	0.00
8	4 242	4 247	-1.97	97.4	-	0.00
9	3 546	3 552	-0.32	97.4	-	0.00
10	3 213	3 219	0.58	97.4	-	0.00
11	3 881	3 886	-1.15	97.4	-	0.00
12	4 596	4 600	-2.71	97.4	-	0.00
13	4 936	4 940	-3.37	97.4	-	0.00
14	6 256	6 259	-5.60	97.4	-	0.00
15	7 106	7 109	-6.81	97.4	-	0.00
16	7 892	7 894	-7.81	97.4	-	0.00
17	7 139	7 142	-6.85	97.4	-	0.00
18	6 685	6 688	-6.23	97.4	-	0.00
19	6 685	6 688	-6.22	97.4	-	0.00
20	7 829	7 832	-7.73	97.4	-	0.00
21	8 386	8 388	-8.39	97.4	-	0.00
22	7 394	7 397	-7.18	97.4	-	0.00
23	6 744	6 747	-6.31	97.4	-	0.00
24	7 021	7 024	-6.69	97.4	-	0.00
25	7 598	7 601	-7.44	97.4	-	0.00
26	8 056	8 059	-8.00	97.4	-	0.00
27	8 300	8 303	-8.29	97.4	-	0.00
28	9 683	9 685	-9.78	97.4	-	0.00
29	10 290	10 292	-10.37	97.4	-	0.00
30	9 849	9 851	-9.94	97.4	-	0.00
31	9 474	9 476	-9.57	97.4	-	0.00
32	8 251	8 253	-8.23	97.4	-	0.00
33	2 730	2 737	2.05	97.4	-	0.00
34	2 705	2 712	2.14	97.4	-	0.00
35	1 689	1 701	6.34	97.4	-	0.00
36	1 940	1 950	5.11	97.4	-	0.00
37	2 249	2 255	3.81	97.4	-	0.00
38	3 351	3 355	0.20	97.4	-	0.00
39	3 305	3 309	0.33	97.4	-	0.00
40	3 066	3 070	1.01	97.4	-	0.00
Sum			14.32			

- Data undefined due to calculation with octave data

Noise sensitive area: DL Vecpriednieki

Wind speed: 6.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 257	8 259	-8.24	97.4	-	0.00
2	7 480	7 483	-7.29	97.4	-	0.00
3	6 000	6 003	-5.20	97.4	-	0.00
4	6 629	6 632	-6.15	97.4	-	0.00
5	6 876	6 879	-6.49	97.4	-	0.00
6	7 160	7 162	-6.88	97.4	-	0.00
7	7 914	7 916	-7.83	97.4	-	0.00
8	7 564	7 566	-7.40	97.4	-	0.00
9	7 937	7 940	-7.86	97.4	-	0.00
10	7 785	7 787	-7.68	97.4	-	0.00
11	7 116	7 119	-6.82	97.4	-	0.00
12	6 921	6 924	-6.55	97.4	-	0.00
13	6 357	6 360	-5.75	97.4	-	0.00
14	5 853	5 856	-4.97	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	5 468	5 472	-4.33	97.4	-	0.00
16	4 416	4 420	-2.34	97.4	-	0.00
17	4 640	4 645	-2.80	97.4	-	0.00
18	4 659	4 663	-2.84	97.4	-	0.00
19	4 279	4 283	-2.05	97.4	-	0.00
20	3 970	3 975	-1.36	97.4	-	0.00
21	3 268	3 274	0.42	97.4	-	0.00
22	3 529	3 535	-0.28	97.4	-	0.00
23	4 070	4 075	-1.59	97.4	-	0.00
24	3 852	3 857	-1.08	97.4	-	0.00
25	3 218	3 224	0.56	97.4	-	0.00
26	2 841	2 848	1.69	97.4	-	0.00
27	2 847	2 854	1.67	97.4	-	0.00
28	1 618	1 631	6.72	97.4	-	0.00
29	1 251	1 267	8.96	97.4	-	0.00
30	1 118	1 136	9.93	97.4	-	0.00
31	1 338	1 353	8.38	97.4	-	0.00
32	2 590	2 598	2.53	97.4	-	0.00
33	8 356	8 358	-8.36	97.4	-	0.00
34	8 146	8 149	-8.11	97.4	-	0.00
35	9 145	9 147	-9.22	97.4	-	0.00
36	9 201	9 203	-9.28	97.4	-	0.00
37	9 377	9 378	-9.47	97.4	-	0.00
38	10 405	10 407	-10.48	97.4	-	0.00
39	9 917	9 918	-10.01	97.4	-	0.00
40	9 544	9 545	-9.64	97.4	-	0.00
Sum			16.63			

- Data undefined due to calculation with octave data

Noise sensitive area: DL Vecpriednieki

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 257	8 259	-8.24	97.4	-	0.00
2	7 480	7 483	-7.29	97.4	-	0.00
3	6 000	6 003	-5.20	97.4	-	0.00
4	6 629	6 632	-6.15	97.4	-	0.00
5	6 876	6 879	-6.49	97.4	-	0.00
6	7 160	7 162	-6.88	97.4	-	0.00
7	7 914	7 916	-7.83	97.4	-	0.00
8	7 564	7 566	-7.40	97.4	-	0.00
9	7 937	7 940	-7.86	97.4	-	0.00
10	7 785	7 787	-7.68	97.4	-	0.00
11	7 116	7 119	-6.82	97.4	-	0.00
12	6 921	6 924	-6.55	97.4	-	0.00
13	6 357	6 360	-5.75	97.4	-	0.00
14	5 853	5 856	-4.97	97.4	-	0.00
15	5 468	5 472	-4.33	97.4	-	0.00
16	4 416	4 420	-2.34	97.4	-	0.00
17	4 640	4 645	-2.80	97.4	-	0.00
18	4 659	4 663	-2.84	97.4	-	0.00
19	4 279	4 283	-2.05	97.4	-	0.00
20	3 970	3 975	-1.36	97.4	-	0.00
21	3 268	3 274	0.42	97.4	-	0.00
22	3 529	3 535	-0.28	97.4	-	0.00
23	4 070	4 075	-1.59	97.4	-	0.00
24	3 852	3 857	-1.08	97.4	-	0.00
25	3 218	3 224	0.56	97.4	-	0.00
26	2 841	2 848	1.69	97.4	-	0.00
27	2 847	2 854	1.67	97.4	-	0.00
28	1 618	1 631	6.72	97.4	-	0.00
29	1 251	1 267	8.96	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	1 118	1 136	9.93	97.4	-	0.00
31	1 338	1 353	8.38	97.4	-	0.00
32	2 590	2 598	2.53	97.4	-	0.00
33	8 356	8 358	-8.36	97.4	-	0.00
34	8 146	8 149	-8.11	97.4	-	0.00
35	9 145	9 147	-9.22	97.4	-	0.00
36	9 201	9 203	-9.28	97.4	-	0.00
37	9 377	9 378	-9.47	97.4	-	0.00
38	10 405	10 407	-10.48	97.4	-	0.00
39	9 917	9 918	-10.01	97.4	-	0.00
40	9 544	9 545	-9.64	97.4	-	0.00
Sum			16.63			

- Data undefined due to calculation with octave data

Noise sensitive area: DM Vendzavas

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 867	2 874	1.61	97.4	-	0.00
2	4 135	4 140	-1.73	97.4	-	0.00
3	5 340	5 344	-4.11	97.4	-	0.00
4	4 641	4 645	-2.80	97.4	-	0.00
5	3 905	3 911	-1.21	97.4	-	0.00
6	3 255	3 262	0.46	97.4	-	0.00
7	2 696	2 704	2.16	97.4	-	0.00
8	2 612	2 620	2.45	97.4	-	0.00
9	2 026	2 036	4.73	97.4	-	0.00
10	2 160	2 169	4.16	97.4	-	0.00
11	2 796	2 804	1.84	97.4	-	0.00
12	3 129	3 136	0.82	97.4	-	0.00
13	3 612	3 618	-0.49	97.4	-	0.00
14	4 704	4 709	-2.93	97.4	-	0.00
15	5 521	5 525	-4.42	97.4	-	0.00
16	6 433	6 437	-5.86	97.4	-	0.00
17	5 749	5 753	-4.80	97.4	-	0.00
18	5 417	5 421	-4.24	97.4	-	0.00
19	5 626	5 630	-4.60	97.4	-	0.00
20	6 484	6 487	-5.94	97.4	-	0.00
21	7 117	7 120	-6.82	97.4	-	0.00
22	6 374	6 377	-5.77	97.4	-	0.00
23	5 902	5 906	-5.05	97.4	-	0.00
24	6 341	6 344	-5.72	97.4	-	0.00
25	6 721	6 724	-6.28	97.4	-	0.00
26	7 061	7 064	-6.75	97.4	-	0.00
27	7 181	7 184	-6.91	97.4	-	0.00
28	8 587	8 589	-8.62	97.4	-	0.00
29	9 194	9 196	-9.28	97.4	-	0.00
30	8 852	8 854	-8.91	97.4	-	0.00
31	8 584	8 586	-8.61	97.4	-	0.00
32	7 460	7 463	-7.27	97.4	-	0.00
33	3 068	3 075	1.00	97.4	-	0.00
34	2 609	2 617	2.46	97.4	-	0.00
35	1 990	2 000	4.88	97.4	-	0.00
36	2 713	2 721	2.11	97.4	-	0.00
37	3 297	3 301	0.35	97.4	-	0.00
38	4 874	4 876	-3.25	97.4	-	0.00
39	4 670	4 673	-2.86	97.4	-	0.00
40	4 286	4 289	-2.06	97.4	-	0.00
Sum			15.16			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: DM Vendzavas

Wind speed: 8.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 867	2 874	1.61	97.4	-	0.00
2	4 135	4 140	-1.73	97.4	-	0.00
3	5 340	5 344	-4.11	97.4	-	0.00
4	4 641	4 645	-2.80	97.4	-	0.00
5	3 905	3 911	-1.21	97.4	-	0.00
6	3 255	3 262	0.46	97.4	-	0.00
7	2 696	2 704	2.16	97.4	-	0.00
8	2 612	2 620	2.45	97.4	-	0.00
9	2 026	2 036	4.73	97.4	-	0.00
10	2 160	2 169	4.16	97.4	-	0.00
11	2 796	2 804	1.84	97.4	-	0.00
12	3 129	3 136	0.82	97.4	-	0.00
13	3 612	3 618	-0.49	97.4	-	0.00
14	4 704	4 709	-2.93	97.4	-	0.00
15	5 521	5 525	-4.42	97.4	-	0.00
16	6 433	6 437	-5.86	97.4	-	0.00
17	5 749	5 753	-4.80	97.4	-	0.00
18	5 417	5 421	-4.24	97.4	-	0.00
19	5 626	5 630	-4.60	97.4	-	0.00
20	6 484	6 487	-5.94	97.4	-	0.00
21	7 117	7 120	-6.82	97.4	-	0.00
22	6 374	6 377	-5.77	97.4	-	0.00
23	5 902	5 906	-5.05	97.4	-	0.00
24	6 341	6 344	-5.72	97.4	-	0.00
25	6 721	6 724	-6.28	97.4	-	0.00
26	7 061	7 064	-6.75	97.4	-	0.00
27	7 181	7 184	-6.91	97.4	-	0.00
28	8 587	8 589	-8.62	97.4	-	0.00
29	9 194	9 196	-9.28	97.4	-	0.00
30	8 852	8 854	-8.91	97.4	-	0.00
31	8 584	8 586	-8.61	97.4	-	0.00
32	7 460	7 463	-7.27	97.4	-	0.00
33	3 068	3 075	1.00	97.4	-	0.00
34	2 609	2 617	2.46	97.4	-	0.00
35	1 990	2 000	4.88	97.4	-	0.00
36	2 713	2 721	2.11	97.4	-	0.00
37	3 297	3 301	0.35	97.4	-	0.00
38	4 874	4 876	-3.25	97.4	-	0.00
39	4 670	4 673	-2.86	97.4	-	0.00
40	4 286	4 289	-2.06	97.4	-	0.00
Sum			15.16			

- Data undefined due to calculation with octave data

Noise sensitive area: DN Vetiecirknis

Wind speed: 6.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 734	1 746	6.11	97.4	-	0.00
2	2 599	2 606	2.50	97.4	-	0.00
3	4 186	4 191	-1.85	97.4	-	0.00
4	3 441	3 447	-0.05	97.4	-	0.00
5	3 078	3 084	0.97	97.4	-	0.00
6	2 897	2 904	1.51	97.4	-	0.00
7	2 202	2 211	3.98	97.4	-	0.00
8	2 784	2 791	1.88	97.4	-	0.00
9	2 950	2 957	1.35	97.4	-	0.00
10	3 757	3 763	-0.85	97.4	-	0.00
11	3 977	3 982	-1.38	97.4	-	0.00
12	3 395	3 401	0.07	97.4	-	0.00
13	3 967	3 972	-1.35	97.4	-	0.00
14	4 103	4 108	-1.66	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	4 623	4 627	-2.77	97.4	-	0.00
16	5 717	5 721	-4.75	97.4	-	0.00
17	5 322	5 326	-4.08	97.4	-	0.00
18	5 336	5 340	-4.10	97.4	-	0.00
19	5 921	5 924	-5.08	97.4	-	0.00
20	6 033	6 036	-5.25	97.4	-	0.00
21	6 747	6 750	-6.31	97.4	-	0.00
22	6 606	6 609	-6.11	97.4	-	0.00
23	6 523	6 527	-5.99	97.4	-	0.00
24	7 146	7 149	-6.86	97.4	-	0.00
25	7 155	7 158	-6.87	97.4	-	0.00
26	7 241	7 244	-6.98	97.4	-	0.00
27	7 110	7 113	-6.81	97.4	-	0.00
28	8 408	8 411	-8.42	97.4	-	0.00
29	8 965	8 967	-9.03	97.4	-	0.00
30	8 837	8 839	-8.89	97.4	-	0.00
31	8 784	8 786	-8.84	97.4	-	0.00
32	7 945	7 948	-7.87	97.4	-	0.00
33	5 561	5 564	-4.49	97.4	-	0.00
34	4 935	4 940	-3.37	97.4	-	0.00
35	4 734	4 738	-2.99	97.4	-	0.00
36	5 485	5 489	-4.36	97.4	-	0.00
37	6 101	6 103	-5.36	97.4	-	0.00
38	7 773	7 775	-7.66	97.4	-	0.00
39	7 516	7 518	-7.34	97.4	-	0.00
40	7 089	7 091	-6.78	97.4	-	0.00
Sum			14.25			

- Data undefined due to calculation with octave data

Noise sensitive area: DN Vetiecirknis

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 734	1 746	6.11	97.4	-	0.00
2	2 599	2 606	2.50	97.4	-	0.00
3	4 186	4 191	-1.85	97.4	-	0.00
4	3 441	3 447	-0.05	97.4	-	0.00
5	3 078	3 084	0.97	97.4	-	0.00
6	2 897	2 904	1.51	97.4	-	0.00
7	2 202	2 211	3.98	97.4	-	0.00
8	2 784	2 791	1.88	97.4	-	0.00
9	2 950	2 957	1.35	97.4	-	0.00
10	3 757	3 763	-0.85	97.4	-	0.00
11	3 977	3 982	-1.38	97.4	-	0.00
12	3 395	3 401	0.07	97.4	-	0.00
13	3 967	3 972	-1.35	97.4	-	0.00
14	4 103	4 108	-1.66	97.4	-	0.00
15	4 623	4 627	-2.77	97.4	-	0.00
16	5 717	5 721	-4.75	97.4	-	0.00
17	5 322	5 326	-4.08	97.4	-	0.00
18	5 336	5 340	-4.10	97.4	-	0.00
19	5 921	5 924	-5.08	97.4	-	0.00
20	6 033	6 036	-5.25	97.4	-	0.00
21	6 747	6 750	-6.31	97.4	-	0.00
22	6 606	6 609	-6.11	97.4	-	0.00
23	6 523	6 527	-5.99	97.4	-	0.00
24	7 146	7 149	-6.86	97.4	-	0.00
25	7 155	7 158	-6.87	97.4	-	0.00
26	7 241	7 244	-6.98	97.4	-	0.00
27	7 110	7 113	-6.81	97.4	-	0.00
28	8 408	8 411	-8.42	97.4	-	0.00
29	8 965	8 967	-9.03	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	8 837	8 839	-8.89	97.4	-	0.00
31	8 784	8 786	-8.84	97.4	-	0.00
32	7 945	7 948	-7.87	97.4	-	0.00
33	5 561	5 564	-4.49	97.4	-	0.00
34	4 935	4 940	-3.37	97.4	-	0.00
35	4 734	4 738	-2.99	97.4	-	0.00
36	5 485	5 489	-4.36	97.4	-	0.00
37	6 101	6 103	-5.36	97.4	-	0.00
38	7 773	7 775	-7.66	97.4	-	0.00
39	7 516	7 518	-7.34	97.4	-	0.00
40	7 089	7 091	-6.78	97.4	-	0.00
Sum			14.25			

- Data undefined due to calculation with octave data

Noise sensitive area: DO Vizuli

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 084	1 103	10.19	97.4	-	0.00
2	2 091	2 100	4.45	97.4	-	0.00
3	3 658	3 663	-0.61	97.4	-	0.00
4	2 899	2 906	1.51	97.4	-	0.00
5	2 464	2 472	2.98	97.4	-	0.00
6	2 241	2 250	3.83	97.4	-	0.00
7	1 540	1 553	7.15	97.4	-	0.00
8	2 128	2 138	4.29	97.4	-	0.00
9	2 343	2 352	3.43	97.4	-	0.00
10	3 174	3 180	0.69	97.4	-	0.00
11	3 346	3 352	0.21	97.4	-	0.00
12	2 733	2 741	2.04	97.4	-	0.00
13	3 305	3 311	0.32	97.4	-	0.00
14	3 492	3 498	-0.18	97.4	-	0.00
15	4 062	4 067	-1.57	97.4	-	0.00
16	5 148	5 152	-3.77	97.4	-	0.00
17	4 714	4 718	-2.95	97.4	-	0.00
18	4 699	4 703	-2.92	97.4	-	0.00
19	5 268	5 272	-3.98	97.4	-	0.00
20	5 435	5 439	-4.27	97.4	-	0.00
21	6 148	6 151	-5.43	97.4	-	0.00
22	5 959	5 962	-5.14	97.4	-	0.00
23	5 863	5 866	-4.99	97.4	-	0.00
24	6 484	6 487	-5.94	97.4	-	0.00
25	6 502	6 505	-5.96	97.4	-	0.00
26	6 600	6 603	-6.10	97.4	-	0.00
27	6 486	6 489	-5.94	97.4	-	0.00
28	7 801	7 804	-7.70	97.4	-	0.00
29	8 365	8 367	-8.37	97.4	-	0.00
30	8 217	8 219	-8.19	97.4	-	0.00
31	8 148	8 150	-8.11	97.4	-	0.00
32	7 292	7 294	-7.05	97.4	-	0.00
33	5 052	5 056	-3.59	97.4	-	0.00
34	4 409	4 413	-2.33	97.4	-	0.00
35	4 307	4 312	-2.11	97.4	-	0.00
36	5 051	5 055	-3.59	97.4	-	0.00
37	5 670	5 672	-4.67	97.4	-	0.00
38	7 375	7 377	-7.16	97.4	-	0.00
39	7 090	7 092	-6.78	97.4	-	0.00
40	6 646	6 649	-6.17	97.4	-	0.00
Sum			16.49			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: DO Vizuli

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 084	1 103	10.19	97.4	-	0.00
2	2 091	2 100	4.45	97.4	-	0.00
3	3 658	3 663	-0.61	97.4	-	0.00
4	2 899	2 906	1.51	97.4	-	0.00
5	2 464	2 472	2.98	97.4	-	0.00
6	2 241	2 250	3.83	97.4	-	0.00
7	1 540	1 553	7.15	97.4	-	0.00
8	2 128	2 138	4.29	97.4	-	0.00
9	2 343	2 352	3.43	97.4	-	0.00
10	3 174	3 180	0.69	97.4	-	0.00
11	3 346	3 352	0.21	97.4	-	0.00
12	2 733	2 741	2.04	97.4	-	0.00
13	3 305	3 311	0.32	97.4	-	0.00
14	3 492	3 498	-0.18	97.4	-	0.00
15	4 062	4 067	-1.57	97.4	-	0.00
16	5 148	5 152	-3.77	97.4	-	0.00
17	4 714	4 718	-2.95	97.4	-	0.00
18	4 699	4 703	-2.92	97.4	-	0.00
19	5 268	5 272	-3.98	97.4	-	0.00
20	5 435	5 439	-4.27	97.4	-	0.00
21	6 148	6 151	-5.43	97.4	-	0.00
22	5 959	5 962	-5.14	97.4	-	0.00
23	5 863	5 866	-4.99	97.4	-	0.00
24	6 484	6 487	-5.94	97.4	-	0.00
25	6 502	6 505	-5.96	97.4	-	0.00
26	6 600	6 603	-6.10	97.4	-	0.00
27	6 486	6 489	-5.94	97.4	-	0.00
28	7 801	7 804	-7.70	97.4	-	0.00
29	8 365	8 367	-8.37	97.4	-	0.00
30	8 217	8 219	-8.19	97.4	-	0.00
31	8 148	8 150	-8.11	97.4	-	0.00
32	7 292	7 294	-7.05	97.4	-	0.00
33	5 052	5 056	-3.59	97.4	-	0.00
34	4 409	4 413	-2.33	97.4	-	0.00
35	4 307	4 312	-2.11	97.4	-	0.00
36	5 051	5 055	-3.59	97.4	-	0.00
37	5 670	5 672	-4.67	97.4	-	0.00
38	7 375	7 377	-7.16	97.4	-	0.00
39	7 090	7 092	-6.78	97.4	-	0.00
40	6 646	6 649	-6.17	97.4	-	0.00
Sum			16.49			

- Data undefined due to calculation with octave data

Noise sensitive area: DP Zeltini

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 614	2 621	2.45	97.4	-	0.00
2	3 863	3 868	-1.11	97.4	-	0.00
3	5 029	5 033	-3.55	97.4	-	0.00
4	4 339	4 344	-2.18	97.4	-	0.00
5	3 595	3 601	-0.45	97.4	-	0.00
6	2 936	2 943	1.39	97.4	-	0.00
7	2 404	2 412	3.20	97.4	-	0.00
8	2 286	2 295	3.65	97.4	-	0.00
9	1 689	1 701	6.34	97.4	-	0.00
10	1 843	1 855	5.56	97.4	-	0.00
11	2 468	2 477	2.96	97.4	-	0.00
12	2 793	2 801	1.85	97.4	-	0.00
13	3 274	3 280	0.40	97.4	-	0.00
14	4 377	4 382	-2.26	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	5 198	5 202	-3.86	97.4	-	0.00
16	6 102	6 105	-5.36	97.4	-	0.00
17	5 414	5 417	-4.24	97.4	-	0.00
18	5 079	5 083	-3.64	97.4	-	0.00
19	5 291	5 295	-4.02	97.4	-	0.00
20	6 147	6 151	-5.43	97.4	-	0.00
21	6 780	6 783	-6.36	97.4	-	0.00
22	6 038	6 042	-5.26	97.4	-	0.00
23	5 575	5 579	-4.51	97.4	-	0.00
24	6 023	6 026	-5.24	97.4	-	0.00
25	6 391	6 394	-5.80	97.4	-	0.00
26	6 726	6 729	-6.28	97.4	-	0.00
27	6 843	6 846	-6.45	97.4	-	0.00
28	8 249	8 252	-8.23	97.4	-	0.00
29	8 856	8 859	-8.92	97.4	-	0.00
30	8 516	8 518	-8.54	97.4	-	0.00
31	8 251	8 253	-8.23	97.4	-	0.00
32	7 133	7 136	-6.84	97.4	-	0.00
33	2 917	2 924	1.45	97.4	-	0.00
34	2 409	2 418	3.18	97.4	-	0.00
35	1 907	1 918	5.26	97.4	-	0.00
36	2 653	2 661	2.31	97.4	-	0.00
37	3 256	3 260	0.46	97.4	-	0.00
38	4 890	4 893	-3.29	97.4	-	0.00
39	4 655	4 658	-2.83	97.4	-	0.00
40	4 249	4 252	-1.98	97.4	-	0.00
Sum			15.97			

- Data undefined due to calculation with octave data

Noise sensitive area: DP Zeltini

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 614	2 621	2.45	97.4	-	0.00
2	3 863	3 868	-1.11	97.4	-	0.00
3	5 029	5 033	-3.55	97.4	-	0.00
4	4 339	4 344	-2.18	97.4	-	0.00
5	3 595	3 601	-0.45	97.4	-	0.00
6	2 936	2 943	1.39	97.4	-	0.00
7	2 404	2 412	3.20	97.4	-	0.00
8	2 286	2 295	3.65	97.4	-	0.00
9	1 689	1 701	6.34	97.4	-	0.00
10	1 843	1 855	5.56	97.4	-	0.00
11	2 468	2 477	2.96	97.4	-	0.00
12	2 793	2 801	1.85	97.4	-	0.00
13	3 274	3 280	0.40	97.4	-	0.00
14	4 377	4 382	-2.26	97.4	-	0.00
15	5 198	5 202	-3.86	97.4	-	0.00
16	6 102	6 105	-5.36	97.4	-	0.00
17	5 414	5 417	-4.24	97.4	-	0.00
18	5 079	5 083	-3.64	97.4	-	0.00
19	5 291	5 295	-4.02	97.4	-	0.00
20	6 147	6 151	-5.43	97.4	-	0.00
21	6 780	6 783	-6.36	97.4	-	0.00
22	6 038	6 042	-5.26	97.4	-	0.00
23	5 575	5 579	-4.51	97.4	-	0.00
24	6 023	6 026	-5.24	97.4	-	0.00
25	6 391	6 394	-5.80	97.4	-	0.00
26	6 726	6 729	-6.28	97.4	-	0.00
27	6 843	6 846	-6.45	97.4	-	0.00
28	8 249	8 252	-8.23	97.4	-	0.00
29	8 856	8 859	-8.92	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	8 516	8 518	-8.54	97.4	-	0.00
31	8 251	8 253	-8.23	97.4	-	0.00
32	7 133	7 136	-6.84	97.4	-	0.00
33	2 917	2 924	1.45	97.4	-	0.00
34	2 409	2 418	3.18	97.4	-	0.00
35	1 907	1 918	5.26	97.4	-	0.00
36	2 653	2 661	2.31	97.4	-	0.00
37	3 256	3 260	0.46	97.4	-	0.00
38	4 890	4 893	-3.29	97.4	-	0.00
39	4 655	4 658	-2.83	97.4	-	0.00
40	4 249	4 252	-1.98	97.4	-	0.00
Sum			15.97			

- Data undefined due to calculation with octave data

Noise sensitive area: DQ Ziemelbrie ž i

Wind speed: 6.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 738	8 740	-8.79	97.4	-	0.00
2	7 693	7 696	-7.56	97.4	-	0.00
3	6 105	6 109	-5.37	97.4	-	0.00
4	6 850	6 853	-6.46	97.4	-	0.00
5	7 331	7 334	-7.10	97.4	-	0.00
6	7 803	7 806	-7.70	97.4	-	0.00
7	8 530	8 533	-8.55	97.4	-	0.00
8	8 349	8 352	-8.35	97.4	-	0.00
9	8 874	8 876	-8.93	97.4	-	0.00
10	8 943	8 945	-9.01	97.4	-	0.00
11	8 263	8 265	-8.25	97.4	-	0.00
12	7 775	7 778	-7.66	97.4	-	0.00
13	7 295	7 298	-7.05	97.4	-	0.00
14	6 338	6 341	-5.72	97.4	-	0.00
15	5 681	5 684	-4.69	97.4	-	0.00
16	4 604	4 609	-2.73	97.4	-	0.00
17	5 176	5 180	-3.82	97.4	-	0.00
18	5 489	5 493	-4.37	97.4	-	0.00
19	5 457	5 461	-4.31	97.4	-	0.00
20	4 430	4 434	-2.37	97.4	-	0.00
21	3 782	3 788	-0.91	97.4	-	0.00
22	4 790	4 795	-3.10	97.4	-	0.00
23	5 582	5 586	-4.52	97.4	-	0.00
24	5 616	5 620	-4.58	97.4	-	0.00
25	4 783	4 787	-3.08	97.4	-	0.00
26	4 194	4 199	-1.87	97.4	-	0.00
27	3 844	3 849	-1.06	97.4	-	0.00
28	2 537	2 545	2.71	97.4	-	0.00
29	1 989	1 999	4.89	97.4	-	0.00
30	2 633	2 641	2.38	97.4	-	0.00
31	3 259	3 265	0.45	97.4	-	0.00
32	4 438	4 442	-2.39	97.4	-	0.00
33	9 937	9 939	-10.03	97.4	-	0.00
34	9 601	9 603	-9.70	97.4	-	0.00
35	10 538	10 540	-10.60	97.4	-	0.00
36	10 738	10 740	-10.79	97.4	-	0.00
37	11 017	11 018	-11.04	97.4	-	0.00
38	12 250	12 251	-12.08	97.4	-	0.00
39	11 757	11 758	-11.67	97.4	-	0.00
40	11 341	11 342	-11.32	97.4	-	0.00
Sum			12.57			

- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

Noise sensitive area: DQ Ziemelbrie ž i

Wind speed: 8.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 738	8 740	-8.79	97.4	-	0.00
2	7 693	7 696	-7.56	97.4	-	0.00
3	6 105	6 109	-5.37	97.4	-	0.00
4	6 850	6 853	-6.46	97.4	-	0.00
5	7 331	7 334	-7.10	97.4	-	0.00
6	7 803	7 806	-7.70	97.4	-	0.00
7	8 530	8 533	-8.55	97.4	-	0.00
8	8 349	8 352	-8.35	97.4	-	0.00
9	8 874	8 876	-8.93	97.4	-	0.00
10	8 943	8 945	-9.01	97.4	-	0.00
11	8 263	8 265	-8.25	97.4	-	0.00
12	7 775	7 778	-7.66	97.4	-	0.00
13	7 295	7 298	-7.05	97.4	-	0.00
14	6 338	6 341	-5.72	97.4	-	0.00
15	5 681	5 684	-4.69	97.4	-	0.00
16	4 604	4 609	-2.73	97.4	-	0.00
17	5 176	5 180	-3.82	97.4	-	0.00
18	5 489	5 493	-4.37	97.4	-	0.00
19	5 457	5 461	-4.31	97.4	-	0.00
20	4 430	4 434	-2.37	97.4	-	0.00
21	3 782	3 788	-0.91	97.4	-	0.00
22	4 790	4 795	-3.10	97.4	-	0.00
23	5 582	5 586	-4.52	97.4	-	0.00
24	5 616	5 620	-4.58	97.4	-	0.00
25	4 783	4 787	-3.08	97.4	-	0.00
26	4 194	4 199	-1.87	97.4	-	0.00
27	3 844	3 849	-1.06	97.4	-	0.00
28	2 537	2 545	2.71	97.4	-	0.00
29	1 989	1 999	4.89	97.4	-	0.00
30	2 633	2 641	2.38	97.4	-	0.00
31	3 259	3 265	0.45	97.4	-	0.00
32	4 438	4 442	-2.39	97.4	-	0.00
33	9 937	9 939	-10.03	97.4	-	0.00
34	9 601	9 603	-9.70	97.4	-	0.00
35	10 538	10 540	-10.60	97.4	-	0.00
36	10 738	10 740	-10.79	97.4	-	0.00
37	11 017	11 018	-11.04	97.4	-	0.00
38	12 250	12 251	-12.08	97.4	-	0.00
39	11 757	11 758	-11.67	97.4	-	0.00
40	11 341	11 342	-11.32	97.4	-	0.00
Sum			12.57			

- Data undefined due to calculation with octave data

Noise sensitive area: DR Zu š i

Wind speed: 6.0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 542	7 544	-7.37	97.4	-	0.00
2	8 631	8 633	-8.67	97.4	-	0.00
3	9 337	9 339	-9.43	97.4	-	0.00
4	8 828	8 830	-8.88	97.4	-	0.00
5	8 063	8 066	-8.01	97.4	-	0.00
6	7 369	7 372	-7.15	97.4	-	0.00
7	7 160	7 162	-6.88	97.4	-	0.00
8	6 725	6 728	-6.28	97.4	-	0.00
9	6 024	6 027	-5.24	97.4	-	0.00
10	5 359	5 362	-4.14	97.4	-	0.00
11	5 864	5 868	-4.99	97.4	-	0.00
12	6 849	6 852	-6.45	97.4	-	0.00
13	6 973	6 976	-6.63	97.4	-	0.00
14	8 438	8 440	-8.45	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
15	9 275	9 277	-9.36	97.4	-	0.00
16	9 816	9 818	-9.91	97.4	-	0.00
17	9 016	9 018	-9.09	97.4	-	0.00
18	8 431	8 434	-8.44	97.4	-	0.00
19	8 140	8 142	-8.10	97.4	-	0.00
20	9 587	9 589	-9.68	97.4	-	0.00
21	9 987	9 989	-10.08	97.4	-	0.00
22	8 716	8 718	-8.76	97.4	-	0.00
23	7 888	7 890	-7.80	97.4	-	0.00
24	7 895	7 898	-7.81	97.4	-	0.00
25	8 688	8 690	-8.73	97.4	-	0.00
26	9 274	9 276	-9.36	97.4	-	0.00
27	9 682	9 684	-9.78	97.4	-	0.00
28	10 930	10 932	-10.96	97.4	-	0.00
29	11 499	11 501	-11.46	97.4	-	0.00
30	10 930	10 932	-10.96	97.4	-	0.00
31	10 415	10 417	-10.49	97.4	-	0.00
32	9 144	9 146	-9.22	97.4	-	0.00
33	3 633	3 638	-0.54	97.4	-	0.00
34	4 152	4 157	-1.77	97.4	-	0.00
35	3 574	3 580	-0.40	97.4	-	0.00
36	3 002	3 008	1.19	97.4	-	0.00
37	2 534	2 539	2.73	97.4	-	0.00
38	1 394	1 404	8.05	97.4	-	0.00
39	1 836	1 844	5.62	97.4	-	0.00
40	2 159	2 165	4.17	97.4	-	0.00
Sum			13.68			

- Data undefined due to calculation with octave data

Noise sensitive area: DR Zu š i

Wind speed: 8.0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 542	7 544	-7.37	97.4	-	0.00
2	8 631	8 633	-8.67	97.4	-	0.00
3	9 337	9 339	-9.43	97.4	-	0.00
4	8 828	8 830	-8.88	97.4	-	0.00
5	8 063	8 066	-8.01	97.4	-	0.00
6	7 369	7 372	-7.15	97.4	-	0.00
7	7 160	7 162	-6.88	97.4	-	0.00
8	6 725	6 728	-6.28	97.4	-	0.00
9	6 024	6 027	-5.24	97.4	-	0.00
10	5 359	5 362	-4.14	97.4	-	0.00
11	5 864	5 868	-4.99	97.4	-	0.00
12	6 849	6 852	-6.45	97.4	-	0.00
13	6 973	6 976	-6.63	97.4	-	0.00
14	8 438	8 440	-8.45	97.4	-	0.00
15	9 275	9 277	-9.36	97.4	-	0.00
16	9 816	9 818	-9.91	97.4	-	0.00
17	9 016	9 018	-9.09	97.4	-	0.00
18	8 431	8 434	-8.44	97.4	-	0.00
19	8 140	8 142	-8.10	97.4	-	0.00
20	9 587	9 589	-9.68	97.4	-	0.00
21	9 987	9 989	-10.08	97.4	-	0.00
22	8 716	8 718	-8.76	97.4	-	0.00
23	7 888	7 890	-7.80	97.4	-	0.00
24	7 895	7 898	-7.81	97.4	-	0.00
25	8 688	8 690	-8.73	97.4	-	0.00
26	9 274	9 276	-9.36	97.4	-	0.00
27	9 682	9 684	-9.78	97.4	-	0.00
28	10 930	10 932	-10.96	97.4	-	0.00
29	11 499	11 501	-11.46	97.4	-	0.00

To be continued on next page...

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed Results

Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	10 930	10 932	-10.96	97.4	-	0.00
31	10 415	10 417	-10.49	97.4	-	0.00
32	9 144	9 146	-9.22	97.4	-	0.00
33	3 633	3 638	-0.54	97.4	-	0.00
34	4 152	4 157	-1.77	97.4	-	0.00
35	3 574	3 580	-0.40	97.4	-	0.00
36	3 002	3 008	1.19	97.4	-	0.00
37	2 534	2 539	2.73	97.4	-	0.00
38	1 394	1 404	8.05	97.4	-	0.00
39	1 836	1 844	5.62	97.4	-	0.00
40	2 159	2 165	4.17	97.4	-	0.00
Sum			13.68			


- Data undefined due to calculation with octave data

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

A Alksnini



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.7	Yes
8.0	20.0	16.7	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.7
8.0	16.7

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

B Aug š dzikli



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	11.9	Yes
8.0	20.0	11.9	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	11.9
8.0	11.9

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

C Austrumi



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	14.6	Yes
8.0	20.0	14.6	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	14.6
8.0	14.6

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

D Balo ž i



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	14.6	Yes
8.0	20.0	14.6	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	14.6
8.0	14.6

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

E Bambali



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	12.3	Yes
8.0	20.0	12.3	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	12.3
8.0	12.3

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

F Berznieki



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.1	Yes
8.0	20.0	16.1	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.1
8.0	16.1

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

G Birznieki



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.1	Yes
8.0	20.0	16.1	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.1
8.0	16.1

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

H Bolderkrogs



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	14.4	Yes
8.0	20.0	14.4	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	14.4
8.0	14.4

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

I Bru ž i



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.2	Yes
8.0	20.0	15.2	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	15.2
8.0	15.2

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

J Bruveri



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	13.0	Yes
8.0	20.0	13.0	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	13.0
8.0	13.0

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

K Buras



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	17.7	Yes
8.0	20.0	17.7	Yes

Calculated noise [dB(A)]

Wind speed [m/s]	
6.0	17.7
8.0	17.7


Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

Calculated:
11.10.2026 23:02/4.3.250

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

L Celaraji



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.3	Yes
8.0	20.0	15.3	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	15.3
8.0	15.3

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

M Ceplabelnieki



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	14.7	Yes
8.0	20.0	14.7	Yes

Calculated noise [dB(A)]

Wind speed [m/s]	
6.0	14.7
8.0	14.7


Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

Calculated:
11.10.2026 23:02/4.3.250

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

N Cepli



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.6	Yes
8.0	20.0	15.6	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	15.6
8.0	15.6

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

O Ciruli



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.2	Yes
8.0	20.0	16.2	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.2
8.0	16.2

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

P Dangas



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	14.7	Yes
8.0	20.0	14.7	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	14.7
8.0	14.7

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

Q Darznieki



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.2	Yes
8.0	20.0	15.2	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	15.2
8.0	15.2

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

R Di ž abelnieki



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	14.5	Yes
8.0	20.0	14.5	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	14.5
8.0	14.5

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

S Doni



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	18.8	Yes
8.0	20.0	18.8	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	18.8
8.0	18.8

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

T Dzintari A



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.4	Yes
8.0	20.0	16.4	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.4
8.0	16.4

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

U Dzintari B



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.6	Yes
8.0	20.0	16.6	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.6
8.0	16.6

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

V Dzikli



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	12.3	Yes
8.0	20.0	12.3	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	12.3
8.0	12.3

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

W Elki



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.1	Yes
8.0	20.0	15.1	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	15.1
8.0	15.1

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

X Ezeri



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	18.9	Yes
8.0	20.0	18.9	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	18.9
8.0	18.9

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

Y Ezerkrogs



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	19.1	Yes
8.0	20.0	19.1	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	19.1
8.0	19.1

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

Z Ezermali



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	18.6	Yes
8.0	20.0	18.6	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	18.6
8.0	18.6

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AA Franci



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.2	Yes
8.0	20.0	16.2	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.2
8.0	16.2

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AB Gailkalni



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	14.1	Yes
8.0	20.0	14.1	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	14.1
8.0	14.1

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AC Grantkalni



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.4	Yes
8.0	20.0	16.4	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.4
8.0	16.4

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AD Graši



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	18.3	Yes
8.0	20.0	18.3	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	18.3
8.0	18.3

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AE Jansoni



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.8	Yes
8.0	20.0	16.8	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.8
8.0	16.8

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AF Jaunandzmani



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	13.0	Yes
8.0	20.0	13.0	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	13.0
8.0	13.0

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AG Jaunaraji



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	19.0	Yes
8.0	20.0	19.0	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	19.0
8.0	19.0

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AH Jaunbirznieki A



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	14.7	Yes
8.0	20.0	14.7	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	14.7
8.0	14.7

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AI Jaunbirznieki B



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	14.8	Yes
8.0	20.0	14.8	Yes

Calculated noise [dB(A)]

Wind speed [m/s]	
6.0	14.8
8.0	14.8


Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

Calculated:
11.10.2026 23:02/4.3.250

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AJ Jaunbrie ž i



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	12.7	Yes
8.0	20.0	12.7	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	12.7
8.0	12.7

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AK Jaunventas



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.0	Yes
8.0	20.0	15.0	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	15.0
8.0	15.0

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AL Jaunzemji



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.7	Yes
8.0	20.0	15.7	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	15.7
8.0	15.7

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AM Jorgi



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	11.3	Yes
8.0	20.0	11.3	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	11.3
8.0	11.3

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AN Jostnieki A



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.6	Yes
8.0	20.0	15.6	Yes

Calculated noise [dB(A)]

Wind speed [m/s]	
6.0	15.6
8.0	15.6


Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

Calculated:
11.10.2026 23:02/4.3.250

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AO Jostnieki B



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.0	Yes
8.0	20.0	16.0	Yes

Calculated noise [dB(A)]

Wind speed [m/s]	
6.0	16.0
8.0	16.0


Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

Calculated:
11.10.2026 23:02/4.3.250

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AP Jostnieki C



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.7	Yes
8.0	20.0	15.7	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	15.7
8.0	15.7

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AQ Jostnieki D



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.6	Yes
8.0	20.0	15.6	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	15.6
8.0	15.6

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AR Jostnieki E



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.7	Yes
8.0	20.0	15.7	Yes

Calculated noise [dB(A)]

Wind speed [m/s]	
6.0	15.7
8.0	15.7


Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

Calculated:
11.10.2026 23:02/4.3.250

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AS Jostnieki F



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.6	Yes
8.0	20.0	15.6	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	15.6
8.0	15.6

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AT Jostnieki G



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.6	Yes
8.0	20.0	15.6	Yes

Calculated noise [dB(A)]

Wind speed [m/s]	
6.0	15.6
8.0	15.6


Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

Calculated:
11.10.2026 23:02/4.3.250

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AU Jostnieki H



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.0	Yes
8.0	20.0	16.0	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.0
8.0	16.0

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AV Jostnieki I



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.1	Yes
8.0	20.0	16.1	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.1
8.0	16.1

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AW Jostnieki J



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.2	Yes
8.0	20.0	16.2	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.2
8.0	16.2

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AX Jostnieki K



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.1	Yes
8.0	20.0	16.1	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.1
8.0	16.1

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AY Jostnieki L



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.2	Yes
8.0	20.0	16.2	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.2
8.0	16.2

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

AZ Jostnieki M



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.3	Yes
8.0	20.0	16.3	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.3
8.0	16.3

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

BA Jostnieki N



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.3	Yes
8.0	20.0	16.3	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.3
8.0	16.3

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

BB Jostnieki O



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.2	Yes
8.0	20.0	16.2	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.2
8.0	16.2

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

BC Jostnieki P



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.2	Yes
8.0	20.0	16.2	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.2
8.0	16.2

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

BD Jostnieki R



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.3	Yes
8.0	20.0	16.3	Yes

Calculated noise [dB(A)]

Wind speed [m/s]	
6.0	16.3
8.0	16.3


Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

Calculated:
11.10.2026 23:02/4.3.250

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

BE Jostnieki S



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.3	Yes
8.0	20.0	16.3	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.3
8.0	16.3

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

BF Jostnieki T



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.2	Yes
8.0	20.0	16.2	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.2
8.0	16.2

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

BG Kaleji A



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.3	Yes
8.0	20.0	15.3	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	15.3
8.0	15.3

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

BH Kaleji B



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.4	Yes
8.0	20.0	15.4	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	15.4
8.0	15.4

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

BI Kalnieki



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.1	Yes
8.0	20.0	16.1	Yes

Calculated noise [dB(A)]

Wind speed [m/s]	
6.0	16.1
8.0	16.1


Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

Calculated:
11.10.2026 23:02/4.3.250

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

BJ Kapsetnieki



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.7	Yes
8.0	20.0	15.7	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	15.7
8.0	15.7

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

BK Kliedini



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.7	Yes
8.0	20.0	15.7	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	15.7
8.0	15.7

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

BL Kniplokkalni



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.1	Yes
8.0	20.0	16.1	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.1
8.0	16.1

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

BM Kraujas



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	14.5	Yes
8.0	20.0	14.5	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	14.5
8.0	14.5

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

BN Krumini



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.1	Yes
8.0	20.0	16.1	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.1
8.0	16.1

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

BO Lagzdini



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	14.0	Yes
8.0	20.0	14.0	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	14.0
8.0	14.0

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

BP Laucinieki



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	13.4	Yes
8.0	20.0	13.4	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	13.4
8.0	13.4

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

BQ Lielbrie ž i



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	12.7	Yes
8.0	20.0	12.7	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	12.7
8.0	12.7

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

BR Liepnieki



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	14.5	Yes
8.0	20.0	14.5	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	14.5
8.0	14.5

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

BS Mazabelnieki



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	14.2	Yes
8.0	20.0	14.2	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	14.2
8.0	14.2

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

BT Mazabelnieki



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	14.4	Yes
8.0	20.0	14.4	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	14.4
8.0	14.4

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

BU Mazbruveri



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	13.2	Yes
8.0	20.0	13.2	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	13.2
8.0	13.2

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

BV Mazdunkuri



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	18.0	Yes
8.0	20.0	18.0	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	18.0
8.0	18.0

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

BW Mednieki



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	17.9	Yes
8.0	20.0	17.9	Yes

Calculated noise [dB(A)]

Wind speed [m/s]	
6.0	17.9
8.0	17.9


Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

Calculated:
11.10.2026 23:02/4.3.250

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

BX Melki



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.6	Yes
8.0	20.0	15.6	Yes

Calculated noise [dB(A)]

Wind speed [m/s]	
6.0	15.6
8.0	15.6


Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

Calculated:
11.10.2026 23:02/4.3.250

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

BY Mendeli



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	17.1	Yes
8.0	20.0	17.1	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	17.1
8.0	17.1

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

BZ Me ž araji



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	17.1	Yes
8.0	20.0	17.1	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	17.1
8.0	17.1

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CA Me ž gali



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.9	Yes
8.0	20.0	15.9	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	15.9
8.0	15.9

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CB Nikas



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	19.4	Yes
8.0	20.0	19.4	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	19.4
8.0	19.4

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CC Novadlauki



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	12.0	Yes
8.0	20.0	12.0	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	12.0
8.0	12.0

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CD Olkalni



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.5	Yes
8.0	20.0	15.5	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	15.5
8.0	15.5

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CE O š enieki



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	14.4	Yes
8.0	20.0	14.4	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	14.4
8.0	14.4

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CF Ozoli



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.7	Yes
8.0	20.0	15.7	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	15.7
8.0	15.7

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CG Ozolkalni



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	12.4	Yes
8.0	20.0	12.4	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	12.4
8.0	12.4

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CH Ozolnieki



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	14.0	Yes
8.0	20.0	14.0	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	14.0
8.0	14.0

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CI Pauni



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.6	Yes
8.0	20.0	15.6	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	15.6
8.0	15.6

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CJ Plavnieki



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	12.8	Yes
8.0	20.0	12.8	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	12.8
8.0	12.8

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CK Priednieki A



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.1	Yes
8.0	20.0	16.1	Yes

Calculated noise [dB(A)]

Wind speed [m/s]	
6.0	16.1
8.0	16.1


Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

Calculated:
11.10.2026 23:02/4.3.250

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CL Priednieki B



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.1	Yes
8.0	20.0	16.1	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.1
8.0	16.1

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CM Priedulaji



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	18.1	Yes
8.0	20.0	18.1	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	18.1
8.0	18.1

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CN Priedulaji 2



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	18.4	Yes
8.0	20.0	18.4	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	18.4
8.0	18.4

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CO Prie ž gali



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	18.2	Yes
8.0	20.0	18.2	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	18.2
8.0	18.2

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CP Pumpuri



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.0	Yes
8.0	20.0	16.0	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.0
8.0	16.0

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CQ Punaki



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	18.0	Yes
8.0	20.0	18.0	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	18.0
8.0	18.0

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CR Rasas



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.0	Yes
8.0	20.0	15.0	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	15.0
8.0	15.0

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CS Remesi



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	11.8	Yes
8.0	20.0	11.8	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	11.8
8.0	11.8

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CT Rijnieki



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.1	Yes
8.0	20.0	15.1	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	15.1
8.0	15.1

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CU Rolli



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.4	Yes
8.0	20.0	15.4	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	15.4
8.0	15.4

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CV Ro ž kalni



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.0	Yes
8.0	20.0	16.0	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.0
8.0	16.0

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CW Rudevici



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	14.8	Yes
8.0	20.0	14.8	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	14.8
8.0	14.8

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CX Saulstari



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.3	Yes
8.0	20.0	15.3	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	15.3
8.0	15.3

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CY Silaraji



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	17.4	Yes
8.0	20.0	17.4	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	17.4
8.0	17.4

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

CZ Silnieki



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	18.4	Yes
8.0	20.0	18.4	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	18.4
8.0	18.4

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

DA Strautini



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	18.1	Yes
8.0	20.0	18.1	Yes

Calculated noise [dB(A)]

Wind speed [m/s]	
6.0	18.1
8.0	18.1


Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

Calculated:
11.10.2026 23:02/4.3.250

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

DB Svires



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.6	Yes
8.0	20.0	15.6	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	15.6
8.0	15.6

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

DC Terandes mui ž a



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	12.8	Yes
8.0	20.0	12.8	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	12.8
8.0	12.8

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

DD Terandnieki A



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	13.7	Yes
8.0	20.0	13.7	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	13.7
8.0	13.7

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

DE Terandnieki B



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	13.7	Yes
8.0	20.0	13.7	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	13.7
8.0	13.7

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

DF Uplejas A



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	17.2	Yes
8.0	20.0	17.2	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	17.2
8.0	17.2

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

DG Uplejas B



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	17.4	Yes
8.0	20.0	17.4	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	17.4
8.0	17.4

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

DH Valcenieki



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.2	Yes
8.0	20.0	15.2	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	15.2
8.0	15.2

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

DI Valkaraji



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	12.8	Yes
8.0	20.0	12.8	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	12.8
8.0	12.8

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

DJ Vanagi



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	18.3	Yes
8.0	20.0	18.3	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	18.3
8.0	18.3

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

DK Veckrastnieki



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	14.3	Yes
8.0	20.0	14.3	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	14.3
8.0	14.3

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

DL Vecpriednieki



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.6	Yes
8.0	20.0	16.6	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.6
8.0	16.6

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

DM Vendzavas



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	15.2	Yes
8.0	20.0	15.2	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	15.2
8.0	15.2

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

DN Vetiecirknis



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	14.2	Yes
8.0	20.0	14.2	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	14.2
8.0	14.2

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

DO Vizuli



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.5	Yes
8.0	20.0	16.5	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.5
8.0	16.5

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

DP Zeltini



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	16.0	Yes
8.0	20.0	16.0	Yes

Calculated noise [dB(A)]


Wind speed [m/s]	
6.0	16.0
8.0	16.0

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

DQ Ziemelbrie ž i



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	12.6	Yes
8.0	20.0	12.6	Yes

Calculated noise [dB(A)]

Wind speed [m/s]	
6.0	12.6
8.0	12.6


Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

Calculated:
11.10.2026 23:02/4.3.250

DECIBEL - Detailed results, graphic

Noise calculation model: Danish low frequency 2024

DR Zu š i



Sound level

Wind speed [m/s]	Demands [dB(A)]	WTG noise [dB(A)]	Demands fulfilled ?
6.0	20.0	13.7	Yes
8.0	20.0	13.7	Yes

Calculated noise [dB(A)]

Wind speed [m/s]	
6.0	13.7
8.0	13.7

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

Noise calculation model:
Danish low frequency 2024
Wind speed (at 10 m height):
6.0 m/s - 8.0 m/s, step 2.0 m/s
Terrain reduction:
-1.5 dB(A) Onshore
-3 dB(A) Offshore
Meteorological coefficient, C0:
Selected option: Fixed value: 0.0 dB
Type of demand in calculation:
1: WTG noise is compared to demand (DK, DE, SE, NL etc.)
Noise values in calculation:
All noise values are mean values (Lwa) (Normal)
Pure tones:
Pure tones penalty is added to total noise impact at receptors
Noise sensitive area
Height above ground level, when no value in NSA object:
1.5 m; Don't allow override of model height with height from NSA object
Uncertainty margin:
0.0 dB; Uncertainty margin in NSA has priority
Deviation from "official" noise demands. Negative is more restrictive, positive is less restrictive.:
0.0 dB(A)
Low frequency calculation

All coordinates are in
Latvian TM LKS92-LKS92 (LV)

WTG: NORDEX N175/6.X 8000 200.0 !-!
Noise: Noise (17)

Source	Source/Date	Creator	Edited
	23.04.2025	USER	26.09.2025 00:16

Low frequency data

Status	Hub height [m]	Wind speed [m/s]	LwA,ref [dB(A)]	10.0 Hz [dB]	12.5 Hz [dB]	16.0 Hz [dB]	20.0 Hz [dB]	25.0 Hz [dB]	31.5 Hz [dB]	40.0 Hz [dB]	50.0 Hz [dB]	63.0 Hz [dB]	80.0 Hz [dB]	100.0 Hz [dB]	125.0 Hz [dB]	160.0 Hz [dB]
From Windcat	200.0	6.0	97.4	59.1	63.9	68.5	71.8	75.2	77.1	78.3	80.3	84.6	87.3	88.9	91.5	93.5
From Windcat	159.0	6.0	97.4	59.1	63.9	68.5	71.8	75.2	77.1	78.3	80.3	84.6	87.3	88.9	91.5	93.5
From Windcat	200.0	8.0	97.4	59.1	63.9	68.5	71.8	75.2	77.1	78.3	80.3	84.6	87.3	88.9	91.5	93.5
From Windcat	159.0	8.0	97.4	59.1	63.9	68.5	71.8	75.2	77.1	78.3	80.3	84.6	87.3	88.9	91.5	93.5

Noise sensitive area: A Alksnini
Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

6.0 [m/s]	8.0 [m/s]
20.0 dB(A)	20.0 dB(A)

No distance demand
dLsigma

10.0 Hz [dB]	12.5 Hz [dB]	16.0 Hz [dB]	20.0 Hz [dB]	25.0 Hz [dB]	31.5 Hz [dB]	40.0 Hz [dB]	50.0 Hz [dB]	63.0 Hz [dB]	80.0 Hz [dB]	100.0 Hz [dB]	125.0 Hz [dB]	160.0 Hz [dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: B Aug š dzikli
Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: C Austrumi

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: D Balo ž i

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: E Bambali

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: F Berznieki

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: G Birznieki

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: H Bolderkrogs

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: I Bru ž i

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: J Bruveri

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: K Buras

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: L Celaraji

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: M Ceplabelnieki

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: N Cepli

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: O Ciruli

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: P Dangas

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: Q Darznieki

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: R Di ž abelnieki

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: S Doni

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: T Dzintari A

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: U Dzintari B

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: V Dzikli

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: W Elki

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: X Ezeri

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: Y Ezerkrogs

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: Z Ezermali

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AA Franci

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AB Gailkalni

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AC Grantkalni

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AD Gra š i

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AE Jansoni

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AF Jaunandzmani

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AG Jaunaraji

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AH Jaunbirznieki A

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AI Jaunbirznieki B

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AJ Jaunbrie ž i

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AK Jaunventas

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AL Jaunzemji

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AM Jorgi

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AN Jostnieki A

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AO Jostnieki B

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AP Jostnieki C

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AQ Jostnieki D

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AR Jostnieki E

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AS Jostnieki F

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AT Jostnieki G

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AU Jostnieki H

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AV Jostnieki I

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AW Jostnieki J

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AX Jostnieki K

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AY Jostnieki L

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: AZ Jostnieki M

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BA Jostnieki N

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BB Jostnieki O

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BC Jostnieki P

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BD Jostnieki R

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BE Jostnieki S

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BF Jostnieki T

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BG Kaleji A

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BH Kaleji B

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BI Kalnieki

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BJ Kapsetnieki

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BK Kliedini

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BL Kniplokkalni

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BM Kraujas

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BN Krumini

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BO Lagzdini

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BP Laucinieki

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BQ Lielbrie ž i

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BR Liepnieki

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BS Mazabelnieki

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BT Mazabelnieki

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BU Mazbruveri

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BV Mazdunkuri

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BW Mednieki

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BX Melki

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BY Mendeli

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: BZ Me ž araji

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CA Me ž gali

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CB Nikas

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CC Novadlauki

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CD Olkalni

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CE O š enieki

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CF Ozoli

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CG Ozolkalni

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CH Ozolnieki

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s]	8.0 [m/s]
20.0 dB(A)	20.0 dB(A)

No distance demand
dLsigma

10.0 Hz [dB]	12.5 Hz [dB]	16.0 Hz [dB]	20.0 Hz [dB]	25.0 Hz [dB]	31.5 Hz [dB]	40.0 Hz [dB]	50.0 Hz [dB]	63.0 Hz [dB]	80.0 Hz [dB]	100.0 Hz [dB]	125.0 Hz [dB]	160.0 Hz [dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CI Pauni

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

6.0 [m/s]	8.0 [m/s]
20.0 dB(A)	20.0 dB(A)

No distance demand
dLsigma

10.0 Hz [dB]	12.5 Hz [dB]	16.0 Hz [dB]	20.0 Hz [dB]	25.0 Hz [dB]	31.5 Hz [dB]	40.0 Hz [dB]	50.0 Hz [dB]	63.0 Hz [dB]	80.0 Hz [dB]	100.0 Hz [dB]	125.0 Hz [dB]	160.0 Hz [dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CJ Plavnieki

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

6.0 [m/s]	8.0 [m/s]
20.0 dB(A)	20.0 dB(A)

No distance demand
dLsigma

10.0 Hz [dB]	12.5 Hz [dB]	16.0 Hz [dB]	20.0 Hz [dB]	25.0 Hz [dB]	31.5 Hz [dB]	40.0 Hz [dB]	50.0 Hz [dB]	63.0 Hz [dB]	80.0 Hz [dB]	100.0 Hz [dB]	125.0 Hz [dB]	160.0 Hz [dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CK Priednieki A

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

6.0 [m/s]	8.0 [m/s]
20.0 dB(A)	20.0 dB(A)

No distance demand
dLsigma

10.0 Hz [dB]	12.5 Hz [dB]	16.0 Hz [dB]	20.0 Hz [dB]	25.0 Hz [dB]	31.5 Hz [dB]	40.0 Hz [dB]	50.0 Hz [dB]	63.0 Hz [dB]	80.0 Hz [dB]	100.0 Hz [dB]	125.0 Hz [dB]	160.0 Hz [dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CL Priednieki B

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CM Priedulaji

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CN Priedulaji 2

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CO Prie ž gali

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CP Pumpuri

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CQ Punaki

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CR Rasas

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CS Remesi

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CT Rijnieki

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CU Rolli

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CV Ro ž kalni

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CW Rudevici

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CX Saulstari

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CY Silaraji

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: CZ Silnieki

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DA Strautini

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DB Svires

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DC Terandes mui ž a

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DD Terandnieki A

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DE Terandnieki B

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DF Uplejas A

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DG Uplejas B

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DH Valcenieki

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DI Valkaraji

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DJ Vanagi

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DK Veckrastnieki

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DL Vecpriednieki

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DM Vendzavas

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DN Vetiecirknis

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DO Vizuli

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DP Zeltini

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DQ Ziemelbrie ž i

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:
6.0 [m/s] 8.0 [m/s]
20.0 dB(A) 20.0 dB(A)

No distance demand
dLsigma

10.0 Hz	12.5 Hz	16.0 Hz	20.0 Hz	25.0 Hz	31.5 Hz	40.0 Hz	50.0 Hz	63.0 Hz	80.0 Hz	100.0 Hz	125.0 Hz	160.0 Hz
[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]	[dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Noise sensitive area: DR Zu š i

Predefined calculation standard: Regular dwellings
Immission height(a.g.l.): Use standard value from calculation model
Uncertainty margin: Use default value from calculation model
No temporal binning
Noise demand:

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

DECIBEL - Assumptions for noise calculation

6.0 [m/s]	8.0 [m/s]
20.0 dB(A)	20.0 dB(A)

No distance demand
dLsigma


10.0 Hz [dB]	12.5 Hz [dB]	16.0 Hz [dB]	20.0 Hz [dB]	25.0 Hz [dB]	31.5 Hz [dB]	40.0 Hz [dB]	50.0 Hz [dB]	63.0 Hz [dB]	80.0 Hz [dB]	100.0 Hz [dB]	125.0 Hz [dB]	160.0 Hz [dB]
4.9	5.9	4.6	6.6	8.4	10.8	11.4	13.0	16.6	19.7	21.2	20.2	21.2

Pure tone penalty: 0 dB

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

Calculated:
11.10.2026 23:02/4.3.250

DECIBEL - Map 6.0 m/s Regular dwellings



Map: EMD OpenStreetMap , Print scale 1:100 000, Map center Latvian TM LKS92-LKS92 (LV) East: 358 722 North: 335 601


New WTG Noise sensitive area

Noise calculation model: Danish low frequency 2024. Wind speed: 6.0 m/s Regular dwellings
Height above sea level from active line object

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

Calculated:
11.10.2026 23:02/4.3.250

DECIBEL - Map 6.0 m/s Cottage zones



Map: EMD OpenStreetMap , Print scale 1:100 000, Map center Latvian TM LKS92-LKS92 (LV) East: 358 722 North: 335 601


New WTG Noise sensitive area

Noise calculation model: Danish low frequency 2024. Wind speed: 6.0 m/s Cottage zones
Height above sea level from active line object

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

Calculated:
11.10.2026 23:02/4.3.250

DECIBEL - Map 8.0 m/s Regular dwellings



0 1 2 3 4 km

Map: EMD OpenStreetMap , Print scale 1:100 000, Map center Latvian TM LKS92-LKS92 (LV) East: 358 722 North: 335 601


New WTG Noise sensitive area

Noise calculation model: Danish low frequency 2024. Wind speed: 8.0 m/s Regular dwellings
Height above sea level from active line object

Licensed user:
Enviroprojekts, SIA
Maza Nometnu iela 31
LV-1002 Riga
+37129262684
SIA Enviroprojekts

Calculated:
11.10.2026 23:02/4.3.250

DECIBEL - Map 8.0 m/s Cottage zones



Map: EMD OpenStreetMap , Print scale 1:100 000, Map center Latvian TM LKS92-LKS92 (LV) East: 358 722 North: 335 601

New WTG Noise sensitive area

Noise calculation model: Danish low frequency 2024. Wind speed: 8.0 m/s Cottage zones
Height above sea level from active line object